


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles E. Wilson
(Applicant) Charles E. Wilson-Partner

Proof of Publication

RECEIVED

APR 28 1976

Department of Water Resources
Eastern District Office

STATE OF IDAHO
County of Clark

ss.

Terry T. Weatherston being
first duly sworn, deposes and says that he is the

printer of THE CLARK COUNTY
ENTERPRISE, a weekly newspaper published in
Dubois, Clark County, in the State of Idaho. That

the notice of application,
a true copy of which is hereto attached was pub-
lished in THE CLARK COUNTY ENTERPRISE for

two consecutive weeks, first publication

having been made on the 15 day of

April, 1976 and the last

publication having been made on the 22

day of April, 1976.

That said paper has been continuously and
uninterruptedly published in said county during
a period of seventy-eight consecutive weeks
prior to the first publication of said notice or
advertisement, and is a newspaper within the
meaning of the laws of Idaho.

Terry T. Weatherston

SUBSCRIBED AND SWORN TO before me

this 23 day of April, A.D., 1976

Notary Public.

My commission expires August 5, 1977

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. J. Wilson & Sons, Dubois, Idaho have on 4-05-76 submitted Application No. 32-7046 for a permit to appropriate 0.60 cubic feet per second of water from a ground-water source by means of well, pump and reservoir within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 35, T. 10N, R. 33E, B.M., Clark County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 5 families; stockwatering

purposes for 700 sheep, 300 cattle, 5 horses, and 50 swine, and for heat and power generation within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for storage for irrigation within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for the irrigation of 200 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 3, 1976.

R. KEITH HIGGINSON
Director

Published in the Enterprise Citizen, Rexburg, Idaho on April 15 and April 22, 1976.

[illegible]

(Include distance from pump to measuring device, if applicable.)

SEE ATTACHED DIAGRAM
OF SYSTEM

Point(s) of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 4) Sec 35, T10N, R33E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature


Checked by

Approved by _____

Date 29 August 1986

Date Sept. 9, 1986

Date 4/25/89



POINT OF DIVERSION

Morning Glory Spring

DOMESTIC
PLACE OF USE

Spring for drinking water

PLACE OF USE
IRRIGATION

R33E

TION
T9N

MICROFILMED

SEP 04 1990

32-7046

POINT OF DIVERSION
WELL

Liddy Hot Spring Spring
(Holding Pond)

TION

38
2
1

1202

T 92

R33E

POINT OF DIVERSION
DESCRIBED BY
Applicant as
"Morning Glory Spring"

POINT OF DIVERSION
ORIGINALLY

K1

US

Log Pond

2
11

2
11

MICROFILMED

SEP 04 1993

32-7046

SEE L-14

WILSON

2833

R



POINT OF DIVERSION
DRINKING H₂O

T9N
R33E

US

LOG POND

3 2
10 11

2
11

R33E
T9N

PLACE OF USE DOMESTIC

SEE L 14

ED WILSON

57 2

B
60

RESERVOIR

IRRIGATED PLACE OF USE

MICROFILMED

SEP 04 1990

US

32-7046

10 11
15 14

1
1

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 32-07046

Priority: April 5, 1976

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.33 CFS
238.9 AF

This is to certify, that E.J. WILSON & SONS
DUBOIS, ID 83423 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 5, 1976; and
has submitted Proof of Beneficial Use on March 16, 1981. An examination indicates
that the works have a diversion capacity of .330 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.33 CFS	140.1 AF
STOCKWATER	01/01 to 12/31	0.04 CFS	5.8 AF
POWER	01/01 to 12/31	0.33 CFS	238.9 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	3.0 AF
	Totals	0.33 CFS	238.9 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWSW), Sec. 35, Township 10N, Range 33E
CLARK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	33E	11	SWNE 40	SWNW 7	SENW 35	82
Total number of acres irrigated:						82

PLACE OF USE: STOCKWATER

TWN RGE SEC

09N 33E 11 NENW

PLACE OF USE: POWER, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

MICROFILMED

SEP 04 1990


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 32-07046

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The diversion and use of water under this license is subject to review by the Director 35 years from the date of issuance. Upon appropriate findings relative to the interest of the public, the Director may cancel all or any part of the use authorized herein and may revise, delete or add conditions under which the right may be exercised.
7. The water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this license.
8. Use of water under this right shall be supplemental to all existing water rights with the same purpose and place of use.
9. Stockwater use is for 434 head; domestic use is for 5 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16th day of AUGUST, 1990.

Acting for  R. Keith Higginson, Director

MICROFILMED

SEP 14 1990

MEMO

To: Ernie Carlson
From: Lynne Krogh-Hampe
Date: June 11, 1986
Re: E. J. Wilson & Sons v. Dunn
Permit # 32-7046

The claimants in E. J. Wilson & Sons v. Dunn are claiming an historic use right to 2 cfs of water from Lidy Hot Springs with a priority of May 28, 1890. A copy of the complaint and a memo from Keith Wilson are enclosed, and I will be sending you a copy of the preliminary draft of the report shortly. At this point, it is contemplated that the Department will recommend that the court decree a right to 1.77 cfs with the 1890 priority, broken down as follows:

1.35 cfs (power)
1.64 cfs (irrigation)
.04 cfs (domestic)
.09 cfs (stockwater)
1.77 cfs total

The claimants also have a permit to appropriate 0.6 cfs of water from a geothermal well tributary to the hot springs. The water feeds into the same delivery system and is used for the same purposes in the same places as the historic use right claimed in the adjudication. A proof of beneficial use card has been filed but a license has not yet been issued. Would you please make a note in your files for permit #32-7046 that the license should provide that the licensed right is supplemental to the claimants historic use right. A copy of the permit is enclosed.

*Thank,
Lynne*

MICROFILMED

SEP 14 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 32-7046

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. 32 7046

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant E.J. Wilson & Sons (a partnership) Phone: 525-7286
post office address Dubois, Idaho 83423

2. Source of water supply Ground Water which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 10 N.
Range 33 E. B.M. Clark County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following ^{supplemental} purposes:
irrigation

Amount .6 cfs for & storage purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .6 cfs for Power & Heat purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 cfs for Livestock purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: .04 cfs Domestic Jan 1 Dec 31

a. .6 cfs cubic feet per second and/or

b. 725 DRT acre feet per annum.

6. Proposed diverting works: Existing

a. Description of ditches, flumes, pumps, headgates, etc. Well is 325 ft. deep; 6 in. casing to 65 ft.; 4 in. hole to 280 ft; 3 1/2 in. hole to 325 ftl; power plant consists pelton wheel and 15 KW generator; 8" pipeline exists from well to power plant and gravity flow sprinklers.

b. Height of storage dam 10 feet, active reservoir capacity 30 acre feet; total reservoir capacity 30 acre feet, materials used in storage dam: earth fill

Period of year during which storage will occur Nov 30 to April 1 inclusive.
(Mo. Day) (Mo. Day)

c. ~~existing~~ ^{existing} well diameter is 6-3 1/2 inches; proposed depth of well is 325 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 3,500.00

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 9N
Range 33 E B.M.

(2) Amount of power to be generated: 25 hp under 250 feet of head.

(3) List number of each kind of livestock to be watered 700 sheep; 300 cattle;
5 horses; 50 swine

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5

(5) If water is to be used for other purposes describe: Existing log pond for saw mill (about 100 ft. square and 6 ft. deep); existing swimming pool (formerly known as Lidy Hot Springs)

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	33E	11			40		40		40	40		40							200


Total number of acres to be irrigated 200

c. Describe any other water rights used for the same purposes as described above. Applicants and their predecessors have used approximately 1.6 cfs from springs shown on map for same purposes for approximately 80 years.

9. a. Who owns the property at the point of diversion United States
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant is a family partnership consisting of E.J. Wilson and sons, Charles Wilson and James Wilson. Applicants carry on a mining and milling operation as well as farming activities. The Wilsons and their families have resided at Lidy Hot Springs since 1962. The warm water from the springs has been used for many years for a swimming pool, irrigation, domestic water, heating the homes and buildings, a log pond for the saw mill, power generation. Recently, while doing some core drilling and exploration work on one of their mining claims, the Wilsons struck more warm water which flowed to the surface under artesian pressure. They have cased the hole to 65 ft. and installed more pipeline to place this water in their existing system. It supplements all of their present uses of water and will allow better irrigation of their lands. At present, applicants do not anticipate a substantial modification in any of their existing facilities such as the pipelines, reservoir or power producing equipment. They intend to generate more power and to irrigate more of their land in one set.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles E. Wilson
(Applicant) Charles E. Wilson Partner

Proposed Priority 4-05-76

Received by CW Date 4-05-76 Time 11:25 A.

Preliminary check by RDC Fee \$ 25.00

Receipted by CW Date 4-06-76 # 15740

Publication prepared by CW Date 4-08-76

Published in Enterprise Citizen

Publication dates April 15 + April 22, 1976

Publication approved me Date 4-28-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC ORT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 32-7046, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 81.

c. Other: 1. A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10 day of May, 19 76


Director

Proof of Publication

RECEIVED

APR 26 1976

Department of Water Resources
Eastern District Office

STATE OF IDAHO }
County of Clark } ss.

Terry T. Weatherston being
first duly sworn, deposes and says that he is the

printer of THE CLARK COUNTY
ENTERPRISE, a weekly newspaper published in
Dubois, Clark County, in the State of Idaho. That

the notice of application,
a true copy of which is hereto attached was pub-
lished in THE CLARK COUNTY ENTERPRISE for

two consecutive weeks, first publication

having been made on the 15 day of

April, 19 76 and the last

publication having been made on the 22

day of April, 1976.

That said paper has been continuously and
uninterruptedly published in said county during
a period of seventy-eight consecutive weeks
prior to the first publication of said notice or
advertisement, and is a newspaper within the
meaning of the laws of Idaho.

Terry T. Weatherston

SUBSCRIBED AND SWORN TO before me
this 23 day of April, A. D., 1976

109 - D. P. [Signature]
Notary Public.

My commission expires August 5, 1977

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. J.
Wilson & Sons, Dubois, Idaho, have on
4-05-76 submitted Application for the 33-
7046 for a permit to appropriate 0.60
cubic feet per second of water from a
ground-water source by means of
well, pump and reservoir within the
SW 1/4 SW 1/4 Sec. 36, T. 10N, R. 23E,
B.M. Clark County, Idaho, for the period
Jan. 1 to Dec. 31 for domestic pur-
poses for 5 families, stockwatering

purposes for 700 sheep, 300 cattle, 5
horses, and 50 calves, and for heat
and power generation within the
NE 1/4 Sec. 31, T. 9N, R. 20E;
and for irrigation within the
SE 1/4 Sec. 11, T. 9N, R. 23E;
and for the irrigation of 200 acres
within the SW 1/4 Sec. 11, T.
9N, R. 20E.

The applicant has no objection to
the proposed appropriation of water
being made for the purposes stated
above, and the applicant has no objection
to the proposed appropriation of water
being made for the purposes stated
above, and the applicant has no objection
to the proposed appropriation of water
being made for the purposes stated
above.

August 16, 1990

E.J. WILSON & SONS
DUBOIS, ID 83423

RE: PERMIT NO. 32-07046

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
SEP 14 1990

MEMORANDUM

TO: FILE 32-7046

FROM: JIM JOHNSON 

RE: LICENSE REVIEW

DATE: June 18, 1990

=====

The field exam report identified that an artisan well was used as a source under this right. Lynne Krogh-Hampe, in a memo dated June 11, 1986, requested that the license when issued state that the license was supplemental to the decreed rights using Lidy Hot Springs as a source. The following condition should be added to the license.

Use of water under this right shall be supplemental to all existing water rights with the same purpose and place of use.

MICROFILMED

SEP 04 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED

32-7046
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			Department of Water Resources
☐ Telephone call made (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 13 July 1982 Accompanied by Harold Wilson Total Q measured 0.33 cfs
Source GROUNDWATER Tributary to _____ Supp. annubar measurement sheet used? _____
If source is surface water, estimate total flow of source _____
Methods of measurement BUCKET; STOPWATCH Meets permit requirements? _____

Measurement calculations: <u>2 1/2 gal in 1 sec = 0.33 cfs</u>	<u>V = 82 ac x 3.0 afa = 246 afa</u>
<u>Q LIMITED BY CAPACITY for Irr/Power</u>	<u>V_{irr} = 0.33 cfs x 1.9835 x 214 = 140.1 afa</u>
<u>Q DOMESTIC; Q STOCKWATER LIMITED BY PERMIT</u>	<u>V_{stock} 700 sheep = 117 cattle</u>
	<u>50 swine = 17 cattle</u>
	<u>+ 300 cattle</u>
	<u>434 cattle</u>
<u>V_{Dom} = 5 units x 0.6 afa = 3.0 afa</u>	
<u>V_{POWER} = 0.33 cfs x 1.9835 x 365 d = 238.9 afa</u>	<u>* FROM CHART V_{stock} = 6.7 afa</u>

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
ARTESIAN		WELL	WITH	OPEN DISCHARGE				

System Description Artesian well, open discharge into collection box with underground pipe to pond with collection pipes and delivered to place of use.

MICROFILMED

*Code with map on reverse side. Disregard code if only one. SEP 64 1990

RECOMMENDED AMOUNTS

USE	Irrigation requirement		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Irrigation	0.33 cfs	140.1	4/1	11/1
STOCKWATER (700 sheep, 300 cattle, 5 horses, 50 swine)	0.04 cfs	6.7 afa	1/1	12/31
Power	0.33 cfs	238.9 afa	1/1	12/31
Domestic (5 units)	0.04 cfs	3.0 afa	1/1	12/31
Total	0.33 cfs	238.9		

Remarks NOTE: PENDING DECREE E. J. Wilson vs Kenneth Dunn in Seventh Judicial District (CIVIL CASE NO. 2-398)

COLLECTION POND (SW 1/4 NW 1/4 Sec 11, T9N, R33E) holds approximately 3 ac-ft

[illegible]

(Include distance from pump to measuring device, if applicable.)

SEE ATTACHED DIAGRAM
OF SYSTEM

Point(s) of diversion: SW 1/4 SW 1/4 (Lot 4) Sec 35, T10N, R33E


[illegible]

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Approved by _____

Date _____

SEP 04 1961





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

PERMIT NO. 32-7046 E.J. Wilson & Sons
(Name) Harold
Accompanied by: Wilson
EXAMINATION: DATE: 13 July 1982

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.

Measuring Device Type: Stopwatch and Bucket
Meter # Annubar # Size #


Remarks: Artesian well with open discharge

Measurement calculations:

$2\frac{1}{2}$ gal in 1 sec =

$$2\frac{1}{2} \text{ gal/sec} \times \frac{60 \text{ sec}}{\text{min}} = 150 \text{ gpm} \div 448.8 \text{ gpm/cfs} = 0.33 \text{ cfs}$$

SCHEMATIC DIAGRAM OF SYSTEM





STATE OF IDAHO


DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161




RECEIVED

SEP 04 1990

32-7046

JRCES



Suite 15
Pho 83402
7161



John V. Evi
Governor
A. Kenneth D
Director



SCHEMATIC DIAGRAM OF SYSTEM



COPY OF ORIGINAL

MICROFILMED

SEP 14 1990

32-7046

POINT OF DIVERSION

Eddy Hot Spring Seep
(Holding Pond)

TION

POINT OF DIVERSION
DESCRIBED BY
Applicant as
"Morning Glory Spring"

R33E

US

KI

32-7046

MICROFILMED

SEP 04 1993

SEVEN

US

R33E

T
9
N

PLACE OF USE DOMESTIC

IRRIGATED PLACE OF USE

32-7046

July 22, 1986

E. J. Wilson & Sons
Lidy Hot Springs
Dubois, Idaho 83423

Attention: Charles E. Wilson

Dear Mr. Wilson:

I am returning check No. 02205 for \$100.00 which you recently submitted as payment of a licensing examination fee on permit 32-7046. The licensing exam was completed in June 1984 by Keith Wilson, Sr. Water Resource Agent, so there is no requirement for paying the fee on this permit. The results of Mr. Wilson's examination have been forwarded to our state office. But, I am not sure when the license will be issued.

I apologize for any inconvenience this may have caused.

Respectfully submitted,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

Enclosure

CC: Kent Foster

MICROFILMED

SEP 04 1990

LAW OFFICES

HOLDEN, KIDWELL, HAHN & CRAPO

IDAHO FIRST NATIONAL BANK BUILDING

P.O. BOX 129

IDAHO FALLS, IDAHO 83402

TELEPHONE 523-0620
AREA CODE 208

ARTHUR W. HOLDEN (1877-1967)

ROBERT B. HOLDEN (1911-1971)

TERRY L. CRAPO (1939-1982)

WILLIAM S. HOLDEN
R. VERN KIDWELL, P.A.
FRED J. HAHN
KENT W. FOSTER
ROBERT E. FARNAM
WILLIAM D. FALER
STEPHEN E. MARTIN
CHARLES A. HOMER
GARY L. MEIKLE
CURT R. THOMSEN
RANDALL K. BARTON
MICHAEL D. CRAPO
JAMES D. HOLMAN
GAYLE A. SORENSON
DONALD L. HARRIS
GREGOR S. CHVISUK
RANDALL B. REED
G. LANCE NALDER
J. MICHAEL WHEELER

RECEIVED

JUL 10 1986

Department of Water Resources
Eastern District Office

RECEIVED

JUL 7 1986

Department of Water Resources

June 25, 1986

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Gentlemen:

We are enclosing a completed form entitled Examination Fee Information together with our check in the amount of \$100.00 pursuant to the license examination fee schedule on the back of the form. We would like to request that you contact Mr. Charles E. Wilson at your earliest convenience to arrange for the field examination.

Yours very truly,

Kent W. Foster

Kent W. Foster

KWF:cl

#0602.03/A-2

Enclosures: Examination Fee Information Form

Check: \$100.00

RECEIVED

SEP 04 1990

4/86

RECEIVED

JUL 7 1986

Field Exam Completed - No Fee required
HWT

JUL 10 1986

Department of Water Resources
STATE OF IDAHO

For Office Use Only
Fee Received 100.00
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

1. Permit No. 32-7046

OK returned
2-2-86

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: E.J. Wilson & Sons

3. Post Office Address: Dubois, Idaho 83423

Telephone No. (208) 657-2506

4. Source of Water: groundwater

5. Extent of Use:

Domestic 5 (No. of households) Stockwater x (No. and type of stock)

Irrigation 80 acres (acres) ~~XXXXX~~ Other/Remark Stockwater: 25 cattle;

some poultry; 25 pigs Other: power and heat

6. Total rate &/or volume for which proof is submitted .6 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

April 5, 1976

8. Person to contact to accompany the department representative during the field examination:

Charles E. Wilson

(Name)

Lidy Hot Springs

Dubois, Idaho 83423

(Address)

657-2506

(Telephone Number)

RECEIVED
SEP 04 1990

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

6-30-86

Charles E. Wilson (Partner)
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

A. Kenneth Dunn

32-7046
E. J. WILSON & SONS
DUBOIS, ID 83423

June 16, 1986

138765

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

SEP 04 1990

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Avenue
Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Sincerely,

Ron D. Carlson
RONALD D. CARLSON
Regional Manager

Enclosure

RECEIVED

SEP 04 1980



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

April 14, 1981

RE: Permit No. 32-7046

E.J. Wilson & Sons
Dubois, Idaho 83423

Dear Mr. Wilson:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

HAROLD W. JONES
Sr. Resource Agent

IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 32-7046.

Name(s) of Permit Holder: E. J. Wilson & Sons

Post Office Address: Dubois, ID 83423

Tel. No. 525-0401

Source of Water: Ground water

Purpose of Use: ☒ Domestic 5 (number of households)
☒ Stockwater 25 cattle, 25 pigs, some poultry (number and type of stock)
☒ Irrigation 80 (acres)
☒ Other Power and heat

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/12/81


Date

E. J. Wilson
Signature of Permit Holder

MICROFILMED

E. J. Wilson & Sons
c/o Holden, Kidwell, Mahr & Crapo
P. O. Box 129
Idaho Falls, ID 83401

PLACE
TEN CENT
STAMP
HERE



MICROFILMED

RECEIVED

MAR 16 1981



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

E. J. WILSON & SONS
DUBOIS, ID 83423

138755

FEBRUARY 28, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 32-7046 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURE

UNRECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner. In addition you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or one of our Regional Offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:jg

Enclosure

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

May 10, 1976

Re: Permit No. 32-7046

E.J. Wilson & Sons
Dubois, ID 83423

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 32-7046. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Please be advised that the Idaho Supreme Court has ruled that a water right initiated and/or put to beneficial use by aid of trespass on private property is invalid.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosures



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

RECEIVED

APR 14 1976

Department of Water Resources
Eastern District Office

DIVISION OF ENVIRONMENT
636 Pershing
Pocatello, Idaho 83201

April 13, 1976

Ronald D. Carlson, Supervisor
Eastern Region
Department of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho 83401

RE: Application for Permit No. 32-7046 E.J. Wilson & Sons

Dear Mr. Carlson,

We have no objections with regard to the above referenced permit application.

Sincerely,

Monty G. Marchus

Monty G. Marchus
Environmental Engineering Specialist

MGM/bf

April 12, 1976

RE: Application for Permit No. 32-7046 E. J. WILSON & SONS

Bureau of Land Management
940 Lincoln Road
Idaho Falls, Idaho 83401

Gentlemen:

Please be advised that the above referenced application has been filed by E. J. Wilson and Sons. He has indicated that the point of diversion is located on BLM lands, and is aware that he must obtain an easement from your office.

If you have any further questions in regards to this matter, please feel free to contact this office.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CM

cc: Kent Foster, Attorney

April 12, 1976

RE: Application for Permit No. 32-7046 E. J. WILSON & SONS

Mr. Henry L. Moran
Regional Environmental Supervisor
Department of Health & Welfare
Division of Environment
636 Pershing
Pocatello, Idaho 83201

Dear Mr. Moran:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is May 3, 1976, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Enclosure

April 8, 1976

RE: Application for Permit No. 32-7046 E. J. Wilson & Sons

Mr. Kent W. Foster
Attorney at Law
P.O. Box 129
Idaho Falls, Idaho 83401

Dear Kent:

Attached herewith is departmental receipt No. 15740 in the amount of \$25.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Attachment

April 8, 1976

RE: Application for Permit No. 32-7046 WILSON

Enterprise Citizen
Box 7
Rexburg, Idaho 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor, Eastern Region

RDC:CW

Bill submitted 4-28-76 by CW

Enc: Legal Notice (1)

legal

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that E. J. Wilson & Sons, Dubois, Idaho have on 4-05-76 submitted Application No. 32-7046 for a permit to appropriate 0.60 cubic feet per second of water from a ground-water source by means of well, pump and reservoir within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 35, T. 10N, R. 33E, B.M., Clark County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 5 families; stockwatering purposes for 700 sheep, 300 cattle, 5 horses, and 50 swine, and for heat and power generation within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for storage for irrigation within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for the irrigation of 200 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 3, 1976.

R. KEITH HIGGINSON
Director

Published in the Enterprise Citizen,
Rexburg, Idaho on April 15 and April
22, 1976.

*-SWNW
Called 4-15-76
CW*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. J. Wilson & Sons,
Dubois, Idaho

have ~~XXX~~ 4-05-76 submitted Application No. 32-7046
has on _____

for a permit to appropriate 0.60 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well, pump and reservoir
within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 35, T. 10N, R. 33E, B.M., Clark County;

to be used from Jan. 1 to Dec. 31 for domestic purposes for 5 families; stockwatering
~~XXXX~~ for purposes for 700 sheep, 300 cattle, 5 horses, and 50 swine, and for heat and
power generation within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for storage for
~~XXXXXXXXXX~~ irrigation within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E; and for the irrigation
within the
of 200 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T. 9N, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
May 3, 1976

R. KEITH HIGGINSON

Director

Enterprise Citizen, Rexburg, Idaho

Published in the
April 15

on _____ and April 22, 1976

*ma-h
me-B
me-Q*

LAW OFFICES

HOLDEN, HOLDEN, KIDWELL, HAHN & CRAPO

WILLIAM S. HOLDEN
R. VERN KIDWELL
FRED J. HAHN
TERRY L. CRAPO
KENT W. FOSTER
ROBERT E. FARNAM
WILLIAM D. FALER
STEPHEN E. MARTIN
CHARLES A. HOMER

IDAHO FIRST NATIONAL BANK BUILDING
P. O. BOX 129
IDAHO FALLS, IDAHO 83401

TELEPHONE 523-0620
AREA CODE 208

ARTHUR W. HOLDEN (1877-1967)
ROBERT B. HOLDEN (1911-1971)

April 2, 1976

State of Idaho
Department of Water Resources
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Attention: Ronald J. Carlson

Dear Mr. Carlson:

We are enclosing an Application For Permit to Appropriate the Public Waters of the State of Idaho on behalf of our clients, E.J. Wilson & Sons. We have also enclosed our check in the amount of \$25.00 for the filing fee. Inasmuch as we are representing the Wilsons on this matter, we would appreciate it if you would send us copies of all correspondence and materials which go to the applicant, and if you need additional information or to confer about any item, please contact our office directly.

Thank you for your assistance in this matter.

Yours very truly,


Kent W. Foster

KWF:jt
Enclosures

T 10 N R 33 E SW $\frac{1}{4}$ SEC 25
T 9 N R 33 E W $\frac{1}{2}$ SEC 2
NW $\frac{1}{4}$ NW $\frac{1}{4}$ SEC 11
NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$ SEC 11
DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -
SEC 10 S $\frac{1}{2}$ SE $\frac{1}{4}$

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RDC 4/7/76

In form to receipt YES

(2) 11 11

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☒ NOTIFY BLM
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) 11 11

In form for advertising YES

(5) 11 11

Platted on Map No. _____

(6) 11 11

Located within Water District No. _____

(7) 11 11

Critical groundwater area: yes _____ no ☒

(8) 11 11

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) NO OBS WELL IN AREA

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CW 4-28-76

Affidavit of Publication received (date) April 28, 1976

(12) CW 5-03-76

Final date for protests May 3, 1976

Protests received: yes _____ no ☒

(13) RDC 5/3/76

All requested information received from agencies or applicant: yes _____ no _____

(14) 11 11

Action recommended:

☒ Approve _____ Deny

4/5/76 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

Easement ←

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 5/3/76

Copy
5/3/76