




Force -
A = 1.21 m
B = 1.01 m
● 5925
● 5880
Pipe line -

12N
↑
12N

R37E

Well Trough Storage Tank

Hagenbalth
P.O. Box 1128
Dillon, MT
59725


MICROFILMED
AUG 12 1997

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>James P. & David J. Hingerboth</u> Address <u>P.O. Box 1128, Dillon, MT, 59725</u> Owner's Permit No. <u>31-90-1-026</u>		7. WATER LEVEL Static water level <u>260'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below _____																																																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____																																																																																																												
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0'</td><td>8'</td><td>Clay</td><td> </td></tr><tr><td>8"</td><td>8'</td><td>10'</td><td>Lava</td><td> </td></tr><tr><td>10"</td><td>10'</td><td>12'</td><td>Clay</td><td> </td></tr><tr><td>10"</td><td>12'</td><td>13'</td><td>Lava</td><td> </td></tr><tr><td>12"</td><td>13'</td><td>130'</td><td>Clay, slugs and lava</td><td> </td></tr><tr><td>130'</td><td>170'</td><td>170'</td><td>Lava</td><td> </td></tr><tr><td>170'</td><td>200'</td><td>200'</td><td>Lava with Clay Slugs</td><td> </td></tr><tr><td>200'</td><td>206'</td><td>206'</td><td>Lava</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Broken Lava Clay Slugs</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Broken Lava Clay</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Broken Lava Clay Slugs</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td> </td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Clay Slugs</td><td>X</td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td>X</td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Broken Lava</td><td>X</td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td>X</td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Broken</td><td>X</td></tr><tr><td>206'</td><td>206'</td><td>206'</td><td>Lava</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0'	8'	Clay		8"	8'	10'	Lava		10"	10'	12'	Clay		10"	12'	13'	Lava		12"	13'	130'	Clay, slugs and lava		130'	170'	170'	Lava		170'	200'	200'	Lava with Clay Slugs		200'	206'	206'	Lava		206'	206'	206'	Broken Lava Clay Slugs		206'	206'	206'	Lava		206'	206'	206'	Broken Lava Clay		206'	206'	206'	Lava		206'	206'	206'	Broken Lava Clay Slugs		206'	206'	206'	Lava		206'	206'	206'	Clay Slugs	X	206'	206'	206'	Lava	X	206'	206'	206'	Broken Lava	X	206'	206'	206'	Lava	X	206'	206'	206'	Broken	X	206'	206'	206'	Lava	X
Bore Diam.	Depth		Material		Water Yes No																																																																																																									
	From	To																																																																																																												
8"	0'	8'	Clay																																																																																																											
8"	8'	10'	Lava																																																																																																											
10"	10'	12'	Clay																																																																																																											
10"	12'	13'	Lava																																																																																																											
12"	13'	130'	Clay, slugs and lava																																																																																																											
130'	170'	170'	Lava																																																																																																											
170'	200'	200'	Lava with Clay Slugs																																																																																																											
200'	206'	206'	Lava																																																																																																											
206'	206'	206'	Broken Lava Clay Slugs																																																																																																											
206'	206'	206'	Lava																																																																																																											
206'	206'	206'	Broken Lava Clay																																																																																																											
206'	206'	206'	Lava																																																																																																											
206'	206'	206'	Broken Lava Clay Slugs																																																																																																											
206'	206'	206'	Lava																																																																																																											
206'	206'	206'	Clay Slugs	X																																																																																																										
206'	206'	206'	Lava	X																																																																																																										
206'	206'	206'	Broken Lava	X																																																																																																										
206'	206'	206'	Lava	X																																																																																																										
206'	206'	206'	Broken	X																																																																																																										
206'	206'	206'	Lava	X																																																																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		10. Work started <u>8-21-90</u> finished <u>8-27-90</u>																																																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>Clark</u> Subdivision Name _____ Lot No. _____ Block No. _____ <u>SW 1/4 SW 1/4 Sec. 07, T. 12 N/S, R. 27 E/W.</u>		N					W				E											S					11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Drawing Drilling Inc.</u> Firm No. <u>10</u> Address <u>Box 460 Ucon ID 83424</u> Date <u>8-27-90</u> Signed by (Firm Official) <u>Drawing Drilling</u> and (Operator) <u>William P. Drawing</u>																																																																																			
N																																																																																																														
W				E																																																																																																										
S																																																																																																														

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



R37E

T
12
N

POINT OF
DIVERSION

PLACE OF USE

Permit #

31-07648

T 12 N R 37E

Section 24

31-07648

MICROFILMED
JUN 15 2000

T12N
T11N

31-07648



Small Tank



Point of Diversion

MICROFILMED
JUN 15 2000

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 31-07648

Priority: June 5, 1997

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

9.0 AF

This is to certify, that DAVID J HAGENBARTH
JAMES F HAGENBARTH

PO BOX 1128

DILLON MT 59725-1128

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 5, 1997; and has submitted Proof of Beneficial Use on October 9, 1997. An examination indicates that the works have a diversion capacity of 0.500 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	05/01 to 12/31	0.05 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 27, Township 12N, Range 37E
CLARK County

PLACE OF USE: STOCKWATER

TWN RGE SEC

12N 37E	27	SWSW
	28	SESE
	33	NENE
	34	NWNW

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 6th day of

JUNE, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 15 2000

Amt. of Fee \$: 50.00
Receipt No. 19403163
Receipt By: [Signature]
Date Received: 10/19/97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 09 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 31-07648 Telephone No. 406-683-2163
2. Name(s) of Permit Holder(s): DAVID J. Hagenborth - James F. Hagenborth
3. Mailing Address: P.O. Box 1128 Dillon, MT 59725
4. Source of Water: GROUND WATER If GROUNDWATER (well), Date Drilled: mo. Aug / yr. 1990
 - a. Well Driller: Denning Drilling INC Drilling Permit Number: 31-90-E-026
 - b. OPTIONAL:
Pump Horsepower: 3HP Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 1000 CATTLE

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .05 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>✓</u>
	Has the measuring device been installed?	Yes _____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>✓</u>
	Has the measurement port been installed?	Yes _____ or No <u>✓</u>

8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Jim Hagenborth Telephone Number: 406-683-2163

Address: P.O. Box 1128 Dillon, MT 59725

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: James F. Hagenborth Date: 10/04/97
(include your title, if on behalf of company or organization)

MICROFILMED

DEC 08 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 31-07648

Proposed Priority: June 5, 1997

Maximum Diversion Rate:

0.05 CFS

This is to certify, that **DAVID J HAGENBARTH**
JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 59725-1128

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	05/01 to 12/31	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 27, Township 12N, Range 37E
CLARK County

PLACE OF USE: STOCKWATER

TWN RGE SEC

12N 37E	27	SWSW
	28	SESE
	33	NENE
	34	NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1998.
2. Subject to all prior water rights.
3. Stockwater use is for 1000 head of cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of July, 1997.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

AUG 12 1997

JUN 10 1997

Ident. No. 31-2648

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

JUL 15 1997

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant David J. and James F. Hagenbarth Phone (406) 683-2163
Mailing address PO Box 1128, Dillon, MT 59725
2. Source of water supply Well which is a tributary of _____
3. Location of point of diversion is Township 12N Range 37E Sec. 27 in the SW 1/4, SW 1/4, SW 1/4, Govt. Lot _____, B.M., Clark County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount .05 cfs for stockwater purposes from 5/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .05 cfs and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source well, pump, 17000 gal Storage Tank to stock tank *
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? 8/27/1990, Drilling firm Denning Drilling Inc.
 Well was drilled for (well owner) Hagenbarth; Drilling Permit No. 31-90-E-026
7. Time required for completion of works and application of water to proposed beneficial use is / * years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. 1000 cattle
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

AUG 12 1997

* Additions as per telecon with Jim Hagenbarth 6-9-1997 - Kew

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12N	37E	27											S						
		28																S	
		33	S																
		34					S												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: Pump was installed on 10/28/91. WATER SYSTEM HAS BEEN IN USE DURING PERIOD OF USE SINCE PUMP INSTALLATION.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

AUG 12 1997

David Hagerland
Signature of Applicant (and title, if applicable)

Received by KCW Date 6/5/1997 Time _____ Preliminary check by KCW
Fee \$ 50.00 Received by KCW # E 023288 Date 6/6/1997
Publication prepared by RB Date 6-19-97 Published in Post Register
Publication approved _____ Date 7-7-97



Force -
A = 1.21 m
B = 1.01 m
● 5925
● 5880
PIPE LINE -

12N
↑
12N

R37E

Hagenbalth
P.O. Box 1128
Dillon, MT
59725
MICROFILMED
AUG 12 1937

37E ← → 37E

494A

585A



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 8, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DAVID J HAGENBARTH
JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 59725-1128

RE: WATER RIGHT NO. 31-07648

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
JUN 15 2000

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 31-07648

DAVID J HAGENBARTH
JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 59725-1128


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 15 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

JUN 15 2000

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>David J. Hagenbach</u> Address <u>P.O. Box 1108, Dillon, MT 59725</u> Owner's Permit No. <u>31-90-1-026</u>		7. WATER LEVEL Static water level <u>360</u> feet below land surface. Flowing? ☐ Yes ☒ No O.P.M. flow _____ Artesian/closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality _____ Describe artesian or temperature zones below _____																																																																																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☐ Air ☐ Other _____																																																																																																																														
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																														
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Aug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Borehole Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>8"</td><td>Clay</td><td> </td></tr><tr><td>8"</td><td>8"</td><td>10"</td><td>Loam</td><td> </td></tr><tr><td>10"</td><td>10"</td><td>12"</td><td>Clay</td><td> </td></tr><tr><td>12"</td><td>12"</td><td>14"</td><td>Loam</td><td> </td></tr><tr><td>14"</td><td>14"</td><td>16"</td><td>Clay strips and loam</td><td> </td></tr><tr><td>16"</td><td>16"</td><td>18"</td><td>Loam</td><td> </td></tr><tr><td>18"</td><td>18"</td><td>20"</td><td>Loam with clay strips</td><td> </td></tr><tr><td>20"</td><td>20"</td><td>22"</td><td>Loam</td><td> </td></tr><tr><td>22"</td><td>22"</td><td>24"</td><td>Broken loam clay seams</td><td> </td></tr><tr><td>24"</td><td>24"</td><td>26"</td><td>Loam</td><td> </td></tr><tr><td>26"</td><td>26"</td><td>28"</td><td>Broken loam clay</td><td> </td></tr><tr><td>28"</td><td>28"</td><td>30"</td><td>Loam</td><td> </td></tr><tr><td>30"</td><td>30"</td><td>32"</td><td>Broken loam clay seams</td><td> </td></tr><tr><td>32"</td><td>32"</td><td>34"</td><td>Loam</td><td> </td></tr><tr><td>34"</td><td>34"</td><td>36"</td><td>Broken loam clay seams</td><td> </td></tr><tr><td>36"</td><td>36"</td><td>38"</td><td>Loam</td><td> </td></tr><tr><td>38"</td><td>38"</td><td>40"</td><td>Broken loam</td><td>X</td></tr><tr><td>40"</td><td>40"</td><td>42"</td><td>Loam</td><td> </td></tr><tr><td>42"</td><td>42"</td><td>44"</td><td>Broken loam</td><td>X</td></tr><tr><td>44"</td><td>44"</td><td>46"</td><td>Loam</td><td> </td></tr><tr><td>46"</td><td>46"</td><td>48"</td><td>Broken loam</td><td>X</td></tr><tr><td>48"</td><td>48"</td><td>50"</td><td>Loam</td><td> </td></tr><tr><td>50"</td><td>50"</td><td>52"</td><td>Broken loam</td><td>X</td></tr><tr><td>52"</td><td>52"</td><td>54"</td><td>Loam</td><td> </td></tr></tbody></table>		Borehole Diam.	Depth From	To	Material	Water Yes No	8"	0	8"	Clay		8"	8"	10"	Loam		10"	10"	12"	Clay		12"	12"	14"	Loam		14"	14"	16"	Clay strips and loam		16"	16"	18"	Loam		18"	18"	20"	Loam with clay strips		20"	20"	22"	Loam		22"	22"	24"	Broken loam clay seams		24"	24"	26"	Loam		26"	26"	28"	Broken loam clay		28"	28"	30"	Loam		30"	30"	32"	Broken loam clay seams		32"	32"	34"	Loam		34"	34"	36"	Broken loam clay seams		36"	36"	38"	Loam		38"	38"	40"	Broken loam	X	40"	40"	42"	Loam		42"	42"	44"	Broken loam	X	44"	44"	46"	Loam		46"	46"	48"	Broken loam	X	48"	48"	50"	Loam		50"	50"	52"	Broken loam	X	52"	52"	54"	Loam	
Borehole Diam.	Depth From	To	Material	Water Yes No																																																																																																																												
8"	0	8"	Clay																																																																																																																													
8"	8"	10"	Loam																																																																																																																													
10"	10"	12"	Clay																																																																																																																													
12"	12"	14"	Loam																																																																																																																													
14"	14"	16"	Clay strips and loam																																																																																																																													
16"	16"	18"	Loam																																																																																																																													
18"	18"	20"	Loam with clay strips																																																																																																																													
20"	20"	22"	Loam																																																																																																																													
22"	22"	24"	Broken loam clay seams																																																																																																																													
24"	24"	26"	Loam																																																																																																																													
26"	26"	28"	Broken loam clay																																																																																																																													
28"	28"	30"	Loam																																																																																																																													
30"	30"	32"	Broken loam clay seams																																																																																																																													
32"	32"	34"	Loam																																																																																																																													
34"	34"	36"	Broken loam clay seams																																																																																																																													
36"	36"	38"	Loam																																																																																																																													
38"	38"	40"	Broken loam	X																																																																																																																												
40"	40"	42"	Loam																																																																																																																													
42"	42"	44"	Broken loam	X																																																																																																																												
44"	44"	46"	Loam																																																																																																																													
46"	46"	48"	Broken loam	X																																																																																																																												
48"	48"	50"	Loam																																																																																																																													
50"	50"	52"	Broken loam	X																																																																																																																												
52"	52"	54"	Loam																																																																																																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		10. DRILLERS CERTIFICATION Work started <u>8-21-90</u> Finished <u>8-27-90</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Denning Drilling Inc.</u> Firm No. <u>10</u> Address <u>Box 460, Idaho Falls, ID 83404</u> Date <u>8-27-90</u> Signed by (Firm Official) <u>Denning Drilling</u> and (Operator) <u>Denning Drilling</u>																																																																																																																														
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>C. Clark</u> <u>IN 4 S 12 E 27 T 12 N S. R. 27 E W.</u>		USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																														

SD-0420-2
MODIFY RECORD

Ida Department of Water Resources
Modify Comment

Date: 06/01/00
Time: 09:40:42

Water Right Number: L31-07648

Comment Date: 6/ 1/2000 User ID: SKEEN

Subject: License Review

Licensing Review and data entry by S. Keen on 6/1/2000. No
overlapping rights.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 1 - 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 31-07648

1. Owner: David J, James F, Margaret Hagenbach Phone No. (406) 683-2163

Current Address: P.O. Box 1128, Dillon MT 59725-1128

2. Accompanied by: James Hagenbach EXAM DATE: 8-17-1999

Address: _____ Phone No. _____

Relationship to Permit Holder: owner

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	27	12N	37E	CLARK	ON SITE USGS QUAD

2. Place(s) of Use:


Indicate Method of Determination ON SITE / USGS QUAD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12N	37E	27											S						
		28																S	
		33	S																
		34					S												

MICROFILMED

JUN 15 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Elect.	3	Model 28230		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Timed volumetric Displacement

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
2 1/2 gal container						


2. Measurements: 2 1/2 gal 6.21 sec = 24.15 gpm = 0.053 cfs

MICROFILMED

JUN 15 2000



84920-18



STEEL TANK



POINT OF DIVERSION

MICROFILMED
JUN 15 2000

8720-12
NEARBY

E. NARRATIVE/REMARKS/COMMENTS

Well submersible pump to 17,000 gal (10.9' x 24.3') storage tank
with distribution line to stock trough

1000 head range cattle

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
JUN 15 2000

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: *244 days*

$$V_{\text{Stock}} = 0.0134 (1000) \left(\frac{244}{365} \right) = 8.95 \text{ af} = 9.0 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Stockwater</i>	<i>5/1</i>	<i>12/31</i>	<i>0.05 cfs</i>	<i>9.0</i>
Totals:			<i>0.05 cfs</i>	<i>9.0 cfs</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Keith Carlson

Date

8-17-1999

Reviewer

Date

SEAL

MICROFILMED

JUN 15 2000

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 31-07648 Reviewed by [Signature] Date 11-18-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 10/9/97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 19, 1997

David J Hagenbarth
James F Hagenbarth
Margaret Hagenbarth
PO Box 1128
Dillion MT 59725

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 31-07648

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **EASTERN** Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
DEC 08 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 25, 1997

DAVID J HAGENBARTH
JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 59725-1128

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 31-07648

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.


Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

MICROFILMED

AUG 12 1997

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


AUG 12 1987

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 31-07648

DAVID J HAGENBARTH
JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 597251128


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 12 1997

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lou

No.: 31-07648 Name: Hagenbarth Date: 7/24/97 Ad OK? ☒ / Gvmt Lts:

AREA OF CONCERN?**PROTESTED:****SYSTEM COMPLETED:**

Yes/proof filed
1 year/no proof
+1 year

GROUNDWATER: ☒ FLO-CH

+ 0.24 cfs
=/- 0.24 cfs
+ 5 a.

DRILLING PERMIT:

Existing well
Included w/permit
No WD permit?
Irr. in WD

SURFACE WATER ☒ FLO-CH (Surface water that doesn't sink is regulated):

Source in/below Min. Str. Flow?

Water District (dom. inc.)

> 0.20 cfs
≤ 0.20 cfs

Water Measurement District

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

Springs/sink, Inactive WD, & Rest of State

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

RIVER BASINS (*Surface water):

Snake R (01)
(02/03-irr)
Boise River (63)
Payette River (65)

USE:

Domestic (surface)
Domestic (multi in concern area)
Fish Propagation
Irr <POU> ≤ 5 acres
 > 5 acres
Mining
Municipal (in restricted areas)
Power

Storage (☒ 3 compo.)**LOCATION:**

42-248 area
Boise Front LoGeo
In-stream dev.
Irr Dist/Canal Co.
Swan Falls Flag

Trust
Non-Trust <1>

OWNERSHIP: Non-owner**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- No/Yes: ESRP Mor / GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- NA
- P16
- 26A-P17

- 01M (report when notified) or Link (if in MD, must report)
- No MD
- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

- NA (pre 7/1/87; ☒ WDQ3)
- Permit No. 31-90-E-0026-000, P99
- 046-46B-P23 (post 7/1/87)
- P05 (new well location)

- <SEE MAP & LISTING> (modify remark *WB9)
- R04 (req) WD # <SEE MAP & LISTING>
- 01J (MD)-P08
- 01H (ILD & MD)-P01 or No MD (in-stream stock)

- or No MD (in-stream stock or power)
- No MD

- 01M or No MD (in-stream stock or power)
- No MD

- 11A-P04, NA
- 007-P07 (w/ remark *WB9 if above Weiser), NA
- 05A (if WD), 11E (not 42-111 use), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 070-071
- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)
- 057 (0.03 cfs/acre)
- 03A (0.02 cfs/acre)
- 054 (req) & 09E-P10
- 022, 075, 004 (+memo?)
- 17K-08A-025-01F(P19)-028-09E(P10); 027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; +25 cfs-P18
- 080 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

- P84 (if in 20/30/40/50/60/70/80 (87) basin)
- 058 (-85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)
- S <SEE CODE CHART>
- 051-052-053-P74 (Consumptive Uses); NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU)

- 1002/1000 RE 2 WMD limits 1 Modify 0111

- 8/1/1998

within Aquifer
within N. WMD.

RECEIVED

JUL 15 1997

DEPARTMENT OF WATER RESOURCES

Dist. for staffing _____

Submitted for advertising _____

Form No. 202

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS PERMIT

INITIAL REVIEW BY KCW DATE 6-6-97 APPLICATION NO. 31-2648**REQUIRED INFORMATION**

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume) *6-6-97 Called Tim Hagenbath about flow 6-8-97 flow OK as per Tele con w Tim Hagenbath - KCW*
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee
☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
Yes _____ No _____ Field check required
Field check by _____
Yes _____ No _____ Field report attached
Yes _____ No _____ Critical groundwater area
Yes _____ No _____ Groundwater management area
Yes _____ No _____ Send dam safety information
Yes _____ No _____ Send power requirement letter
Yes _____ No _____ Send fish farm requirement letter
Yes _____ No _____ Power residency affidavit
Yes _____ No _____ Power efficiency form
☒ Yes _____ No _____ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
Yes _____ No _____ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

PROCESSING

☒ Yes ☒ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO NONE

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken _____

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-7-1997
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 6-5-1997
By: [Signature] Date: 7-8-97

STATE OFFICE REVIEW

By _____ Date: _____

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Div. of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

[illegible]

**NOTICE OF
APPLICATION FOR
TRUST WATER RIGHT**

31-07648

HAGENBARTH, DAVID J
HAGENBARTH, JAMES F
PO BOX 1128
DILLON, MT 59725
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 27 T 12N R
37E in CLARK County.
Use: STOCKWATER (0.050 CFS)
Total Diversion: (0.050 CFS)
Date Filed: 6/5/1997
In: CLARK County
T12N R37E S27 SWSW
S28 SESE
S33 NENE
S34 NWNW

31-07649

HAGENBARTH, MARGARET
HAGENBARTH, DAVID J
HAGENBARTH, JAMES F
PO BOX 1128
DILLON MT 59725
Source: LOCK SPRINGS
Tributary: SINKS
Diversion Pt: NENENW Sec 13 T 13N R
39E in CLARK County.
Use: STOCKWATER (0.050 CFS)
Total Diversion: (0.050 CFS)
Date Filed: 6/5/1997
In: CLARK County
T13N R39E S13 SWNW NWSW
S14 SENE NESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, 900 N. Skyline Dr., Idaho Falls, ID, 83402, on or before JULY 7, 1997.

KARL J. DREHER,
Director

Published: June 19, 26, 1997

MICROFILMED

AUG 12 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JUNE 11, 1997

Legal Notices Department
THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 7, 1997.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

AUG 12 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 11, 1997

DAVID J AND JAMES F HAGENBARTH
PO BOX 1128
DILLON MT 59725

RE: Notice of Application for Permit No. 31-07648

Dear Applicant:

The Department of Water Resources acknowledges receipt of your application for a water right. This office is currently in the process of advertising the application in the Post Register on June 19 & 26, 1997. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State Office Personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a transfer is issued, you will be sent a copy. A typical processing time for an unprotested application is about twelve weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


Harold W. Jones
Water Right Supervisor

HWJ/rb

MICROFILMED

AUG 12 1997

31-07648

HAGENBARTH, DAVID J
HAGENBARTH, JAMES F
PO BOX 1128
DILLON, MT 59725

Source: GROUNDWATER

Diversion Pt: SWSWSW Sec 27 T 12N R 37E in CLARK County.

Use: STOCKWATER (0.050 CFS)
Total Diversion: (0.050 CFS)

Date Filed: 6/ 5/1997

In: CLARK County
T12N R37E S27 SWSW
S28 SESE
S33 NENE
S34 NWNW

MICROFILMED

AUG 12 1957