

No Color
Documents
In File

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4504
WATER RIGHT NO(S). 31-07052P/32-07078E

31-07629

This is to certify that: **BLAINE LARSEN**
CONNIE LARSEN
PO BOX 188
HAMER ID 834250188

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 31-07052P : IRRIGATION	04/15 to 10/15	0.81 CFS	95.0 AF
Right No. 32-07078E : IRRIGATION	04/15 to 10/15	0.24 CFS	38.0 AF
TOTAL:		1.05 CFS	133.0 AF

DATE OF PRIORITY:

Right No. 31-07052P : 07/29/1971

Right No. 32-07078E : 04/23/1983

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 34, Township 09N, Range 36E
CLARK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	36E	3	Lot 3(NENW)	19	Lot 4(NWNW)	40		59
		4	Lot 1(NENE)	9.2				9.2
09N	36E	33	SESE	9				9
		34	SWSW	30.6	SESW	6.2		36.8
Total number of acres irrigated:								* 114

CONDITIONS/REMARKS:

1. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.

RECORDED

MAY 17 1995

TRANSFER NO. 4504
WATER RIGHT NO(S). 31-07052P/32-07078E

CONDITIONS/REMARKS:

2. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
3. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- *4. Right No. 32-07052P is limited to the irrigation of 40.4 acres in the place of use described above in a single irrigation season.
- *5. Right No. 32-07078E is limited to the irrigation of 16.2 acres in the place of use described above in a single irrigation season.
6. The five year average annual volume diverted under combined Right Nos. 31-07052P, 32-07078E, 32-07022N, 32-07056D and 32-07093D shall not exceed 267.0 acre feet.
7. The following combined rights shall not exceed 7,540.0 acre feet per year when averaged over a rolling five year period:
31-07052C, 31-07052N, 31-07052P, 31-07214B, 31-07214D, 31-07368A, 31-07368B, 31-07369B, 31-07369C, 31-07369D, 31-07439B, 32-07022L, 32-07022N, 32-07022Q, 32-07022S, 32-07052D, 32-07052E, 32-07052F, 32-07052H, 32-07056D, 32-07056F, 32-07057D, 32-07057F, 32-07057H, 32-07078D, 32-07078E, 32-07078F, 32-07078G, 32-07078H, 32-07079C, 32-07079E, 32-07079F, 32-07079G, 32-07079J, 32-07093D, 32-07093F, 32-07094D, 32-07094F, 32-07094H, 32-07095B, 32-07118B, 32-07118C, 32-07118D, 32-07119A, and 32-07119B.
8. A totalizing measuring device of a type approved by this Department shall be maintained as a part of the diverting works and made accessible to inspection by pertinent parties. The right holder shall provide an annual summary of pumping volumes to the Department.
9. Point of diversion is identified as no. 95.

Dated this 28th day of

April, 1995

J. Glen Saylor

Chief, Water Alloc. Bureau

RECEIVED
MAY 17 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

April 28, 1995

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Blaine and Connie Larsen
PO Box 188
Hamer, Idaho 83425
Atten: Jim Bell

RE: Approved Transfer and Amendment Applications

Dear Jim:

Enclosed are 21 approved transfer applications and 9 amendment of permit applications covering approximately 3200 acres.

All of the points of diversions associated with the water rights listed must have department approved measuring devices installed. I am sending you 1995 Reporting Forms for each diversion listed on the enclosed water rights. The form must be completed during 1995, and returned to the Department on or before January 15, 1996.

Also enclosed are Water Measurement Certification forms for 1995. Please fill in the meter and piping information on the front page.

If the meter was installed after December 8, 1994, you must sign the form at the bottom of the first page, verifying that the meter was installed according to both the Department's and the manufacturer's specifications.

If your meter was installed prior to December 8, 1994, you must calibrate your meter, and complete the back page of the Water Measuring Device Certification form. The Department will accept calibration by a second metering device (such as a sonic meter, or pitot gauge), a volume-time measurement (such as timing how long it takes to fill a fixed volume bucket at representative locations), or a comparison of a chemical or dye concentration before and after it is injected into a delivery system. If you wish to calibrate using any method other than another measuring device, please contact the Department for proper standards.


Once you've completed the Measuring Device Certification Form, you may send it to the Department immediately, or send it with the annual report. You will only be required to calibrate your meter once every four years, unless the meter is replaced or you know it is not reading accurately. Remember that although the meter must only be calibrated every four years, you must keep it in good repair, and read and report your diversions every year.

MAY 17 1995

As per agreement annual volumes are restricted to the amounts identified on each approved transfer. You should maintain records that show the five year rolling averages for each diversion and a five year rolling average for all of the water rights identified in the enclosed set of approvals.

If you have any questions let me know.

Sincerely,

A handwritten signature in black ink, appearing to be "Jim Johnson", written over the typed name.

Jim Johnson, Manager
Water Rights Permit Section

RECEIVED
MAY 17 1995

MEMORANDUM

TO: FILE 32-07078E

FROM: PAM SKAGGS 28

RE: TRANSFER # 4504

DATE: 4-26-95

=====

Original Transfer Application, Form and correspondence regarding the above referenced Transfer is located within file # 31-07052P.

RECEIVED
MAY 17 1995