


Chruch of Jesus Christ Latter Day Saints

Place of Use described in Application For Permit



Total Irrigated Acres: 2.7

● Point of Diversion

□ Place of Use

Acreage Distribution

MICROFILMED

JUN 14 2001

Prepared By: Craig Saxton
February 2001

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	31 11687	CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS,	GROUND WATER	06N34E15																2.7	2.7
Rec	31 10985A	INDEPENDENT WATER USERS OF MUD LAKE INC,	GROUND WATER	06N34E15	35	40	40	40													155
Right	31 11687	CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS,	GROUND WATER	06N34E15																2.7	2.7
Right	31 2265	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2289	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2290	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2297	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2310	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2317A	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2317B	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2321	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2341	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2342	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2343	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2344	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2345	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 327	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 328	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 329	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 330	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 331	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 336B	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 336C	INDEPENDENT WATER USERS OF MUD LAKE INC,	GROUND WATER	06N34E15	40	40	40	40													160
Right	31 337A	INDEPENDENT WATER USERS OF MUD LAKE INC,	GROUND WATER	06N34E15	40	40	40	40													160
Right	31 337B	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 371	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 7005	OWSLEY CANAL CO,	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 105	FRED JEMMETT,	MUD LAKE	06N34E15													X	X	X	X	0
Right	31 159	ESTATE OF ADOLPH MILLER,	MUD LAKE	06N34E15					X	X	X	X									0
Right	31 184	OWSLEY CANAL CO,	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 185	OWSLEY CANAL CO,	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 186	OWSLEY CANAL CO,	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 187	OWSLEY CANAL CO,	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 188	OWSLEY CANAL CO,	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 2038A	OWSLEY CANAL CO,	MUD LAKE	06N34E15									40	40	40	40					160
Right	31 2038B	OWSLEY CANAL CO,	MUD LAKE	06N34E15									40	40	40	40					160
Right	31 2073	AGNES CUTLER,	MUD LAKE	06N34E15											40	40					80
Right	31 2086	WILLIAM JEMMETT,	MUD LAKE	06N34E15															40	40	80
Right	31 243	J T SYKES,	MUD LAKE	06N34E15	X	X	X	X													0
Right	31 2276	OWSLEY CANAL CO,	WASTE WATER	06N34E15					40	40	40	40	40	40	40	40	40	40	40	40	480
Right	31 2239	OWSLEY CANAL CO,		06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476

8' OK
per
Shakla's
memo
of 6/4/01-
total "050"



31-116
POD
Well looking east




POD & POU
Well looking North
Ball field in background



POU
West half of field

MICROFILMED
APR 23 2002


31-11687




-  B31sections.shp
-  T06n34e.shp
-  Posnpnt.shp

31-11687

MICROFILMED
APR 23 2002



-  Interstest25.shp
-  Posnpnt.shp
-  B31twp.shp
-  T06n34e.shp

31-11687

MICROFILMED
APR 23 2002

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Sharla Curtis on 6/1/01

No. 31-11687 Name: LDS Church Corp. Officers N/A Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes ESPA Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121

Trust

Non-Trust - 051(consumptive uses)
- 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)
MINING - 054-106
FISH PROP - 029 (70's only)-007-042-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8

BENEFICIAL USE DUE: 6 / 01 / 2002

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response _____

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
PAYETTE R (65) - W22, 047 (Payette Lake)
SALMON R (70's) - 029 (fish screens)
WEISER R (67) - 086-087

USES:

POWER - 17H or 17K (+uses)-17G (not under FERC)
or 17M (FERC regulated >25 cfs or 500hp)
08A-025-027-01N-106-W13(if dewatering stream)

MUNICIPAL

Restricted area - 022,075
Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate
or none allowed - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 4/1 - 10/31 (Per updated map)

IRR VOLUME/ACRE 3.5

OTHER CONDITIONS/REMARKS Discontinued use of SW when well was drilled

COMMENTS use cond 050

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 31-11687

Priority: March 21, 2001

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 9.5 AF

It is hereby certified that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150-0012 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated March 21, 2001; and has
submitted Proof of Beneficial Use on June 29, 2001. An examination indicates that the works have a
diversion capacity of 0.07 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	9.5 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15, Twp 06N, Rge 34E, B.M., JEFFERSON County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	34E	15																	2.7
																			2.7

Total Acres: 2.7

CONDITIONS OF APPROVAL


1. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 18TH day of April, 2002.

MICROFILMED

APR 23 2002

Acting for 
KARL J. DREHER
Director

FOR OFFICE USE ONLY
 Amt. of Fee \$: 50.00
 Receipt No. 0054582
 Receipt By: J. Massi
 Date Received: 6-29-01

RECEIVED

JUN 29 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

#534-5731

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 31-11687 Telephone No. (801) 240-4656

2. Name of Permit Holder(s): Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day Saints, a Utah corporation sole.

3. **Mailing Address:** Real Estate Division, 12th Floor East, 50 E. North Temple Street

City Salt Lake City **State** UT **Zip** 84150

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. / yr. 1932

Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 2.7 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR 9.5 acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No XXX
Has the measuring device been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Robert Coleman Telephone Number: (208) 663-4515

Address: 1022 East 1700 North, Terreton, Idaho 83450

10. **The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.**

Signature of permit holder: Mr. J. F. V. V. V. Date: 6/20/01

(include your title, if on behalf of company or organization)

AUTHORIZED AGENT

MICROFILMED

AUG 18 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 31-11687

Priority: 03/21/2001

Maximum Diversion Rate: 0.06 CFS

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY UT 84150

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15, Twp 06N, Rge 34E, B.M. JEFFERSON County

PLACE OF USE: IRRIGATION


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	34E	15																	2.7
																			2.7

Total Acres: 2.7

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 1, 2001**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
6. This right does not authorize the irrigation of land not previously irrigated.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 5th day of June, 2001.


for KARL J DREHER, Director

MICROFILMED

JUN 14 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

534-5731 LVR

MAY 29 2001

Corporation of the Presiding Bishop of The Church of
Jesus Christ of Latter-day Saints, a Utah corporation sole.

1. Name of Applicant

Phone 801 240-4656

Mailing address SEE BELOW

2. Source of water supply Groundwater which is a tributary of

3. Location of point of diversion is Township 6 N Range 34 E Sec. 15, in the SE 1/4, SE 1/4, SE 1/4, Govt. Lot , B.M., Jefferson County;
additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.06 cfs for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.07 cubic feet per second and/or (b) 9.5 acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Pipeline and 9 lines of sprinkler pipe USED TO APPLY WATER FROM WELL WITH SUBMERSIBLE PUMP

b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet

c. Proposed well diameter is inches; proposed depth of well is feet

d. Is ground water with a temperature of greater than 85°F being sought?

e. If well is already drilled, when? 1932 ESTIMATE; Drilling firm

Well was drilled for (well owner); Drilling Permit No.

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households.
- e. Other; describe fully. N/A

REAL ESTATE DIVISION LDS CHURCH
NATURAL RESOURCE SECTION
12TH FLOOR EAST
50 EAST NORTH TEMPLE
SALT LAKE CITY, UTAH 84150

MICROFILMED

JUN 14 2001

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	34E	15																2.7	2.7

Total number of acres to be irrigated 2.7

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? } Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day Saints, a Utah corporation sole.
b. Who owns the land to be irrigated or place of use? }

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NO

12. Remarks: 31-10340 also diverted through this POD.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day Saints, a Utah corporation sole.

Terry F. Ruhl
Signature of Applicant (and title, if applicable)

MICROFILMED
JUN 14 2001


AUTHORIZED AGENT

Received by HWT Date 3-21-01 Time _____ Preliminary check by HWT

Fee \$ 100.00 Receipted by HWT # E 026564 Date 3-21-01
Publication prepared by SC Date 4/18 & 4/25/01 Published in Jepperson Star
Publication approved SC Date 5/1/01

Chruch of Jesus Christ Latter Day Saints

Place of Use described in Application For Permit



Total Irrigated Acres: 2.7

● Point of Diversion

□ Place of Use

Acreage Distribution

MICROFILMED

JUN 14 2001

Prepared By: Craig Saxton
February 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 19, 2002

CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150-0012

RE: License No. 31-11687 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
APR 23 2002

CERTIFICATE OF SERVICE

I hereby certify that on April 19, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 31-11687

**CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150-0012**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
APR 23 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 31-11687

Date: 4-17-02

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

None - per memo of 6/4/01 -
File reviewed see file Profile reports printed see file

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.06 cfs

Fee Limit 0.30 cfs

Measured 0.07 cfs

Theoretical 0.07 cfs

Recommended Total Diversion Rate 0.06

Water Uses

OK Change (P46)

Season of Use per new Standards

4-1 10-31

Irrigation 0.06 cfs 9.5 af

Stockwater 0.06 cfs 9.5 af

Domestic 0.06 cfs 9.5 af

0.06 cfs 9.5 af

0.06 cfs 9.5 af

Total 0.06 cfs 9.5 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.06 cfs x 1.9835 x 214 days = 25.5 af (vs) 2.7 acres x 3.5 (FHR) = 9.5 af

Remarks:

R55, ^{NO} R56, R67

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051

Non-trust (048)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority?

yes

If yes, explain why below.

no

SRBA Claim?

not req'd

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
		COURT OF JESUS CHRIST OF LATTER DAY SAINTS	GROUND WATER	06N34E15	35	40	40	40												27	2.7
																					155
Right	31 11887	CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS	GROUND WATER	06N34E15																2.7	2.7
Right	31 2265	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2289	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2290	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2297	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2310	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2317A	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2317B	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2321	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2341	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2342	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2343	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2344	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 2345	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 327	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 328	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 329	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 330	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 331	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 336B	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 336C	INDEPENDENT WATER USERS OF MUD LAKE INC.	GROUND WATER	06N34E15	40	40	40	40													160
Right	31 337A	INDEPENDENT WATER USERS OF MUD LAKE INC.	GROUND WATER	06N34E15	40	40	40	40													160
Right	31 337B	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 371	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 7005	OWSLEY CANAL CO.	GROUND WATER	06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476
Right	31 105	FRED JEMMETT	MUD LAKE	06N34E15													X	X	X	X	0
Right	31 159	ESTATE OF ADOLPH MILLER	MUD LAKE	06N34E15					X	X	X	X									0
Right	31 184	OWSLEY CANAL CO.	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 185	OWSLEY CANAL CO.	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 186	OWSLEY CANAL CO.	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 187	OWSLEY CANAL CO.	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 188	OWSLEY CANAL CO.	MUD LAKE	06N34E15									X	X	X	X					0
Right	31 2038A	OWSLEY CANAL CO.	MUD LAKE	06N34E15									40	40	40	40					160
Right	31 2038B	OWSLEY CANAL CO.	MUD LAKE	06N34E15									40	40	40	40					160
Right	31 2073	AGNES CUTLER	MUD LAKE	06N34E15												40	40				80
Right	31 2088	WILLIAM JEMMETT	MUD LAKE	06N34E15															40	40	80
Right	31 243	JT SYKES	MUD LAKE	06N34E15	X	X	X	X													0
Right	31 2276	OWSLEY CANAL CO.	WASTE WATER	06N34E15					40	40	40	40	40	40	40	40	40	40	40	40	480
Right	31 2239	OWSLEY CANAL CO.		06N34E15					40	40	40	40	40	40	40	36	40	40	40	40	476

↑
8' OL
per
Shakla's
memo
of 6/4/01-
~~total 1050"~~

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 25 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 31-116871. Owner: Church of Jesus Christ Latter Day Saints

Phone No. _____

Current Address: Real Estate Div, 12th Floor, 50 E North Temple St., Salt Lake City, UT 841502. Accompanied by: _____ EXAM DATE: 8-23-01

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: Yes Mud lake water users2. Other water rights with the same point of diversion: ~~At~~ Yes a domestic but home no longer there.
down the road a ways a church will be built there.

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SE	15	6N	34E	Jefferson	R082316B

2. Place(s) of Use:

Indicate Method of Determination GPS R082316A

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	34E	15																2.7	2.7

MICROFILMED

APR 23 2002

31-11687

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).

Aerial Photo Attached _____
 (required for irrigation of 10+ acres)

Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin	5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Bycyc Contour measured system back in 1987
 $Q = 31.3 \text{ gpm} = 0.07 \text{ cfs}$

31-11687

MICROFILMED
 APR 23 2002

Well - Pump - Ball Field. Back in 1987 there was a home south of the ball field on the well. The Church has plans to build a church on the site in the future. A center pivot cuts across the northwest corner of the field. With the end gun on, a sizable area of the northwest corner is watered by the pivot which uses water from Mud Lake Water Users.

Bryce Conton measured flow on ballpark back in 1997. He says he got a good measurement that day. He felt the size of the POU might be smaller than indicated. I walked the perimeter of the park to pinpoint area of field with GPS unit. R082316A

See notes from North Water Measurement for additional information.

Have conditions of permit approval been met? ☒ yes ☐ no

31-11687

MICROFILMED

APR 23 2002

Additional Computation Sheets Attached

Measured Method:

$$Q = 31.3 \text{ gpm} = 0.069 \text{ cfs} \approx 0.07 \text{ cfs} \quad Q_{\text{PERMIT}} = 0.06 \text{ cfs}$$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.7 \text{ ac} (3.5) = 9.5$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 (214) 1.9835 = 25.5$$

$$V = \text{Smaller of } V_{I,B} \text{ and } V_{O,B} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	4/1	11/1	0.06 cfs	9.5 afa
Totals:			0.06 cfs	9.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Steve M. Welch Date 8-23-01

Reviewer _____ Date _____

SEAL

31-11687

MICROFILMED
APR 23 2002

LOS
 Hall
 Field
 Tension
 Area
 5807

PIPE O.D.
 4.000 IN
 PIPE WALL THICKNESS
 0.039 IN

PIPE I.D.
 3.922 IN
 PIPE MATERIAL
 ALUMINUM

TRANSDUCER SPACING
 2.416 IN
 FLOW NET 32.526 GPM
 7.35 X1 GAL

FLOW NET 32.843 GPM
 8.50 X1 GAL
 SIGNAL STRENGTH UP
 3.53

SIGNAL STRENGTH DOWN
 3.53
 DIFF CNT= 1018
 DELTA TIME= 24.51

DIFF CNT= 983
 DELTA TIME= 24.09
 DIFF CNT= 991
 DELTA TIME= 23.69

DIFF CNT= 1024
 DELTA TIME= 23.97
 DIFF CNT= 1018
 DELTA TIME= 23.69

07:07:58 08-20-97
 Min. Rate 31.56 GPM
 Max. Rate 35.05 GPM
 Avg. Rate 34.01 GPM
 FLOW RATE 33.39 GPM
 NET TOT(X1) 29 GAL

07:08:58 08-20-97
 Min. Rate 31.56 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 34.92 GPM
 FLOW RATE 34.36 GPM
 NET TOT(X1) 64 GAL

07:09:58 08-20-97
 Min. Rate 30.82 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 32.27 GPM
 FLOW RATE 31.24 GPM
 NET TOT(X1) 96 GAL

07:10:58 08-20-97
 Min. Rate 30.00 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 31.06 GPM
 FLOW RATE 32.25 GPM
 NET TOT(X1) 127 GAL

07:11:58 08-20-97
 Min. Rate 30.00 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 32.60 GPM
 FLOW RATE 33.42 GPM
 NET TOT(X1) 160 GAL

07:12:58 08-20-97
 Min. Rate 30.00 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 33.87 GPM
 FLOW RATE 33.87 GPM
 NET TOT(X1) 194 GAL

07:13:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 29.70 GPM
 FLOW RATE 27.20 GPM
 NET TOT(X1) 223 GAL

07:14:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 28.11 GPM
 FLOW RATE 28.63 GPM
 NET TOT(X1) 251 GAL

07:15:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 29.54 GPM
 FLOW RATE 29.55 GPM
 NET TOT(X1) 281 GAL

07:16:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 30.24 GPM
 FLOW RATE 31.02 GPM
 NET TOT(X1) 311 GAL

07:17:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 31.43 GPM
 FLOW RATE 31.72 GPM
 NET TOT(X1) 343 GAL

07:18:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 31.56 GPM
 FLOW RATE 31.17 GPM
 NET TOT(X1) 374 GAL

07:19:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 30.75 GPM
 FLOW RATE 30.50 GPM
 NET TOT(X1) 405 GAL

07:20:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 30.06 GPM
 FLOW RATE 29.67 GPM
 NET TOT(X1) 435 GAL

07:21:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 29.34 GPM
 FLOW RATE 29.31 GPM
 NET TOT(X1) 464 GAL

07:22:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 31.00 GPM
 FLOW RATE 32.03 GPM
 NET TOT(X1) 496 GAL

07:23:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 32.63 GPM
 FLOW RATE 34.40 GPM
 NET TOT(X1) 528 GAL

07:24:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 33.82 GPM
 FLOW RATE 32.98 GPM
 NET TOT(X1) 562 GAL

07:25:58 08-20-97
 Min. Rate 26.42 GPM
 Max. Rate 36.15 GPM
 Avg. Rate 32.92 GPM
 FLOW RATE 33.23 GPM
 NET TOT(X1) 594 GAL

(594 - 281) / 10 = 31.3 GPM

MICROFILMED
 APR 23 2002

31-11687

✓
Per # 300040

NORTH WATER MEASUREMENT DISTRICT

FIELD REPORT

SITE DATA:

EXAMINER (inv_name) B. Confor
EXAM DATE: 8/20/97 DIVERSION NAME: Ball field
(site_visit) (div_name)
GPS FILE NAME: (none) SITE TAG #: A0005807
(gps_filnam) (site_tagno)

OFFSET (offset): _____
TAG LOCATION (tag_locat): on pole w/ Kwh meter 10' S of well
POD LEGAL: SE 1/4 SE 1/4 SE 1/4, Sec. 15, T 6 N, R 34 E
(pod)

DEPT. MEASUREMENT CAPABILITY (std_rcmd):

SONIC (s) SONIC/DIG (sd) SONIC @ PVT (sp)
COLLINS (c) PYGMY (p)

MEASUREMENT RECOMMENDATIONS (op_num):

PCC (2) HOUR M. (7) IRR. FLOWMETER (1)
OTHER FLOWMETER (8) ALTERNATE (3)
SUITABLE FOR PCC EVEN IF OTHER METHOD SELECTED (pcc_ok) YES NO
TRACKING WILL BE REQUIRED (trkng_reqd) YES NO
WELL HAS GOOD ACCESS PORT FOR WATER LEVEL MEAS (wl_access) YES NO
FLOWMETER INSTALLATION POSS. W/O MAJOR CHANGE (qmtr_ez) YES NO
USER ANTICIPATES MAJOR SYSTEM CHANGE 1 YR 2 YRS 3 YRS
FOLLOW-UP DATE (folup_date): YEAR 2001 MONTH _____ DAY _____

OWNER/OPERATOR INFORMATION:

OWNER (name): Territon 1st Ward LOS PHONE _____
(if this is a change, data enter "yes" in field "name_chng")
ADDRESS # 174 CEL PHONE _____
OPERATOR (contact) Larry Sodergvist PHONE _____
ADDRESS (Territon phone book) CEL. PHONE _____

OVERLAP:


OTHER WR. THIS POD _____
OTHER POD THIS WR. _____

MICROFILMED
APR 23 2002

31 11687

PUMPING PLANT SKETCH

VALVE	=	
CHECK VALVE	=	
AIR VAC	=	
PRESS. RELIEF	=	
INDIVE/UPDIVE	=	
HOSE BIB	=	
PRESS. GAGE	=	
WELL ACCESS	=	



WELL/PUMP INFORMATION:

DEPTH OF WELL: _____ DEPTH OF BOWLS: _____

WATER LEVELS:

PRE-SEASON STATIC: _____ DATE MEAS: _____
(swl_pre) (swlpredate)DURING-SEASON STATIC: _____ DATE MEAS: _____
(swl_mid) (swlmidddate)POST-SEASON STATIC: _____ DATE MEAS: _____
(swl_post) (swlpstdate)DYNAMIC WATER LEVEL: _____ DATE MEAS: _____
(pmpng_wl) (pwl_date)

DOES STATIC WATER LEVEL DROP OR RISE OVER SEASON? YES NO

DOES ANOTHER WELL SPECIFICALLY INTERFERE WITH THIS WELL? YES NO

PUMP AND MOTOR INFORMATION:

WELL MOTOR

MFG: Franklin

SERIAL: _____

HP: 5

BOOSTER 1 MOTOR

MFG: _____

SERIAL: _____

HP: _____

BOOSTER 2 MOTOR

MFG: _____

SERIAL: _____

HP: _____

WELL PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER
(pump_type) (v) (c) (s)

BOOSTER 1 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

BOOSTER 2 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

UTILITY KWH METER INFORMATION:

UTILITY: UPL
(utility)POLE #: _____
(pole_no)MAX KW DEMAND 6.3 KWKILOWATT HRS 38007
(kwh_1)


(use date of exam for "kwh1_date")

UTILITY ACCOUNT NUMBER MICROFILMED
(acct_no)KWH METER SERIAL: 17 593 20
(pwrmttr_sn)METER MFG: Sangamo
(pwrmttr_mfg)Kh DISK CONSTANT 7.2
(kh)MULTIPLIER 1
(disk_mult)31-11687


APR 23 2002

MICROFILMED
APR 23 2002

31-11687




Pod
West half of field



Pod # Pod
Well looking North
Ball field in background


31-116
Pod
Well looking east



 B31sections.shp
 T06n34e.shp
 Posnpnt.shp



MICROFILMED
APR 23 2002

31-11687



31-11687

MICROFILMED
APR 23 2002



Interstest25.shp



Posnpnt.shp



B31twp.shp



T06n34e.shp

31-11687

MICROFILMED
APR 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

July 26, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
12TH FLR 50 E NORTH TEMPLE ST
SALT LAKE CITY UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 31-11687

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Eastern** Regional Office of the department in Idaho Falls at (208) 525-7161.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

AUG 08 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 31-11687

Reviewed By: dgibson

Date: July 6, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:	E026564, C054582		Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		X

Priority Calculation

Date proof received	06/29/2001
Date proof due	- 09/01/2001
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 03/21/2001
New priority date	= 03/21/2001

Deficiencies of Actions Items

Acknowledge proof. - *Forward copy of proof to John Carlson for review to verify drilling permit requirements.*

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

REAL ESTATE DIVISION

Twelfth Floor East
50 East North Temple Street
Salt Lake City, Utah 84150-6320
Phone: 1-801-240-3840
Facsimile: 1-801-240-2913

RECEIVED

JUN 29 2001

Department of Water Resources

Reference reply to:

R. William Nelson
(801) 640-1984
534-5731
June 25, 2001

Mr. Shelley W. Keen
Water Rights Supervisor
Department of Water Resources
1301 North Orchard Street
P. O. Box 83720
Boise, Idaho 83720-0098


RE: Proof of Beneficial Use on Permit 31-11687

Dear Mr. Keen:

Enclosed is the completed and signed "Proof of Beneficial Use" for Water Permit No. 31-11687, with a check in the amount of \$50 for the fee. I understand Mr. Bryce Contour of the Idaho Falls Adjudication Staff has provided, or will provide you with the inspection information.

If there are questions please feel free to give me a call.

Sincerely,



R. William Nelson
L.D.S. Water Resources Group

Enclosures: 4

MICROFILMED
AUG 08 2001

June 30, 2001

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

PROOF DUE NOTICE

RE: PERMIT NO. 31-11687

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Admin. Asst.
Water Allocation Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 6, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY UT 84150

RE: Permit No. 31-11687

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

JUN 14 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 1 6 2001

CERTIFICATE OF MAILING

I hereby certify that on June 6, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 31-11687

**CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY UT 84150**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
JUN 14 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

**MICROFILMED
JUN 14 2001**

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

To: Shelley

From: Sharla

Date: June 4, 2001

Re: Application 31-11687

On this date, I spoke with Glade Pincock from the Real Estate Division (LDS Church) concerning this application. Glade referred me to Bill Nelson who knew the details about this property and I spoke with Mr. Nelson about the appearance of surface water overlaps.

Mr. Nelson told me that there is no assessment paid and no appurtenant surface water shares for this property known as the Terreton ball park. At one time (back in the early 40's perhaps) the property was flood irrigated with surface water but an electric light pole was put on the baseball diamond and the next time the field was watered, the pole fell over – that ended the use of surface water. Therefore, it isn't appropriate to put any of the supplemental conditions on the permit.

*Not
supplemental*

MICROFILMED

JUN 14 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 6/1/01

No. 31-11687 Name: LDS Church Corp. Officers N/A Ad ok ☒ Govt Lots

AREA OF CONCERN: No/Yes ESPA Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - ~~065-004~~
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121

Trust - 051 (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
 > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)
MINING - 054-106
FISH PROP - 029 (70's only)-007-042-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8

BENEFICIAL USE DUE: 6/1/01 12009

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
 > 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

WD - R04 (WD#)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
 (02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W22, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H or 17K (+uses)-17G (not under FERC)
 or 17M (FERC regulated >25 cfs or 500hp)
 08A-025-027-01N-106-W13 (if dewatering stream)

MUNICIPAL

Restricted area - 022,075
Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas, etc)
Irr use listed separate
 or none allowed - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
 i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 4/1 - 10/31 (Per updated map)

IRR VOLUME/ACRE 3.5

OTHER CONDITIONS/REMARKS

Discontinued use of GW when well was drilled

COMMENTS

Use cond 050

Dist for Staffing _____
Submitted for advertising 3-21-01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT ANALYSIS PERMIT

LDS Church

INITIAL REVIEW BY HWT DATE 3-21-01 APPLICATION NO. 31-11687

REQUIRED INFORMATION:

- ☒ Name (if applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivision, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee
☒ Yes _____ No* In form to receipt

RECEIVED

MAY 29 2001

Department of Water Resources

ADDITIONAL INFORMATION:

- _____ Overlapping place of use (Describe source & relationship to present application on the back)
_____ Overlapping point of diversion
_____ Yes _____ No Critical groundwater area
_____ Yes _____ No Groundwater management area
_____ Yes _____ No Send dam safety information
_____ Yes _____ No Send fish farm requirement letter
_____ Yes _____ No Power residency affidavit
_____ Yes _____ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet)
_____ Yes _____ No Public Water System
_____ Yes _____ No Planning section review
_____ Yes _____ No Moratorium Hold file
_____ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Pre-1987 Development

_____ Date Requested _____

PROCESSING:

- ☒ Yes _____ No In form for advertising
☒ Yes _____ No Statewide advertising
☒ Yes _____ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO:

- _____ Id Dept of Health & Welfare
_____ Id Dept of Fish & Game
_____ Id Dept of Lands
_____ Adjudication Bureau Unit

- _____ U.S. BLM
_____ U.S. Forest Service
_____ Water District
_____ Other _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Yes	☐ No	Affidavit of publication received
☒ Yes	☐ No	Application published correctly. If not, record action taken
☒ Yes	☐ No	Publication dates & paper, recorded on application
☐ Yes	☒ No	Protests received
		Final date for protest _____
☐ Yes	☐ No	Protests, dates, resolution of protest, recorded on application
☐ Yes	☐ No	Recommendations attached
☐ Yes	☐ No	Measuring device required
☐ Yes	☐ No	Access port required
☐ Yes	☐ No	Will water be delivered by watermaster? If yes, what District _____
☐ Yes	☐ No	Special conditions of approval or cover letter below.

Date of priority recommend 3/21/01

By: KDC Date: 5/21/01

STATE OFFICE REVIEW: _____

By: _____ Date: _____

ADDITIONAL INFORMATION: _____

LOCAL PUBLIC INTEREST:

Comments received from:

☐ City	☐ Id Fish & Game	☐ Irrigation District
☐ County	☐ Id Health & Welfare	☐ Canal Company
☐ Reservations	☐ Div. Of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

This is a pre-1987 development application.

HWJ

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Jefferson)

I, Terry Carr
of the Jefferson Star, published weekly at
Rigby, Jefferson County, Idaho, do
solemnly swear that the

Application for Permits
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in
any supplement issue thereof for 2
consecutive issues, the first publication
having been made on 4-18-01
and the last publication having been made
on 4-25-01.

Further, that said newspaper is one of
general circulation in said county; that it is a
legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide
subscribers living within the county of
publication; and that it has been
continuously and uninterruptedly published
in said county during a period of seventy-
eight consecutive weeks prior to the first
publication of the said notice.

Terry Carr

On this 25th day of April
in the year of 2001, before me, a
Notary Public, personally appeared

Terry Carr,

known or identified to me to be the person
whose name subscribed to the within
instrument, and being by the first duly
sworn, declared that the statements therein
are true, and acknowledged to me that she
executed the same.

Cynthia Foster
Notary Public of Idaho

Residing at 1032 N. 1100 E. State of Idaho

My commission expires March 8, 2005

APPLICATION FOR PERMITS

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

31-11687

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

Point(s) of Diversion SESESE
S15 T06N R34E, JEFFERSON
County

Source GROUND WATER

Use: IRRIGATION 04/01 To
10/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 03/21/2001

Place Of Use: IRRIGATION

T06N R34E S15 SESE

Number of Acres 2.7

This application is a pre-1987
development. Permits will be sub-
ject to all prior water rights.
Protests may be submitted based
on the criteria of Sec 42-203A,
Idaho Code.

Any protest against the approval
of this application must be filed
with the Director, Dept. of Water
Resource, together with a protest
fee of \$25.00 for each application
on or before May 7, 2001. The
protestant must also send a copy of
the protest to the applicant.

KARL J DREHER, Director

Published in the Jefferson Star,
Rigby, Idaho, April 18 and 25 ,
2001.

RECEIVED
LATE
Department of Water Resources
Bureau of Reclamation

MICROFILMED

JUN 9 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

April 05, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY UT 84150

RE: Application for Permit No 31-11687

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Jefferson Star on April 18 and 25, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions.

Sincerely,

Harold W Jones
Water Right Supervisor

HWJ:sc

MICROFILMED

JUN 14 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

April 05, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
JEFFERSON COUNTY STAR
PO BOX 37
RIGBY ID 83442

RE: Application for Permits


Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before May 7, 2001. Your cooperation is appreciated.

Sincerely

Sharla Cox
Administrative Assistant



MICROFILMED

JUN 14 2001

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

31-11687

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY UT 84150

Point(s) of Diversion SESESE S15 T06N R34E, JEFFERSON County

Source GROUND WATER

Use: IRRIGATION 04/01 To 10/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 03/21/2001

Place Of Use: IRRIGATION

T06N R34E S15 SESE

Number of Acres 2.7

This application is a pre-1987 development.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, together with a protest fee of \$25.00 for each application on or before May 7, 2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on April 18 and 25, 2001

MICROFILMED

JUN 14 2001

FEB 28 2001

Department of Water Resources
Eastern Region

To Whom It May Concern:

In the period of about 1976 to 1981 I was 1st Councillor in the LDS Teretou 2nd Ward Bishopric. I was in charge of the LDS Church Farm, including 3 houses and a ball field. The culinary well, located just south of the ball field, was supplying water to the three houses, yards, & gardens, as well as the grocery store, the Post Office, and two houses across the street to the south.

A culinary well was drilled about this time on the south side of the road to supply those buildings there. Also, at this time, two of the houses on the Church farm were torn down and one was moved off.

The ball field was being flood irrigated out of the Owsley Canal irrigation ditch. This was an unsatisfactory method of irrigation because the field was not level and the water had to run so deep that the field was unuseable for several days. With the houses gone, and another well across the street, this made it feasible to use the

MICROFILMED

JUN 14 2001

existing well to sprinkle the ball field.

A pipeline and nine lines of sprinkler pipe was put on the ball field in 1977 and has watered the field since that time. There was no requirements on water rights and points of diversion, etc at that time.

Thank you,
Lynn Wood

1014 E 1500 N
Terreton, Idaho 83450
208-663-4448

2/12/01

To Whom It May Concern:


I moved to Mud Lake in 1948. At the time the portion of the church farm that is now the ballpark was flood irrigated as part of the farm.

Two homes were on the southeast corner of this farm. Both had small gardens irrigated from this well. The well was also used for the homes. At this time the well also furnished water for the store and several homes and businesses across the highway to the south.

About 1977 the church needed a ballpark so the land north of the houses was set off from the farm and put in grass. It was flood irrigated at this time.

A few years later after 1977 the houses had been moved or burned and a sprinkler system (hand lines) installed to better irrigate the lawn. This system is still in use at the present time.

Sincerely,



Terreton, Idaho 83450

PO Box 94

RECEIVED
FEB 28 2001

Department of Water Resources
Eastern Region

MICROFILMED

JUN 14 2001

MEMORANDUM

To: Terreton LDS Beneficial Use Claim 31-10340
Fr: Bryce Contor
Date: 2/10/2001 *Bryce*
Re: Conversation with Ted Adamson

Today while visiting with Mr. Edwin Adamson of Terreton about another claim, I asked him what he knew about the LDS church ball diamond in Terreton.

Mr. Adamson has lived in Terreton since 1926. When he came to Terreton, there were buildings at the site of the ball diamond but he does not know if there was a well. When he returned from the war in late 1945, the Harris family had a well there. He believes the church purchased the farm about 1950. The well has been used continuously since then.

Mr. Adamson served as LDS Stake President from 1973 to 1983. It was during his tenure that the ball diamond was built, he thinks about 1975 or 1976 but definitely before 1980. He recalls the incident of the power pole tipping over, referred to by Mr. Robert Coleman (see memo in file). Mr. Adamson doesn't remember the year that the irrigation was converted to sprinklers but he is certain that it was during his tenure and therefore before 1984.

MICROFILMED
JUN 14 2001

MEMORANDUM

To: Craig Saxton
Fr: Bryce Contor
Date: 2/28/2001 
Re: Power Bill for LDS Ball Diamond

The attached power bill was supplied to me by Bishop Robert Coleman of the LDS church in Terreton.

The bill shows demand of 5.5 kilowatts. In 1997 I measured 5.53 kilowatts while the sprinklers at the ball diamond were running. The bill is for 1129 kilowatt hours. At the measured PCC of 960 kilowatt hours per acre foot, this translates to about 1.2 acre feet of irrigation. The billing cycle is approximately one month, and the irrigated area is about 1 1/2 to two acres. This calculates to about 0.3 inches of irrigation per day, which almost a textbook value for summertime turf grass requirements.

I conclude that the power bill is consistent with the claim that the irrigation system was in place prior to 1986.

MICROFILMED
JUN 14 2001

STP7041 OFFICE PRCO	07/09/86 03:16:58				IDAHO	BILLING REGISTER	WORKDAY 06								
		BSC	RATE	KH-RDG	KH	RDG	KWH	DATE	CODE	OF	BCN	AMOUNT	P-TAX	S-TAX	BALANCE
0656890	0689-11400.003 7	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11400.005 2	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11400.004 5	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11500.014 4	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
P O BOX 36	TERRETON ID 83450														
0656890	0689-11500.006 2	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
1120 ORLIN	IDAHO FALLS 1883401														
0656890	0689-11500.007 7	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
PO BOX 362	RIGBY ID 83442														
0656890	0689-11500.005 1	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11600.002 7	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11700.000 0	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
P O BOX 97	RIGBY ID 83442														
0656890	0689-11800.000 9	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-11800.001 7	ACT						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
TERRETON	LDS FARM														
TERRETON	IDAHO 83450														
0656890	0689-11900.000 8	ACT				54536		03JUN86	BEGIN BA			215.47			215.47
00000	TERRETON HARD FARM					55665	1129	17JUN86	PAYMENT 56	2		315.47			.00
		23	5.5000	6				30JUN86	BILL			150.24			150.24
								30JUN86	END BAL						150.24
REX FURNESS															
PO BOX 158															
TERRETON ID	83450														

RECEIVED
FEB 28 2001
Department of Water Resources
Eastern Region

STP7041 OFFICE PRCO	07/09/86 03:16:58				IDAHO	BILLING REGISTER	WORKDAY 06								
		BSC	RATE	KH-RDG	KH	RDG	KWH	DATE	CODE	OF	BCN	AMOUNT	P-TAX	S-TAX	BALANCE
0656890	0689-12000.003 9	TBI						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-12000.005 4	ACT				67732		03JUN86	BEGIN BA			48.37			48.37
00000	DARRELL NYGARD					68299	567	01JUL86	PAYMENT 92	10		48.37			.00
00000	TERRETON ID 83450	5					567	30JUN86	BILL			57.34			57.34
00000	TERRETON IDAHO 83450	65					567	30JUN86	7264			15.59			41.75
00000	TERRETON IDAHO 83450							30JUN86	END BAL						41.75
0656890	0689-12000.004 7	TBI						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-12100.000 4	URC													.00
00000	TERRETON PUMP #2 #12														.00
00000	HAHER ID 83425														.00
0656890	0689-12200.000 3	ACT				8115		03JUN86	BEGIN BA			756.04			756.04
00000	SIMMONS EQUIP&SUPPLY					674	2559	08JUL86	PAYMENT 92	2		756.04			.00
00000		23	15.5000	16				30JUN86	BILL			320.47			320.47
00000								30JUN86	END BAL						320.47
C/O H T SIMMONS															
0656890	0689-12300.000 2	INA						09JUL86	BEGIN BA						.00
00000	TERRETON ID 83450							09JUL86	END BAL						.00
0656890	0689-12300.003 6	ACT				10030		03JUN86	BEGIN BA			119.57			119.57
00000	HALLACE WILDING					10691	661	01JUL86	PAYMENT 56	2		69.39			50.18
00000	TERRETON ID 83450						661	17JUN86	PAYMENT 92	4		49.68			.50
00000		71					661	30JUN86	BILL			66.85			67.35
00000		65					661	09JUL86	END BAL			18.17			49.19
0656890	0689-12300.002 8	INA						09JUL86	BEGIN BA						.00
00000								09JUL86	END BAL						.00

MICROFILMED
JUN 14 2001

Water User
174

TERRETON FIRST WARD 507-3189 ID:

POD

06N 34E 15 SESESE

Site Tag #

A0005807

Record #

300040

Diversion Name

BALL DIAMOND

MICROFILMED

JUN 14 2001

Power Accounts 1

ID: 174

TERRETON FIRST WARD 507-3189

<u>Record</u>	<u>Point Of Diversion</u>	<u>Diversion Name</u>	<u>UPL Billing Name</u>	<u>UPL Account</u>	<u>UPL Address</u>
300040	06N 34E 15 SESESE	BALL DIAMOND			

MICROFILMED
JUN 14 2001

✓
fee # 300040

NORTH WATER MEASUREMENT DISTRICT

FIELD REPORT

SITE DATA:

EXAMINER (inv_name) B. Contor
EXAM DATE: 8/20/97 DIVERSION NAME: Ball Field
(site_visit) (div_name)
GPS FILE NAME: (none) SITE TAG #: A0005807
(gps_filnam) (site_tagno)

OFFSET (offset): _____

TAG LOCATION (tag_locat): on pole w/ Kwh meter 10' S of well

POD LEGAL: SE 1/4 SE 1/4 SE 1/4, Sec. 15, T 6 N, R 34 E
(pod)

DEPT. MEASUREMENT CAPABILITY (std_rcmd):

SONIC (s) SONIC/DIG (sd) SONIC @ PVT (sp)
COLLINS (c) PYGMY (p)

MEASUREMENT RECOMMENDATIONS (op_num):

PCC (2) HOUR M. (7) IRR. FLOWMETER (1)

OTHER FLOWMETER (8) ALTERNATE (3)

SUITABLE FOR PCC EVEN IF OTHER METHOD SELECTED (pcc_ok) YES NO

TRACKING WILL BE REQUIRED (trkng_reqd) YES NO

WELL HAS GOOD ACCESS PORT FOR WATER LEVEL MEAS (wl_access) YES NO

FLOWMETER INSTALLATION POSS. W/O MAJOR CHANGE (qmtr_ez) YES NO

USER ANTICIPATES MAJOR SYSTEM CHANGE 1 YR 2 YRS 3 YRS

FOLLOW-UP DATE (folup_date): YEAR 2001 MONTH _____ DAY _____

OWNER/OPERATOR INFORMATION:

OWNER (name): Terraton 1st Ward LOS PHONE _____
(if this is a change, data enter "yes" in field "name_chng")

ADDRESS #174 CEL PHONE _____

OPERATOR (contact) Larry Sodergvist PHONE _____

ADDRESS (Terraton phone book) CEL. PHONE _____

OVERLAP:

OTHER WR. THIS POD _____


OTHER POD THIS WR. _____

MICROFILMED

JUN 14 2001

PUMPING PLANT SKETCH

VALVE	=	⌘
CHECK VALVE	=	▷
AIR VAC	=	⊗
PRESS. RELIEF	=	Ⓟ
INDIVE/UPDIVE	=	≡
HOSE BIB	=	Ⓚ
PRESS. GAGE	=	Ⓢ
WELL ACCESS	=	Ⓐ



WELL/PUMP INFORMATION:

DEPTH OF WELL: _____ DEPTH OF BOWLS: _____

WATER LEVELS:

PRE-SEASON STATIC: _____ DATE MEAS: _____
(swl_pre) (swlpredate)DURING-SEASON STATIC: _____ DATE MEAS: _____
(swl_mid) (swlmidddate)POST-SEASON STATIC: _____ DATE MEAS: _____
(swl_post) (swlpstdate)DYNAMIC WATER LEVEL: _____ DATE MEAS: _____
(pmpng_wl) (pwl_date)

DOES STATIC WATER LEVEL DROP OR RISE OVER SEASON? YES NO

DOES ANOTHER WELL SPECIFICALLY INTERFERE WITH THIS WELL? YES NO

PUMP AND MOTOR INFORMATION:

WELL MOTOR

MFG: Franklin

SERIAL: _____

HP: 5

BOOSTER 1 MOTOR

MFG: _____

SERIAL: _____

HP: _____

BOOSTER 2 MOTOR

MFG: _____

SERIAL: _____

HP: _____

WELL PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER
(pump_type) (v) (c) (s)

BOOSTER 1 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

BOOSTER 2 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

UTILITY KWH METER INFORMATION:

UTILITY: UPL
(utility)POLE #: _____
(pole_no)MAX KW DEMAND 6.3 KWKILOWATT HRS 38007
(kwh_1)

(use date of exam for "kwh1 date")

UTILITY ACCOUNT NUMBER
(acct_no)KWH METER SERIAL: 17 593 20
(pwrmttr_sn)METER MFG: Sangamo
(pwrmttr_mfg)Kh DISK CONSTANT 7.2
(kh)MULTIPLIER 1
(disk_mult)MICROFILMED
JUN 14 2001

SYSTEM DESCRIPTION/NARRATIVE COMMENTS:

SYSTEM TYPE Handline
(system_type)

COMMENTS TO DATA-ENTER (exam_notes):

Acres < 5 cfs < 0.24 however LDS rep Glade
Pineville has not responded to phone msg. Suggesting
amending claim to be out of district

FILE-ONLY COMMENTS:

Note Unique Kwh meter also has
needle for instantaneous KW,
gave same reading as obtained w/
stopwatch method.

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature

Byron A. Contor
MICROFILMED

Date

8/20/97

JUN 14 2001

Water user

Address

Site tag

A0005807

Well Pump and Motor Information

PUMP DATA		MOTOR DATA	
Manufacturer		Manufacturer	
Serial Number		Serial Number	
Model Number		Rated Horsepower	
Type		Rated Amps	
Impeller Diameter		Rated Volts	
Rated Speed		Rated Speed	
Rated Discharge		Phase	
Rated Head		Service Factor	

Booster Pump and Motor Information

PUMP DATA		MOTOR DATA	
Manufacturer		Manufacturer	
Serial Number		Serial Number	
Model Number		Rated Horsepower	
Type		Rated Amps	
Impeller Diameter		Rated Volts	
Rated Speed		Rated Speed	
Rated Discharge		Phase	
Rated Head		Service Factor	

Power and Water Metering Information

KILOWATT-HOUR METER		WATER MEASUREMENT EQUIPMENT and PIPE INFORMATION	
Utility		Std Meter Manufacturer	Reck
Pole No.		Std Meter Model No.	ISTT-P
Meter Manufacturer		Std Meter Type	Sonic Pvg Collins Hall Anub Dye/chem Other
Meter Serial No.		Std. Meter Confidence	Excl/Good Fair Poor 2% 5% 10% >10%
Disc Constant(Kh)		PSI gauge ID location = disch head?	District/Owner Yes/No
Rated Voltage		Pipe material	AI.
Demand		Pipe Outside Diameter	see tag
Multiplier (Mult)		Pipe Inside Diameter	
CTR (Current) PTR (Voltage)		Distance of straight pipe upstream and down	Upstream/Down 10 / 10 dia

MICROFILMED

JUN 14 2007

KWH-2

Determination of Power Consumption Coefficient

Kilowatts of Energy Consumed

$KW = 3.6 \times Kh \times \text{Multiplier} \times \text{No. of revolutions}(N) \div \text{Time}(T) \text{ in seconds per } N$

Cond.#1 $N = 10$ (No. of Disc Rev) Time (sec) = $(46.8) + (46.8) + (47.0)/3 = 46.87$ Ave

3.6×7.2 (Kh) $\times 1$ (Mult) $\times 10$ (N) $\div 46.87$ (T) = 5.53 KW

Cond.#2 $N =$ (No. of Disc Rev) Time (sec) = () + () + () / 3 = Ave

$3.6 \times$ (Kh) $\times$ (Mult) $\times$ (N) $\div$ (T) = KW

Cond.#3 $N =$ (No. of Disc Rev) Time (sec) = () + () + () / 3 = Ave

$3.6 \times$ (Kh) $\times$ (Mult) $\times$ (N) $\div$ (T) = KW

Measured Flow Rate and Discharge Pressure - Enter flow rate as determined by the "standard" water measurement meter in GPM, and discharge pressure measured in PSI. Attach documentation to support data such as notes, printout tapes etc.

GPM Cond. #1 31.3 #2 #3

PSI Cond. #1 40 #2 #3

Power Consumption Coefficient (PCC) = $KW \times 5431 \div GPM$

PCC Cond. #1 = 5.53 (KW) $\times 5431 + 31.3$ (gpm) = 959.6 (kWh/ac.ft)

Percent of seasonal use 100 Description 10 birds, small nighthawk, low pressure bird.

PCC Cond. #2 = (KW) $\times 5431 +$ (gpm) = (kWh/ac.ft)

Percent of seasonal use Description

PCC Cond. #3 = (KW) $\times 5431 +$ (gpm) = (kWh/ac.ft)

Percent of seasonal use Description

Is the system operator required to track and report changes in system operation? Yes / No
(see form PCC3)

System Type (all that apply): Pivot linear / Wheel In / Hand In / Gated pipe / flood / Drip / Open ditch

Water Level Data

Does the well have access to measure water levels? Yes No

Is this well part of USGS, IDWR, or another network of water level monitoring wells? Yes / No / Uncertain

Static Water Level MICROFILMED ft (at condition #)

Date Date

JUN 14 2001

Further describe system operating conditions (if necessary) and how percentage of seasonal use was obtained:

Sketch of pumping plant layout or attach photograph of pumping plant and piping:

Comments: Note line from well is 2" galv. steel.
I suspect severe line loss. This explains low
CPM / bird and high PCC.

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature

Byron MICROELECTRONICS
(person performing measurements)

Date

8/20/97

JUN 14 2001

*LOS
Hall Field
Tension*
*Acco
5807*

PIPE O.D.
4.000 IN

PIPE WALL THICKNESS
0.039 IN

PIPE I.D.
3.922 IN

PIPE MATERIAL
ALUMINUM

TRANSDUCER SPACING
2.416 IN

FLOW 32.526 GPM
NET 7.35 X1 GAL

FLOW 32.843 GPM
NET 8.50 X1 GAL

SIGNAL STRENGTH UP
3.53

SIGNAL STRENGTH DOWN
3.53

DIFF CNT= 1018
DELTA TIME= 24.51

DIFF CNT= 983
DELTA TIME= 24.09

DIFF CNT= 991
DELTA TIME= 23.69

DIFF CNT= 1024
DELTA TIME= 23.97

DIFF CNT= 1018
DELTA TIME= 23.69

07:07:58 08-20-97

Min. Rate 31.56 GPM
Max. Rate 35.05 GPM
Avg. Rate 34.01 GPM
FLOW RATE 33.39 GPM
NET TOT(X1) 29 GAL

07:08:58 08-20-97

Min. Rate 31.56 GPM
Max. Rate 36.15 GPM
Avg. Rate 34.92 GPM
FLOW RATE 34.36 GPM
NET TOT(X1) 64 GAL

07:09:58 08-20-97

Min. Rate 30.82 GPM
Max. Rate 36.15 GPM
Avg. Rate 32.27 GPM
FLOW RATE 31.24 GPM
NET TOT(X1) 96 GAL

07:10:58 08-20-97

Min. Rate 30.00 GPM
Max. Rate 36.15 GPM
Avg. Rate 31.06 GPM
FLOW RATE 32.25 GPM
NET TOT(X1) 127 GAL

07:11:58 08-20-97

Min. Rate 30.00 GPM
Max. Rate 36.15 GPM
Avg. Rate 32.60 GPM
FLOW RATE 33.42 GPM
NET TOT(X1) 160 GAL

07:12:58 08-20-97

Min. Rate 30.00 GPM
Max. Rate 36.15 GPM
Avg. Rate 32.60 GPM
FLOW RATE 33.42 GPM
NET TOT(X1) 194 GAL

07:13:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 29.70 GPM
FLOW RATE 27.20 GPM
NET TOT(X1) 223 GAL

07:14:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 28.11 GPM
FLOW RATE 28.63 GPM
NET TOT(X1) 251 GAL

07:15:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 29.54 GPM
FLOW RATE 29.25 GPM
NET TOT(X1) 281 GAL

07:16:58 08-20-97
Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 30.24 GPM
FLOW RATE 31.02 GPM
NET TOT(X1) 311 GAL

07:17:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 31.43 GPM
FLOW RATE 31.72 GPM
NET TOT(X1) 343 GAL

07:18:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 31.56 GPM
FLOW RATE 31.17 GPM
NET TOT(X1) 374 GAL

07:19:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 30.75 GPM
FLOW RATE 30.50 GPM
NET TOT(X1) 405 GAL

07:20:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 30.06 GPM
FLOW RATE 29.67 GPM
NET TOT(X1) 435 GAL

07:21:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 29.34 GPM
FLOW RATE 29.31 GPM
NET TOT(X1) 464 GAL

07:22:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 31.08 GPM
FLOW RATE 32.03 GPM
NET TOT(X1) 496 GAL

07:23:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 32.63 GPM
FLOW RATE 34.40 GPM
NET TOT(X1) 528 GAL

07:24:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 33.82 GPM
FLOW RATE 32.98 GPM
NET TOT(X1) 562 GAL

07:25:58 08-20-97

Min. Rate 26.42 GPM
Max. Rate 36.15 GPM
Avg. Rate 32.92 GPM
FLOW RATE 33.23 GPM
NET TOT(X1) 594 GAL

07:26:58 08-20-97

MICROFILMED

JUN 14 2001

(594 - 281) / 10 = 31.3 GPM

FIELD FORM FOR ET METHOD

IDENTIFICATION

OWNER _____
(owner)

ADDRESS ID _____
(adres_id)

SITE TAG # A000 5807
(site_tagno)

TEST DATE 8/20/97
(site_visit)

TECHNICIAN BAC
(examiner)

FIELD DATA

CROP turf (established) ACRES 1.92
(crop_1) (acre_1)

(crop_2) (acre_2)

(crop_3) (acre_3)

(crop_4) (acre_4)

TOTAL ACRES _____
(crop_acres)

~~300
400
120000~~

2.75
43560 $\sqrt{120000}$
87120
32880
304920
23880

COMMENTS TO DATA-ENTER (exam_notes): acres technician estimate - see yellow sketch 5/6/97

FILE-ONLY COMMENTS: _____

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature Byron A. Conto Date 8/20/97

MICROFILMED

JUN 14 2001

REC	ADD	PODS	NAME	ST	CFS	USES	POD	COMMENTS
174	1		TERRETON FIRST WARD				2086634392	
174	1		THE CHURCH OF JESUS CHRIST OF LDS				8012404656	
43	174		TERRETON FIRST WARD	J	0.16	1	06N 34E 15 SESESE	

5/6/97 Bruce Smith 663-4884
5-7-97

5/6/97 field visit, property $\leq$ 5 acres.
msg on voice mail of Glade Pincode
recommending amending claim to $\leq$ 5 acres.

Data Entry: Comment: Probably will be
out of district

Recommendation: PCC

Follow up: 1998/1999

MICROFILMED
JUN 14 2001


LOS Church

5/6/97

801 240 4656

MSG on Glade

Picacodes Voia
mail 5/6/97



MICROFILMED $(1.92 - 0.09) + (1.36 - 0.09) = 3.10$ acres

JUN 14 2001

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

RECEIVED

MAR 21 2001

Department of Water Resources
Eastern Region

REAL ESTATE DIVISION

Twelfth Floor East
50 East North Temple Street
Salt Lake City, Utah 84150-6320
Phone: 1-801-240-3840
Facsimile: 1-801-240-2913

Reference reply to:

R. William Nelson
508-7007; 534-5731
March 19, 2001

MR CRAIG SAXTON
WATER RESOURCES AGENT
ADJUDICATION BUREAU
DEPARTMENT OF WATER RESOURCES
900 N SKYLINE DRIVE SUITE A
IDAHO FALLS, IDAHO 83402-1718

RE: Application for Permit

Dear Mr. Saxton:

Attached is the completed and signed "Application for Permit" with the filing fee of \$100.00. Also enclosed are two affidavits describing historical use of the well for irrigation, power records with the North Water Measurement Field exam done by Bryce Contor, and the two memos from Mr. Contor concerning calculations of the diversion rate from the well and his conversation with Ted Adamson.

If any additional information would be helpful, please give me a call on (801) 240-1984.

Very truly yours,



R. William Nelson
LDS Water Resources Group

Copy: Bishop Robert Coleman
1022 East 1700 North
Terreton, Idaho 83450

MICROFILMED

JUN 14 2001