

State of Idaho  
Department of Water Resources  
**Amendment of Permit**

NO. 45-13412

Priority: January 13, 2002

Maximum Diversion Rate: 0.90 CFS

This is to certify, that CITY OF MURTAUGH  
PO BOX 157  
MURTAUGH ID 83344

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

**Source:** GROUND WATER

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| MUNICIPAL             | 01/01 to 12/31       | 0.90 CFS                 |

**LOCATION OF POINTS OF DIVERSION:**

|              |                                                               |
|--------------|---------------------------------------------------------------|
| GROUND WATER | L6 (NW¼SW¼) Sec. 6, Twp 11S, Rge 20E, B.M., TWIN FALLS County |
| GROUND WATER | L6 (NW¼SW¼) Sec. 6, Twp 11S, Rge 20E, B.M., TWIN FALLS County |
| GROUND WATER | L1 (NW¼NW¼) Sec. 7, Twp 11S, Rge 20E, B.M., TWIN FALLS County |

**CONDITIONS OF APPROVAL**

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2007**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
7. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.

State of Idaho  
Department of Water Resources  
**Amendment of Permit**

NO. 45-13412

9. Rights 45-7202 and 45-13412 when combined shall not exceed a total diversion rate of 0.90 cfs.
10. Place of use is within the service area of the City of Murtaugh municipal water supply system as provided for under Idaho Law.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 9<sup>th</sup> day of June, 2005.

  
FOR KARL J DREHER, Director