

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8497

READ, ROBERT &/or ALEXIS
1700 GOLD CREEK ROAD,
SANDPOINT, ID 83864

Source: LITTLE GOLD CREEK
trib. to GOLD CREEK

Diversion Pt: NWNW Sec 12 T 58N R
01W

Use: IRRIGATION (0.1 CFS)

IRRIGATION STORAGE (1.0 AF)

IRRIGATION FROM STORAGE
(1.0 AF)

STOCKWATER (0.020 CFS)

STOCKWATER STORAGE (0.5 AF)

WILDLIFE (0.020 CFS)

WILDLIFE STORAGE (0.5 AF)

DIVERSION TO STORAGE (0.1
CFS)

Date Filed: 07/27/1987

In: NWNW Sec 12 T 58N R 01W FOR
5 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before SEPTEMBER 21, 1987.

Norman C. Young, Dir.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 28, 1995

ROBERT READ
ALEXIS READ
1700 GOLD CK RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08497

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

SEP 18 1995

LICENSE REVIEW

Cindy Zimmerman

Permit #: 96-8497 Name: Read Date: 8/21/95
App Rcd 8/13/87 Priority 8/13/87 Examined 6/15/95 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?
SOURCE ✓ — Clarify source per orthogquad, unnamed stream
Prelim. Order to Void 1 Source change.
* P/D — ✓ Amendment Needed? — -P39, P38
Overlap(s) —
P/U — ✓ Amendment Needed? reduce to 4.8A -P41, P38
Overlap(s) —
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.10 / 0.20
— ✓ Measured Q= — cfs Theoretical Q= — cfs
irr: 4.8 acres x 0.02 cfs/A = 0.096 cfs ≈ 0.10 cfs; stock 8RC = 0.02 cfs
(HP) 8.8 x 0.70 x 2 = 12.32
60 + (2.31 x 30) = 129.3 = 0.10 cfs
Recommended capacity 0.10 cfs
Recommended rate 0.10 cfs

* VOLUME — ✓ Season of Use: (D) irr 3/15-11/15 = 246 days
Calculations: (irr: 4.8 acres x 3.0 AF/A = 14.4 AF) + (stock 8RC
x 12 apr x 365 d/y) ÷ 325,850 = 0.1 AF + (wl = 0.1) = 14.4 + 0.1 + 0.1 = 14.6
Flow limit: 0.10 x 246 x 1.9835 = 48.8 AF
Recommended volume 14.4 + 0.1 + 0.1 = 14.6 AF

* USES — ✓ Same Nature of Use? No domestic use permitted with this right. -P46
Amendment Needed? —

REMARKS — ✓ Multiple p/d's in 1/4?
✓ 1 woz/8RC

CONDITIONS — — Measuring (R01)/Locking (R02) Devices
— — Watermaster Control (R04) - WD # —
R40 — Irrigation rate/volume overlap
— — Irrigation water overlap (065) (If gw use sw)
— — Water Quality/Other —

PRIORITY Due 11/1/91 Rc'd 10/28/91 Receipt# 0022154 Fee OK? Yes / No
Order to Reinstate Needed? Yes / NO Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: —

USE	CFS	DIV VOL
irr / 4.8A	0.10	14.4
irr from stor		1.0
irr Storage		1.0
Stock / 8RC	0.02	0.1
Stock Storage		0.1
Wildlife	0.02	0.1
Wildlife storage		0.1
div to storage	0.10	

Adjustment Memo *

LICENSE: P49
#1 AMEND LTR: P46 or
P39/P41/P37 & P38

MEMORANDUM

DATE: August 21, 1995
TO: File No. 96-08497
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments were made on the field report:

1. Point of diversion, per orthoquad, is located within NWNW, S12, T58N, R01W.
2. Uses.
 - a. Domestic use from a groundwater source was found and recommended by the examiner; however, domestic use was not a permitted use on this right and will not be recommended on the license for this right.
3. Annual Volume.
 - a. Irrigation = 4.8 acres x 3.0 AF/acre
= 14.4 AF.
 - b. Irrigation from storage, limited by permit = 1.0 AF.
 - c. Irrigation storage, limited by permit = 1.0 AF.
 - d. Stockwater = (8 hd x 12 gpd/hd x 365 d/y) ÷ 325,850 g/AF
= 35,040 ÷ 325,850
= 0.1 AF.
 - e. Stockwater storage = 0.1 AF.
 - f. Wildlife (=Stockwater use) = 0.1 AF.
 - g. Wildlife Storage = 0.1 AF.
 - h. Maximun Annual Volume = a + d + f
= 14.4 + 0.1 + 0.1
= 14.6 AF.

RECEIVED

SEP 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08497

1. Owner: Robert & Alexis Read Phone No. (208) 265-4162

Current Address: 1700 Gold Creek Rd SANDPOINT Id 838640000

2. Accompanied by: Robert & Alexis Read EXAM DATE: 6-15-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: LITTLE Gold Creek tributary to Gold Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

* 1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					12	58N	01W	BONNER	U.S.G.S. 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01W	12					05												05
							D												D

SEP 18 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
IRRIGATION	FRANKLIN	2	8246905	Red Jacket	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

SEP 18 1995

E. NARRATIVE/REMARKS/COMMENTS

Irrigation is accomplished by hooking garden hose at various points along main trunks when needed

Domestic well is hand dug approx 30ft with 3ft cement down hole.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
8 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.8 \times 3 = 14.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .10 \times 245 \times 1.9835 = 4.860$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.4$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use	Rate of Diversion	Annual Volume
From To	Q (cfs)	V (afa)
01-01 12-31	.04	1.2
03-15 11-15	.10	14.4
01-01 12-31		1.0
03-15 11-15		1.0
	.02	*
		.5*
01-01 12-31	.02	*
01-01 12-31	.10	.5*
Totals:	.10	14.4*

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Baldwin

Date

6-21-95

Reviewer

Date

SEAL

* Adjustments made during review of this right for license approval. See memo for additional information. 8/21/95 c.g.

SEP 18 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08497

DATE: 21-JUN-95

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 2


PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 60 FEET

SYSTEM PRESSURE = 20 PSI

QUANTITY = 0.10 CFS

SEP 18 1995



November 8, 1991

ROBERT READ
ALEXIS READ
1700 GOLD CK. RD.
SANDPOINT ID 838640000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08497

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.


Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

DEC 31 1991



PO




PO



Irrigation
Dam

SEP 18 1995

96-08497



Division Duties to Japan

*Rest of photos did not
turn out for some reason.
w. Beldin*

RECEIVED
SEP 18 1995

96-08497


Recd
(700 Gold Creek
Sandpoint ID

83864


DEC 31 1991

RETURN RECEIPT
REQUESTED

FILED



Dept. of Water Resources
State of Idaho
Statehouse Mail
Boise, 1083720



138037

August 31, 1991

ROBERT READ
ALEXIS READ
1700 GOLD CK. RD.
SANDPOINT, ID 838640000

PROOF DUE NOTICE

RE: PERMIT NO. 96-08497

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOT RETURNED

DEC 31 1991

November 8, 1989

Robert or Alexis Read
1700 Gold Creek Rd.
Sandpoint, ID 83864

Dear Mr. and Mrs. Read:

RE: Permit No. 96-8497

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1991.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

NOV 24 1989

138632
August 31, 1989

ROBERT READ
ALEXIS READ
1700 GOLD CK. RD.
SANDPOINT, ID 838640000

PROOF DUE NOTICE

RE: PERMIT NO. 96-08497

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 10, 1989

Alexis Read
1700 Gold Creek Road
Sand Point, ID 83864

RE: Permit to appropriate water no. 96-8497

Dear Ms. Read:

I'm sorry to hear that your husband was injured, and also that work on the permit has been delayed. Failure to submit the commencement of works card did not jeopardize your permit in any way.

Please note on the last page of your permit to appropriate water that proof of construction of works and application of water to beneficial use must be submitted on or before November 1, 1989. You will receive a notice approximately sixty (60) days prior to November 1, 1989, informing you that you must submit proof of beneficial use, or a request for extension of time. If you have not finished your project by then, you should be able to obtain an extension of time, particularly because of your husband's injury.

If I can help you further, please contact me.

Sincerely,


Gary Spackman, Manager
Water Right Permits Section

cc: Northern Region

MICROFILMED

NOV 24 1989

Alexis Read
1700 Gold Creek Rd.
Sandpoint, ID 83864



Dept. of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

January 26, 1989

Attn: Gary Spackman

Dear Mr. Spackman:


Enclosed is the "blue card" regarding construction of diversion works approved on my permit. Unfortunately this card was mislaid and is late in getting to you, I hope its tardiness will not affect my permit.

Work on the approved water diversion began last spring, however it is not completed at this time. Robert was injured in an accident at work and has been retraining for the last year. This has impeded our work on the water diversion project. We intend to commence work late this spring as the weather and soil conditions permit to complete the project.

Please let me know if our permit is affected in anyway, and/or what steps we will need to take next to assure our water rights.

Sincerely,

Alexis Read



AR

enc

Department of Water Resources

RECEIVED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8497

Name(s) of Permit Holder(s): Robert or Alexis Read

Post Office Address: 1700 Gold Creek

Sandpoint, Idaho 83864

Tel. Nos. 265-1162 or 263-3167

☒ I hereby certify that construction of diversion works on the above referenced permit began on March 15, 1988 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

10/30/88

Date

Alexis Read
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
OCTOBER 30, 1987

READ, ROBERT S ALEXIS
1700 GOLD CREEK ROAD
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-8497

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

APR 06 1988

96-8497

READ, ROBERT &/or ALEXIS

1700 GOLD CREEK ROAD, SANDPOINT, ID 83864

Source LITTLE GOLD CREEK trib. to GOLD CREEK

Diversion Pt NNNN Sec 12 T 58N R 01W

Use: IRRIGATION	(0.1 CFS)
IRRIGATION STORAGE	(1.0 AF)
IRRIGATION FROM STORAGE	(1.0 AF)
STOCKWATER	(0.020 CFS)
STOCKWATER STORAGE	(0.5 AF)
WILDLIFE	(0.020 CFS)
WILDLIFE STORAGE	(0.5 AF)
DIVERSION TO STORAGE	(0.1 CFS)

Date Filed 07/27/1987

In NNNN Sec 12 T 58N R 01W FOR 5 ACRES

MAKING FILMED

APR 06 1988



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

July 29, 1987

Mr. Robert Reed
1700 Gold Creek Rd.
Sandpoint, Id. 83864


RECEIVED
AUG 13 1987
Department of Water Resources
Northern District Office

Dear Mr. Reed:




Enclosed is your Receipt No. 41618 in the amount of \$30.00 which represents the fee for filing your Application for Permit. I have also enclosed the new application we discussed on the phone which clarifies Item Nos. 4 and 5.

Please complete the map, sign the application and return it to this office within 30 days to avoid reduction of your July 27, 1987 priority date.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Receipt
Application

STATE OF IDAHO		Department of Water Resources		No 41618	
Boise, Idaho,		7/28		19 87	
RECEIVED FROM		of		\$ 30.00	
				DOLLARS	
thirty & no/100					
ck 82-360/23					
FOR		\$	30.00		
		\$			
		\$			
		\$			
		\$			
TOTAL		\$	30.00		

APR 06 1988

July 29, 1987

Mr. Robert Reed
1700 Gold Creek Rd.
Sandpoint, Id. 83864

Dear Mr. Reed:

Enclosed is your Receipt No. 41618 in the amount of \$30.00 which represents the fee for filing your Application for Permit. I have also enclosed the new application we discussed on the phone which clarifies Item Nos. 4 and 5.

Please complete the map, sign the application and return it to this office within 30 days to avoid reduction of your July 27, 1987 priority date.

Sincerely,

TOM D. KING
Senior Water Resource Agent

IDK/pms
Enc. - Receipt
Application

MICROFILMED
APR 06 1988
COPY