

HELLO ✓STEVE LESTER JL
COULD WE PLEASE O FIELD
EXAM AS SOON AS POSSIBLE
DUE TO POSSIBLE SALE OF
PROPERTY. ALSO STEVE
IF POSSIBLE COULD YOU PLEASE
DO FIELD EXAM YOURSELF BEING
AS YOU ARE FAMILIAR WITH
MY SITUATION.

THANK DON MATTER
642-9667

MAIN WELL

Name Don Mateer Lazy Riv RV
Address 11060 River Rd Payette Id 83661
Drilling Permit No. 67-91-W-039
Water Right Permit No. _____

Static water level _____ feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 59 °F. Quality _____
Describe artesian or temperature zones below.

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Mobile/Home Park (specify type)

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness _____ Diameter _____ From _____ To _____

.250 inches 8 inches + 1 feet 39 feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 40 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

_____ trata

Describe access port _____

Sketch map location must agree with written location.

☐ Pump ☐ Bailer ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
80	100	2

[illegible]

Work started 7-3-91 finished 7-11-91

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUse Typewriter
or
Ball Point Pen1. DRILLING PERMIT NO. 67-85W-0087-000

Other IDWR No. _____

2. OWNER:

Name Darryl Wayne Mateer
Address 11585 N. River Rd
City Payette State ID Zip 83664

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N	
W	E
S	

Twp. 9 North ☒ or South ☐
Rge. 5 East ☐ or West ☒
Sec. 11 1/4 SW 1/4 NE 1/4
Gov't Lot _____ County Payette
Address of Well Site 11585 N. River Rd
City Payette
(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

- ☒
- Domestic
- ☐
- Municipal
- ☐
- Monitor
- ☐
- Irrigation
-
- ☐
- Thermal
- ☐
- Injection
- ☐
- Other _____

5. TYPE OF WORK

- ☐
- New Well
- ☐
- Modify or Repair
- ☐
- Replacement
- ☐
- Abandonment

6. DRILL METHOD

- ☐
- Mud Rotary
- ☒
- Air Rotary
- ☐
- Cable
- ☐
- Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
<u>Benfonite</u>	<u>0</u>	<u>40</u>	<u>550</u>	<u>OVER BORE</u> <u>slurry pit</u>

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 40Was drive shoe seal tested? ☒ Y ☐ N How? Blow Day

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>6</u>	<u>1</u>	<u>40</u>	<u>2.25</u>	<u>Steel</u>	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

- ☐
- Perforations Method _____
-
- ☐
- Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

12 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

- ☐
- Pump
- ☐
- Bailor
- ☒
- Air
- ☐
- Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<u>25</u>		<u>66</u>	<u>2</u>

Water Temp. 61 Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
<u>10</u>	<u>0</u>	<u>15</u>	<u>Brown Silty Clay</u>		
<u>10</u>	<u>15</u>	<u>24</u>	<u>Sand & Gravel</u>		
<u>10</u>	<u>24</u>	<u>38</u>	<u>Blue clay</u>		
<u>6</u>	<u>38</u>	<u>58</u>	<u>Blue Clay</u>		
<u>6</u>	<u>58</u>	<u>66</u>	<u>gray Sandstone</u>		

Completed Depth 66 (Measurable)
Date: Started 9-26-95 Completed 9-20-95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Dallas Drilling Firm No. 445Firm Official [Signature] Date _____
and _____
Supervisor or Operator [Signature] Date 11/3/95

(Sign once if Firm Official & Operator)