

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 63-32085

Priority: February 9, 2005

Maximum Diversion Rate: 0.12 CFS

This is to certify, that RAY E ROBNETT
1011 S STAR RD
STAR ID 83669

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 18, Twp 04N, Rge 01W, B.M. ADA County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
04N 01W 18	X																

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **June 1, 2006**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Point of diversion is located within Lot 7, Tempe Park Subdivision.
5. Domestic use is for lawn, garden, landscape, or other types of irrigation associated with homes on 40 lots within Tempe Park Subdivision.
6. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
7. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
8. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 16th day of May, 2005.


for KARL J DREHER, Director

RECEIVED

RECEIVED

MAR 18 2005

FORM 202
12/99

FEB 09 2005

WATER RESOURCES
WESTERN REGION

Ident. No.

63-32085

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

agree to the following
application changes

Mar 17 05 Date

RECEIVED
MAY 09 2005
DEPARTMENT OF
WATER RESOURCES

1. Name of Applicant Ray E. Robnett Phone (208) 287-714
Mailing address 1081 S. Star Road, Star, Idaho 83669
2. Source of water supply Ground Water which is a tributary of Boise River-Downstream of Star
3. Location of point of diversion is Township 4N Range 1W Sec. 18 in the SE $\frac{1}{4}$, Road Bridge
NE $\frac{1}{4}$, NE $\frac{1}{4}$, Govt. Lot _____, B.M., ADA County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.14 cfs for Domestic (Yard Irrigation) purposes from Mar 17 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.14 .12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 48 INCH DIAMETER
Concrete Manhole with No
Bottom and 5HP Pmp. DEPTH OF MANHOLE TO BE 17.0 FT MAX.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
- c. Proposed well diameter is 48 N/A inches; proposed depth of well is 17.5 N/A feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in kW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. For Lawn Irrigation of 40 Single Family home lots
e. Other; describe fully. _____

Water bearing zone to be appropriated is from
land surface to 17 feet.

average calculation based on .10 acre
lawn area estimated for each lot.

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	18	0.14																
			D																

Total number of acres to be irrigated 4.0 Ac

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Ray E. & Margaret E. Robnett

b. Who owns the land to be irrigated or place of use? Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: This Water Right is requested to irrigate 40 single family lots on 8 acres. There is 4.0 acres of lawn area between the 40 lots. Since this is such a small system, we request a diversion rate of 55 gpm or 0.17 cfs. This request is in lieu of each of the 40 lots requesting their own diversion for 0.02 cfs.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray E. Robnett
Signature of Applicant (and title, if applicable)

Received by DB Date 2-9-05 Time 4:00 pm Preliminary check by 4
 Fee \$ 100 Received by DB # W032585 Date 2-9-05
 Publication prepared by sk Date 3-30-05 Published in THE IDAHO STATESMAN
 Publication approved sk Date 4-25-05

RECEIVED

FEB 09 2005

WATER RESOURCES
WESTERN REGION

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant

RAY ROBNETT

Mailing Address

1081 S. STAR ROAD

STAR, IDAHO 83469

Application No.
(if known)

IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

X

WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Ray E. Robnett



Date

2-2-05

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

PLAT SHOWING TEMPLE PARK SUBDIVISION LOCATED IN THE NE 1/4 OF THE NE 1/4 OF SECTION 18, T.4N., R.1W., B.M. STAR, ADA COUNTY, IDAHO 2004



1) LOT 10, BLOCK 1 SHALL HAVE A BLANKET PUBLIC UTILITY EASEMENT.

WELL LOCATION

LEGEND

- FOUND BRASS OR ALUMINUM CAP
- FOUND 5/8" IRON PIN, AS NOTED
- FOUND PIPE MONUMENT, AS NOTED
- SET 5/8" IRON PIN, PLS 4431
- SET 1/2" IRON PIN, PLS 4431
- PROPERTY BOUNDARY
- LOT LINE
- SECTION LINE
- EASEMENT LINE
- PRIVATE ROAD EASEMENT
- LOT NUMBER

2004-2005
C. J. & J. M. JENSEN & CO.
1/4
3.18 S.17

LINE	LENGTH	BEARING
1	30.25	S 45°33'54" W
2	43.43	S 80°07'44" E
3	18.72	S 80°07'44" E
4	32.76	S 80°07'44" E
5	40.00	N 89°16'04" W
6	50.00	N 89°16'04" W
7	25.00	S 09°53'58" W

CURVE	RADIUS	LENGTH	CHORD DIST.	CHORD BEG.	DELTA
C1	60.00	31.46	31.20	N 74°11'34" E	30.08°20'
C2	60.00	33.18	32.73	N 74°11'34" E	31.29°28'
C3	60.00	7.41	7.24	N 82°46'08" W	17.04°15'
C4	60.00	25.75	25.59	N 82°46'08" W	45°51'35"
C5	60.00	10.19	10.18	S 87°20'12" E	20°21'35"
C6	60.00	10.19	10.18	S 87°20'12" E	75°51'35"

Tomlinson Consulting, Inc.

205 N. 10TH St., Suite B100

Boise, Idaho 83702

208-871-0579 / FAX 208-338-1777

TRANSMITTAL LETTER FOR:

☒ DELIVERIES ☐ PICK UPS

DATE 2-9-5

To: Idaho Dept. of Water Resources

Job No:

Attn: Steve Lester

Project: Tempe Park Sub.

WE ARE SENDING YOU:

WE ARE PICKING UP ☐ (*See remarks)

☐ As Requested

☒ Attached

☐ Under Separate Cover,
Via

☐ Use

☐ Record

☐ Bidding

☐ Cost Estimating

☐ Information

☐ Review and Comment

☒ Approval

☐

THE FOLLOWING:

☒ Print(s)

☐ Plan(s)

☐ Calculations

☐ Copy of Letter

☐ Specifications

☐ Shop Drawing(s)

☐ Disk(s) (*See disclaimer)

☐ Other (see remarks)

Copies	Date	Sheet No.	Description
1	2-2-5	1-3	Request to process and Application for permit
1	2-2-5	1	Check for \$100.00 for application fee.

Remarks:


Copy to:

☐ With Enc.

☐ With Enc.

By: Richard Tomlinson

Signed:



DISK DISCLAIMER: (PLEASE READ AND SIGN).

ALL USERS OF THIS ELECTRONIC DATA SHALL BE AWARE OF THE PRECISION, OR LACK OF PRECISION, THEREIN. WE ARE FORWARDING THIS ELECTRONIC DATA FOR YOUR CONVENIENCE ONLY, NOT AS AN ACCURATE REPRESENTATION OF THE PROPOSED PROJECT. TOMLINSON CONSULTING, INC. IS NOT RESPONSIBLE FOR ANY DAMAGES INCURRED DUE TO RELIANCE OF THIS DATA.

TOMLINSON CONSULTING, INC. USE ONLY:

RECEIVED BY:

DATE:

RECEIVED

FEB 09 2005

WATER RESOURCES
WESTERN REGION

T4N R1W S18
NENE
(No Gov Lts)



63-32085

Now
Starting
Right Side
of file.



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 17, 2005

RAY E ROBNETT
1011 S STAR RD
STAR ID 83669

RE: Permit No. 63-32085

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.


Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name "Shelley" being the most prominent part.

Shelley W. Keen

Water Rights Supervisor

SWK:klf

Enclosure(s)

cc: TOMLINSON CONSULTING INC

CERTIFICATE OF SERVICE


I hereby certify that on May 17, 2005 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

63-32085

**RAY E ROBNETT
1011 S STAR RD
STAR ID 83669**

**TOMLINSON CONSULTING INC
205 N 10TH ST STE B100
BOISE ID 83702**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

12/99

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATERMASTER**

Application No: Ray E. RobnettApplicant's Name: 63-32085

Watermaster's Recommendation:

- a) ☐ I do not oppose approval of this application.
- b) ☒ I do not oppose approval of this application if it is conditioned as follows: Standard Watermaster Conditions

- c) ☐ I oppose approval of this application for the following reasons:

- d) ☐ Additional Comment:

Dated this 3 day of May, 2005.Water District No: 63Leo Simon
Watermaster's Signature

Use reverse side of page if you need more space.

The Idaho Statesman

RECEIVED

APR 18 2005

WATER RESOURCES
WESTERN REGION

P.O. Box 40, Boise, Idaho 83707-0040

LEGAL ADVERTISING PROOF OF PUBLICATION

Account #	DTI#	Identification	Amount:
047628	1256907	APPLICATION	\$117.00
Attention:	P.O. #	Run Dates	
SUE KREGER		APRIL 7, 14, 2005	
IDAHO DEPT. WATER RESOURCES WEST 2735 AIRPORT WY. BOISE, ID 83705		Number of Lines	
		2 X 32	
		Affidavit	Legal #
		1	22054

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32085
RAY E ROBNETT
1011 S STAR RD
STAR ID 83669

Point(s) of Diversion: SENENE S18 T04N R01W ADA County Source GROUND WATER
Use: DOMESTIC 01/01 To 12/31 0.12 CFS
Total Diversion: 0.12 CFS
Date Filed: 02/09/2005
Place Of Use: DOMESTIC
T04N R01W S18 NENE

Remark: Applicant agrees to mitigate consumptive use in the future as needed.

Domestic use is for irrigation of 40 yards in Tempe Park Subdivision.

Water bearing zone to be appropriated is from 1 to 17 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 04/25/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Pub. Apr. 7,14, 2005

22054

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of *The Idaho Statesman*, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in *The Idaho Statesman*, in conformity with Section 60-108, Idaho Code, as amended, for:

TWO

☒ consecutive weekly ☐ single
☐ consecutive daily ☐ odd skip
insertion(s)

beginning issue of: APRIL 7, 2005

ending issue of: APRIL 14, 2005


Janice Hildreth

STATE OF IDAHO)
) ss
COUNTY OF ADA)

On this 14 day of APRIL in the year of 2005
before me, a Notary Public, personally appeared before me
Janice Hildreth known or identified to me to be the person
whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein
are true, and acknowledged to me that she executed the same.

Cecily Brungman
8-27-09

Notary Public for Idaho
Residing at: Boise, Idaho
My Commission expires:



Kreger (Taylor), Sue

From: Kreger (Taylor), Sue
Sent: Monday, April 04, 2005 11:36 AM
To: 'Wd63@iglide.net'
Subject: comment letters

IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705

April 4, 2005

LEE SISCO
WATERMASTER DIST. NO. 63
6616 OVERLAND RD
BOISE ID 83709

Re: Application(s) for Water Right (s)

Dear Watermaster:

Attached are copies of one or more applications. Also attached is a form for your recommendation concerning these application(s).

Please review the application(s) that are in your area. We must have your comments within two weeks. If you have any questions or need information, feel free to contact this office at 334-2190.

Sincerely,



63-32085.pdf



63-32066.pdf



Copy of
commendation of Wa

Kreger (Taylor), Sue

From: Kreger (Taylor), Sue
Sent: Monday, April 04, 2005 11:36 AM
To: 'Wd63@iglide.net'
Subject: comment letters

IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705

April 4, 2005

LEE SISCO
WATERMASTER DIST. NO. 63
6616 OVERLAND RD
BOISE ID 83709

Re: Application(s) for Water Right (s)

Dear Watermaster:

Attached are copies of one or more applications. Also attached is a form for your recommendation concerning these application(s).

Please review the application(s) that are in your area. We must have your comments within two weeks. If you have any questions or need information, feel free to contact this office at 334-2190.

Sincerely,



63-32085.pdf



63-32066.pdf



Copy of
commendation of Wa

**IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705**

March 30, 2005

Legal Notice Department
IDAHO STATESMAN
PO BOX 40
BOISE ID 83707

RE: Application for Permit No. 63-32083, 63-32066 and 63-63085

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 04/25/2005. Your cooperation is appreciated.

Sincerely

Sue Kreger
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32085

RAY E ROBNETT
1011 S STAR RD
STAR ID 83669

Point(s) of Diversion SENENE S18 T04N R01W ADA County Source GROUND WATER

Use: DOMESTIC 01/01 To 12/31 0.12 CFS

Total Diversion: 0.12 CFS

Date Filed: 02/09/2005

Place Of Use: DOMESTIC

T04N R01W S18 NENE

Remark: Applicant agrees to mitigate consumptive use in the future as needed.
Domestic use is for irrigation of 40 yards in Tempe Park Subdivision.
Water bearing zone to be appropriated is from 1 to 17 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 04/25/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Idaho Statesman on April 7 and 14, 2005.