

IDAHO DEPARTMENT OF WATER RESOURCES

Water Application Report 63-31598

WATER RIGHT NUMBER: 63-31598

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	STATE OF IDAHO DEPT OF TRANSPORTATION PO BOX 8028 BOISE, ID 83707 (208)334-8300

Priority Date: 10/29/2002

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	01/01 to 12/31	0.200 CFS	
<u>Total Diversion:</u>		0.200 CFS	

Location of Point(s) of Diversion

GROUND WATER	NW1/4SE1/4	Sec. 8, Twp 03N, Rge 02W, B.M.
CANYON County		

Place of Use

MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02W	8			X											X			
03N	02W	9	X			X												X	

Conditions of Approval:Remarks:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Application Report 63-31598

Comments:

1. dnelson 12/10/2002 Legal Notice Remarks

Comment: Applicant agrees to mitigate consumptive use in the future as needed.

Water bearing zone to be appropriated is from 11 to 100 feet.

Municipal use is for 10 acres of irrigation for landscaping of the Karcher Interchange at Nampa Idaho.

2. dnelson 12/10/2002 Comment/Analysis

Comment: This application was filed as a municipal right to irrigate the lands associated with the City Nampa Karcher Interchange. The applicant wishes to irrigate 10 acres with in an area described in the application. There is an old statutory claim owned by Margaret and Winston Goering in this area for irrigation, however, the applicant does not wish to pursue the statutory claim in the Snake River Basin Adjudication and no claim has been filed on this statutory claim. A commercial right in Goerings name also overlaps the place of use. The commercial right will be placed in the Water Bank, since there is not an adequate volume of water to supply the irrigation needed. All other overlapping rights are insignificant.

Dates and Other Information:

Application Received Date: 10/29/2002

Application Denied Date:

Last Date of Beneficial Use:

Extension End Date:

Protest Deadline Date:

Number of Protests: 0

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Application Type: New Appropriation

Applicant Remarks: Water bearing zone is between 11 ft and 100 ft. The water will be used for the irrigation of an interchange.

Other Water Rights: none

Time to Complete Works: 4

Transfer Affected Description:

Transfer Affected Contracts:

Old Transfer Number:

Transfer Reason:

Transfer Return Flows:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False