

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09231

Priority: April 16, 2004

Maximum Diversion Rate: 0.07 CFS

This is to certify, that RICK W CARR
4531 E COEUR D ALENE LAKE DR
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

Source: COEUR D ALENE LAKE **Tributary:** SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT OF DIVERSION:

COEUR D ALENE LAKE L2 (SW¼SW¼) Sec. 20, Twp 50N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 03W 20												X					
												L 2					

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 03W 20												1.0					1.0
												L 2					

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2009**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Domestic use is for 4 homes. Irrigation of lawn, garden and landscaping associated with the homes is authorized under the irrigation component of this right.
5. This right does not grant any right-of-way or easement across the land of another.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-09231

6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 9th day of August, 2004.


for KARL J DREHER, Director

71297

Ident. No. 95-9231

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

AUG 02 2004

APPLICATION FOR PERMIT

RECEIVED

APR 16 2004

IDWR/NOH

DEPARTMENT OF
WATER RESOURCES

To appropriate the public waters of the State of Idaho

1. Name of Applicant RICK W. CARR Phone 208-664-0960
Mailing address 4531 E. CDA LAKE DR. COEUR D'ALENE, ID 83814
2. Source of water supply Lake Coeur d'Alene which is a tributary of SPOKANE RIVER
3. Location of point of diversion is Township 50N Range 03W Sec. 20, in the 5W $\frac{1}{4}$, SW $\frac{1}{4}$, Govt. Lot 2, B.M., KOOTENAI County;
additional points of diversion if any:
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .07 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works: 3 HP PUMP - 5 HP PUMP
 - a. Describe type and size of devices used to divert water from the source _____
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? NA; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in kW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 4
 - e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

GAT LOT 2

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	3W	20											1						1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant / Dept of Lands
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____


12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reed W. Carr
Signature of Applicant (and title, if applicable)

Received by SC Date 4/16/04 Time 3:30 pm Preliminary check by _____
 Fee \$ 100- Receipted by SC # NO 14916194 Date 4/16/04
 Publication prepared by db Date 6/23/04 Published in CDA Press 7/12 8/04
 Publication approved db Date 7/15/04



THIS SURVEY WAS PERFORMED FOR THE PURPOSE OF RECORDING THE BOUNDARY CORNER MONUMENTS FOR THE PROPERTY DESCRIBED IN WARRANTY DEEDS.

LEGEND

- 19 20 FD. AN ALUM. PIPE 1/2 IN DIAM., MA
- FD. AN IRON PIPE
- FD. AN IRON ROD, 832 OR 4194 AS
- FD. AN IRON ROD, MARKED PLS 5072
- SET AN IRON ROD PLASTIC CAP MKD
- CALCULATED POINT
- P.O.B. POINT OF BEGINNING
- (R#0) SURVEY: RECC
- #0000 TAX PARCEL NUMBER
- WOOD RAIL FENCE
- OTHERS AS NOTED

SURVEYS OF RECORD


- 1) F. FINNEY PLS 45;
- 2) F. FINNEY PLS 45;
- 3) STATE OF IDAHO PLS 65;
- 4) R. KINDLER PLS 65;
- 5) R. KINDLER PLS 65;
- 6) R. KINDLER PLS 704;
- 7) F. MECKEL PLS 34;
- 8) J. MECKEL PLS 96;
- 9) J. THOMSON PLS 419;
- 10) J. MONACO PLS 96;
- 11) B. ANDERSON PLS 131;
- 12) J. LEAPARD PLS 832;
- 13) J. HOWE PLS 507;
- 14) J. STILLINGER PLS 66;
- 15) W.B. MORRIS PLS 507;
- 16) J. STILLINGER PLS 507;
- 17) J.R. DUNSMORE PLS 100;
- 18) J. MONACO PLS 419;
- 19) DEED
- 20) DEED
- 21) DEED
- 22) DEED
- 23) DEED
- 24) HIGHWAY 10 DEED

SURVEYOR'S CERTIFICATE

I, SCOTT M. RASOR, PROFESSOR, CERTIFY THAT THIS SURVEY WAS MADE UNDER MY SUPERVISION FOR THE PURPOSE OF RECORDING THE BOUNDARY CORNER MONUMENTS FOR THE PROPERTY DESCRIBED IN WARRANTY DEEDS.


SCOTT M. RASOR, PLS 65;

A PORTION OF



LINE	BEARING	LENGTH	RECORD
L1	S32°55'00\"W	28.00	DEED
L2	N51°50'00\"W	50.00	DEED
L3	S52°55'00\"W	50.00	DEED
L4	N47°30'00\"E	50.00	DEED
L5	S62°35'12\"E	21.10	RIL
L6	S47°30'00\"W	18.00	RIL
L7	S52°46'40\"W	38.49	
L8	S52°55'00\"W	19.30	DEED

GRAPHIC SCALE



SCALE: 1\" = 100'

RECORD OF SURVEY DOES NOT ATTEMPT TO SHOW ALL RIGHTS OR RIGHTS-OF-WAY OF RECORD, THE SIZE OR LOCATION OF PRESCRIPTIVE EASEMENTS, FENCE LINES OR PHYSICAL FEATURES OF THE PROPERTY. ITEMS SUCH AS BUILDINGS AND WHICH ARE SHOWN, ARE FOR INFORMATIONAL PURPOSES.

MECKEL ENGINEERING & SURVEYING, INC.



JOB NO: 01.189
DWG FILE: STR03189R.DWG
CREW: DBO & JMB

DRAWN: DBO & SAQ
CHECKED: SMR

SCALE: 1\" = 100'
DATE: OCT. 15, 2003

402 IDAHO AVENUE, COEUR D'ALENE, IDAHO 83814 (208)667-4638 Fax: (208)664-1347



#19176

(7050)
4.834 Ac

#17740

(6270)
3.056 Ac

#16179

(6800)
0.982 Ac

#16951

(6850)
1.003 Ac

#18878

(6750)
3.850 Ac

#18872

(6910)
0.694 Ac

#19480

(7040)
5.214 Ac

#18218

(6575)

#5222

(6010)
1.921 Ac

#1618

(6060)
1.885 Ac

#16957

(6075)
1.160 Ac

#18834

(6920)
1.536 Ac

#1877

(6020)
0.389 Ac

Pt #1877

#18877

(6100)
0.436 Ac

#12582

(6120)
0.270 Ac

#18874

(6940)
0.305 Ac

#4354

(6550)
0.766 Ac

#9157

(5900)
0.234 Ac

#8327

(5910)
0.234 Ac

#9981

(6030)
0.213 Ac

#6040

(6040)
1.901 Ac

#1114

(6050)
3.900 Ac

#1113

(6160)
1.752 Ac

#1112

(6170)
1.033 Ac

#1111

#13958

(5800)
3.427 Ac

#1110

(5800)
3.427 Ac

line depiction for illustrative
poses only, property lines assumed
tend to ordinary mean high water
c for assessment purposes unless
wise noted.

THIS SKETCH IS FURNISHED WITHOUT
CHARGE SOLELY FOR THE PURPOSE OF
ASSISTING IN LOCATING SAID PREMISES
AND THE FIRST AMERICAN TITLE COMPANY
THEREIN ASSUMES NO LIABILITY FOR INACCURACIES
LAKE COEUR D'ALENE

50 N 03 W -20

Now
Starting
Right Side
of file.

**IDAHO FISH AND GAME**

2750 Kathleen Avenue
Coeur d'Alene, Idaho 83815

Dirk Kempthorne/Governor
Steven Huffaker/Director

June 24, 2004

Idaho Department of Water Resources
Northern Region
1910 Northwest Blvd, S 210
Coeur d'Alene, ID 83814

Via email to Diane Ball:

REFERENCE: Water Right Application 95-9231 - CARR

IDFG has reviewed the above named application to withdraw 0.07 cfs for irrigation and domestic use from Lake Coeur d'Alene.

We have no specific objections to this request. However, water lines and pumps are an encroachment in lakes and rivers that can be detrimental to fish and fish habitat. The applicant should obtain necessary encroachment permits from Idaho Department of Lands before installing water lines and pumps in state waters.

If a line and pump are placed in the creek and excavation is necessary, we recommend that applicants be required to install the lines during low water when underwater excavation will be minimized. Dug materials should be sidecast to only one side and the bottom contour and substrate restored. The pump should be screened to prevent entrainment of fish; the maximum screen mesh size should be 0.25 inches. In addition, pump approach velocities should not exceed 0.5 ft/second to prevent losses of juvenile fish. It would be preferable to place pumps on land rather than in the water.

Thank you for the opportunity to comment.

Mary Terra-Berns
Environmental Staff Biologist

C: IDFG NRPB, Boise; Chip Corsi, IDFG, Cd'A; File



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 10, 2004

RICK W CARR
4531 E COEUR D ALENE LAKE DR
COEUR D ALENE ID 83814

RE: Permit No. 95-9231

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink that reads "Shelley W. Keen". The signature is written in a cursive, flowing style.

Shelley W. Keen

Water Rights Supervisor

SWK:klt


Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 10, 2004 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 95-9231

RICK W CARR
4531 E COEUR D ALENE LAKE DR
COEUR D ALENE ID 83814

A handwritten signature in black ink, reading "Karl Lynn Townsend", written over a horizontal line.

Karl Lynn Townsend
Secretary

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

95-9231

1. dball 6/11/2004 Legal Notice Remarks

Comment: Domestic use is for 4 homes.

2. kwalker 8/9/2004 Application Review

Comment: Application does not fall into any restricted areas. Recommend approval.

RECEIVED

JUL 12 2004

IDWR/North

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

SS,

Kattie Hay

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *1* day of *July* 2004, and ending on the *8* day of *July* 2004, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Kattie Hay

Personally appeared before me this

8 day of *July* 2004

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/09

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9231

RICK W CARR

4531 E COEDUR D ALENE LAKE DR

COEUR D ALENE ID 83814

Point(s) of Diversion L2 (SWSW) S20 T50N R03W KOOTENAI County

Source COEUR D ALENE LAKE Tributary To SPOKANE RIVER

Use: IRRIGATION 03/15 To 11/15 0.03 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.07 CFS

Date Filed: 04/16/2004

Place Of Use: DOMESTIC

Place Of Use: IRRIGATION same as DOMESTIC T50N R03W S20 SWSW Lot 2

Number of Acres 1

Remark: Domestic use is for 4 homes.


Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur d'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 07/19/2004. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Legal 5426

July 1, 8, 2004





State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 23, 2004

RICK W CARR
4531 E COEDUR D ALENE LAKE DR
COEUR D ALENE ID 83814

RE: Application for Permit No 95-9231

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Coeur d'Alene Pres on July 1 and 8, 2004. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Allen Beardslee
Senior Water Resource Agent



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

- PLEASE FAX PROOF PRIOR TO PUBLICATION

June 23, 2004

KATTIE HOY &/OR KRISTY PEAK
LEGAL NOTICE DEPARTMENT
COEUR D ALENE PRESS
201 N 2ND
COEUR D ALENE ID 83814

e-mailed 6/23/04

RE: Application for Permit No. 95-9231

Dear Kattie and/or Kristy:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, July 1 and 8, 2004, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 07/19/2004. Your cooperation is always greatly appreciated.

Thank you, and have a wonderful day.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, June 23, 2004 2:37 PM
To: Legal Notices-CdA Press (E-mail); Kristy Peak (E-mail)
Subject: Legal notice for publication on July 1 and 8, 2004

Good afternoon to you both,

Attached you will find a copy of our cover letter requesting publication of a legal notice that is also attached. We request publication on July 1 and 8, 2004.

If you have any questions, please call me at 769-1450.

Also, **please fax me a proof prior to publication.**

Thanks for all your help and have a marvelous afternoon.



Dianne

Dianne Ball, Administrative Assistant
Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814
Phone 208-769-1450 FAX 208-769-1454

6/23/2004

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9231

RICK W CARR
4531 E COEDUR D ALENE LAKE DR
COEUR D ALENE ID 83814

Point(s) of Diversion L2 (SWSW) S20 T50N R03W KOOTENAI County

Source COEUR D ALENE LAKE Tributary To SPOKANE RIVER

Use: IRRIGATION 03/15 To 11/15 0.03 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.07 CFS

Date Filed: 04/16/2004

Place Of Use: DOMESTIC T50N R03W S20 SWSW Lot 2

Place Of Use: IRRIGATION same as DOMESTIC

Number of Acres 1

Remark: Domestic use is for 4 homes.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 07/19/2004. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on July 1 and 8, 2004



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 11, 2004

MARY TERRA-BERNS
STATE OF IDAHO
DEPT OF FISH & GAME
2750 KATHLEEN AVE
COEUR D ALENE, ID 83814

FAXED TO MARY 6/11/04

5 pages total

Application to Permit No. 95-9231 - RICK CARR

Dear Mary :

Enclosed is a copy of the above referenced application. Please review the application, and submit your comments to this office within two weeks of receipt of this request, by June 25, 2004. You may reply by e-mail if you choose to do so, to dball@idwr.state.id.us.

Please feel free to contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script that reads "Dianne Ball".

Dianne Ball
Administrative Assistant

Enclosure(s)



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 11, 2004

JIM BRADY
IDAHO DEPARTMENT OF LANDS
NAVIGABLE WATER DIVISION
3706 INDUSTRIAL AVE S, SUITE 1
COEUR D ALENE ID 83815

FAXED TO JIM at IDL 6/11/04

5 pages total

Application to Permit No. 95-9231 - RICK CARR

Dear Jim :

Enclosed is a copy of the above referenced application. Please review the application, and submit your comments to this office within two weeks of receipt of this request, by June 25, 2004. You may reply by e-mail if you choose to do so, to dball@idwr.state.id.us.

Please feel free to contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Dianne', is written in dark ink.

Dianne Ball
Administrative Assistant

Enclosure(s)

April 17, 2004

Idaho Department of Water Resources
Al Beardslee
1910 Northwest Blvd
Suite 210
Coeur d Alene, ID 83814

RECEIVED
APR 16 2004
IDWR/North

Dear Al;

Thank you for answering my questions with regards to filling out the application.

I've attached to the application a plat map and a survey map for clarification as to my intentions of where I will be using water and the point of diversion. I've highlighted that area in yellow on the attached maps.

Thanks again, for your assistance.



Rick Carr
4531 E CDA Lake Dr
CDA, Id 83814
208-664-0960

CK : #100 .