

REC


SEP 21 1976
OFFICE
Phone 543-4311
Department of Water Resources
Eastern District Office
Phone

3. Water will be used for the following purposes:

Other uses: _____

- [illegible]

TOTAL ACREAGE



ARK 12/9/77

9/21/76

Toured fish farm with Roland Warren. Spring watered is released into river at 3 points, 2 have rectangular head gates which could be used as weirs. The 3rd point is so level that backing water up would cause flooding in ponds above. The spring water is collected & channeled thru the various fish ponds.

EMC.

9/23/76

Contacted Mr. Fenar by Phone. Has purchased a flame & will try to install it at the intake. pluss will send son a map of farm to L.F. Dept.

DATE OF EXAM 12/8/77

ACREAGE
Found n/a
Recommended n/a

Irrigation Requirement n/a Ac Ft/Ac

USE
Irrigation Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Fish Propagation Q = 81.39 cfs V = 58924.53 from Jan 1 to Dec 31
AP/yr
(Non consumptive)

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 81.39 cfs Method of measurement Dept. current meter
Total Q recommended 81.39 cfs Meter No. _____ Type pygmy Condition good
Total V recommended 58,924.53 AP/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
none

MEASUREMENT CALCULATION:
See attached data sheets. Three measurements were taken
1) near E-11, 2) B-5 3) D-7.
Results E series - 60.84
B series - 10.92 total - 81.39 cfs
D series - 9.63 V = 81.39 X 365 X 1.9835 = 58,924.53 AP/yr.
(Non consumptive) ARK 12/9/77

SYSTEM DESCRIPTION:
Water is diverted from multiple unnamed springs and channeled through
a series of fish rearing ponds and is discharged into the snake river
All water in this system ultimately passes through and can be measured
in the B, D, & E series ponds before flowing into the snake fish
(rainbow trout) are raised for the commercial value of their flesh.

REMARKS:
System shown & described by David Bone.
At the time of exam essentially all leakage had been
stopped at the Blast gates where it had previously been leaking
There is another exam pending on P- 27-7020 for 120 cfs through
this same system. I recommend this exam be held until the springs
are flowing at their peak rate & any additional water then be licensed

Examiner's Signature Anthony R. Kozlowski Date 12/9/77
Checked by Ernest Carlson Date 2-24-78
Approved by _____ Date _____

Current METER NOTES

27-07013

27-07020

050

Angle of sight	Dist. from initial point	Width	Depth	Obser- vation depth	Rev- olu- tions	Time in sec- onds	VELOCITY		Adjusted for hor. angle or -----	Area	Discharge
							At point	Mean in ver- tical			
LB	-1	-	-	-	-	-	-	-	-	-	-
	0	.50	.95	.6	15	62		.559		.475	.27
	1	1.0	1.23	.6	15	53		.650		1.23	.80
	2	1.0	1.54	.6	15	58		.596		1.54	.92
	3	1.0	1.75	.6	15	67		.518		1.75	.91
	4	1.0	1.90	.6	10	44		.526		1.90	1.00
	5	1.0	1.95	.6	15	54		.638		1.95	1.24
	6	1.0	2.05	.6	15	43		.796		2.05	1.63
	7	1.0	2.15	.6	15	50		.687		2.15	1.48
	8	1.0	2.32	.6	15	50		.687		2.32	1.59
	9	1.0	2.35	.6	15	52		.662		2.35	1.56
	10	1.0	2.40	.6	15	44		.778		2.40	1.87
	11	1.0	2.48	.6	15	48		.715		2.48	1.77
	12	1.0	2.51	.2	15	41	.833	.806		2.51	2.02
o				.8	15	44	.778				1.00
	13	1.0	2.85	.2	15	42	.814	.805		2.85	2.29
				.8	15	43	.796				
	14	1.0	2.95	.2	15	42	.814	.751		2.95	2.22
				.8	15	50	.687				
	15	1.0	3.25	.2	20	50	.909	.786		3.25	2.55
				.8	15	52	.662				
	16	1.0	3.40	.2	25	48	1.18	1.01		3.40	3.43
				.8	15	41	.833				
	17	1.0	3.50	.2	25	43	1.31	1.02		3.50	3.57
				.8	15	47	.730				
	18	1.0	3.60	.2	15	46	.745	.745		3.60	2.68
				.8	15	46	.745				
	19	1.0	3.60	.2	15	56	.616	.627		3.60	2.26
				.8	15	54	.638				
	20	1.0	3.25	.2	15	57	.606	.470		3.25	1.53
				.8	17	50	.353				
	21	1.0	3.00	.2	25	49	1.15	1.01		3.00	3.03
				.8	20	52	.875				
	22	1.0	2.85	.2	30	46	1.47	1.27		2.85	3.62
				.8	25	53	1.07				
	23	1.0	2.65	.2	40	47	1.91	1.48		2.65	3.92
				.8	20	43	1.05				
	24	1.0	2.45	.6	20	50		.909		2.45	2.23
	25	1.0	2.40	.6	15	58		.596		2.40	1.43
	26	1.0	2.00	.6	20	48		.946		2.00	1.89
	27	1.0	2.00	.6	25	43		1.31</			

27-07013
27-07020

[illegible]


27-07013 / 07020

Angle and Distance	Dist. from initial point	Width	Depth	Change in depth	Revol- utions	Time in sec- onds	VELOCITY		Adjusted for hor. angle or	Area	Discharge
							At point	Mean in ver- tical			
R8	1.0	—	—	—	—	—	—	—	—	—	—
	2.0	.50	.50	.6	20	60		.365		.25	.09
	3.0	1.0	.91	.6	30	53		.587		.91	.53
	4.0	1.0	1.12	.6	40	55		.741		1.12	.83
	5.0	1.0	1.20	.6	30	57		.549		1.20	.66
	6.0	1.0	1.25	.6	40	54		.754		1.25	.94
	7.0	1.0	1.22	.6	40	61		.673		1.22	.82
	8.0	1.0	1.40	.6	30	56		.558		1.40	.78
	9.0	1.0	1.35	.6	30	49		.631		1.35	.85
	10.0	1.0	1.48	.6	20	59		.370		1.48	.55
	11.0	1.0	1.60	.2	60	62	.971	.557		1.60	.89
				.8	7	70	.142				
	12.0	1.0	1.48	.6	20	52		.44		1.48	.61
	13.0	1.0	1.45	.6	30	54		.577		1.45	.84
o	14.0	1.0	1.10	.6	30	56		.558		1.10	.61
	15.0	1.0	.85	.6	30	50		.620		.85	.53
	16.0	.50	.58	.6	15	51		.327		.29	.10
LB	17.0	—	—	—	—	—	—	—	—	—	—
									Total	9.63	

27-07013/07020

266-62

an approximate location for the section corner common to Sections 29 and 30 and 31 and 32 of T3S R34E 1



Tilden Bridge

Hatchery

Run F
Small Spring with pipeline over large spring to a hatchery

Old weir boxes and screens

Ferry

Butte

Dark Blue - Spring water in use

Light Blue - Spring water on property not in use in 1970

Magenta - Snake River

Scale 8" = 1 MILE

spring area

Run A

Run B

Run D

N

206-62

an approximate location
for the section corner common
to Sections 29 and 30 and 31 and
32 of T3S R34E

T. Men
Bridge

Hatchery

Run F
Small
Spring with pipeline
over large spring to
a hatchery

Old weir
boxes and
Screens

Ferry

Butte

Dark Blue - Spring water
in use

Light Blue - Spring water
on property
not in use
in 1970

Magenta - Snake River

Scale 8" = 1 MILE

Spring
area


Run A

Run B

Run C


Run D

NE



R 33E R 34E

27-07013
27-07020



27-07013
27-07020

Ferry Butte Rd. 475 W

X T 25539
1059

HEL

2
7.4

HEL

41.1

R34E

T
3
S

31

27-07013

27-07020

30 29
31 32

31 32
6 15



Township 3 South
Range 34 East


Sec. 30

Sec 31


Sec 32

FORT HALL
INDIAN
RESERVATION

Scale 1" = 660'



Indian Springs



Take cleaning sample whenever "cleaning" spanner ponds, E11, fry ponds between E12 and E13, ~~E14~~, ~~E15~~ tail pond in B run, or D7. (D8, E12, and E13 are settling ponds. The B run has no settling pond.)

When cleaning in E11 or spanner ponds, take samples in vicinity of *'s. (size of sample should be in proportion to size of flow)

Sample

Sample

POND A-1

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56ft X 4ft. 6 in. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 8sg. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-2

NOMANGLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56 ft. X 5 ft. 4 in. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.E.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP 8 sg. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-3

NOMANGLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56 ft. X 5 ft. 4 in. X

CU. FT.

STOCKING RATE

STOCKING CAP.

<u>WEAR.</u>	<u>gpm.</u>	<u>S.E.</u>		
<u>WATER FLOW</u>	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

OXYGEN P.P.M.

SCREEN GAP 8 sq. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-4

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56_{ft.} X 5_{ft.} 4_{in} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

GPM.

S.F.

SUMMER

FALL

WINTER

SPRING

OXYGEN P.P.M.

SCREEN GAP 8sg hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-5

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56 ft. X 5 ft. 4 in. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. GPM. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 88g. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-6

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 56 ft. X 5 ft. 4 in. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 8 sq. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-11

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 51 ft. X 11 ft. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.F.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP 8 sg. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-12

NOMANGLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 51_{ft.} X 11_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 8 sq. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-13

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 117_{ft.} X 10_{ft.}

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.E.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 8 sq. hardware cloth.

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-14

NOMANGLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 117_{ft.} X 10_{ft.} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.F.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP

SCREEN DIMENSIONS 8 sq. hardware cloth

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

PONDA-15

NOMANGLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 117 ft. X 8 ft.

CU. FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>gpm.</u>	<u>S.F.</u>	
<u>OXYGEN P.P.M.</u>	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

SCREEN GAP 8 sg. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND A-16

NOMANCLATURE SMALL CONCRETE RACEWAY
FOR FRY & FINGERLING

SIZE 117_{ft.} X 8_{ft.} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 8 sq. hardware cloth

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND B-1

NOMANCLATURE GRAVEL BOTTOM POND
FOR FINGERLING

SIZE 102'ft. X 23'ft X

CU.FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.F.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND B-2

NOMANGLATURE GRAVEL BOTTOM POND
FOR FINGERLING

SIZE 115_{ft.} X 24_{ft.}

CU. FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>gpm.</u>	<u>S.F.</u>	
<u>OXYGEN P.P.M.</u>	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND B-3

NOMANCLATURE GRAVEL BOTTOM POND
FOR FINGERLING

SIZE 107_{ft.} X 24_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND B-4

NOMANCLATURE GRAVEL BOTTOM POND
FOR FINGERLING

SIZE 110_{ft.} X 24_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>gpm.</u>	<u>S.E.</u>	
<u>OXYGEN P.P.M.</u>	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND B-5

NOMANCLATURE GRAVEL BOTTOM POND
FOR FINGERLING

SIZE 112 ft. X 27 ft. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

GPM.

S.F.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP $\frac{1}{4}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND C-1

NOMANGLATURE GRAVEL BOTTOM POND
FOR FINGERLINGS & MARKET FISH

SIZE 187_{ft.} X 21_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>GPM.</u>	<u>S.F.</u>	
	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

OXYGEN P.P.M.

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND C-2

NOMANGLATURE GRAVEL BOTTOM POND
FOR FINGERLING & MARKET FISH

SIZE 580_{ft.} Y 23_{ft.} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP 1/4 inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-1

NOMANGLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 147_{ft.} X 32_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-2

NOMANGLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 220 ft. X 30 ft. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-3

NOMANCLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 221_{ft.} X 31_{ft.} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.F.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-4

NOMANGLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 206_{ft.} X 31_{ft.} X

CU. FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>gpm.</u>	<u>S.E.</u>	
	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

OXYGEN P.P.M.

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-5

NOMANGLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 158_{ft.} x 28_{ft.} X

CU.FT.

STOCKING RATE

STOCKING CAP.

<u>WATER FLOW</u>	<u>WEAR.</u>	<u>GPM.</u>	<u>S.F.</u>	
<u>OXYGEN P.P.M.</u>	<u>SUMMER</u>	<u>FALL</u>	<u>WINTER</u>	<u>SPRING</u>

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-6

NOMANGLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 165 ft. x 27 ft. x

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.E.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-7

NOMANCLATURE GRAVEL BOTTOM POND
FOR MARKET FISH

SIZE 165_{ft} X 27_{ft}. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.E.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND D-8

NOMANCLATURE

SIZE 262_{ft.} X 27_{ft} X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.E.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP $\frac{3}{8}$ inch

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND E-1

NOMANGLATURE LARGE GRAVEL BOTTOM
POND FOR PRODUCTION POND

SIZE 405_{ft.} X 44_{ft.}

CU.FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW WEAR. gpm. S.E.

OXYGEN P.P.M. SUMMER FALL WINTER SPRING

SCREEN GAP

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS

POND E-2

NOMANGLATURE LARGE GRAVEL BOTTOM
POND FOR PRODUCTION POND

SIZE 405 ft. X 46 ft. X

CU. FT.

STOCKING RATE

STOCKING CAP.

WATER FLOW

WEAR.

gpm.

S.F.

OXYGEN P.P.M.

SUMMER

FALL

WINTER

SPRING

SCREEN GAP

SCREEN DIMENSIONS

DAM BOARD LENGTH

HEIGHT of DAM BOARDS