



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 22, 2004

PAMELA J CARTY REVOCABLE TRUST
PATRICIA B DITTMAN REVOCABLE TRUST
3381 NW PANORAMA DR
BEND OR 97701-5461

RE: Water Right Permit No. 21-02126

Ladies:

The Department of Water Resources is reviewing the above referenced permit prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified the water use reported that certain elements of the permit have been developed differently than described on this permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed. Based on the examiner's report, the points of diversion were developed differently than described on the permit.

We understand, through correspondence from Scott Eskelson that you are now the owner's of this property. Since Mrs. Ada Carlson is no longer available to assign this permit to you, we will accept your signatures on the enclosed application for amendment form so that we can complete licensing of this right. Once the license is issued, the Snake River Basin Adjudication staff will be able to issue the decree for this right in your names.

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

We have also enclosed a copy of a Reinstatement Order issued December 20, 2004. As described in the order, Mrs. Carlson failed to pay her examination fee in a timely manner and we had to advance the priority date of the permit. If you have any questions, please feel free to contact me at 208-287-4953 or Keith Wilson of our Idaho Falls office at 208-525-7161.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

Cc: Keith Wilson, IDWR, Eastern Region