

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 74-15451

Priority: July 09, 2004

Maximum Diversion Rate: 0.04 CFS

This is to certify, that KELLY PHELPS And/Or CINDY PHELPS
2620 CACTUS AVENUE
CHICO CA 95973

have applied for a permit to appropriate water from:

Source: SPRING

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

DOMESTIC

PERIOD OF USE

01/01 to 12/31

RATE OF DIVERSION

0.04 CFS

LOCATION OF POINT OF DIVERSION:

SPRING NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15, Twp 16N, Rge 24E, B.M., LEMHI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N 24E 15						X											

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2009**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Domestic use is for 1 home.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
7. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of September, 2004.


For KARL J DREHER, Director