




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *See attached Map*

12


MICROFILMED
JUL 15 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Lamar Clark acting *SM*
(Applicant)

T16S
RIIE
see 12
SESE




STANDARD BIM SPEC

REQUIRED IN VRM CLASS I & II AREAS
RECOMMENDED IN VRM CLASS III & IV



PLAN



CROSS-SECTION

(Bottom of Drainage)

NOTE:

1. All slopes 1:4 or 1:5 (vertical:horizontal).
"A" berm may not exceed a 1:10 slope.
2. Earth fill for dam must be obtained below water line and upstream from dam from "A" berm. No borrow is authorized above high water line.
3. Arc of dam shall be designed to match surrounding landscape features.

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
BOISE DISTRICT

SPECIAL CONDITIONS
MINOR RETENTION DAM

DESIGNED	BY OTHERS		
REVIEWED			
APPROVED			
DRAWN	C. FRITZ	SCALE	N.T.S.
DATE	7-87	SHEET	1 OF 1
DRAWING NO.	ID-010-02294-1		

OCT 10 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07340

Priority: March 15, 1991 Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 7.5 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
2620 KIMBERLY ROAD
TWIN FALLS ID 83301

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 14, 1991; and
has submitted Proof of Beneficial Use on July 2, 1992. An examination indicates
that the works have a diversion capacity of 0.090 cfs of water from:

ESTES DRAW tributary to THREE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	04/15 to 10/31	0.09 CFS	3.0 AF
STOCKWATER STORAGE	01/01 to 12/31		4.5 AF
WILDLIFE STORAGE	01/01 to 12/31		0.5 AF
	Totals	0.09 CFS	7.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 12, Township 16S, Range 11E
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC
16S 11E 12 SESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 51A.

OCT 10 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 51-07340

CONDITIONS OF APPROVAL AND REMARKS

6. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
7. Place of use is located within Allotment #1076, Three Creek Ranch Company, Project #8789, Estes Reservoir.
8. This right authorizes an annual volume of water to fill the pond and the amount required to replace losses through evaporation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of AUGUST, 1996.


KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 51-07340

IN THE NAME OF USDI BUREAU OF LAND MANAGEMENT

)
) ORDER OF
) REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, on July 1, 1992, the permit lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 2, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 51-07340 be REINSTATED with an advance in priority to March 15, 1991.

Dated this 20th day of July, 1992.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUL 27 1992

RECEIVED
MAY 19 1992RECEIVED
JUN - 5 1992
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
JUN 9 1992

OFFICE USE ONLY

Amt. of Fee \$ 0Date 5/18/92Receipt No. 5Receipt by 5

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 5107340 Telephone No. 208 736 2350
2. Name(s) of Permit Holder(s): U.S.D.I. - BUREAU OF LAND MANAGEMENT
3. Mailing Address: 2620 Kimberly Road TWIN FALLS ID 83301
4. Source of Water: Seasonal runoff - reservoir

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 300 cattle (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR 4 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes X No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes X No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

GARY CARSON
Name

736 2350
Telephone No.

2620 Kimberly Road TWIN FALLS ID 83301
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-11-92
Date

Mark B. Jones Acting Director
Signature (and title, if on behalf of a company or organization)

RECEIVED
JUL 27 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 51-07340

Proposed Priority: March 14, 1991 Maximum Diversion Rate: 0.14 CFS
This is to certify, that U.S. DEPT. OF INTERIOR

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

has applied for a permit to appropriate water from:

ESTES DRAW

tributary of THREE CREEK

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.14 CFS	
STOCKWATER STORAGE	01/01 to 12/31		4.5 AF
WILDLIFE	01/01 to 12/31	0.14 CFS	
WILDLIFE STORAGE	01/01 to 12/31		0.5 AF
	Totals	0.14 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESE Sec. 12, Township 16S, Range 11E
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

16S 11E 12 SESE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 51A.
4. Stockwater use is for 600 range cattle.
5. Place of use within Allotment #1076, Three Creek Ranch Company, Project #8789, Estes Reservoir.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

MICROFILMED

JUL 15 1991

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant USDI BLM Phone 384-3300
Post office address 3948 DEVELOPMENT AVE ROISE ID 83705
2. Source of water supply ESTES DRAW which is a tributary of THREE CREEK
3. Location of point of diversion is _____ ¼ of SE ¼ of SE ¼, Govt. Lot _____
Sec. 12 Township 16S Range 11E B.M. OWYHEE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .14 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or ~~acre-feet~~ per annum)
Amount .14 for WILDLIFE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or ~~acre-feet~~ per annum)
Amount 4.5 for STOCKWATER STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(~~cfs~~ acre-feet per annum)
Amount 5 for WILDLIFE STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(~~cfs~~ acre-feet per annum)
5. Total quantity to be appropriated is (a) .14 cubic feet per second and/or (b) 5.0 acre feet per annum
6. Proposed diverting works
 - a. Description of ditches, flumes, pumps, headgates, etc. 5 A.F. POND CAPTURES
RUNOFF FOR STOCK + WILDLIFE USE
 - b. Height of storage dam 14 feet; active reservoir capacity 5 acre-feet; total
reservoir capacity 5 acre-feet; period of year when water will be diverted to storage
1/1 to 12/31 inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

JUL 15 1991

Reviewed per notes in original. LW 3/22/91

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower, show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock. 600 RANGE CATTLE
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully Misc. Wildlife

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16S	11E	12																W/S	

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? BLM
- b. Who owns the land to be irrigated or place of use? BLM
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: ALLOTMENT #1076, USE - THREE CREEK RANCH
CO. PROJECT #8789

MICROFILMED

JUN 15 1981



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. See attached Map



MICROFILMED

JUL 15 1997

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Tamer Cash acting A.H.
(Applicant)

Received by JFW Date 3/14/91 Time 2:30 PM Preliminary check by LW
Fee \$ 30.00 Received by JFW # W013106 Date 3/14/91
Publication prepared by GG Date 3-27-91 Published in Owyhee Avalanche
4/3 & 4/10/91
Publication approved AT Date 4-30-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUL 15 1991

Estes Draw Res.
JRA

Form 202
6/85

Ident No. 51-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

ORIGINAL Pg 1+2
see revised

To appropriate the public waters of the State of Idaho

1. Name of applicant USDI BLM Phone 384-3300
Post office address 3948 Development Av.
2. Source of water supply Estes Draw which is a tributary of Thru Creek
- OK 3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 12 Township 16 S Range 11 E B.M. Owyhee County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- | | |
|--|------------------------------|
| Amount <u>4.5</u> for <u>storage for livestock</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>4.5</u> for <u>from storage</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>0.5</u> for <u>storage for wildlife</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>0.5</u> for <u>from storage</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
- * 14 cfs wildlife 1/1 12/31
5. Total quantity to be appropriated is (a) 0.14 cubic feet per second and/or (b) 5 acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 5 AF Pono captures runoff
for stockwater and wildlife use.
- b. Height of storage dam 14 feet; active reservoir capacity 5 acre-feet; total
reservoir capacity 5 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr years (minimum 1 year).

MAINTAINED
JUL 15 1991

* 'From storage' unnecessary, included 0.14 cfs actual. stockwater + wildlife
per topo + applicants info. items 4 & 5 LW 3/21/91

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 600 Range Cattle
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16S	11E	12																1/3	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? BLM
- b. Who owns the land to be irrigated or place of use? BLM
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Allotment # 1076, User = Three Creek Ranch, BLM
Project # 8789

NOTIFIED
JUL 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 3, 1996

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
2620 KIMBERLY ROAD
TWIN FALLS ID 83301

RE: WATER RIGHT NOS. 51-07339 AND 51-07340

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED
OCT 10 1996

MEMORANDUM

DATE: August 29, 1996

TO: File 51-07340

FROM: Shelley W. Keen *SWK*

RE: Water Uses

License 51-07340 should not include an appropriation of flow for wildlife purposes. Under Idaho Code §42-113, a right may be established for the in-stream watering of livestock. No such exemption is granted for any other purpose except a minimum stream flow appropriated by the Water Resource Board.

The licensed volume should be 7.5 AF, broken out as follows. The volume that can be beneficially used by 400 cattle drinking from the stream over 200 days is 3 AF. The right holder may also store 4.5 AF for cattle for use in this season or to carry into the next season. The wildlife storage volume will not be additive.

RECEIVED
OCT 10 1996

LICENSE REVIEW CHECKLIST



PERMIT NO. 51-07340 DATE 7-6-95

NAME	Change OK ☒	Or Address Change? ☐
PRIORITY DATE	☒	Advance? ☒ Advanced to: <u>3-15-91</u> Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u> <u>Filed for .04 CFS but paid \$50.00</u>
SOURCE	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒	Amendment needed? ☐ Overlaps? ☒
PLACE OF USE	☒	Amendment needed? ☐ Overlaps? <u>(51-02353 is from a different source)</u>
DIV RATE	☒	Permit/fee limits: <u>.14 CFS</u> Meas Q = <u> </u> Theo Q = <u> </u> Recommend: <u>.09</u> <u>400 cattle - per chart = .09</u> <u>Wildlife ok at .09</u>
ANNUAL VOLUME	☒	Combined rates exceed capacity <u> </u> (200 days) Volume Limit: <u> </u> Season: <u>PER letter 4-15 to 10-31</u> Calculations: <u>400 cattle / yr = 5.4</u> <u>200 days = 3.0 gfa</u> <u>Wildlife - keep as permitted = .5 gfa</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
ADDITIONAL INFO		Supplemental Groundwater ☐ PPU Scenario ☐ Irr/Dom Combination ☐ Shared G/W System ☐
NEW REMARKS	☐	Multiple p/d(s) in 1/4 1/4? ☐ Other ☐
NEW CONDITIONS	<u>R04</u>	Watermaster control - District <u>51-A</u> <u>INACTIVE SINCE 1977 - but must</u> <u>Measuring/Locking Devices</u> <u>CONDITION IN CASE IT DOES</u> <u>R37</u> Other <u>STANDARD GOV STOCK CONDITION</u> Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: Reduce rate and volume recommendations - SEE MEMO.

NOTE: RATE IS MUCH HIGHER THAN MOST BLM STOCKWATER RIGHTS BUT IS NORMAL PERCHART.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Stockwater</u>	<u>.09</u>	<u>3.0</u>	<u>NO</u>	<u>YES</u>
<u>Stockwater stor</u>	<u> </u>	<u>3.0</u>	<u>LICENSE</u>	<u>✓</u>
<u>Wildlife</u>	<u>.09</u>	<u>.5</u>	<u>1ST AMEND LETTER</u>	<u> </u>
<u>Wildlife Storage</u>	<u> </u>	<u>.5</u>	<u>2ND AMEND LETTER</u>	<u> </u>
<u>TOTAL</u>	<u>.09</u>	<u>3.5</u>		

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 06 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 51-07340

1. Owner: US Dept of Interior - BIM Phone No. 384-3300

Current Address: Id State Office, 3380 Americana Terrace, Boise
contact 83706

2. Accompanied by: Jim Klotz - BIM EXAM DATE:

Address: 2620 Kimberly Rd, Twin Falls Phone No. 736-2354

Relationship to Permit Holder: Farbridge Wildlife Biologist

3. Source: Ester Draw tributary to Three Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 51-02353

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	12	16S	11E	Owyhee	USGS Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16S	11E	12																5	
																		SS	
																		W	
																		WS	

Microfilm

OCT 10 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached
(required for irrigation of 10+ acres)

In BLM files
☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

OCT 10 1996

E. NARRATIVE/REMARKS/COMMENTS

The permit lists .14 cfs, which requires a field exam, however only .09 cfs was recommended based on actual beneficial use, which is less than .10 cfs, so no field visit was required. See attached 6/25/92 memo from Steve Lister.

The proof that was submitted lists .04 cfs and 4 af. I recommended .09 cfs and 4.5 af (storage), since these amounts are still within the \$50 fee range and the permit limitations.

* .5 af was listed on the permit for wildlife storage, however I recommended 4.5 af to stay consistent with the recommended stockwater storage amount.

The recommendations were based on a 7/26/1994 BLM site visit (see attached letter)

SI-02353 is from a separate source

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED

OCT 10 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Recommended cfs for 400 range
cattle = .09 cfs per table 1

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

stock > 400 range x 12 GPD x 365 days / 325850 = 5.4 afa
.09 cfs x 365 days x 1.9835 = 65.2

Reservoir > 200' w x 350' L x 15' dp x 1/2 / 43560 = 12.1 af
(recommend 4.5 per permit)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)	
	From	To			
Stockwater	1/1	12/31	.09	5.4	
Stockwater stor	1/1	12/31		4.5	
Wildlife	1/1	12/31	.09	5.4	
Wildlife stor	1/1	12/31		4.5	* see remarks
Totals:			.09 cfs	5.4 af	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Loi Gnawa Date 12/23/94

Reviewer _____ Date _____

* See adjustment explanation memo. &c

SEAL
MICROFILMED

OCT 10 1996

MEMORANDUM

TO: File 51-07340 / BLM
FROM: Brenda Chapman
DATE: July 6, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	4-15 to 10-31	.09	3.0
Stock Storage	1-01 to 12-31		3.0
Wildlife	1-01 to 12-31	.09	.5
Wildlife Stor	1-01 to 12-31		.5

The stockwater season of use has been reduced based on information provided in the October 1994 letter from BLM's on site staff biologist, Jim Klott. Therefore, the stockwater volume recommendation is based on what can be beneficially used for 200 days. The accompanying storage has also been adjusted accordingly.

There was nothing in the exam to justify recommending a higher wildlife storage volume than the permit limit; therefore, the recommendation will be limited to .5 afa.

41-07340-107
OCT 10 1995



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Jarbridge Resource Area

2620 Kimberly Road

Twin Falls, ID 83301



IN REPLY REFER TO:

RECEIVED

OCT 19 1994

WATER RESOURCES
WESTERN REGION

October 17, 1994

Laurie Graves
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

OCT 17 1994

Dear Ms. Graves:

I underestimated the size of both of the reservoirs. The following information is from site visits and project files for Whiteside Spring Reservoir (#8733) and **Estes Draw Reservoir (#8789)**. As I reported to you during our telephone conversation the water sources are ephemeral creeks that exist from spring snow melt and are usually dry by June. **About 400 cattle use the ponds from April 15 to October 31.** The time livestock are using the ponds varies yearly depending on the grazing system in the allotment. Both ponds hold some water to mid-July. **Estes Draw was visited by a member of our staff in July 26, 1994.** He reported that the reservoir is about 15 feet deep to the spillway, (20 feet to the top of the dam), about 200 feet wide and about 350 feet long at high pool. Fill material for the dam was taken back to about 150 feet to a depth of 15 feet below the spillway. The pond had less than 6 inches of water. Our file did not contain an as built for this project.

I checked Whiteside Spring Reservoir on June 16, 1994 and the file. The dam width is 147 feet, the length is 230 feet, and depth is 11 feet to the spillway with the top of dam another 4 feet higher. These numbers are based on the specifications in the file. Water was only about 1 foot deep during the June visit and dry by August 4. As I reported to you on the phone, both reservoir bottoms are rocky and allow for substantial leakage.

We have photographs of both projects in our files. If copies of them would be useful to you, we could have duplicates made for your office.

Sincerely,

Jim Klott
Jarbridge Wildlife Biologist

RECEIVED

OCT 10 1996

MEMORANDUM

TO: SR. AGENTS AND EXAMINERS

FROM: STEVE LESTER

DATE: JUNE 25, 1992

SUBJ: RATE OF FLOW FOR BLM AND FOREST SERVICE EXAMS

Additional information may be needed for federal rights where flow rates are considered high. Normally, this has been for rates > .20 cfs in which an actual field exam has been required instead of the traditional "office exam".

However, recent direction for examiners includes a closer look at some federal rights. Most permits for the BLM and FS are < .10 cfs and can be treated as usual. For rates exceeding .10 cfs, let's collect more information before recommending the rate of flow.

THEREFORE, FOR FEDERAL RIGHTS EXCEEDING .10 CFS

1. To estimate pipe flows or other flows in gravity systems, collect data as possible from the BLM or FS concerning the pipe sizes (diameter) or other delivery mechanisms - include type of pipe material, slope of pipe (can determine estimated slope from topo?), number of valves or T's if any, any other pertinent info that will help estimate flow.

2. Although unlikely, it's possible that a ditch diversion will be found. We can run the Mannings Equation program if needed. Ask a Sr. Agent about type of data to collect from agency or from field if needed.

3. For wells, the Horsepower Equation can be used. Collect the usual motor and pump data. Use a well log if possible to estimate z from static levels in area. A pump curve would be useful if available. The delivery pipe size (diameter) is needed.

4. Sort by source -

a. Runoff or stream collected in pond - normally, allow permit amount since water could be collected and used if flows are available.

b. Springs collected in pond or diverted via pipe etc. - cannot recommend > .10 cfs unless estimates and/or data support the recommendation.

c. Wells - See #3 above, treat as would any other well exam.


d. Ground water but not a well - Treat as would a spring in deciding what to allow for licensing.

5. If none of the above produce a reasonable estimate, may need to collect data in the field in addition to in-office exam.


6. We can spot-check some of the systems for which recommendations are made by conducting regular field exams after the in-office exams.

OCT 10 1996

REQUIRED IN VRM CLASS I & II AREAS
RECOMMENDED IN VRM CLASS III & IV



PLAN



CROSS-SECTION

(Bottom of Drainage)

NOTE:

1. All slopes 1:4 or 1:5 (vertical:horizontal).
"A" berm may not exceed a 1:10 slope.
2. Earth fill for dam must be obtained below water line and upstream from dam from "A" berm. No borrow is authorized above high water line.
3. Arc of dam shall be designed to match surrounding landscape features.

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
BOISE DISTRICT

SPECIAL CONDITIONS
MINOR RETENTION DAM

DESIGNED	BY OTHERS	
REVIEWED		
APPROVED		
DRAWN	C. FRITZ	SCALE N.T.S.
DATE	7-87	SHEET 1 OF 1
DRAWING NO.	ID-010-02294-1	

July 24, 1992

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
2620 KIMBERLY ROAD
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 51-07340

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
JUL 27 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 51-07340

Reviewed by Klg

Date 5/20/92

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Stock & wildlife - 300

Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?

Copy in the file? Drilling Permit No. _____

Amount paid for permit _____ Correct?

Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received 7/2/92 183
Date proof due 7/1/92 - 182
No. of days late = 1
Priority Date 3/14/92 + 73
New Priority Date 3/15/92 74

DEFICIENCIES OR ACTION ITEMS

Klg
needs a \$50 license example
need original proof Back

DATA ENTRY

New Address 2620 Kimberly Road
Twin Falls, ID 83301

Proof Made 7/2/92

needs an order
7/24/92 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

RECEIVED
JUL 16 1992

July 8, 1992

Department of Water Resources

USDI Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Re: Permit No.'s 51-07340 and 51-07339

Dear Permit Holder:

On July 2, 1992 you paid a \$50 license exam fee due on each of the above referenced permits at our Western Regional Office. Unfortunately, on the same day, from the state office, I returned the original proofs of beneficial use to your office.

Since it is necessary for me to have the originals in the file, please return them as soon as possible. I will continue the process them at that time so that we can continue with the licensing process.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Thank you for taking care of this.

A big problem has been these older water rights all have the BLM state office address. Therefore we in the DISTRICT do not get them for a couple of weeks.

Thanks again for your help.

Mark Vernon

JUL 27 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 8, 1992

USDI Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Re: Permit No.'s 51-07340 and 51-07339

Dear Permit Holder:

On July 2, 1992 you paid a \$50 license exam fee due on each of the above referenced permits at our Western Regional Office. Unfortunately, on the same day, from the state office, I returned the original proofs of beneficial use to your office.

Since it is necessary for me to have the originals in the file, please return them as soon as possible. I will continue the process them at that time so that we can continue with the licensing process.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

MAILED JUL 27 1992

JUL 27 1992

INTER-DEPARTMENT MEMO — 1

FROM JOHN Westra

DATE

7/2/92

TO Karen Gustafson

SUBJECT Proof Fee for 51-073394 51-07340

The BLM came in and paid the fees for the above permits
Receipt # W015009

JW.

SIGNATURE

RECEIVED

JUL 27 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 2, 1992

USDI Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Re: Permit No.'s 51-07340 and 51-07339

Dear Permit Holder:

Returned are the proofs of beneficial use submitted in connection with the above referenced permits. Though you indicate your knowledge of the \$50 fee applicable to both permits, the Department has not received the fees. You were notified of this oversight in correspondence mailed to you June 9, 1992.

Since the permits lapsed on July 1, 1992, they are of no further force nor effect. You should also be aware that your priority date is being penalized one day for every day that the original proofs and fees are not returned to this office.

You will receive official notice of the permits lapsing under separate cover.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 27 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 9, 1992

USDI - Bureau of Land Management
2620 Kimberly Road
Twin Falls, ID 83301

Re: Permit No.'s 51-07339 and 51-07340

Dear Permit Holder:

The Department is in receipt of the Proofs of Beneficial Use filed in connection with the above referenced permits. The completed form indicates your knowledge of the \$50 license exam fee due on each permit. However, the fee was not attached or received by this office.

Please send the necessary fees or copy of your voucher indicating that the check is being processed. In order to be in compliance with the necessary dates of your permit, the fee must be received by this office no later than July 1, 1992.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

JUL 27 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 20, 1992

USDI Bureau of Land Management
2620 Kimberly Road
Twin Falls, ID 83301

Re: Permit No.'s 51-07339 and 51-07340

Dear Permit Holder:

Returned are the proofs of beneficial use you submitted in connection with the above referenced permits. Unfortunately, they are unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater source.
2. The rate of diversion must be .04 cfs or less.

As you can see, you do not meet requirement #1 since you use a stream and a draw (surface) for your source. Therefore, a license examination fee of \$50 applies to each permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

Please return the proofs of beneficial use and the \$50 license exam fee for each permit (\$100) as soon as possible. In order to meet the required dates, they must be returned no later than July 1, 1992.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

7 1992

April 30, 1992

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 51-07340

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED

JUL 27 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 21, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 51-07340

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUL 15 1991

Dept. of Water - Western

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

APR 30 1991

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

April 30, 1991

Signed

Subscribed and sworn to before me this

24th

day of

April

A.D., 1991

Chris Bohem

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires April 1996

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

51-07339

U.S. DEPT. OF INTERIOR
BUREAU OF LAND
MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: MUD FLAT DRAIN
Diversion Pt: NENW Sec 6 T
16S R 12E

Use: STOCKWATER (.140
CFS)

STOCKWATER STORAGE
(4.50 AF)

WILDLIFE (.140 CFS)

WILDLIFE STORAGE (.50 AF)

Total Diversion: (2.300 CFS)

Date Filed: 3/14/ 1991

In: T16S R12E S06 NENW

51-07340

U.S. DEPT. OF INTERIOR
BUREAU OF LAND
MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: ESTES DRAW

Tributary: THREE CREEK

Diversion Pt: SESE Sec 12 T

16S R 11E

Use: STOCKWATER (.140
CFS)

STOCKWATER STORAGE
(4.50 AF)

WILDLIFE (.140 CFS)

WILDLIFE STORAGE (.50 AF)

Total Diversion: (.140 CFS)

(5.00 AF)

Date Filed: 3/14/ 1991

In: T16S R11E S12 SESE

57-07534

SHEWEY, LOYD C.

HC 79 BOX 104BB

MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: LOT 1 (SESW)

Sec 8 T 01N R 03W

LOT 1 (SWSE) Sec 8 T 01N R
03W

Use: COMMERCIAL (.020
CFS)

HEATING (.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 1/31/ 1991

In: T01N R03W S08 Lot 1

(SESW) Lot 1 (SWSE)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON,
Director

51-07340

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: ESTES DRAW

Tributary: THREE CREEK

Diversion Pt: SESE Sec 12 T 16S R 11E

Use: STOCKWATER	(.140 CFS)	
STOCKWATER STORAGE		(4.50 AF)
WILDLIFE	(.140 CFS)	
WILDLIFE STORAGE		(.50 AF)
Total Diversion:	(.140 CFS)	(5.00 AF)

Date Filed: 3/14/ 1991

In: T16S R11E S12 SESE

MICROFILMED
JUL 15 1991