




Illustration 1

NOTES:

1. Pit & Embankment Slopes & Dimensions Shall Be As Shown On The Work Summary Chart.
2. Embankment May Be "U" Or "L" Shape Or Straight Line. Construct As Indicated On The Work Summary Chart.



ALWAYS THINK SAFETY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT DIVISION OF ENGINEERING DENVER SERVICE CENTER	
TYPICAL WATER RETENTION PIT	
DESIGNED <i>Donald C. Voss</i>	
REVIEWED <i>John S. Smith</i>	
APPROVED <i>Richard E. Gowan</i>	
DRAWN J. SEDILLO	SCALE NONE
DATE APRIL 12, 1983	SHEET OF
DRAWING NO. 02204-1	

BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL. MAYBE SOME RUN-OFF.

10/27/83

MICROFILMED



WATER RIGHT LICENSE

License No. 51-7232 Priority 08/08/1983 Amount n/a CFS 0.5 AF

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Mgmt.

of Boise, Idaho, has complied with the terms and conditions of Permit No. 51-7232 issued pursuant to Application for Permit dated 08/08/1983, and has submitted proof to the Department of Water Resources on 08/17/1983, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the storage of 0.5 af of water from an unnamed stream tributary to sinks, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
n/a	0.5 af	Storage for Stockwater	01/01 - 12/31
n/a	0.5 af	Stockwater from Storage	01/01 - 12/31
n/a	0.5 af	Storage for Wildlife	01/01 - 12/31
n/a	0.5 af	Wildlife from Storage	01/01 - 12/31

Location of point of diversion: NESW, Sec. 3, Twp 11S, Rge 5E, Owyhee Co.

Location of place of use:

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11S	5E	3								X									

Total number of acres irrigated

Also known as Big Hill Reservoir.

Subject to all prior water rights.

MICROFILMED

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 28th day of July, 1986.

Acting for the Director *Roman C. Young*

kw

RECEIVED
APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

AUG 8 1983

Department of Water Resources

To appropriate the public waters of the State of Idaho

USDI
Bureau of Land Management

1. Name of applicant Boise District Office Phone 334 1582

Post office address 3948 Development Ave.
Boise, Idaho 83705 (See Remarks)

2. Source of water supply unnamed stream LLS 8/3/83 which is a tributary of river

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 11S

Range SE B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .5 for Storage to stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) stockwater wildlife

Amount .5 for farm storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. .5 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pit reservoir

b. Height of storage dam _____ feet, active reservoir capacity .5 acre-feet; total reservoir capacity .5 acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 11S

Range SE B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 30 cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: wildlife

RECEIVED
MED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion US Government

b. Who owns the land to be irrigated or place of use US Government

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks Big Hill Res. BLM project # 5259
applicants include the BLM
and Simplot Livestock, Boise Id.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 5E

T 11 S

3



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. Vernon Smith
(Applicant)
Branch Area Manager

RECEIVED

Proposed Priority 8/8/83

Received by CW

Date 8-17-83

Time 10:00 am

Preliminary check by GLS

Fee \$ 30.00

ID- 910- BP3-0003

Receipted by if

Date 12-27-83

33664

Publication prepared by JP

Date 9/15/83

Published in Owyhee herpet

Publication dates 9/22 & 9/29/83

Publication approved JP

Date 10/16/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval

denial

by 005

CW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7232, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 6th day of July, 1984.

A. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, MICK HODGES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by MICK HODGES, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;


That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 21 day of September, 1983, and the last publication being on the 28 day of September, 1983;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 28 day of

September, 1983


NOTARY PUBLIC

My commission expires 3-86

(SEAL)

RECEIVED
OCT 10 1983
FILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

51-7230

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS

Date Filed: 07/25/1983

Diversion Pt: NWNE Sec 10 T
14S R 06E

Use: STOCKWATER STORAGE (3.0 AF)

STOCKWATER FROM
STORAGE (3.0 AF)

WILDLIFE STORAGE (3.0
AF)

WILDLIFE FROM STORAGE
(3.0 AF)

In: NWNE Sec 10 T 14S R 06E

51-7231

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS

Date Filed: 07/25/1983

Diversion Pt: SENE Sec 23 T
12S R 05E

Use: STOCKWATER STORAGE (3.0 AF)

STOCKWATER FROM
STORAGE (3.0 AF)

WILDLIFE STORAGE (3.0
AF)

WILDLIFE FROM STORAGE
(3.0 AF)

In: SENE Sec 23 T 12S R 05E

51-7232 ✓ 3P

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS

DATE FILED: 08/08/1983

Diversion Pt: NESW Sec 03 T
11S R 05E

Use: STOCKWATER STORAGE (0.5 AF)

STOCKWATER FROM
STORAGE (0.5 AF)

WILDLIFE STORAGE (0.5
AF)

WILDLIFE FROM STORAGE
(0.5 AF)

In: NESW Sec 03 T 11S R 05E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 10, 1983.

KEN DUNN, Dir.

Published in the Owyhee
Nugget, Marsing, Owyhee
County, Idaho 9/21 & 9/28/83.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 29, 1986

RE: Permit Nos. 37-8047/8049, 51-7189/7203/7204, 51-7206 thru
51-7209, 51-7211/7212/7214/7217/7218/7219/7223/
7224/7227/7228/7232/7234, 51-7236 thru 51-7243,
51-7246/7248/7249/7250/7252/7254/7256/7257/7258/
7259, 55-7167/7192/7194/7201/7202/7203/7209/7210/
7230/7231/7233/7234/7235/7238/7239/7240/7241/7242/
7243/7245/7246/7248/7249/7250, 55-7252 thru 55-7256,
55-7258 thru 55-7264, 55-7266 thru 55-7270, 55-7293
thru 55-7295, 55-7297/7304/7308/7314/7334/7337,
57-7294/7300/7305/7306/7315/7327/7330/7335/7342/
7343/7354/7364/7378/7386/7387

U.S. Dept. of Interior
Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of the Water Right Licenses issued on the
above referenced permits.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

MICROFILMED

State of Idaho
DEPARTMENT OF WATER
WATER RIGHT BENEFICIAL USE

DEPARTMENT OF LAND, AIR & WATER
FIND, SECURE, TAKE CARE AND USE
IRRIGATION

51-7232

RECEIVED

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

JAN 30 1986

REMARKS

☐ Appointment letter mailed:

☒ Telephone call made

(List Telephone No. used)

☒ Appointment scheduled for:

(Date, time, location)

7/24/84
334-1582
7/25/84
Boise Dist Office
Department of Water Resources

EXAMINATION

Date 7/25/84 Accompanied by Mike Pellant Total Q measured .5 cfs - est.

Source Inn. stem Tributary to sinks Supp. annubar measurement sheet used?

Source is surface water, estimate total flow of source

Methods of measurement estimate Meets permit requirements?

Measurement calculations:

stor. for stock/wildlife to + from - .5 cfs

WELL/DIV NO.	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
			X/A					

System Description Pit reservoir collects rainfall - see attachment.

Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Stor. for stock/wildlife ✓		.5 afa ✓	1-1	12-31
Stock/wildlife from stor. ✓		.5 afa ✓	1-1	12-31

Total

Remarks AKA Big Hill Res - Proj # 5259

MICROFILMED

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE SW, S. 3, T. 1N, R. 5E.

Place(s) of Use ✓

[illegible]☐ Other

Date 7/16/86

RECEIVED




Illustration 1

NOTES

1. Pit & Embankment Slopes & Dimensions Shall Be As Shown On The Work Summary Chart
2. Embankment May Be "U" Or "L" Shape Or Straight Line Construct As Indicated On The Work Summary Chart

ALWAYS THINK SAFETY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT DIVISION OF ENGINEERING DENVER SERVICE CENTER	
TYPICAL WATER RETENTION PIT	
DESIGNED <i>Donald C. Kelly</i>	
REVIEWED <i>John J. Sedillo</i>	
APPROVED <i>Richard D. Taylor</i>	
DRAWN JDS/EDILLO	SCALE NONE
DATE APRIL 12, 1983	SHEET OF
DRAWING NO. 02204-1	

BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL, MAYBE SOME RUN-OFF.

10/27/83

RECEIVED

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190
JULY 27, 1994

BUREAU OF LAND MGMT. U.S. DEPT. OF INTERIOR
IDAHO STATE OFFICE
3380 AMERICAN TERRACE
BOISE
ID 83706

RE: Permit No. 51-7232

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 16, 1984

Bureau of Land Management
Boise District Office
3948 Development Avenue
Boise, ID 83705

Gentlemen:

Re: Permit Nos - See attached sheet

This office acknowledges receipt of the statement of beneficial use postcards.

Before a license can be issued, a field examination of the extent of use will be contacted by a regional representative. She will contact you a convenient time within which to conduct the examination.

If you have any questions, please feel free to contact this office or the regional office.

Sincerely,

RITA I. FLECK
Secretary, Records Manager

Attachment

cc: Western Region w/attachment

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this as a statement that the permit holder has completed development to the extent shown by of Permit No. 51-7232.

Name(s) of Permit Holder: BOISE DISTRICT BLM

Post Office Address: 3948 DEVELOPMENT AVE.
BOISE, IDAHO 83705

Tel. No. 334 1582

Source of Water: Big Hill Reservoir BLM project # 5255

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>30 cattle</u>	(number and type of stock)
☐ Irrigation	(acres)
☒ Other <u>wildlife</u>	

Measuring Device Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port. Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/18/83
Date

RECEIVED (SGD) C. VERNON PEUGH
Signature of Permit Holder

PLA

13

STAMP

HERE

15 17 1983

RECEIVED

Department of Water Resources
Western Regional Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1984

RE: Application for Permit Nos. 51-7214/7215/7216/7217/7218/7219/
7220/7222/7223/7224/7225/7226/7227
7228/7229/7230/7231/7233/7234/7235
7236/7237/7238/7239/7240/7241/7242/
7243/7244/7245/7246/7247/7248/7249/
7250/7251/7252/7253/7254/7255/7256/
7257/7258/7259, 61-7498/7499

U.S. Dept. of Interior
Bureau of Land Management
3380 Americana Terrace
Boise, ID 83706

Dear Permit Holder:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval on the fourth pages.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

Don't
Advertise

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 51-7232

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: October 19/1983
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/10/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 301
☒ Publication dates and paper, recorded on application. newspaper nugget
☒ Protests, dates, withdrawal, etc., recorded on application. 9/22 & 9/29/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/8/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

Hold for fee

By: DBS

Date: 6/21/84

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: AW

Date: 7-3-84

RECEIVED
JUN 22 1984

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

51-2232-

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., IDAHO STATE OFFICE, 3380 AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM trib. to SINKS

Date Filed: 08/08/1983

Diversion Pt: NESW Sec 03 T 11S R 05E

Use: STOCKWATER STORAGE	(0.5 AF)
STOCKWATER FROM STORAGE	(0.5 AF)
WILDLIFE STORAGE	(0.5 AF)
WILDLIFE FROM STORAGE	(0.5 AF)

In: NESW Sec 03 T 11S R 05E

PAID 10.00