


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

RECEIVED
JAN 10 1961

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John McQuinn
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 12 day of June, 1981, and the last publication being on the 11 day of July, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 2 day of

July, 1981.

James L. Shaver
NOTARY PUBLIC

My commission expires 4-11-84

(SEAL)

JUL 6 1981

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

02 - 7351

WALTER, KENNETH W.
STAR ROUTE, BOX 28,
HAMMETT, ID 83627
Source: SNAKE RIVER,
tributary to COLUMBIA RIVER

Date Filed: 06/10/1981

Amount: 0.70 CFS

Diversion Point: LOT 03 LOT
04 LOT 06 Sec 06 T 06S R 08E,
OWYHEE Co.

Use: IRRIGATION (0.70
CFS) from 03/15 to 11/15

Place of Use: NENW
NWNW SWNW Sec 06 T 06S
R 08E FOR 35 ACRES

Diversion Means: PUMP,
PIPE & SPRINKLERS

51 - 7170

McGUIRE, OREN JOHN &/or
MAXINE
ROUTE B, BOX 261, BRU-
NEAU, ID 83604

Source: GROUNDWATER

Date Filed: 06/10/1981

Amount: 0.92 CFS

Diversion Point: SENW
NESW Sec 24 T 07S R 04E,
OWYHEE Co.

Use: IRRIGATION (0.92
CFS) from 03/15 to 11/15

Place of Use: SWNE NESW
Sec 24 T 07S R 04E FOR 48
ACRES

Diversion Means: WELL,
PUMP & GRAVITY SYS-
TEM

55 - 4067

BECKER RANCH, INC.
6221 DUCK LANE, NAMPA,
ID 83651

Source: SOUTH FORK OWY-
HEE RIVER tributary to OWY-
HEE RIVER

Priority Date: 07/01/1890

Amount: 1.62 CFS

Diversion Point: NWNW
NENE Sec 36 T 14S R 05W,
OWYHEE Co.

Use: IRRIGATION (1.62
CFS) from 04/01 to 11/01

Place of Use: SENW
NESW SESW Sec 26 T 14 S R
05W NENW Sec 36 T 14S R
05W FOR 82 ACRES

Diversion Means: DIVERS-
ION DAM & GRAVITY IRRI-
GATION SYSTEM


If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 13, 1981.

A. KENNETH DUNN,

Director

Published June 25 and July 2,
1981 in the Owyhee Nugget,
Marsing, Owyhee County, ID.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SOUTH	Hitachi	15	G1906824E	Subm	6"
NORTH	GE	25	ZFP1269	W/K	8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:


SOUTH WELL - timed float in ditch

NORTH WELL - estimate from gated pipe discharge

50 gates open plus leakage loss

MICROFILMED

AUG 19 1997



EXISTING UNDER
51-2086/217

P/b →

P/a
51-770

75

MICROFILMED
AUG 19 1997

AA61
(1974)

4E 5E



North Well
SENW S24



North well -
discharge to south
(view S)

57-7170 cjh

MICROFILMED

AUG 19 1997



South well &
P/u in NESW
(view E)



Crossing over
creek from
South well.
(view N)



P/u in SWNE
(view E)

57-7170 *ijh*
MICROFILMED
AUG 19 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 12, 1982

Orin John /or Maxine McGuire
Rt. 3 Box 261
BrunEAU, ID 83604

Re: 51-7170

Dear Customers:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

AUG 25 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07170

Priority: June 10, 1981

Maximum Diversion Rate: 0.84 CFS

Maximum Diversion Volume: 168.0 AF

This is to certify, that OREN JOHN MC GUIRE
MAXINE MC GUIRE

RT B BOX 261

BRUNEAU ID 83604

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 10, 1981; and has submitted Proof of Beneficial Use on August 2, 1982. An examination indicates that the works have a diversion capacity of 3.430 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.84 CFS	168.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENEW , Sec. 24, Township 07S, Range 04E
NESW , Sec. 24, Township 07S, Range 04E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	04E	24	SWNE 20	NESW 22		42

Total number of acres irrigated: 42

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Rights 51-02086 and 51-02171 are also diverted through the point(s) of diversion described above.

MICROFILMED

AUG 19 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07170

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of AUGUST, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 19 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant OREN JOHN AND/OR MAXINE MC GUIRE Phone 845-2822

Post office address Route B, Box 261, Bruneau, ID 83604

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 24 Township 7S

Range 4E B.M. Owyhee County, additional points of diversion if any: _____

NESW, S. 24, 7S, 4E.

4. Water will be used for the following purposes:

Amount .92 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .92 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

well, pump, gravity system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

c. Describe any other water rights used for the same purposes as described above. 51-2171


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks From existing wells.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John McQuinn
(Applicant)

Proposed Priority 6/18/81

Received by Cam Date 10 June 1981 Time 3:00 pm

Preliminary check by 625 Fee \$ 45 # 19421

Receipted by Cam Date 10 June 1981

Publication prepared by DBS Date 6/18/81

Published in Owyhee Nugget

Publication dates 6/25 & 7/2/81

Publication approved DBS Date 7/13/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7170, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 29th day of July, 19 81.

A. Glen Saxton
Chief, Operations Bureau

RECEIVED

RECEIVED
AUG 18 1997
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
1301 N Orchard St
Boise, ID 83706-2237
(208) 334-7900

To

L51-07170
OREN JOHN MC GUIRE
RT B BOX 241
BRUNEAU

FOR

over 15 yrs ago

Thomas + his son Jay Thom
the property described in
8 years ago through
Bureau. Both father
the same phone + address: 843-111,
35 Box 145, Brunneau, ID 83604-145



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 13, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

OREN JOHN MC GUIRE
MAXINE MC GUIRE
RT B BOX 261
BRUNEAU ID 83604

RE: WATER RIGHT NO. 51-07170

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 19 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 6/-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
AUG 19 1997

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 51-07170

OREN JOHN MC GUIRE
MAXINE MC GUIRE
RT B BOX 261
BRUNEAU ID 83604


Karl Lynn Townsend
Secretary

MICROFILMED
AUG 19 1997

LICENSE REVIEW, CHECKLIST

PERMIT NO. 51-07170

DATE 7/31/97

REVIEWER: *SHARLA*

NAME	Change —	OK <u>✓</u>	Address Change	—
SOURCE	—	<u>✓</u>	Is change clarification of originally intended source?	—
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void Amendment required	<u>NO</u>
PLACE OF USE	—	<u>✓</u>	Amendment required	<u>NO</u>

Does map agree with written description? ☒ yes ☐ no

OVERLAPS _____ P/D _____ P/U

RATE OF DIV

Permitted Rate

.92 cfs

Fee limit

2.0 cfs 125⁰⁰

Measured

343 cfs

Theoretical

4.93 cfs

$$\frac{2.43 \text{ cfs}}{2.93 \text{ cfs}} 3.08(25 \times 8.8 \times .7 / 50) + 1.85(15 \times 8.8 \times .7 / 50)$$

Recommended Total Div Rate .84 cfs

ANNUAL VOLUME/
NATURE OF USES

✓	Use	cfs	Volume Calc	
	Mr.	84	42 x 4.0 =	af
				af
				af
				af
	SUBTOTAL		168.0	af

Flow rate .84 cfs X 214 days X 1.98 = 355.9 af

Total volume recommended 168.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W36 (51-~~000~~02086, 51-02171)

CONDITIONS _____ **Watermaster Control WD#** _____

GW Measurement/Measuring Device
31 Overlap

 Use-specific conditions

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed

1st Amend Letter

Adjustment Memo

2nd Amend Letter

CA: Jerry Thomas

* please send all correspondence to present owner

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 08 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 51-07170

1. Owner: ~~J. THOMAS~~ * Oren John & Maxine McGuire Phone No. 834 2991

Current Address: HC 85 Bx 145 Bruner ID 83604

2. Accompanied by: TERRY THOMAS for J. Thomas EXAM DATE: 5/14/96

Address: HC 85 Bx 145 Same Bruner ID 83604 Phone No. 834 2991

Relationship to Permit Holder: BROTHER of present owner (see SRBA)

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 51-2132, 2171

2. Other water rights with the same point of diversion: 51-2086, 2171

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
North			SE	NW	24	7S	4E	Oneida	Site Visit
South			NE	SW	24	7S	4E	"	

2. Place(s) of Use:


Indicate Method of Determination: Above, ACS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7S	4E	24			20						22								42

MICROFILMED

AUG 19 1997

size/ditch size/pipe i.d. as applicable.



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

1

D. FLOW MEASUREMENTS

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SOUTH	Hitachi	15	G1906824E	Swam.	6"
NORTH	GE	25	ZFP1269	W/K	8"

SOUTH WELL - found float in ditch

NORTH WAU - estimate from gaged pipe discharges

End of the year plus average loss

MICROFILMED

AUG 9 1997

E. NARRATIVE/REMARKS/COMMENTS

South pump - open discharge to gated pipe S. of
Creek - pumped across ck to ditch for siphon it r
NORTH Pump - open discharge to either ditch or gated
pipe

Combined use on approx 160 ac. wheat, pasture and
alfalfa seed. Right nos 51-2086 & 2171 use same
wells. Previous Btu exams in 1923 & 1963 for other
121 acres - 42 acres recommended are new acres
under the system. No other rights used.

~~Both~~ Both wells previously artesian, now pumped. Btu exam for
51-2086 ~~it~~ was for old wells no longer used. Transfer 209
in 1951 authorized construction of North well (SEW).
Exam for 51-2171 in 1963 ~~shows~~ measured north well 101 m.i. (2.02 cfs)
using 15HP pump, est. South well & one other well at 10 m.i. each
(.2 cfs). North well now has 25 HP pump, South well has
15HP pump. Old wells no longer flow.

1963 system capacity 2.42, 121 ac

1996 system capacity 3.43, 163 ac (see back)

Other overlaps - not significant.

Ownership changed. Notification satisfied through SRBA.

Copy of exam forwarded also to claim file for recommendation.

* No devices, however, point of discharge meas. possible at
both P/D's.

Have conditions of permit approval been met? ☐ yes ☒ no *

MICROFILMED

AUG 19 1997

No there are checks done because of artesian pressure in wells.

F. FLOW CALCULATIONS

Measured Method:

North well: flows in gated pipe. 50 gates, 20 gpm ea gate = 1000 gpm = 2.23 cfs

South well: flows in cement ditch. 1.3' x 30' x 2.5 ft/sec = 1.2 cfs

previously licensed: 3.43
2.42
1.01

$$V_{LR} = (\text{Acres Irrigated} \times (\text{Irrigation Requirement})) = 42 \times 4 = 168$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .84 \times 214 \times 1.9835 = 356$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 168$$

2. Volume Calculations for Other Uses:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

(allow .84 for 42 acres)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

168

From

4/1

Period of Use

To

10/31

Rate of Diversion

Q (cfs)

.84

Annual Volume

V (ata)

168

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☐ None

☐ Other

I. AUTHENTICATION

Field Examiner's Name

Curtis Hedges

Date

1/2/97

Reviewer

Date

SEAL

MICROFILMED


APR 19 1997

~~James Midvale~~
~~Buried main to common pump station ft.~~
~~both res. 50 HP approx 16 ac~~

Thomas

Ditch meas, south well:

"orange peel" ~~17~~ timed float:



$$V = 20', 8 \text{ sec} = 2.5 \text{ ft/sec}$$

$$A = .486 \text{ ft}^2$$

$$Q = .486 \times 2.5 = 1.215 \text{ cfs}$$

$$+10\% = 1.3 \text{ cfs}$$

Seepage $\sim 10\%$?

MICROFILMED
AUG 19 1997



2701

2637

51

18

BM 2701

BM 2662

19

4C
-77

26

20

4C SE (1974)



8
164
9
57
7
74
10
105
13
235

968
1699

2
156

9
41

11.8

PIPE
P/O

222

196

NEW
ACRES
51-7170

PHOTOGRAPHED
AUG 19 1997

24
2530

W30

May 11/97

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

NORTH WELL

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 51-2068/2171/7170
2. OWNER: THOMAS, J Phone: 834.2991
Address: HC 85 Bx 145 Brunenau
3. WELL LOCATION: Twp 7S, Rge. 4E, Sec. 24, SE 1/4 NW 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: W/K Lic. No. _____
When Drilled? ~1990 ~1991 pursuant to transfer 209
5. WELL CONSTRUCTION:
Casing Diameter 14 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing W/K ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature ~100 °F (not measured)
Flowing Artesian? ☒ Yes ☐ No Pressure: _____ (psi) * previously - now pumped
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 19 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

[Home](#)
[About Us](#)
[Contact Us](#)
[Privacy Policy](#)
[Terms of Service](#)
[FAQ](#)
[Blog](#)
[Partners](#)
[Press](#)
[Careers](#)

Signature of Dept. Representative & Title

5/14/96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED
AUG 19 1937

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

SOUTH WELL

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 51-2086/217/
7170
2. OWNER: THOMAS, J. Phone: 845 2991
Address: HC 85 Box 145 Brunium
3. WELL LOCATION: Twp 7S, Rge. 4E, Sec. 24, NE 1/4 SW 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: W/K Lic. No. _____
When Drilled? ~1960
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing W/K ft. Method Drilled W/K
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water W/K ft. Water Temperature 70-80 °F (not measured)
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
AUG 19 1997

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

cje

Signature of Dept. Representative & Title


5/14/96

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED

AUG 19 1997



North Well
SENW S24




North well -
discharge to south
(views)

57-7170 cjh

MICROFILMED


AUG 19 1937



South well &
P/u in NESW
(view E)



Crossing over
creek from
South well.
(view N)



P/u in SWNE
(view E)

57-7170 *ijh*
—MICROFILMED

AUG 19 1937



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 1995

Keith Thomas
HC 85, Box 145
Bruneau, ID 83604

RE: Permit No. 51-07170

Dear Mr. Thomas:

We have received the Examination Fee Information Sheet along with the accompanying fee for the above referenced permit. Enclosed is your receipt for the fee.

Field inspections are conducted by our regional office personnel, in this case, personnel from Western Region here in Boise. You will be contacted by their office for scheduling of the examination. If you want to contact them personally to schedule the examination, their phone number is 334-2190.

If you have any further questions, give me a call.

Sincerely,

SHARLA CURTIS
Water Right Permits Section

MAILED

AUG 25 1995

4/86

RECEIVE

AUG 04 1995

Department of Water Resources

Fee Received 125.00

Date 8-4-95

Receipt # C033320

Receipt by Ju

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

1. Permit No. 51-07170

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the Department make the field examination of this permit; attached is the examination fee.
(If this box is marked, complete items 1 through 8.)

2. Permit Holder: Keith Thomas

3. Post Office Address: HC 85 Box 145

Bruneau Telephone No. 845-2991

4. Source of Water: Well - 15 H.P. pump 40 ft lift

5. Extent of Use:

Domestic (No. of households) Stockwater 200 head (No. & type)

Irrigation 75 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 192 cfs af

7. Show the date water was first diverted and beneficially used under this permit:

14 Jan 1963

8. Person to contact to accompany the Department representative during the field examination:

Keith Thomas or Jay Thomas
(Name)

Box 145 HC 85 Bruneau 845-2991
(Address) (Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination.

(If this box is marked, complete items 1 through 8.)

Date

Keith Thomas
Signature of Permit Holder (title, if appropriate)

RECEIVED
AUG 25 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 28, 1995

KEITH THOMAS
HC 85 BOX 145
BRUNEAU ID 83604-9704

RE: Permit No. 51-07170

Dear Mr. Thomas:

According to our files, you have submitted a Snake River Basin Adjudication claim indicating that you are the owner of water right 51-07170 which was permitted in the names of Oren and Maxine McGuire.

Department records show that proof of beneficial use was submitted by the McGuires 1982, but that a field examination has not yet been conducted to verify that a water diversion system has been developed and for what purpose(s) the water is being used.

The 1986 Idaho Legislature amended Sections 42-217 and 42-221, Idaho Code to require a license examination fee before this Department can conduct a field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of this letter. For your convenience, an Examination Fee Information sheet is enclosed which must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department the Examination Fee Information sheet showing the appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter.

RECEIVED

AUG 25 1995

You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the Department to conduct water right examinations.

The license examination fee is based on the amount of water you indicate you have developed, as listed in item 6 on the Examination Fee Information sheet. The amount of water on which the fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the form. The enclosed license examination fee schedule shows a listing of applicable fees.

Failure to submit within the sixty (60) day period, the fee or the statement that a certified examiner has been retained to make the field examination, will be cause to advance the priority of the permit one day for each day that the fee and/or form submittal is late.

Failure to submit the fee or the completed field examination report within a year will be cause to consider the Proof of Beneficial Use to be incomplete and to lapse the permit.

If you have any questions, please contact me as soon as possible at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

Enclosures

RECEIVED
AUG 25 1995

INTER-DEPARTMENT MEMO — 1

FROM John K. Noyes

DATE 10/21/87

TO File

PER Telephone conversation 10/21/87.
SUBJECT ASSIGNMENT OF Permit 51-7170 & EXAMINATION

sent assignment of permit 51-7170 to Keith Thomas, Bruneau.

Mr Thomas would like the Dept. to examine # 51-7170 in the spring of 1988. Keith Thomas is the new owner his address is, Box 145A H.E. 9, **MICROFILMED**

Bruneau, ID

836 04

AUG 25 1995

John K. Noyes
SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Re: 1-7, 1995

Dear _____

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

AUG 25 1995

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MC GUIRE, OREN JOHN & MAXINE
ROUTE 8, BOX 261
BRUNEAU, ID 83604

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 51-7170 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED

AUG 25 1982

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MC GUIKE, OREN JOHN & MAXINE
ROUTE B, BOX 261
BRUNEAU, ID 83604

AUGUST 04, 1981

RE: PERMIT NO. 51-7170

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECORDED

51-2120-

MC GUIRE, OREN JOHN &/or MAXINE

ROUTE B, BOX 261, BRUNEAU, ID 83604

Source: GROUNDWATER

Date Filed: 06/10/1981

Amount: 0.92 CFS

Diversion Point: SENW NESW Sec 24 T 07S R 04E, ONYHEE Co.

Use: IRRIGATION (0.92 CFS) from 03/15 to 11/15

Place of Use: SWNE NESW Sec 24 T 07S R 04E FOR 46 ACRES

Diversion Means: WELL, PUMP & GRAVITY SYSTEM

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below Permit No. 51-7170

Name(s) of Permit Holder: OREN JOHN &/OR MAXINE MCGUIRE

Post Office Address: Route B, Box 161

Bruneau, ID 83604 Tel. No. 845-2822

Source of Water: Groundwater

Extent of Use: ☐ Domestic ☐ Stockwater ☒ Irrigation ☐ Other

(number of households)
(number and type of stock)
(acres)

46

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder

X Oren John McGuire

RECEIVED

AUG 2 1982



MICROFILMED

AUG 25 1995

ONE
CENT
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources STATE HOUSE
BOISE, IDAHO 83720