

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 8 day of Nov., 1979, and the last publication being on the 15 day of Nov., 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 15 day of

November, 1979.

Lorna S. Hawes
NOTARY PUBLIC

My commission expires 9-10-82

(SEAL)

RECEIVED
NOV 19 1979

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

51 - 7143

ROEDER, RON &/or VIRGINIA

RT. B. BOX 170C, BRUNEAU, ID 83604

Source: GROUNDWATER

Date Filed: 10/31/1979.

Amount: 0.14 CFS

Diversion Point: NESE Sec 07 T 07S R 05E, OWYHEE Co.

Use: IRRIGATION (0.12 CFS) from 03/01 to 10/31

DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SESE NESE Sec 07 T 07S R 05E FOR 7 ACRES

Diversion Means: PUMP, MAINLINE & SPRINKLERS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources 92 S. Cole Road, Boise, Idaho 83709 on or before NOVEMBER 28, 1979.


C. STEPHEN ALLRED,
Director

Published 11/8 & 11/15/79—
The Owyhee Nugget, Marsing,
Owyhee County, Idaho.

OK-KK
11/20/79

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SE 1/4, S. 7, T. 7S, R. 5E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	5E	7													5				5
															0				
																			5

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

SEP 21 1989

Examiner's Signature

Checked by

Approved by

Jan Skute

625

Jan

Date 11/7/85

Date 1/15/86

Date 2/27/89

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07143

Priority: October 31, 1979

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:¹

25.6 AF

This is to certify, that RON ROEDER
VIRGINIA ROEDER

RT. B BOX 170C
BRUNEAU, ID 83604

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 31, 1979; and has submitted Proof of Beneficial Use on August 10, 1984. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 10/31	0.08 CFS	25.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.08 CFS	25.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 7, Township 07S, Range 05E
OWYHEE County

12

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	05E	7	NESE	5		5

Total number of acres irrigated: 5

PLACE OF USE: DOMESTIC, same as use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.


MICROFILMED

SEP 21 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 51-07143

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of AUGUST, 1987.


Acting for R. Keith Higginson, Director

MICROFILMED

SEP 21 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ron + Virginia Roeder Phone 845-2282
Post office address RT B Box 170C Bruneau, Idaho 83604
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 7S
Range 5E B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for Irrigation purposes from March 1 to October 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Domestic purposes from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Pump, main line and sprinklers.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 6" inches; proposed depth of well is 195 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 7S
Range 5E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	5E	7				3.5									3				6.5

Total number of acres to be irrigated 6.5

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Ron + Virginia Roeder

b. Who owns the land to be irrigated or place of use Ron + Virginia Roeder

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ron Roder Virginia Roder
(Applicant)

Proposed Priority 10/31/79
Received by kw Date 10/31/79 Time 1:05 pm
Preliminary check by chs Fee \$ 20.00 # 15246
Receipted by KK Date 10/31/79
Publication prepared by kk Date 11/1/79
Published in Owyhee Nuggett
Publication dates 11/8 & 11/15/79
Publication approved KK Date 11/26/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date, _____
Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7143 , and said application is hereby approved .

- 1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1 , 19 84 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: _____

Witness my hand this 6th day of December , 19 79 .

J. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 8 day of Nov, 1979, and the last publication being on the 15 day of Nov, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 15 day of

November, 1979.


Lorna Hawes
NOTARY PUBLIC

My commission expires 9-10-82

(SEAL)

NOV 19 1979

Department of Water Resources
Western Regional Office



OK-KK
11/20/79

RECORDED

August 30, 1989

RON ROEDER
VIRGINIA ROEDER
RT. B BOX 170C
BRUNEAU, ID 83604

RE: PERMIT NO. 51-07143

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAILING

SEP 21 1989

July 6, 1989

RON ROEDER
VIRGINIA ROEDER
RT. B BOX 170C
BRUNEAU, ID 83604

RE: PERMIT NO. 51-07143

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 21 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
5107143 5104051	07S	05E	7	NE SE		GROUNDWATER GROUNDWATER	ROEDER, RON SELLMAN, CATHE

MICROFILMED

SEP 21 1989

RECEIVED
JAN 26 1986

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

Department of Water Resources
51-7143
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	N/A		Proof filed at time of exam
☒ Telephone call made (List Telephone No. used)	8/29/84	JG	Mr. Roeder called + requested exam
☒ Appointment scheduled for: (Date, time, location)	8/10/84 10:30 - BRUNEAU	JG	4.7 miles ^{or south} of Highway 51 from junction w/ Highway 18.

EXAMINATION

Date 8/10/84 Accompanied by MR. ROEDER Total Q measured 0.08 cfs
Source G.W. Tributary to _____ Supp. annubar measurement sheet used? _____
If source is surface water, estimate total flow of source _____
Methods of measurement Pressure gauge Meets permit requirements? yes

Measurement calculations:
13' 18" R.B. # 30's at 32 psi = 2.6 gpm. RA = 34 gpm - IRR.
30 WS - 30 RS - 18" R.B. = 0.08 cfs
$$\frac{1\frac{1}{2} \text{ HP} \times 8' \times .80}{60' + 32 \div 1.4333} = \frac{10.56}{133.9} = 0.08 \text{ cfs}$$

$$.08 \text{ cfs} \times 1.98 \times 245 \text{ ft} = 38.8 \text{ AF}$$

$$5 \text{ AC} \times 5 \text{ AF/AC} = 25 \text{ AF/yr} < 38.8$$

DOMESTIC - 1 HOME IN-HOUSE ONLY - 0.6 AF/ANN.
(IRRIG OF LAWN COVERED UNDER IRRIGATION PORTION)

WELL/DIV NO.	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS DEVICE	REMARKS
	1 1/2	SUBMERSED	- NO	SERIAL	#S AVAILABLE			

System Description PUMP & MOTOR SUBMERGED IN WELL. IRR. SYSTEM
W/ 3" PIPELINE FROM WELL TO 3" MAINLINE TO SPRINKLER
SYSTEM. 2 1/2" PIPELINE TO HOME. PUMP SET 60' DOWN.

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS	Irrigation requirement = <u>5.0</u>		AFA/Acre	
USE	Q (cfs)	V (afa)	FROM	TO
<u>IRRIGATION - 5 ACRES</u>	<u>0.08</u>	<u>25.0 cfs</u>	<u>3-1</u>	<u>10-31</u>
<u>DOMESTIC - 1 HOME</u>	<u>0.02</u>	<u>0.6 cfs</u>	<u>1-1</u>	<u>12-31</u>

Remarks WELL WAS ARTESIAN FLOW UNTIL EARTHQUAKE THEN PUMP
WAS INSTALLED. NO OTHER RTS.

MICROFILMED

SEP 21 1989

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SE 1/4, S. 7, T. 7S, R. 5E.

Place(s) of Use

[illegible]

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

SEP 21 1989

Examiner's Signature

Checked by

Approved by _____

Date 11/7/85

Date 1/15/86

Date 2/27/01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 51-7143
Name(s) of Permit Holder(s). Ron & Virginia Roeder
Post Office Address Rt B Box 170 C
Bruneau, Idaho 83604 Tel. No. 845-2282

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 4/16/81 I understand that I must
(date)
continue to develop the water system with due diligence and maintain a valid permit
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*.

*Note: A financing difficulty is
not an acceptable reason

7/4/82
Date

Ronald Z Roeder
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1985

Ron & Virginia Roeder
Rt. B, Box 170C
Bruneau, ID 83604

Re: Water Right Identification No. 51-7143

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

- ☒ Proof of beneficial use has already been submitted for the water right.
- ☐ Proof of beneficial use is not applicable for existing licensed rights.
- ☐ Proof of beneficial use is not applicable for existing decreed rights.
- ☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.
- ☐ Other:

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

MICROFILMED

SEP 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 22, 1984

RON ROEDER
RT. 8 BOX 1700
BRUNEAU

ID 83604

RE: Permit No. 51-7143

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

SEP 21 1989

October 1, 1984

Ron and Virginia Roeder
Rt. B, Box 170C
Bruneau, ID 83604

Dear Mr. and Mrs. Roeder:

Re: Permit No. 51-7143

This office acknowledges receipt of the statement of beneficial use postcard.

It is my understanding that a field examination has been conducted by one of our regional representatives. Based on his/her recommendations, a water right license will be issued.

If you have questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

MICROFILMED

cc: Western Region

Secretary/Records Manager
BILL I. FLECK

Sincerely,

contact this office.

If you have questions concerning your permit, please feel free to

a water right license will be issued.

by one of our regional representatives. Based on his/her recommendations,

it is my understanding that a field examination has been conducted

use postcard.

This office acknowledges receipt of the statement of beneficial

Re: Permit No. 21-1143

Dear Mr. and Mrs. Koerber:

Bureau ID 83804

Rt. B, Box 1100

Ron and Virginia Koerber

October 1, 1984

IDENT. NO. 51-7143

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

December 6, 1979

Ron & Virginia Roeder
Rt. B Box 170C
Bruneau, Idaho 83604

Dear Mr. & Mrs. Roeder,

RE: Permit No. 51-7143

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 51-7143

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/26/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/19/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 10-31-79 Date of priority recommended.
Special conditions of approval or cover letter. I.P. G.W. letter.

By: DBS Date: 11/26/79

STATE OFFICE REVIEW:

- Idaho power letter w/o conditions
Send receipt w/ approved app.
☐ See attached sheet for more information.
By: Jmi Date: 12/3/79

IDAHO DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 51-7143.

Name(s) of Permit Holder: Ron & Linda Roeder

Post Office Address: Rt B Box 1765 Pocatello, Idaho
83604 Tel No 845-2282

Source of Water: Ground Water

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 5 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


8/10/84

Date

MICROFILMED

Ron Roeder

Signature of Permit Holder



PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before NOVEMBER 26, 1979.

C. STEPHEN ALLRED

Director

Published 11/8 & 11/15/79.

11/15/79

ROEDER, RON &/or VIRGINIA

RT.B, BOX 170C, BRUNEAU, ID 83604

Source: GROUNDWATER

Date Filed: 10/31/1979

Amount: 0.14 CFS

Diversion Point: NESE Sec 07 T 07S R 05E, OUYHEE Co.

Use: IRRIGATION	(0.12 CFS)	from 03/01 to 10/31
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SENE NESE Sec 07 T 07S R 05E FOR 7 ACRES

Diversion Means: PUMP, MAINLINE & SPRINKLERS