


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Twin Falls, Idaho, this 3 day of December, 19 75.

Leona J. Parnell
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


I, A. KENNETH DUNN Administrator, Operations Division, ~~Director~~ of the Department of Water Resources

hereby approve the above application for amendment for Permit No. 51-7034.

Witness my hand this 10 day of December, 19 75.

A. Kenneth Dunn
Director
A. KENNETH DUNN
Administrator, Operations Division

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lorna F. Powell
(Applicant)

FEB 4 1969

4. That said notice

Jan. 30, 1969

Frederic A. Riley

My commission expires 2-6, 1972.


51 7034

Bill submitted 2-4-69

Perm # 51-7034
Leonard F. Parkiel

RECEIVED

APR 18 1990



This map drawn off
of large Area / photo.

INTER-DEPARTMENT MEMO — 1

DATE June 25, 1987

FROM State Office

TO File 51-7034

SUBJECT Returned Mail from 1986 mailing of the "Certified Examination Fee Notice" letter.

New addresses were located and another Certified Examination Fee Notice letter and Exam information sheet were mailed dated June 25, 1987. These letters were sent out by the State Office using each regions letterhead.

These addresses were obtained by contacting the county assessors office.

Gail Garrett
SIGNATURE

MICROFILMED

APR 18 1990

Identification No. _____
Permit No. 517034

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
JAN 25 1974

Department of Water Administration

1. a) Name of Permit Holder Leona F Parnoff
b) Post Office Address 618 Poplar St Bull Lake
2. Permit Number 517034
3. Date of Priority that you are prepared to establish Dec 24 - 1968
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: NE 1/4 SW 1/4, Section 17
Township 9S, Range 12E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 165 inches for _____ purposes from 4/1 to 11/15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 165 inches cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Leona F Parnoff
Pump Co. Twin Falls
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 200 Horse Pump
20 inch casing 800 ft well
b) Describe the type and size of measuring device which you have installed at your point of diversion: 8' x 6' Concrete box with headgate of 24' x 24'
8" wall
c) Give well driller name and address and date the well was completed Wheeler + Sons
Loomis # 45 Date April 19 - 1969

Copy

517034

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Watering cattle in fields and home use

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS irrigated
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	12E	17			30			35	25					35					125
		18			25														25
		7			20									35	30				85

10. Remarks: Land has been farmed for 27 years Total number of acres irrigated 235

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-25-74
(Date)

James F. Parnell
(Signature)

State of IDAHO)
County of TWIN FALLS) ss.

On this 25th day of JANUARY, 1974, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires Feb-15-1975

James H. Patterson
Notary Public residing at Boise

Copy

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

24998

INSURED NO.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

12-3-73

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

51 7034

State of Idaho
Department of Water Resources
Water Right License

Amended

Amended

WATER RIGHT NO. 51-07034

Priority: December 30, 1968

Maximum Diversion Rate 6.40 CFS*
Maximum Diversion Volume 1,280.0 AF*

It is hereby certified that LEONA F PARNELL
301 N 8TH
BUHL ID 83316 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated December 23, 1968; and has
submitted Proof of Beneficial Use on February 8, 1974. An examination indicates that the works have
a diversion capacity of 6.9 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	3/15 to 11/15	6.40 CFS*	1,280.0 AF*

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW¼SE¼ Sec. 17, Twp 09S, Rge 12E, B.M. OWYHEE County
GROUND WATER NE¼NW¼ Sec. 17, Twp 09S, Rge 12E, B.M. OWYHEE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 12E 7			36.0										20.0	40.0	37.0	40.0	173.0
09S 12E 8									3.0	36.0	15.0						54.0
09S 12E 17			32.0						3.0					30.0			65.0
09S 12E 18	28.0																28.0

Total Acres. 320

CONDITIONS OF APPROVAL

*1 This right when combined with all other rights, including Right 51-2190, shall provide no more than
0.2 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right
confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho
law and applicable rules of the Department of Water Resources

Signed and sealed this 7th day of May, 2002.

MICROFILMED

Acting for

KARL J. DREHER
Director

BEFORE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PETITION TO)
CORRECT WATER RIGHT LICENSE)
SUBMITTED BY WILLIAM L PARNELL)
_____)

**PRELIMINARY ORDER
CORRECTING LICENSE**

This matter having come before the Department of Water Resources (Department) as a result of the filing of a petition to correct a water right license, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

- 1 On February 11, 1969, the Department issued Permit 51-7034 (permit) to Leona F Parnell (permit holder) authorizing the diversion of 6.4 cfs from ground water for the irrigation of 320 acres located in Sections 7, 17, and 18, Township 9 South, Range 12 East, B M, within Owyhee County
- 2 On February 8, 1974, the Department received the permit holder's proof of beneficial use statement for the permit
- 3 On July 8, 1988, a Department field examiner completed a Beneficial Use Field Report in which he described the place of use developed under Permit 51-7034 as 320 acres of land, including 20 acres in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, 40 acres in the NW $\frac{1}{4}$ SW $\frac{1}{4}$, 37 acres in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, and 40 acres in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M. However, the field examiner's map submitted in connection with the Beneficial Use Field Report clearly depicts the place of use with no acres in the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M. Instead, the field examiner's map includes 20 acres in the NE $\frac{1}{4}$ SE $\frac{1}{4}$, 40 acres in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, 37 acres in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, and 40 acres in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M.
- 4 On January 18, 1989, W L Parnell (claimant) filed Claim A51-7034, based on the permit, in the Snake River Basin Adjudication of water rights (SRBA).
- 5 On March 15, 1990, at the Department's request, the claimant submitted an Application for Amendment of Permit (amendment) to change the place of use description for Permit 51-7034 to match the findings in the Beneficial Use Field Report prepared by the Department.

MICROFILMED

- 6 On April 2, 1990, the Department approved the amendment and issued Water Right License 51-7034 to the permit holder with a place of use description of 320 acres of land, including 20 acres in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, 40 acres in the NW $\frac{1}{4}$ SW $\frac{1}{4}$, 37 acres in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, and 40 acres in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M
- 7 On August 6, 1998, the Department filed a report with the SRBA court recommending that the place of use for water right 51-7034 be decreed as licensed, including the 137 acres in the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M.
- 8 On April 1, 1999, the United States of America, through the Department of Interior, Bureau of Land Management (BLM), submitted an objection to the Department's recommendation. In the objection the BLM indicates that the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M, is land owned by the United States and administered by the BLM
- 9 On April 22, 2002, the claimant filed a petition to correct Water Right License 51-7034 (license) by correcting the place of use description to show 137 acres in the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M, instead of 137 acres in the SE $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M
- 10 Also on April 22, 2002, the petitioner submitted a revised amendment to replace the one submitted in 1990. The revised amendment shows a place of use of 320 acres of land, including 20 acres in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, 40 acres in the NW $\frac{1}{4}$ SW $\frac{1}{4}$, 37 acres in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, and 40 acres in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M.
- 11 Aerial photography from 1987 shows irrigated agriculture occurring in the SE $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M, but not in the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M
- 12 The diversion and use of water for irrigation purposes under Permit 51-7034 occurred on the SE $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M, but did not occur on the lands administered by the BLM in the SW $\frac{1}{4}$ of Section 7, Township 9 South, Range 12 East, B M
- 13 Section 42-219(2), *Idaho Code*, which governs the issuance of water right licenses, says in part, "If such use is for irrigation, such license shall give a description, by legal subdivisions, of the land which is irrigated by such water "

CONCLUSIONS OF LAW

- 1 Under Section 42-219(2), *Idaho Code*, the Department has a statutory obligation to issue water right licenses with accurate place of use descriptions.
- 2 The license does not accurately describe the place of use for the irrigation use developed by the permit holder in accordance with Permit 51-7034


- 3 The Department should approve the revised amendment and correct the place of use described on the license

ORDER

IT IS HEREBY ORDERED that the Application for Amendment of Permit 51-7034 submitted on March 15, 1990, and revised on April 22, 2002, is **APPROVED** as revised

IT IS FURTHER HEREBY ORDERED THAT THE place of use description on Water Right License 51-7034 is **CORRECTED** as set forth in the Amended Water Right License issued in conjunction with this order

Dated this 7th day of May, 2002


NORMAN C. YOUNG
Administrator, Water Management Division

MICROFILMED

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

RECEIVED
APR 22 2002
DEPARTMENT OF WATER RESOURCES

Date of Priority: December 30, 1968

Maximum Diversion Rate 6.40 CFS
Maximum Diversion Volume: 1,280.0 AF

Comes now LEONA F PARNELL
RT 4 BOX 262A

BUHL ID 83316 and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No 51-07034, and requests that the permit be changed as follows.

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	3/15 to 11/15	6.40 CFS	1,280.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NW1/4SE1/4	Sec 17, Twp 09S, Rge 12E, B M
OWYHEE County		
GROUND WATER	NE1/4NW1/4	Sec 17, Twp 09S, Rge 12E, B M.
OWYHEE County		

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 12E 7			36.0										20.0	40.0	37.0	40.0	173.0
09S 12E 8									3.0	36.0	15.0						54.0
09S 12E 17			32.0						3.0					30.0			65.0
09S 12E 18	28.0																28.0

Total Acres 320

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk Signed this 22 day of April, 2002

William F Parnell
(Signature)

MICROFILMED

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = \$2000 Receipted by C. Long # 6013068 Date 11-29-89

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No 51-07034 with the following

CONDITIONS OF APPROVAL

- 1 This right when combined with all other rights, including 51-2190, shall provide no more than 02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

Witness my hand this 7th day of May, 2002

Acting for 
KARL J DREHER
Director

MICROFILMED

1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07034

Priority: December 30, 1968 Maximum Diversion Rate: 6.40 CFS
Maximum Diversion Volume:¹ 1280.0 AF

This is to certify, that LEONA F. PARNELL

RT 4 BOX 262A

BUHL, ID 83316

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 23, 1968; and has submitted Proof of Beneficial Use on February 8, 1974. An examination indicates that the works have a diversion capacity of 6.900 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	6.40 CFS	1280.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 17, Township 09S, Range 12E
NWSE , Sec. 17, Township 09S, Range 12E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	12E	7	SWNE 36	NESW 20	NWSW 40		
			SWSW 37	SESW 40			173
		8	NWSW 3	SWSW 36	SESW 15		54
		17	SWNE 32	NESW 3	NWSE 30		65
		18	NENE 28				28

Total number of acres irrigated: 320

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 10 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 51-07034

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of April, 1990.


R. Keith Higginson, Director

APR 11 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

RECEIVED
MAR 15 1970
Department of Water Resources

Date of Priority: December 30, 1968

Maximum Diversion Rate: 6.40 CFS
Maximum Diversion Volume: 1280.0 AF

Comes now
RT 4 BOX 262A
BUHL, ID 83316

LEONA F. PARNELL

and represents to the Director of the

APPROVED

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 51-07034, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	6.40 CFS	1280.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 17, Township 09S, Range 12E
NWSE , Sec. 17, Township 09S, Range 12E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	12E	7	SWNE 36	NESW 20	NWSW 40	173
		8	SWSW 37	SESW 40		54
		17	NWSW 3	SWSW 36	SESW 15	65
		18	SWNE 32	NESW 3	NWSE 30	28
			NENE 28			

Total number of acres irrigated: 320

MICROFILMED

APR 16 1970

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at W, this 14 day of March, 1970.

W. J. Durnell
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by C. Wong Date 11-29-89 #C013068

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 51-07034 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this 2ND day of April, 1990.

Norman C. Young
R. Keith Higginson, Director

RECEIVED

APR 1 1990

[]

Receipt # 16

RECEIVED

**Department of Water Resources
Southern District Office**

Permit No. 51-7034

Poplar Street Buhl, Idaho, and represents to the Director of
the Idaho Department of Water Resources:

1. Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17 Twp. 95
Rge. 12, B.M., County of Owyhee. Other points of diversion:
also SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8 township 95 Range 12 S B.M. County
of Owyhee

Amount 6.4 for irrigation purposes from April to Oct. 31 (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

[illegible]

Total number of acres to be irrigated

4



holders own risk.

John Fells, Esq.

(Signature)

hereby approve the above application for amendment for Permit No. 51-7034.

December, 1975

INDEX

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 51-7034)

ORDER OF REINSTATEMENT

IN THE NAME OF LEONA F. PARNELL)

WHEREAS, on December 23, 1968, Leona F. Parnell filed with the Department of Administration (formerly the Department of Reclamation) an application for permit to appropriate 6.4 cubic feet per second of water from a point within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17, Twp. 9S, Rge. 12E, B.M., Owyhee County, to be used for irrigation purposes; and,

WHEREAS, on February 11, 1969, the Department approved said application and issued Permit No. 51-7034 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1974, and that the permit holder permanently install and maintain a measuring device of a type approved by the Department as part of the diverting works; and,

WHEREAS, on November 30, 1973, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to make said proof; and,

WHEREAS, on January 29, 1974, the Department received the required proof of beneficial use; and,

WHEREAS, on February 4, 1974, the Department notified the permit holder that her proof affidavit was not acceptable for failure to indicate that a measuring device was installed; and,

WHEREAS, on February 5, 1974, the Department notified the permit holder that Permit No. 51-7034 had lapsed for failure to submit an adequate proof of beneficial use affidavit; and,

WHEREAS, on February 8, 1974, the permit holder submitted evidence that the measuring device requirement has been met; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated; and,

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 51-7034 be REINSTATED and the priority advanced to December 30, 1968.

Dated this 11 day of February, 1974

51 7034



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Idaho Land Office
Boise, Idaho

IN REPLY REFER TO

I:VSS
Idaho 016864

NOTICE OF ALLOWANCE

Leona F. Parnell
618 Poplar Street
Buhl, Idaho 83316

Serial No. Idaho 016864 320 Acres

T. 9 S., R. 12 E., Boise Mer., Idaho
Sec. 7: W $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NL $\frac{1}{4}$
Sec. 17: SW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$
Sec. 18: NE $\frac{1}{4}$ NE $\frac{1}{4}$

Your desert land application for the above described land has this day been approved and allowed, subject to any valid existing rights and your further compliance with laws and regulations applicable thereto. The acceptability of final proof is contingent upon development and reclamation of the land in accordance with your plan of development which is on file in the Boise Land Office. Any substantial change in source of water or deviation in the construction of the irrigating facilities must have the approval of the Bureau of Land Management. The irrigable acreage of this entry has been determined to be approximately 275 acres. In correspondence relating to this entry, always refer to the serial number shown above.

Subject to the Act of July 17, 1914, which will require the reservation of all oil and gas deposits to the United States.

Also subject to right-of-way I-1571 issued to Idaho Power Company for a powerline on NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17.

IN WITNESS WHEREOF, I have hereunto set
my hand and seal this 27th day
of February, 19 69

cc: State Dept of Reclamation

IS/ CURTIS R. TAYLOR

Acting MANAGER, LAND OFFICE

Identification No _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant LEONA F. PARNELL
post office address 618 Poplar St., Buhl, Idaho 83316
- 2 Source of water supply Ground water which is a tributary of _____
- 3 a Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 17 Township 9 S
Range 12 E B M Owyhee County, additional points of diversion if any _____

- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B M _____
- 4 Water will be used for the following purposes:
Amount 6.4 for Irrigation purpose from April 1 to October 31 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated
a 6.4 cubic feet per second and/or
b _____ acre feet per annum
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc Well, deep well turbine pump,
and surface irrigation system

- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)
- c Proposed well diameter is 20 inches, proposed depth of well is 800 feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ 18,000.00
- 8 Description of proposed uses
a If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9 S	12 E	7		40											40	40			120
		17			40				40						40				160
		18	40																40

Total number of acres to be irrigated 320

c Describe any other water rights used for the same purposes None

9 a Who owns the property at the point of diversion U.S. Government

b Who owns the land to be irrigated or place of use U. S. Government

c If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing D.E. #I-016864

(Attached Letter)

10 Remarks

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

00 000000

State Reclamation Engineer

Witness my hand this 11 day of February, 1969.

2 Denial of said application is for the following reasons

by the department as part of the diverting works.

The applicant shall permanently install a measuring device of a type approved

February 1, 1974.

b Proof of construction of works and application of water to beneficial use shall be submitted on or

a SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions

Idaho No. 51-7034, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF STATE RECLAMATION ENGINEER

Recommended for approval by DDM - 07-15

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by 47822 5/20/09

Priority reduced to _____ Reason _____

Publication approved _____ Date 11/13/2017

Publication dates 1. 1. 1954

Published in *Wuppertal (1900)*

Publication prepared by Date 10-11-69

Received by 27 Date 12-24-68

Preliminary check by Wm. Fee \$ 50.00

Received by _____ Date 12-23-68 Time 8:00 a

12-23-68 Time 8:00 am
 Fee \$ 50.00 plus 1.0% per day
 12-23-68



IN REPLY REFER TO

UNITED STATES
DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

Idaho Land Office
Room 334, Federal Bldg.
550 West Fort Street
Boise, Idaho 83702

Idaho 016864

20 1968

December 17, 1968

Leona F. Parnell
618 Poplar Street
Buhl, Idaho 83316

Dear Mrs. Parnell:

On September 20, 1967 a letter was sent to you offering you the opportunity to apply for a special land use permit and informing you that you must obtain a State water permit to drill a well. An extra copy of the letter was attached for you to submit to the State when you applied for the permit. We have never received a copy of the requested water permit.


The land included in your desert land application has been classified as suitable for entry under the desert land law. On the basis of the well drilled by your husband on adjoining land, our Boise District Office has recommended that your entry be allowed.

Before a notice of allowance can be issued you must submit evidence of your right to appropriate and use the water from the well you intend to drill. The extra copy of our September 20, 1967 letter should be submitted to the State when you apply for the permit. If you no longer have that letter, they may accept this letter as evidence that the land has been classified as suitable for desert land entry.

Please inform us when you apply for the permit.

We would appreciate receiving a copy of the approved water permit or evidence that you have applied for a water permit within the next 30 days.

Sincerely yours,


Orval G. Hadley
Manager, Land Office

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that
Loren F. Everett, 218 - Poplar
Street, Boise, Idaho, has on De-
cember 22, 1968 applied for per-
mit under application No. 21-
7022 to divert 6.4 cubic feet per
second of water from a ground
water source. Water will be
diverted by a well, pump, and
surface irrigation system within
the 1/4 section, sec. 14, T. 2 S.,
R. 2 E., E. 1/4, Owyhee County
and is to be used from April 1 to
October 31 for irrigation in the
SW 1/4, NW 1/4, sec. 7;
SW 1/4, SW 1/4, NW 1/4,
SW 1/4, NW 1/4, sec. 14; NE 1/4,
NW 1/4, sec. 20, T. 2 S., R. 2 E.,
E. 1/4.

Any protest against this ap-
plication must be filed with the
Department of Reclamation with-
in ten days from the last date of
publication of this notice.

First Publication: *Owyhee Chronicle*
Published in the *Owyhee Chronicle*,
Homedale, Idaho, on January 23 and January 30, 1969.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

1. Everett A. Colley being first duly sworn, depose
and say

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was and now am over the age of twenty-
one years, not a party to nor interested in the proceedings hereinafter
mentioned.

2. That during the time of the publication of the notice herein-
after mentioned, I was and now am the printer or publisher
of THE OWYHEE CHRONICLE, a newspaper of general circulation
printed and published weekly, on Thursday of each and every week,
in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and
published continuously and uninterruptedly in said County during a
period of seventy-eight weeks prior to the first publication of the
attached notice.

4 That said notice

of which a printed copy, taken from said newspaper, is hereto annexed,
was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (consecutive)
calendar weekly issue(s) of said newspaper, on the following date(s):

Jan. 23, 1969

Jan. 30, 1969

(Signed)

Everett A. Colley

Subscribed and sworn to before me this 30th day of Jan.
A D., 1969

Evelyn S. Colley
Notary Public in and for the State of Idaho.

residing at Homedale, Idaho.

My commission expires 2-6, 1972

1968 submitted 2-7-69



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

May 9, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

WILLIAM L PARNELL
301 N 8TH
BUHL ID 83316

RE: Water Right License 51-7034

Dear Mr. Parnell

The Department of Water Resources has issued the enclosed **preliminary order** correcting the place of use for Water Right License 51-7034. Also enclosed are an amended license document and a copy of your revised application for amendment, both issued pursuant to the preliminary order. **The preliminary order can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described in the enclosed information sheet.**

If you have questions, please contact me at (208) 327-7946

Sincerely,

Shelley W Keen
Water Rights Supervisor

Enclosures

cc Roxanne Brown, IDWR Adjudication Bureau

MICROFILMED


SEP 23 2002

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of May, 2002, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER CORRECTING LICENSE** to the person(s) listed below:

Water Right No. 51-7034

**WILLIAM L PARNELL
301 N 8TH
BUHL ID 83316**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
SEP 23 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

SEP 23 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
SEP 23 2002

RECEIVED

APR 01 1999

Department of Water Resources

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Case No. 39576

A. Subcase 51-07034

(Insert water right number)

STANDARD FORM 1
OBJECTION

Please fill in the following information:

B. NAME AND ADDRESS OF PERSON OBJECTING

Name: United States of America acting through the Department of Interior,
Bureau of Land Management, Idaho State Office

Address: 1387 South Vinnell Way
Boise, Idaho 83709-1657

Daytime Phone: see below

Name & Address of Attorney, if any:

Larry A. Brown 208 387-0835; R. Lee Leininger, 202 305-0242; Paul F. Holleman, 202 305-0494

United States Department of Justice: Environment and Natural Resource Division: General Litigation Section
550 West Fort Street, MSC 033; Boise, Idaho 83724

C. CLAIMANT OF WATER RIGHT AS LISTED IN DIRECTOR'S REPORT

Name: W. L. Parnell

Address: 301 North 8th Buhl, ID. 83316

Name:

Address:

Name:

Address:

Name:

Address:

MICROFILMED

SEP 23 2002

D. I object to the following elements as recommended in the Director's Report. (Please check the appropriate box(es)).

1. ☐ Name and Address Should be: _____

2. ☐ Source Should be: _____

3. ☐ Quantity Should be: _____

4. ☐ Priority Date Should be: _____

5. ☐ Point(s) of Diversion Should be: _____

6. ☐ Instream Flow Description Should be: _____

7. ☐ Purpose(s) of Use Should be: _____

8. ☐ Period of Year Should be: _____

9. ☒ Place of Use Should be: See attached

11. I object because:

☐ This water right should not exist.

☐ This water right was not recommended, but should be recommended with the elements described above.

E. REASONS SUPPORTING OBJECTION(S):

The United States of America, through the Bureau of Land Management, is the owner of the land upon which use is claimed. The claimant's use of Federal land is unauthorized. See attached POU. Claimant's water right should not include this POU.

MICROFILMED
SEP 23 2002

F.

VERIFICATION (Must be Completed)

State of Idaho)

) ss.

County of Ada)

Fredric W. Price, Water Rights Specialist, duly sworn, upon oath, deposes and says:

(Name of person filing objection)

That I am the party/claimant filing this objection, as defined by I.C. §§ 42-1401A(1) and (6) or that I am the attorney for the party/claimant objecting and that I have read this objection, know its contents and believe that the statements are true to the best of my knowledge.

Fredric W. Price
(Signature of person filing objection)

Sam C. Brown
(Attorney signing in representative capacity)

Subscribed and sworn to before me on: Jan. 29, 1999

John W. Thornburgh
John W. Thornburgh

Notary Public for Idaho

Residing at: Boise

My Commission Expires: 05-16-2003



MICROFILMED

SEP 23 2002

INSTRUCTIONS FOR MAILING

You must mail the objection, to the Clerk of the Court. **FAX filings will not be accepted.** You must also send a copy to all the parties listed below in the Certificate of Mailing.

G. CERTIFICATE OF MAILING

I certify that on MAR 31 1999, 1999, I mailed the original and copies of this objection, including all attachments, to the following persons:

1. Original to:

Clerk of the District Court
Snake River Basin Adjudication
253 Third Avenue North
P.O. Box 2707
Twin Falls, ID 83303-2707

2. One copy to the claimant of the water right at the following address:


Name: W. L. Parnell
Address: 301 North 8th Buhl, ID. 83316
Name:
Address:
Name:
Address:
Name:
Address:

3. Copies to:

IDWR Document Depository
PO Box 83720
Boise, ID 83720-0098

United States Department of Justice
Environment and Natural Resource Division
550 West Fort Street, MSC 033
Boise, ID 83724

Chief, Natural Resources Division
Office of the Attorney General
State of Idaho
PO Box 44449
Boise, ID 83711-4449


Signature of Objector or attorney mailing on Objector's behalf

MICROFILMED
SEP 23 2002

AJ5856NP

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAWDATE: NOV-20-1998
PAGE: A-588

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 51-07034

NAME & ADDRESS: W L PARNELL
301 N 8th
BUHL ID 83316

SOURCE: GROUNDWATER

QUANTITY: 6.4 CFS

USE OF THIS RIGHT WITH RIGHT NO. 51-02190 IS LIMITED TO A
TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 1836 AF.

PRIORITY DATE: 12/30/1968

POINT OF DIVERSION: T09S R12E S17

NENW
NWSE

Within Owyhee County

PURPOSE AND
PERIOD OF USE:PURPOSE OF USE
IRRIGATIONPERIOD OF USE
03-15 11-15QUANTITY
6.4 CFS

PLACE OF USE:

IRRIGATION
T09S R12E S07

Within Owyhee County

SWNE 36

SESW 40 BLM

NESW 20 BLM

NWSW 40 BLM

SWSW 37 BLM

S08

NWSW 3

SWSW 36

SESW 15

S17

SWNE 32

NESW 3

NWSE 30

S18

NENE 28

320 ACRES TOTAL

USE OF THIS RIGHT WITH RIGHT NO. 51-02190 IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 459 ACRES IN A SINGLE
IRRIGATION SEASON.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE

MICROFILMED

SEP 23 2002

RECEIVED

APR 22 2002

DEPARTMENT OF WATER RESOURCES

April 22, 2002

W. L. Parnell
301 N. 8th
Buhl, ID 83316

Idaho Dept. of Water Resources
C/o Shelley Keen
1301 N. Orchard St.
Boise, ID 83706

RE. Water Right License 51-7034

Dear Mr. Keen:

Water right license, no. 51-7034, issued to my wife Leona F. Parnell in 1990 has an error in the place of use description. The place of use should not include any land in the SW¼ of Section 7, T9S, R12E, which is land owned by the Bureau of Land Management. Instead, it should show 137 acres in the SE¼ of Section 7, T9S, R12E. Please correct my license if possible.

Sincerely,



William L. Parnell

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 18, 2002

W L Parnell
301 N 8th
Buhl, ID 83316

RECEIVED

APR 22 2002

DEPARTMENT OF WATER RESOURCES

RE Snake River Basin Adjudication (SRBA)
Claim/Subcase No 51-7034

Dear Mr. Parnell,

This letter concerns your water right in Owyhee County: No 51-7034 This right was licensed in 1990, but unfortunately the license contained an error A copy of the license is enclosed for your review

The irrigated place of use shown on the license in the SW quarter of Section 7 should be shown in the SE quarter. The Bureau of Land Management (BLM) has filed an objection to your water right recommendation in the SRBA because the SW quarter of Section 7 is owned by BLM and is not irrigated. (Please refer to the map enclosed for your information.)

We would like to correct the license and resolve the objection. A letter from you formally requesting the correction is required, however Please send your letter to:

Mr Shelley Keen
Idaho Dept of Water Resources
1301 N Orchard St
Boise, ID 83706

Please make the request as soon as possible so that we may proceed to correct your water right You may call me at (208)327-7925 if you have any questions

Sincerely,

Roxanne Brown
Sr Water Resource Agent
Idaho Department of Water Resources

MICROFILMED
SEP 23 2002

April 5, 1990

LEONA F. PARNELL
RT 4 BOX 262A
BUHL, ID 83316

RE: PERMIT NO. 51-07034

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

APR 18 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 6, 1990

RE: Permit No. 51-7034

W. L. Parnell
Rt. 4, Box 262A
Buhl, ID 83316


Dear Mr. Parnell:

Enclosed is another Application for Amendment for you to sign and return to our office. The place of use you listed on the previous amendment form was the description of the place of use filed on an amendment which was approved in 1975. However, the actual place of use found to be irrigated by our field examiner matches the place of use listed in the enclosed amendment. A water right license is a reflection of the actual use of water taking place at the time of the field inspection.

Please sign the amendment form and return to us at your earliest convenience. If you think the amendment is in error, please contact us before making any changes to the amendment itself.

Since you submitted the \$20.00 filing fee with the previous amendment, you need not submit a fee when you return the amendment.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

UNRECORDED

APR 18 1990

State of Idaho
Department of Water Resources

RECEIVED

NOV 28 1989

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

Department of Water Resources

Date of Priority: December 23, 1968

Maximum Diversion Rate: 6.40 CFS
Maximum Diversion Volume:¹ 1280.0 AF

Comes now
618 POPLAR ST.
BUHL, ID 83316

LEONA F. PARNELE

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 51-07034, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	6.40 CFS	1280.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW, Sec. 8, Township 09S, Range 12E
NWSE, Sec. 17, Township 09S, Range 12E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	12E	7	SWNE 36	NESW 20	NWSW 40	
			SWSW 37	SESW 40		173
		8	NWSW 3	SWSW 36	SESW 15	54
		17	SWNE 32	NESW 3	NWSE 30	65
		18	NENE 28			28

Total number of acres irrigated: 320

Turn page
9-S-12E Sec-7-SW NE - 40 acres
✓ NW SE - 40 ✓
✓ SW SE - 40 ✓
17-SW NE - 40 ✓
✓ SW NW - 40 ✓
✓ NESW - 40 ✓
✓ NWSE - 40 ✓
18 NE NE - 40 ✓

MICROFILMED

APR 18 1990

= 320

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 16th day of Nov - 1989.

Second Permit

W. L. Parnell
(Signature)
Leona F. Parnell Decides

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07034

FOR DEPARTMENT USE ONLY

#C013068

Preliminary check by KW Fee = \$20.00 ✓ Received by C. Wray Date 11/29/89

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 51-07034 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

MICROFILMED

APR 18 1990

November 14, 1989

LEONA F. PARNELL
~~618 POPLAR ST.~~ Rt. 4 Box 262A
BUHL, ID 83316

RE: PERMIT NO. 51-07034

Dear Permit Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 18 1990

DEPARTMENT OF WATER RESOURCES
SUGGESTIONS
BOISE, IDAHO 83720



51-7034

REGISTERED
FIRST CLASS



Send to

Rt. 4
Box 262A
Burk 8333

at 9/8

MICROFILMED

APR 18 1980

August 30, 1989

LEONA F. PARNELL
618 POPLAR ST.
BUHL, ID 83316

RE: PERMIT NO. 51-07034

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 18 1990

MEMORANDUM

TO:FILE

FROM:JOHN MCLEOD

RE: CORRECTION TO FIELD EXAM #51-7034

DATE: 30-DEC-1988

The total number of acres beneficially used in Section 17 is 65, not 64 as shown by examiner. The total of 320 acres is correct.

MICROFILMED

APR 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

Exam Done IN
Southern Region
51-7034
Permit No.

Old Field Exam

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☐ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

RECEIVED
JUL 12 1988

Department of Water Resources

Check of P/D index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed GF (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent AD 5/11/88 (Initial and date)
Exam Reviewed by Manager of Regional Office LA 7/5/88 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 12 1988

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 51-7034

1. Owner: Leona F. Parnel Phone No. _____
Current Address: 618 Poplar st. Buhl, Ida 83316
2. Accompanied by: Ed Wheeler. EXAM. DATE: 8-19-1981
Address: _____ Phone No. 8-3-1981
Relationship to Permit Holder: Brother In Law
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 51-2204 (Surface Water)

☐ Copies Attached
2. Other water rights with same point of diversion: None.

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- 1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

See Attached map.

MICROFILMED
APR 18 1990

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater
(required for irrigation of 10 acres or more).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNULAR. w/ Sgk Eye Meter.						

2. Measurements:

1. 12" ANN. BAR. # 091430 Sgk Eye Meter # 091475 - Reading 12" = 4.28 cfs.
2. 12" ANN. BAR. # 091430 Sgk Eye Meter # 091475 - Reading 4.5" = 2.62 cfs
- 6.90

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP. (6) x 1.34 = _____ (7)

Panel Input KW. _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 001732 = _____ (6)

Panel Input HP. (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(320 \text{ Acres})(4.0)}{1280 \text{ Ac Ft/ANN.}}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(6.4)(245 \text{ d})(1.9835)}{3110}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1280 \text{ Ac Ft/ANN.}$

2. Volume Calculations for Other Uses

MICROFILMED

APR 18 1990

System Description (continued)

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8 lines of sprinklers 33 Hds

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1		200	SK278XH16A		4.29 c.f.s.
2	G.E.	100	34J218141	Verti-Line	3x170135 2.66 c.f.s.

*Code to correspond with No on map and aerial photo

5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		SW	NE	NW	17	9S	12E	Owyhee	
2		SW	NW	SE	17	9S	12E	Owyhee	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	12E	7			36						20	40	37	40					173
"	"	8										3	36	15					54
"	"	17			32		38	40	15	38	30				30				223
"	"	18	28																28
9S	12E	7			36						20	40	37	40					173
"	"	8										3	36	15					54
"	"	17			32						3				30				64 64
"	"	18	28																28

LAND Found Irr.

lands Allowed

MICROFILMED

APR 18 1990

Do not use this space

H. REMARKS AND OVERLAY VIEW ANALYSIS

At Time of Exam. Camera's Were not available.
For Pictures. Map Was drawn off of Large Aerial Photo.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	6.40	1280
Totals:			6.40	1280

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Gary Funderburg
 Signature Gary Funderburg
 Certification Date 5/18/87
 Field Report Preparation Date 7/8/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

12/30/88

MICROFILMED


APR 18 1990

Permit # 51-7034
 Leona F. Parker

MICROFILMED

APR 18 1990

This map drawn off
 of large Area/Photo.





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

THIRD AND FINAL NOTICE

August 14, 1980

Mr. Ed Wheeler
Castleford, Idaho 83321

Re: 47-7036, 51-7034, 51-7030, 51-7018, 51-2204

Dear Mr. Wheeler:

The personnel of our department has made several attempts to complete the field reports for the groundwater permits you submitted proof on. They were not able to complete the reports for the following reasons:

- 1) measuring devices were not operable
- 2) permit holder was not using the system at the time of the field trip
- 3) well under the permits was not complete

This letter is to inform you we will recommend cancellation of these permits if the field reports are not completed before the 1980 irrigation season is over.

Please contact us at your earliest convenience.

Sincerely,

Gary Funderburg
Senior Water Resource Agent

GLF:mm

RECEIVED

APR 18 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

December 18, 1978

F. D. Wheeler
Box 694
Castleford, Idaho 83321

Dear Mr. Wheeler:

On August, 1978, I made a field trip to your place and discussed with you the importance of completing the field exams for permits #51-7030, 51-7018, 51-7034 and 51-2204. Some of these exams were due in 1975.

I feel we have held-up doing these exams beyond our requirements and this is to inform you I will need to complete these exams by the end of June, 1979, or I must recommend to the Department these permits be cancelled.

It would be to the best of your, and my, benefit to start preparing for these exams.

If I can be of assistance to you in this matter please feel free to contact me at this office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

APR 18 1990



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

April 5, 1978

Ms. Leona F. Parnell
618 Poplar
Buhl, Idaho 83316

Dear Wateruser:

A field examination report is due on your Permit No. 51-7034, as required under the Idaho Code, Section 42-201.

It is my duty to confirm your Proof of Beneficial Use by an examination of your diverting works and place of use.

We have large irrigation exams that are due during the irrigation season, and can only be completed at that time. I would like to make an attempt to complete your exam during the irrigation season months.

I would like to take this time to request you to contact me at our office in Twin Falls, between the hours of 9:00 a.m. and 4:00 p.m., of the time you wish to have the examination completed.

Sincerely,

Gary Funderburg
Senior Water Resource Agent

GF:sm

MICROFILMED

APR 18 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

Cecil D. Andrus
Governor

R. Kerth Higginson
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

2/4/77

Dear Wateruser:

A field examination report is due on your Permit No. 51-2034, as required under the Idaho Code Section 42-201.

It is my duty to confirm your Proof of Beneficial Use by an examination of your diverting works and place of use.

We have large irrigation exams that are due during the irrigation season, and can only be completed at that time. I would like to make an attempt to complete your exam during the Irrigation season months.

I would like to take this time to request you to contact me at our office in Twin Falls, between the hours of 9:00 a.m. and 4:00 p.m., of the time you wish to have the examination completed.

Sincerely,

Gary Funderburg
Senior Water Resource Agent

GF:sb

MICROFILMED

APR 18 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

April 7, 1976

Dear Wateruser:

A field examination report is due on your Permit No. 51-7034,
as required under the Idaho Code Section 42-201.

It is my duty to confirm your Proof of Beneficial Use by an examination of your diverting works and place of use.

We have large irrigation exams that are due during the irrigation season, and can only be completed at that time. I would like to make an attempt to complete your exam during the Irrigation season months.

I would like to take this time to request you to contact me at our office in Twin Falls, between the hours of 9:00 a.m. and 4:00 p.m., of the time you wish to have the examination completed.

Sincerely,

Gary Funderburg
Water Resource Agent
Southern District

GF:ms

MICROFILMED

APR 18 1990

September 23, 1975

RE: Permit No. 51-7034 - Leona F. Parnell

Mr. William Parnell
618 Poplar
Buhl, Idaho 83316

Dear Mr. Parnell:

On September 18, 1975, I made a field visit to do an exam for Permit No. 51-7034. One of the requirements for filing Proof of Beneficial Use is that an adequate measuring device be installed. After reviewing your system, I would suggest you install the measuring device somewhere near the point of diversion. We are required to measure the flow of the water after the water is being used. There are several types of flow meters designed to measure water under these conditions. The measuring device must be installed during the 1975 irrigation season so we may complete the field examination.

If you have any further questions pertaining to this letter, or to the field report, please feel free to contact me at your earliest convenience.

Very truly yours,

Gary Funderburg
Water Resource Agent

GF:cc

MICROFILMED
APR 18 1990

DEPARTMENT OF WATER ADMINISTRATION FIELD REPORT

RECEIVED

1 Name of permit holder Leona F. Parnell JUN 5 1975
Post office address 618 Poplar, Buhl, ID 83316 Phone _____
Person to contact _____ Phone _____

2 Source of water supply Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3 Water will be used for the following purposes

Amount 6.4 cfs for irrigation
_____ AF/Annum (nature of use)

Period of Use from Apr. 1 to Oct. 31
(mo.-day) inclusive (mo.-day)

Amount _____ cfs for _____
_____ AF/Annum (nature of use)

Period of Use from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ cfs for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 51-7034
Examination for b/u

4 Total amount to be appropriated.

Max Rate of Diversion 6.4 cubic feet per second and annual volume _____ AF/Annum.

5 Location of Point(s) of Diversion

Township 9S N/S, Range 12E E/W, B.M., Section 17, Subdivision NW $\frac{1}{4}$ SE $\frac{1}{4}$, Owyhee County

Township 9N N/S, Range 11E E/W, B.M., Section 7, Subdivision SW $\frac{1}{4}$ SW $\frac{1}{4}$, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Other Points of Diversions: _____

Description of diverting works 200 hp pump, 10" column, 20" well casing, 100' deep.

Measuring device required yes ☒ no ☐

6 Lands to be irrigated or place of use

TWP	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	12E	7			40										40	40			120
		17			40				40		40				40				160
		18	40																40

MICROFILMED

APR 18 1990

TOTAL ACREAGE 320

LAYNE AND BOWLER PUMP COMPANY WELL TEST REPORT

NAME LUKE PARNELL DATE 4-26-69
 LOCATION N/W Castleford, Idaho SEC. RANGE T.
 WELL DEPTH 773 ft. WELL SIZE 16" & 12" CASING
 TEST PUMP DEPTH 480 ft. plus bowls & suction ORIFICE SIZE 8" x 6 1/2"
 STATIC WATER LEVEL 165 ft. STARTING TIME 4:30 PM - 4-26-69
2:00 PM - 4-27-69

TIME	PUMPING LEVEL	ORIFICE READING	G.P.M.	MINERS INCHES
5:45 PM	330'	26"	1000	111 - Black sand
5:55	332'	24"	960	107 - Clearing some
6:15	338'	23 1/2"	950	106 - Clearing
7:00	415'	43 1/2"	1300	145 - Black sand
7:35	417'	42"	1280	142 - Clearing

Shut down: 7:40 PM

4-27-69

Pumped a lot of sand with pump running at capacity for five (5) hours.

1:00	482'	46"	1350	150 - Some sand
2:00	485'	36"	1730	191 - Sand
2:30	475'	30"	1580	186 - Clearing some
3:00	475'	25"	1500	177 - Clearing

REMARKS:
3:20 Broke suction

3:25	500	24"	1400	155 - Clearing
3:55	435'	18"	1220	115 - Clearing
4:10	400'	12"	1000	111 - Clearing
4:20	388'	9"	860	95 - Clearing

APR 18 1969

After well test was completed, we discovered well had caved in approx. 85' in the bottom. This was cleaned out to the depth of 800' and the perforated pipe installed.

L. F. Parnell

Layne & Bowler Pump Co.
P.O. Box 892
Twin Falls, Idaho

NW 36 17, 9S, R12E

51-7034 51 7034

INTER-DEPARTMENT MEMO

DATE Sept. 10, 1987

FROM Gary Spackman
TO Gary Funderburg

SUBJECT

Re: 51-7038, 51-7030, 51-7018, 51-2204 & 51-7034

State office files show that we sent fee exam letters on the above permits on April 3, 1987. If field exams are complete, will you please ensure that the field exam made date is entered? If the field exam-made date is recorded, the permits will not be listed for further exam fee follow up.

SIGNATURE

Gary

INTER-DEPARTMENT MEMO — 1

FROM Gary Tunderberg

TO Gary Spuckman

SUBJECT 51-7038, 51-7030, 51-7018, 51-2204, 51-7034.

These permits have had the field exams completed by in 1980-81. We thought Western region had them on their computer as being completed, but did not I will complete the necessary needs as to preparing them for use.

MICROFILMED

DATE

9/4/87

SIGNATURE

Gary Tunderberg

INTER-DEPARTMENT MEMO — 1

DATE June 25, 1987

FROM State Office

TO File

SUBJECT Returned Mail from 1986 mailing of the "Certified Examination Fee Notice" letter.

New addresses were located and another Certified Examination Fee Notice letter and Exam information sheet were mailed dated June 25, 1987. These letters were sent out by the State Office using each regions letterhead.

These addresses were obtained by contacting the county assessors office.

Gail Barrett
SIGNATURE

MICROFILMED

APR 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

June 25, 1987

51-7034
Leona F. Parnell
Rt. 4 Box 262A
Buhl, ID 83316

138631
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

APR 18 1990

page 2
Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.


The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure

MICROFILMED

APR 18 1990



Idaho Department of Water Resources
Western Region

138029

DATE

1/6

4-18-87

4-18-87

4-18-87

4-18-87

RETURNED TO SENDER
Addressed to
Insufficient Address
No such office in state
Do not re-mail in this envelope

envelope

RECEIVED

APR 22 1987

Department of Water Resources
Western Regional Office

CERTIFIED MAIL
138029

BOISE
APR-3-87
U.S. POSTAGE
0.97

MICROFILMED

APR 18 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

51-7034
PARNELL, LEONA F.
618 POPLAR ST.
BUHL, ID 83316

138029

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

page 2
Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

ES088J

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

SI-7034
PARNELL, LFCNA F.
618 POPLAR ST.
BOHI, ID 83316

138029

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

APR 18 1990

December 11, 1975

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar Street
Buhl, Idaho 83316

Dear Ms. Parnell:

Enclosed is a copy of the approved ~~approved~~ application for amendment issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
~~CHIEF~~, WATER RIGHTS

BDF:JFR

ENCL.

6

February 11, 1974

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar
Buhl, ID 83316

Dear Ms. Parnell:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to December 30, 1968.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

51-7034

Identification No _____

Permit No 51-7034

*rate
p*

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Leona F. Parneil
b) Post Office Address 618 Poplar Buhl Idaho
2. Permit Number 51-7034
3. Date of Priority that you are prepared to establish December 24, 1968
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 17
Township 9S, Range 12E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied
amount 165" for irrigation purposes from 4-1 to 11-15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for house purposes from 1-1 to 12-31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for stock watering purposes from 1-1 to 12-31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 165 inches cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement Layne and Bowler
Pump Company of Twin Falls, Idaho
6. If the ~~means of diversion and conveyance~~ are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well, if from surface water, give brief description of diversion structure and/or canal or ditch) 200 Horse Pump, 10" column, 20" well casing, with 800 foot well
b) Describe the type and size of measuring device which you have installed at your point of diversion: A two foot rectangular weir made of concrete and metal
c) Give well drillers name and address and date the well was completed Wheeler and Sons
License #45... Castleford, Idaho... completed
April 19, 1969.

Exam typed 2/11/77 by *jo*

51 7034

44-61-40

Box 77. Fallston
Notary Public residing at Fallston

On this 23 day of JANUARY, 1924, personally appeared before me the

State of INDIANA)
County of TWIN FALLS) ss.

(Date)

74-52-74

(Signature)

(Signature)

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks:

Land has been farmed for two full years.

Total number of acres irrigated.

235

[illegible]

Stions

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. Watering cattle in the winter and for home use.

5074 TS

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 4, 1974

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar St.
Buhl, ID 83316

Dear Ms. Parnell:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, you do not indicate that you have installed a measuring device of a type approved by this office, as required by the condition of approval of your permit.

We cannot accept your proof unless this measuring device approved by this Department is installed. Therefore, we are herewith returning your proof affidavit. We are enclosing a list of the types of measuring device approved by this office.

Please be advised that this permit automatically lapsed on February 1, 1974. However it may be reinstated if the proof affidavit is returned to us 60 days from the date the permit lapsed.

If you have any questions concerning this matter, please contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC
Enclosures

*Are there any further questions you need answered concerning
my proof of application?*

L. Parnell

51 7034

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

February 5, 1974

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar St.
Buhl, ID 83316

Dear Ms. Parnell:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 51-7034 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

51 7034

February 4, 1974

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar St.
Buhl, ID 83316

Dear Ms. Parnell:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, you do not indicate that you have installed ~~an~~ measuring device of a type approved by this office, as required by the condition of approval of your permit.

We cannot accept your proof unless this measuring device approved by this Department is installed. Therefore, we are herewith returning your proof ~~affidavit~~. We are enclosing a list of the types of measuring device approved by this office.

Please be advised that this permit automatically lapsed on February 1, 1974. However it may be reinstated if the proof affidavit ~~is~~ returned to us 60 days from the date the permit lapsed.

If you have any questions concerning this matter, please contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC
Enclosures

51-7034

Identification No. _____

Permit No. 51 7034

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Leona F. Parnell
- b) Post Office Address 618 1st St. Buhl Idaho
2. Permit Number 51 7034
3. Date of Priority that you are prepared to establish Dec 24 - 1968
4. a) Source from which water was appropriated Well
- b) Location of the point of diversion: N 1/4 S 1/4 Section 17
Township 9 S, Range 12 E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied
amount 1.5 cfs purposes from 4/1 to 11/15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 1.5 cfs cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Pump Co. Twin Falls

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder.

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None

b) Describe the agreement or understanding by which you take water from the works. _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2. Horse Pump
20 inch casing 80' deep

b) Describe the type and size of measuring device which you have installed at your point of diversion: 8' x 6' Conduit box with read rate of 24 x 24"
8" well

c) Give well drillers name and address and date the well was completed: Dr. Miller + Sons
Dec 19 - 1969

Copy

51 7034

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Water in ditch and
farm

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS irrigated
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	12E	17			50			35	25						35				125
		18	25																25
		7			30										35	30			85

10. Remarks: Land in ditch and 1st 2 7/8
road
Total number of acres irrigated 235

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-25-74 (Date) James F. Parnell (Signature)

State of IDaho)
County of TWIN FALLS) ss.

On this 25th day of JANUARY, 1974, personally appeared before me the signer of the above instrument, who duly acknowledged to me that he (she) (~~they~~) executed the same.

James H. Patterson
Notary Public residing at Buhl

My commission expires Feb-15-1975

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

24998

①

Leona F. Parnell

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

12-3-73

③

51 7034


U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PS Form 3811 Sep. 1972

PS Form 3811 Sep. 1972



USE TO AVOID PAYMENT
OF POSTAGE, \$3.00



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code
• If special services are desired, check block(s) on other side
• Indicate guaranteed ends and attach to back of article

RETURN
TO



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83725

1973

November 30, 1973

CERTIFIED MAIL

#24998

Re: Permit No. 51-7034

Leona F. Parnell
618 Poplar St.
Buhl, Idaho 83316

Dear Mrs. Parnell:

One of the conditions of approval of your water Permit No. 51-7034 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

51 7034

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

JUN 22 1969

State law requires that this report shall be filed with the State Department of Agriculture Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Leona F. Parnell
Address 618 Poplar
Buhl, Idaho
Owner's Permit No. 51-7034
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)


CASING SCHEDULE: Threaded ☐ Welded ☐
20 x 1/4 "Diam. from 0 ft. to 18 ft.
None "Diam. from 18 ft. to 625 ft.
10 3/4 "Diam. from 625 ft. to 800 ft.
"Diam. from ft. to ft.
Thickness of casing: 1/4" x 12 Ga. Material:
Steel ☒ concrete ☐ wood ☐ other ☐
20" is 1/4" Thick. 10 3/4" is 12 Gauge
(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Torch

Size of perforations: 1/4 " by 24 "
perforations from 625 ft. to 800 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name
type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
18 ft. Material used in seal:
id any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Owyhee
1/4 X 5/8 Sec. 17 T. 9S R. 12E

Size of drilled hole: 18" x 12" Total
depth of well: 800' Standing water
level below ground: 167' Temp.
Fahr. 66 ° Test delivery: 1400 gpm
or cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test:
300 Horse and 8" Column
Length of time of test: 10 Hrs. Min.
Drawdown: 480 ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM	TO	MATERIAL	WATER YES OR NO
FEET	FEET		
0	16	Gravel & Sand	
16	60	Red Clay	
60	188	Black Lava Rock	yes
188	250	Red Clay	No
250	260	River Gravel & Sand	yes
260	350	Red clay & Pea Gravel	yes
350	395	Red Clay	No
395	510	Red Clay & Pea Gravel	yes
510	625	Gray Clay	No
625	800	Gray shale, river gravel & sand (Same large black lava rock)	yes

Work started: February 8, 1969
Work finished: June 9, 1969
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Floyd Wheeler
Address: Eastport
Signed by: Wheeler & Sons
License No. 45 Date: Idaho

Use other side for additional remarks

51 7034

REPORT OF WELL DRILLER
State of Idaho

JUN 12 1969

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Leona F. Parnell

Address 618 Poplar

Buhl, Idaho 83316

Owner's Permit No. 51-7034

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☐

20" x 1/4" Diam. from 0 ft. to 18 ft.

None "Diam. from 18 ft. to 625 ft.

10 3/4" Diam. from 625 ft. to 800 ft.

"Diam. from ft. to ft.

Thickness of casing: 1/4" x 12 Ga. Material:

Steel ☒ concrete ☐ wood ☐ other ☐

20" is 1/4" Thick & 10 3/4" is 12 Gauge

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used: Touch

Size of perforations: 1/4" by 24"

perforations from 625 ft. to 800 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

1 1/2 ft. Material used in seal:

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:


Depth of strata ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Owyhee

NW 1/4 SE 1/4 Sec. 17 T. 9S N/S R. 12E

Use other side for additional remarks

Size of drilled hole: 18" x 12" Total

depth of well: 800' Standing water

level below ground: 167' Temp.

Fahr. 66 ° Test delivery: 1400 gpm

or cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

300 Horse & 8" Column

Length of time of test: 10 Hrs. Min.

Drawdown: 480 ft. Artesian pressure: ft.

above land surface Give flow cfs

or gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		

0	16	Gravel & Sand	
16	60	Red Clay	
60	188	Black Lava Rock	YES
188	250	Red Clay	No
250	260	River Gravel & Sand	yes
260	350	Red clay & Pea Gravel	yes
350	395	Red Clay	No
395	510	Red Clay & Pea Gravel	yes
510	625	Gray clay	No
625	800	Gray shale, River Gravel & Sand (Some Large Black Lava Rock)	yes

Work started: February 8, 1969

Work finished: June 9, 1969

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: Rayd Wheeler

Address: Coalgate

Signed by: Wheeler & Son

License No. 45 Date: Idaho

Given Dept. of Interior
Serial # I-1714

RECEIVED

REPORT OF WELL DRILLER
State of Idaho

JUN 12 1969

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Leona F. Parnell
Address 610 Poplar
Buhl, Idaho 83316
Owner's Permit No. 51-7034
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)


CASING SCHEDULE: Threaded ☐ Welded ☐
20 1/4" Diam. from 0 ft. to 18 ft.
None" Diam. from 18 ft. to 625 ft.
10 3/4" Diam. from 625 ft. to 800 ft.
Thickness of casing: 1/4" 12 Ga. Material:
Steel ☒ concrete ☐ wood ☐ other ☐
20" is 1/4" Thick & 10 3/4" is 12 Gauge
(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Touch

Size of perforations: 1/4" by 24"
perforations from 625 ft. to 800 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
1 1/2 ft. Material used in seal: 7

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐
Locate well in section



LOCATION OF WELL: County Owyhee
NW 1/4 SE 1/4 Sec. 17 T. 9S N/S R. 12 E

Size of drilled hole: 18 x 12 Total
depth of well: 800 Standing water
level below ground: 167 Temp.
Fahr. 66 Test delivery: 1400 gpm
or cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test:
300 Horse & 8 Column

Length of time of test: 10 Hrs. Min.
Drawdown: 480 ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	16	Gravel & Sand	
16	60	Red Clay	
60	188	Black Lava Rock	yes
188	250	Red Clay	No
250	260	River Gravel & Sand	yes
260	350	Red clay & Pea Gravel	yes
350	395	Red Clay	No
395	510	Red Clay & Pea Gravel	yes
510	625	Gray clay	No
625	800	Gray shale, River Gravel & Sand (Same Large Black Lava Rock)	yes

Work started: February 8, 1969
Work finished: June 9, 1969
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Floyd Wheeler
Address: Coatsford
Signed by: Wheeler & Son
License No. 45 Date: Idaho

Use other side for additional remarks

51 7034

LAYNE AND BOWLER PUMP COMPANY WELL TEST REPORT

NAME	LUKE PARNELL	DATE	4-26-69
LOCATION	N/W Castleford, Idaho	SEC.	
WELL DEPTH	773 ft.	WELL SIZE	16" & 12"
TEST PUMP DEPTH	480 ft. plus bowls & suction	CASING	
STATIC WATER LEVEL	165 ft.	ORIFICE SIZE	8" x 6 1/2"
		STARTING TIME	4:30 PM - 4-26-69 2:00 PM - 4-27-69

TIME	PUMPING LEVEL	ORIFICE READING	G P M	MINERS INCHES
5:45 PM	330'	260	1000	111 - Black sand
5:55	332'	24"	960	107 - Clearing some
6:15	338'	23 1/2"	950	106 - Clearing
7:00	415'	43 1/2"	1300	145 - Black sand
7:35	417'	42"	1280	142 - Clearing

Shut down: 7:40 AM

4-27-69

Pumped a lot of sand with pump running at capacity for five (5) hours.

1:00	482'	46"	1350	150 - Some sand
2:00	485'	36"	1730	191 - Sand
2:30	475'	30"	1580	186 - Clearing some
3:00		27"	1500	177 - Clearing
REMARKS	Broke suction			
3:20				
3:25	500	24"	1400	155 - Clearing
3:55	435'	18"	1220	135 - Clear
4:10	400'	12"	1000	111 - "
4:20	388'	9"	860	95 - "

After this well test had been completed, we discovered well had caved in approx. 85' in the bottom. This was all cleaned out to the depth of 800' and the perforated pipe then installed.

L F Parnell

Layne & Bowler Pump Co.
P.O. Box 892
Twin Falls, Idaho

NW 3E 17, 9S, 1212E

51-7034 51 7034

LAYNE AND BOWLER PUMP COMPANY WELL TEST REPORT

NAME	LUKE PARNELL	DATE	4-26-69
LOCATION	N/W Castleford, Idaho	SEC.	
WELL DEPTH	773 ft.	WELL SIZE	16" & 12"
TEST PUMP DEPTH	480 ft. plus bowls & suction	CASING	
STATIC WATER LEVEL	165 ft.	ORIFICE SIZE	8" x 6 1/2"
		STARTING TIME	4:30 PM - 4-26-69 2:00 PM - 4-27-69

TIME	PUMPING LEVEL	ORIFICE READING	G.P.M.	MINERS INCHES
5:45 PM	330'	260	1000	111 - Black sand
5:55	332'	24"	960	107 - Clearing some
6:15	338'	23 1/2"	950	106 - Clearing
7:00	415'	43 1/2"	1300	145 - Black sand
7:35	417'	42"	1280	142 - Clearing

Shut down: 7:40 PM

4-27-69

Pumped a lot of sand with pump running at capacity for five (5) hours.

1:00	482'	46"	1350	150 - Some sand
2:00	485'	36"	1730	191 - Sand
2:30	475'	30"	1580	186 - Clearing some
3:00		27"	1500	177 - Clearing
REMARKS: 3:20	Broke suction			
3:25	500	24"	1400	155 - Clearing
3:55	435'	18"	1220	135 - Clear
4:10	400'	12"	1000	111 - "
4:20	388'	9"	860	95 - "

After this well-test had been completed, we discovered well had caved in approx. 85' in the bottom. This was all cleaned out to the depth of 800' and the perforated pipe then installed.

L F Parnell

Layne & Bowler Pump Co.
P.O. Box 892
Twin Falls, Idaho

NW 3E 17, 9S, 1212E

51-7034 51 7034

DON SAMUELSON
GOVERNOR



P. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 14, 1969

Re: Permit Nos. 32-7001, 51-7034, 51-7036,
61-7050 & 61-7051

Land Office
Bureau of Land Management
P.O. Box 2237
Federal Building
Boise, Idaho

Gentlemen:

Enclosed are copies of the above referenced permits which
have been accepted for desert land entries.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures

51 7034

February 14, 1969

Re: Permit No. 51-7034

**Mrs. Leona F. Parnell
618 Poplar St.
Buhl, Idaho 83316**

Dear Mrs. Parnell:

We enclose a copy of your approved application for permit 51-7034 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copy of application
Receipt No. 2429 for \$51.
2 informational letters**

51-7034

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that ~~Leon E. Parnell, via Poplar~~
~~Street, Buhl, Idaho~~ has on De-
cember 23, 1968 applied for per-
mit under application No. 51-
7027 to divert 6.4 cubic feet per
second of water from a ~~ground~~
water source. Water will be
diverted by a ~~well, pump,~~ and
surface irrigation system within
the ~~NW¹4SE¹4, sec. 17, T. 9 N.,~~
R. 12 E. B.M., Owyhee County
and is to be used from ~~April 1~~ to
October 31 for irrigation in the
~~SW¹4NE¹4, W¹4SE¹4, sec. 7~~
~~SW¹4NE¹4, SW¹4NW¹4, NE¹4~~
~~SW¹4, NW¹4SE¹4, sec. 17; NE¹4~~
~~NE¹4, sec. 18, T. 9 N., R. 12 E.,~~
B.M.

Any protest against this ap-
plication must be filed with the
Department of Reclamation with-
in ten days from the last date of
publication of this notice.

R KEITH HIGGINSON

State Reclamation Engineer
Published in the Owyhee Chron-
icle, Homedale, Idaho, on Janu-
ary 23 and January 30, 1969.

DON SAMUELSON
ENGINEER



STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATE HOUSE ANNEX 2
BOISE, IDAHO 83707

January 21, 1969

Re: Applications filed in connection with desert entries

Mr. Curtis Taylor, Acting Manager
Bureau of Land Management
Idaho Land Office
Room 334, Federal Building
550 W. Fort Street
Boise, Idaho 83702

Dear Mr. Taylor:

Please be advised that the following applications have been
received in connection with desert entries:

I-1912	Application No. 57-7029 - Frederik G. McFarland
I-016864	Application No. 51-7034 - Leona F. Parnell
I-1852	Application No. 51-7035 - Wendell Durrant
I-13524	Application No. 51-7036 - A. L. Trussell
I-017122	Application No. 36-7047 - RaNae Griffin Smith
I-527	Application NO. 61-7050 - Jim Cenosky
I-986	Application No. 61-7051 - Wanda M. Edholm
I-013766	Application No. 63-7177 - Bernard W. and Ray Obendorf

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ES

R. KEITH HIGGINSON
State Reclamation Engineer

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Leona F. Parnell, 618 Poplar Street, Buhl, Idaho has on December 23, 1968 applied for permit under application No. 51-7034 to divert 6.4 cubic feet per second of water from a ground water source. Water will be diverted by a well, pump, and surface irrigation system within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 17, T. 9 S, R. 12 E, B.M., Owyhee County and is to be used from April 1 to October 31 for irrigation in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 7, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ -SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 17, NE $\frac{1}{4}$ -NE $\frac{1}{4}$, sec 18, T. 9 S, R 12 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Owyhee Chronicle, Homedale, Idaho, on January 23 and January 30, 1969.

51-7034

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE ANNEX 2
BOISE, IDAHO 83707

January 14, 1969

Re: Application NO. 57-7027 - City of Homedale
Application NO. 51-7036 - A. L. Trussell
Application No. 51-7034 - Leona F. Parnell

Owyhee Chronicle
20 East Idaho Avenue
Homedale, Idaho 83628

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure; legal notice (3)

51 7034

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Leona F. Parnell, 618 Poplar Street, Buhl,
Idaho has on December 23, 1968
applied for permit under application No. 51-7034 to divert ~~stone~~
6.4 cubic feet per second ~~acre foot~~ of water from ~~a ground~~
water source. Water will be diverted by ~~a well,~~
pump, and surface irrigation system within the ~~S. NW 1/4 SE 1/4,~~
sec. 17, T. 9 S, R. 12 E, B.M., Owyhee County
and is to be used from April 1 to October 31 for
irrigation
in the SW 1/4 NE 1/4, W 1/2 SE 1/4, sec. 7; SW 1/4 NE 1/4, SW 1/4 NE 1/4, NE 1/4 SE 1/4, NW 1/4 SE 1/4, sec.
17; NE 1/4 NE 1/4, sec. 18, T. 9 S, R. 12 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Owyhee Chronicle, Homedale, Idaho,
on January 23 and January 30, 1969.

51 7034