


proposed by this



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at BOISE, Idaho, this 12 day of JANUARY, 19 76.

Jim Howard P.E.
(signature)
R. Peterson accept


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources hereby approve the foregoing application for amendment for Permit No. 51-7026.

Witness my hand this 19 day of January, 19 76

[Signature]
Director

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. M. Beekers
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 5 day of Sept., 1968, and the last publication being on the 12 day of Sept, 1968;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 12 day of Sept, 1968.

Lona S. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

RECEIVED

SEP 16 1968

Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the Idaho Department of Parks, Statehouse, Boise, Idaho, has on August 19, 1968, applied for permit under application No. 51 - 7026 to divert 0.45 cubic feet per second of water from a subterranean source. Water will be diverted by a well and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M., Owyhee County and is to be used from January 1 to December 31 for domestic use and from April 1 to September 31 for irrigation in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nugget, Marsing, Owyhee County, Idaho, on September 5 and September 12, 1968.

51 7026

bill sub 9-20-68

Rge - 6 E

T
6
S

12

Tacres
*



— under ground pipe line

13

3 acres



Diagram of System

Bureau Sand Dunes No2
Sta Park
No. 2 well

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well. 1969

WELL OWNER:
Name State of Idaho
Address Department of Parks
Capitol Bldg Boise

Owner's Permit No. 51-2026
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other Well no 2

CASING SCHEDULE: Threaded ☐ Welded ☐
16 "Diam. from 0 ft. to 5 ft.
12 "Diam. from 0 ft. to 170 ft.
8 "Diam. from 0 ft. to 915 ft.
"Diam. from 0 ft. to 0 ft.

Thickness of casing: 16 250 W Material:

Steel ☒ concrete ☐ wood ☐ other ☐

12" 375 Wall 8 inch 32 casing
(explain)

PERFORATED? Yes ☐ No ☒ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐

Manufacturer's name

Type Model No. Johnston 52

Diam. 4 1/2 Slot size 15 Set from 920 ft. to 980 ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☒

No. ☐ size of gravel 15 mesh 45 mesh 100 mesh 30

placed from 500 ft. to 940 ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

0 ft. Material used in seal: To 170

around 12 pipe Cement & Brite

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: Water on other page

Depth of strata 170 ft. Method of sealing

strata off: Cemented 0 to 30 feet


150 to 170 Cemented

30 to 150 Brite

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Owyhee

SW 1/4 Sec. 12 T. 6 N. 6 E.

Size of drilled hole: 16 Department of Reclamation

depth of well: 990 Standing water

level below ground: 240.28 Temp. 98

Fahr. 98 ° Test delivery: 33 gpm

or 0 cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:

8" Beals 1/2 HP 240 1/2 HP 1/2 HP

Length of time of test: 10 Hrs. 0 Min.

Drawdown: 805 ft. Artesian pressure: ft.

above land surface Give flow cfs

or 130 gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒ 12" Cement & packed in place

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0 5 Soil sand & silt

5 60 light brown clay a few small Yes

60 170 Blue clay

170 350 Blue shale

350 450 Blue shale a few layers of water

450 600 Blue shale some sulphur

600 940 Blue shale

940 990 Swift sandstone layers water

water. Reg'd to 32 feet surface

Well still 160 feet

11 feet of 4 1/2 14" shoe Below screens

100 feet of well screens

105 feet 4 1/2 on top of screens

30 feet 5 00 on top of 4 1/2

10 feet 6 00 on top of 5 00

with 1 1/2 collar with a Ring

on 6 collar to seal to 8 1/2

45% 90 16 45% 90 2 10% 90 30

Del Monte sand packed

11 tons of Del Monte sand

under in packing

well screens

REPORT OF WELL DRILLER
State of Idaho

Test Hole No 3

MAR 5 1969

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

Department of Reclamation

WELL OWNER:

Name State of Ida

Address Department of state parks

Capital Blvd ANNER Boise Ida

Owner's Permit No. 57-2026

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☒

Water is to be used for: _____

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other _____

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☐

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: _____ Material: _____

Steel ☐ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☐ Type of

perforator used: _____

Size of perforations: _____ " by _____ "

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

_____ ft. Material used in seal: _____

Did any strata contain unusable water? Yes ☐

No. ☐ Type of water: _____


Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☐ No. ☐

Cemented in place? Yes ☐ No ☐

Locate well in section



pulled all casing out of hole and plugged same

LOCATION OF WELL: County Dawhee

NE 1/4 NW 1/4 Sec. 13 T. 6 N. S. R. 6 E. B.M.

Use other side for additional remarks

Size of drilled hole: 16" Total

depth of well: 60 Standing water

level below ground: _____ Temp. _____

Rate _____ ° Test delivery: _____ gpm

or _____ cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test: _____

no water small seapater

Length of time of test: _____ Hrs. _____ Min.

Drawdown: _____ ft. Artesian pressure: _____ ft.

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0 10 SAND & SILT

10 20 BROWN CLAY

20 60 Blue clay or shale

Hardly enough water

to drill with

Set 3.8 feet of 12" ID

and pulled same out

order to stop drilling

Back filled hole

with drilling

Mud

Not enough water

first and only water

at 12 feet just a seap

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 51-7026 Priority August 19, 1968 Amount 0.36 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Parks
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 51-7026 issued pursuant to Application for Permit dated August 19, 1968,
and has submitted proof to the Department of Water Resources on August 17, 1973,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.36 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 15</u> to <u>Oct. 15</u>	at <u>0.36</u> cfs and	<u>50 acre feet or</u>
	from _____	_____ cfs and	<u>5.0 af per acre</u>
	from _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.36 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
50 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 12,

Twp. 6 S, Rge. 6 E, B. M. in the County of Owyhee

Description and location of place of use: (Bruneau Dunes State Park)

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 S	6 E	12																	7
		13																	3

Total number of acres irrigated 10

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
January, 19 76.

Director

Receipt # _____

RECEIVED

JAN 12 1957

Department of Water Resources

APPLICATION FOR AMENDMENT **APPROVED**

Permit No. 51-7026

Comes now the State of Idaho, Department of Parks of (address) _____

Boise, Idaho, and represents to the Director of
the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 51-7026, and requests that the permit and permit map be changed as follows:

NO CHANGE

1. Point of diversion: 1/4 1/4, Sec. 1 Twp. 1

Rge. _____, B. M., County of _____ . Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.36 cfs for Irrigation purposes from April 15 to Oct. 15 (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)


3. Place of use or land to be irrigated: (Bruneau Dunes State Park)

[illegible]

Total number of acres to be irrigated 10

10

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, Idaho, this 12 day of January, 19 76.

James Howard P.E.
(Signature)
Deputy Director

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources

hereby approve the foregoing application for amendment for Permit No. 51-7026.

Witness my hand this 19 day of January, 19 76

[Signature]
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 51-7026
IN THE NAME OF IDAHO PARKS AND RECREATION DEPARTMENT

ORDER

WHEREAS, on August 19, 1968, Idaho Department of Parks applied to the Department of Water Resources (formerly the Department of Reclamation) for a permit to appropriate 0.45 cubic feet per second of groundwater to be diverted from a point within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, Twp. 6S, Rge. 6E, B.M., Owyhee, B.M., to be used for irrigation and domestic purposes; and,

WHEREAS, on October 23, 1968, the Department approved said application and issued Permit No. 51-7026 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before October 1, 1973; and,


WHEREAS, on August 17, 1973, the Department received the required proof of beneficial use of water; and,

WHEREAS, December 24, 1975, the Department received a request from the permit holder requesting that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 51-7026.

Dated this 7 day of January, 1976.


A. KENNETH DUNN, Administrator
Operations Division

Identification No. 51-7026
Application No. 42770

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

LICENSE ISSUED FOR 36 SEC. FT.
LICENSE PAGE NO. 1

1. Name of applicant Idaho Department of Parks
post office address Statehouse, Boise, Idaho 83707
2. Source of water supply Underground which is a tributary of -
3. a Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 12 Township 6 South
Range 6 East B.M. Owyhee County; additional points of diversion if any: None
- b If water is not consumed, it will be discharged into - at a point in - $\frac{1}{4}$
of - $\frac{1}{4}$ of Section - Township - Range - B.M. -
4. Water will be used for the following purposes:
Amount 0.45 for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 11 for irrigation purpose from April 1 to September 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purpose from - to - (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a 0.45 cubic feet per second and/or
b - acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and pump
- b. Height of storage dam - feet, active reservoir capacity - acre feet; total reservoir
capacity - acre feet, materials used in storage dam: -
Period of year during which storage will occur - to - inclusive.
(Mo. Day) (Mo. Day)
- c Proposed well diameter is 12 inches; proposed depth of well is 300 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ 9,000.00.
- 8 Description of proposed uses.
a. If water is **not** for irrigation:
(1) Give the place of use of water. SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 12 Township 6 South
Range 6 East B.M.
(2) Amount of power to be generated 0 hp under 0 feet of head
(3) List number of each kind of livestock to be watered 0
(4) Name of municipality to be served -, or number of families to be
supplied with domestic water -.
(5) If water is to be used for other purposes describe Will be used for domestic supply and
irrigation at Bruneau Dunes State Park.

[illegible]

c. Describe any other water rights used for the same purposes.


~~domestic in SW^{1/2}, Sec. 11, T6S, R6E =~~

b. Who owns the land to be irrigated or place of use

applicant to make this filing-

~~treatment may be required for the water to be used for domestic purposes.~~

11. Map of proposed project:



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. M. Beeters
(Applicant)

[Signature]
State Reclamation Engineer

c. Other: The applicant shall permanently install a measuring device of a type approved

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

APPROVED

Hearing held by _____ Date _____

Publication approved Date 4-5-68

Published in *Weather* 4 May 98

Received by Date 8-20-68

Received by 6 Date 8-19-68 Time 9:00

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

AUG 17 1973

Identification No. _____

Permit No. _____

Department of Water Administration

Department of Water Administration

AUG 9 1973

1. a) Name of Permit Holder Idaho Department of Parks and Recreation
b) Post Office Address Statehouse, Boise, Idaho 83720
2. Permit Number 51-7026
3. Date of Priority that you are prepared to establish 8-19-68
4. a) Source from which water was appropriated Deep well
b) Location of the point of diversion: S.W. 1/4 S.E. 1/4, Section 12
Township 6S, Range 6E, Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
amount 0.45 cfs for irrigation purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.45 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Consulting Engineers approximate estimate.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: NA
b) Describe the agreement or understanding by which you take water from the works: NA
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Submersible Turbine Pump, 30 HP motor, 8" diameter casing, 990' deep.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 2" water meter
c) Give well drillers name and address and date the well was completed Mr. A. E. Hosack, RFD #5, Nampa, Idaho (completed approx. Nov. 1, 1968)

Exam typed 8/27/73 by ja

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

5015

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
6S	6E	12															10	
TOTALS			SE¼	SW¼	NE¼	SE¼	SW¼	NE¼	SW¼	SE¼	SW¼	NE¼	SE¼	SW¼	NE¼	SE¼	SW¼	SE¼

10 Total number of acres irrigated

10. Remarks: See attached information describing construction of well as well as water

analysts report.

The above information is a true statement of the extent to which the above numbered permit has been developed.

August 16, 1973
August 8, 1973 (Date)

the extent to which the above numbers

William A. Hall

W. A. Hall & Son

(Signature)

12 name number

Chait

State of IDAHO)
County of ADA)
ss.)

On this 16 day of August, 19 73, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires 2-25-75

Notary Public residing at _____

5947

John J. J. J.

RECEIVED

SEP 16 1968

Department of Reclamation

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 5 day of Sept., 1968, and the last publication being on the 12 day of Sept., 1968;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 12 day of Sept., 1968.

Lona S. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)



51 7026

bill sent 9-20-68



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 20, 1976

Re: Permit No. 51-7026

C
O
P
Y

State of Idaho
Department of Parks
Statehouse
Boise, ID 83720

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit along with your Receipt No. 3319 for \$10 and your approved Amendment.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:rb

Enc.



STATE OF IDAHO

RECEIVED

JAN 13 1976

DEPARTMENT OF PARKS AND RECREATION

Department of Water Resources
STATE HOUSE
2263 WARM SPRINGS AVE.
BOISE, IDAHO 83720

January 12, 1976

Bobby D. Fleenor
Chief, Water Rights
Idaho Dept. of Water Administration
Statehouse

Gentlemen:

Enclosed is the Application for Amendment Permit #51-7026 along with a Sight Draft in the amount of \$10 for the filing fee.

Please return a receipt for the \$10 filing fee for our accounting records.

Thanks you.

Sincerely,


R. P. Peterson
Deputy Director

rv

enc/2

January 8, 1976

Idaho Department of Parks
Statehouse
Boise, Idaho 83720

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 51-7026 and has found the following:

Quantity of water diverted: 0.36 cfs Source: ground water

The amount of water that can be recognized as beneficially used under Idaho law: 0.36 cfs

The maximum quantity diverted shall not exceed 50 acre feet, or 5.0 acre feet per acre, per year.

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, Twp. 6 S, Rge. 6 E, B.M.,
Owyhee County

Beneficial use: Irrigation of 10 acres within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12;
NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13; Twp. 6 S, Rge. 6 E, B.M.
(Bruneau Dunes State Park)

Priority established: August 19, 1968

The land found being irrigated by our examiner differs from that description listed on the permit. Therefore, it will be necessary for you to amend the permit before a license is issued. Please sign and return the enclosed application for amendment along with a \$10.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact this office within the 30-day period.

Enclosed you will find an Order which removes the measuring device requirement from this permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure (2)



STATE OF IDAHO

DEPARTMENT OF PARKS AND RECREATION

STATE HOUSE
2263 WARM SPRINGS AVE
BOISE, IDAHO 83720

December 24, 1975

R. Keith Higginson
Director

Department of Water Resources
Statehouse Mail
Boise, ID 83720

Re: Permit #51-7026
Bruneau Dunes State Park

Dear Mr. Higginson:

We respectfully request that the permanent installation of a water measuring device for the above captioned diverting works be waived. The reasons are outlined below and supported by an attached letter from the Park Manager.

As noted in the attached letter, 25 sprinkler heads is the maximum number of heads that can be utilized. Using the data submitted, it is easily shown that

$$25 \text{ heads } (6.4 \text{ GPM/head}) 2.228 \times 10^{-3} \text{ CFS/GPM} = 0.36 \text{ CFS}$$

0.36 CFS is the maximum flow rate at any given time.

Additional expansion of lawn area is not planned; in fact reduction is favored as noted in the Manager's letter.

In conclusion, our present watering system limits us to no greater than 0.35 CFS and for only that period as noted in the attached letter. Thank you for your consideration in this matter.

Sincerely,

A handwritten signature in cursive script that reads "Jim Howard".

Jim Howard, P.E.

cc: Larry Stevens
Wes Whitworth

Enc.

INTRA-DEPARTMENT MEMO

DATE December 18, 1975
TO: Jim Howard, Parks Engineer
FROM: Wes Whitworth
SUBJECT: Irrigation Water Usage



Our irrigation starts in mid-April at approximately half force of 12 hour shifts per day for five days a week. Then in mid-May, we extend to full force of 20 hour shifts per day for five days a week until late September when we revert back to half shifts of 12 hours per day five days a week until shutdown which is usually mid October.

Summary:

12 hour shifts 5 days a week for $1\frac{1}{2}$ months
20 hour shifts 5 days a week for $4\frac{1}{2}$ months

We use 25 sprinkler heads which are #35 Rainbirds with a 3/16 nozzle and we have 40 P.S.I. on our main line which gives us 6.4 g.p.m. for each sprinkler head. Our well is 990 feet deep with thermal water coming out at 68°.


We have no plans to extend our lawn areas in the future; in fact the opposite would be the case in this area.

Our major portion of the irrigation is within 100 feet of the well and water was found at the 240 ft. level which might allow some of the water to seep back into the well.

FIELD REPORT

TOTAL ACREAGE _____ 10 _____

Diagram of System



DATE OF EXAM 6/23/75

ACREAGE
Found 10
Recommended 10

Irrigation Requirement 5 Ac Ft/Ac

USE
Irrigation Q = 0.20 c.f.s. V = 50 AF/Ann. from 4/1 to 7/31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured None (Est.) Method of measurement Est.

Total Q recommended 0.20 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 50 AF/Ann

Recommended Amendments:

P D _____
Place of Use N 1/4 SW 1/4 Sec 13 T6S R.6E
Other _____
None _____

MEASUREMENT CALCULATION:

None (Est.)

SYSTEM DESCRIPTION.

8" well with 30hp sub. pump with 25ft. x 10ft. in dia. storage tank, no measuring device well produces warm water well is buried couldn't measure casing size.

REMARKS:

no domestic use. strictly irrigation

Examiner's Signature H. L. Luria Date 12/16/75

Checked by HLL Date 12-16-75

Approved by _____ Date _____

August 21, 1973

Re: Permit No. 51-7026

Idaho Department of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

51 7026

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 14, 1973

Re: Permit No. 51-7026

Idaho Department of Parks
Statehouse
Boise, Idaho 83720

Gentlemen:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

However, we cannot accept your proof unless your signature is notarized. Therefore, we are herewith returning your proof affidavit.

Please return the notarized affidavit on or before October 1, 1973.

Sincerely,

A handwritten signature in cursive script that reads "Bobby D. Fleenor".

BOBBY D. FLEENOR
Assistant Director

BDF:JC

Enc: Proof affidavit

RECEIVED

AUG 17 1973

Department of Water Administration

Dear Bob:
Sorry for the oversight; permit has
been notarized.

A handwritten signature in cursive script that reads "Bill Flyn".

RECEIVED

AUG 15 1973

Idaho Parks & Recreation Dept.

51 7026

August 14, 1973

Re: Permit No. 51-7026

Idaho Department of Parks
Statehouse
Boise, Idaho 83720

Gentlemen:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

However, we cannot accept your proof unless your signature is notarized. Therefore, we ~~un~~herewith returning your proof affidavit.

Please return the notarized affidavit on or before October 1, 1973.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC
Enc: Proof affidavit

51 7026



STEVEN W BLY, Director
R P PETERSON Deputy Director

Idaho State

PARKS & RECREATION DEPARTMENT

STATEHOUSE MAIL - 2263 WARM SPRINGS AVE , BOISE, IDAHO 83707
PHONE (208) 384-2154

CECIL D ANDRUS
Governor of Idaho
IDAHO STATE PARKS &
RECREATION BOARD

EARL GUNNELL Chairman
Box 215, Soda Springs, ID 83276
GEORGE MILLER Vice-Chr
Box 247 Bonners Ferry ID 83805

KENT GIST Member
Box 336, Filer, ID 83423
WILLIAM STELLMON, Member
1122 10th Ave Lewiston, ID 83501

RECEIVED
AUG 9 1973

Department of Water Administration

August 7, 1973

Mr. R. P. Higginson, Director
Department of Water Administration
Statehouse Annex #2
Boise, Idaho 83720

RE: Permit #51-7026

Dear Keith:

As requested in your letter of August 1, 1973 please find enclosed a completed proof of application of water to beneficial use form for Well Permit #51-7026.

I trust this information will be of interest to you and do not hesitate to contact me if you have any questions, or I can be of further assistance.

Sincerely,

William G. Hagdorn, Chief
Resource Development

MD:sad

Enclosure

51 7026

CHRONIC & ASSOCIATES
CONSULTING ENGINEERS
2704 S. DOOLA LN
BOISE, IDAHO 83702

October 28, 1968

Mr. A. E. Hosack
RFD #5
Hampa, Idaho

Re: Bruneau Dunes Well #2

Dear Mr. Hosack:

In accordance with our conversation of this date, you are to complete the development of the Bruneau Dunes Well #2 as hereinafter stated.

Install approximately 990 feet of 8-inch diameter casing without a drive shoe. Set 60 feet of 4 1/2 inch telescoping screen between 920 and 980 feet depth. Screen size type to be a #15 slot (0.015" opening). A 10 foot length of blank 4-inch casing should be set at the end of the screen between 980 and 990 feet. Similarly, 100 feet of 4 inch blank should be provided between the top of the screen and 820 feet depth. Provision should be made for accurately centering the screen and blank sections within the annular space inside the 8-inch casing. The sand-pack should be provided in the annular space between the screen and the 8-inch diameter casing. The sand-packed material should be well graded between 0.012" and 0.046" diameter particle sizes. A sample of the material proposed for use as sand-pack should be submitted prior to installation for approval. The sand-pack should be installed in the usual manner and the 8-inch diameter casing pulled back to 915 feet. A sufficient quantity of sand-pack material should be provided above the 915 feet depth to provide a reservoir of material which may be misplaced in development work.

A lead packer should be installed at the end of the 4-inch blank (top of the screen assembly) at 820 feet depth. We recommend that the screen assembly be installed by lowering on a string of 4-inch pipe. It appears well development could best be accomplished in this manner.

If you have any questions relative to the above, please advise. Also, please keep us informed as work on the well progresses. Particularly advise us prior to commencing the gravel pack operation.

Very truly yours,

CHRONIC & ASSOCIATES


A. T. Peterson, P. E.

ATP/np

51 7026

Idaho Department of Health
Laboratories and Engineering & Sanitation Divisions

WATER QUALITY REPORT

Location County OWYHEE Code (2-3) Municipality Code (4-6)
(Name)

Name of Owner (7-8) Source Name & Number: Well #2 Code (9-10)
(Name)

Sample taken from (11) 1 River 2 Deep Well 3 Shallow Well 4 Infiltration Collector
(Check one) 5 Lake 6 Springs 7 Reservoir 8 Creek 9 Distribution System

Sampling point location Sample submitted by

Date of Collection 10 11 68 (12-17) Date received 10-14-68
Month Day Year

Card 3 (I) **Field Testing**
Physical
Temp °F (18-19)
Odor (s.u.) (20)
pH 8 3 (21-23)

Laboratory
(Check analysis desired)
☐ Color (Pt-Co) (24-25)
☐ Turbidity (s.u.) (26-27)
Chemical (Results expressed in ppm) (mg/L)
☐ For routine analysis check here
(Minimum sample one liter)
☐ Total solids 585 (28-31)
☐ Hydrogen Sulfide (S) 920 (32-34)
☐ Alkalinity (as CaCO₃) 456 (35-37)
☐ Hardness (as CaCO₃) 40 (38-40)
☐ Calcium (Ca) 16 (41-43)
☐ Magnesium (Mg) 1 (44-46)
☐ Iron* (Fe) 2 70 (47-50)
☐ Manganese (Mn) 0 25 (51-53)
☐ Sodium (Na) 182 (54-56)
☐ Chloride (Cl) 2 (57-59)
☐ Sulphate (SO₄) 49 (60-62)
☐ Nitrate (NO₃) 4 4 (63-65)
☐ Phosphate (PO₄) 0 44 (66-68)
☐ Silica (SiO₂) (69-70)
Fluoride (F) 5 95 (71-74)
☐ Ammonia* (N) (75-77)
For this testing procedure

Card 4 (I) **Special Laboratory**
Chemical (Part 2) (mg/L)
(Minimum sample one liter)
☐ Aluminum (Al) (18-19)
☐ Zinc (Zn) (20-21)
☐ Phenols (22-24)
☐ Cyanide (CN) (25-26)
☐ CCE (27-29)
☐ Copper (Cu) (30-31)
☐ Arsenic (As) (32-34)
☐ Barium (Ba) (35-36)
☐ Cadmium (Cd) (37-39)
☐ Chromium (Cr) (40-42)
☐ Lead (Pb) (43-45)
☐ Silver (Ag) (46-48)
☐ Selenium (Se) (49-51)
☐ A.B.S. (52-54)

Radiological activity (pCi/liter)
(Minimum sample one gallon)
☐ Gross alpha (55-57)
☐ Gross beta (58-61)
☐ Radium 226 (62-65)
☐ Strontium 90 (66-69)
☐ Strontium 89 (70-73)
☐ Iodine 131 (74-77)

Date of report to Date reported 10-16

Chemist 51 7026

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKING BOX(S).
* REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Show to whom
to be delivered

RECEIPT

Received the numbered certificate to be used for a loan.

REGISTERED NO.

SIGNATURE OF BORROWER (if any)

CERTIFIED NO.

1

UNITED BUILDING BANK ROC.

2

SIGNATURE OF ADDRESSER (if any)

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (only if requested)

AUG 3 1973

3

51 7026

10-1015-11 31-103 GPO


POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PS-16-71248-11

POD Form 3811 Apr. 1963

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moistened gummed ends and attach this card to back of article.

POSTMARK OF DELIVERING OFFICE



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83725

01 23 63

August 1, 1973

CERTIFIED MAIL

#24719

Re: Permit No. 51-7026


Idaho Department of Parks
Statehouse,
Boise, Idaho 83707

Gentlemen:

One of the conditions of approval of your water Permit No. 51-7026 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

51 7026

Bruneau Sand Dunes No 2
St. Park
No. 2 well

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name State of Idaho
Address Department of Parks
Capitol BLANKET Boise
Owner's Permit No. 51-2-1-1

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Aug ☐ Other Well No 2
(explain)

CASING SCHEDULE: Threaded — Welded —
16 "Diam. from 0 ft. to 5 ft.
12 "Diam. from 0 ft. to 170 ft.
8 "Diam. from 0 ft. to 915 ft.
"Diam. from — ft. to — ft.

Thickness of casing: 16 250 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

12" 375 Mod 8 inch 32 casing
(explain)

PERFORATED? Yes ☐ No ☒ Type of
perforator used: —

Size of perforations: " by "
perforations from — ft. to — ft.
perforations from — ft. to — ft.
perforations from — ft. to — ft.
perforations from — ft. to — ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐

Manufacturer's name —
Type — Model No. Winston 512
Diam. 4 1/2 Slot size 95 Set from 920 ft. to 980 ft.
Diam. — Slot size — Set from — ft. to — ft.

CONSTRUCTION: Well gravel packed? Yes ☒
No ☐ size of gravel 3/4 to 1 1/2 Gravel
placed from 500 ft. to 940 ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
— ft. Material used in seal: to 170

Did any strata contain unusable water? Yes ☐
No ☒ Type of water: to 170

Depth of strata 170 ft. Method of sealing
strata off: connected to 30 feet
150 to 170 connected

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section

Sec. 16

LOCATION OF WELL: County Caribou
W. Sec. 16 T. 6 N. S. R. 6 E. 4

Size of drilled hole: 16 " Total Reclamation
depth of well: 990 Standing water
level below ground: 240.88 Temp. 79
Fahr. 98 ° Test delivery: 32 gpm
or — cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:
8" Beals 6' 1/2" 240 3/4" 1/2" 1/2" 1/2"

Length of time of test: 10 Hrs. — Min.

Drawdown: 805 ft. Artesian pressure: ft.
above land surface — Give flow — cfs

or 130 gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒ 12" Cement & pushed in place

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0 5 Loose sand & silt

5 60 Light brown clay after well Yes

60 170 Blue clay

170 350 Blue shale

350 450 Blue shale a few layers of water

450 600 Blue shale some silt

600 940 Blue shale

940 990 Soft sand stone layers water

Water Rises to 32 feet surface

Work started: July 24 1968 No 2

Work finished: Dec 24 1968 No 2

Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.

Name: A. E. Hosack

Address: R 9 5 HAMPA IDA

Signed by: A. E. Hosack

License No. 5204 Date: Jul 15 1969

Use other side for additional remarks

REPORT OF WELL DRILLER
State of Idaho

Brunian Second Series
Lolipark

Test No. 3

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name State of Ida
Address Department of State Parks
Capital Bldg Annex Boise, Ida
Owner's Permit No. 5-20

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☒

Water is to be used for: _____

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other _____

(explain)
CASING SCHEDULE: Threaded _____ Welded _____
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.

Thickness of casing: _____ Material: _____
Steel ☐ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☐ Type of
perforator used: _____

Size of perforations: _____ " by _____ "
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐


Manufacturer's name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☐ size of gravel _____ Gravel
placed from _____ ft. to _____ ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
_____ ft. Material used in seal: _____

Did any strata contain unusable water? Yes ☐
No ☐ Type of water: _____
Depth of strata _____ ft. Method of sealing
strata off: _____

Surface casing used? Yes ☐ No ☐
Cemented in place? Yes ☐ No ☐

Locate well in section



pulled all
casing out
of hole
and plugged
same

LOCATION OF WELL: County Blaine
NE 1/4 NW 1/4 Sec. 13 T. 6 N. 1/2 R. 1 E. 1/2 B. 11

Size of drilled hole: 16" Total
depth of well: 60 Standing water
level below ground: _____ Temp. _____
Fahr. _____ Test delivery: _____ gpm
or _____ cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
710 WATER SMALL SCRAP 12A
Length of time of test: _____ Hrs. _____ Min.
Drawdown: _____ ft. Artesian pressure: _____ ft.
above land surface _____ Give flow _____ cfs
or _____ gpm. Shutoff pressure: _____
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	10	SAND & SILT	
10	20	BROWN CLAY	
20	60	Blue clay or shale	
		Hardly enough water	
		to fill with	
		Set 38 feet of 12" ID	
		and pulled same out	
		ordered to stop drilling	
		Back filled hole	
		with drilling	
		Mud	
		Not enough water	
		first and only water	
		at 12 feet of water	

Work started: _____
Work finished: _____
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: A. E. Hunsaker
Address: 1825ampa Ida
Signed by: A. E. Hunsaker
License No. 5204 Date: July 15 1969

Use other side for additional remarks

October 28, 1968

Re: Permit No. 51-7026 - Idaho Department of Parks

Idaho Department of Parks
Statehouse
Building

Gentlemen:

We enclose a copy of your approved application for permit 51-7026 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
2 informational letters

51 7026

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that the Idaho Department of Parks, Statehouse, Boise, Idaho, has on August 19, 1968, applied for permit under application No. 51 - 7026 to divert 0.45 cubic feet per second of water from a subterranean source. Water will be diverted by a well and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M., Owyhee County and is to be used from January 1 to December 31 for domestic use and from April 1 to September 31 for irrigation in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R KEITH HIGGINSON,
State Reclamation Engineer
Published in the Owyhee Nug-
get, Marsing, Owyhee County,
Idaho, on September 5 and Sep-
tember 12, 1968.

51 7026

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

August 30, 1968

Re: Application No. 57-7021 - Calvin O. Carothers
Application No. 51-7025 - Milford J. Vaught
Application No. 51-7024 - Ray W. Koskie
Application No. 57-7001 - R. Roland Towle
Application No. 51-7026 - Idaho Department of Parks

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM/ks
enclosure: legal notice

51 7026

Form 3

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the Idaho Department of Parks, Statehouse, Boise, Idaho, has on August 19, 1968, applied for permit under application No. 51 - 7026 to divert 0.45 cubic feet per second of water from a subterranean source. Water will be diverted by a well and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M., Owyhee County and is to be used from January 1 to December 31 for domestic use and from April 1 to September 31 for irrigation in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T. 6 S., R. 6 E., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,

State Reclamation Engineer

Published in the Owyhee Nug-
get, Marsing Owyhee County,
Idaho, on September 5 and Sep-
tember 12, 1968

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the Idaho Department of Parks, Statehouse,

Boise, Idaho has on August 19, 1968

applied for permit under application No. 51-7026 to divert ~~store~~ 1999

0.45 cubic feet per second ~~and~~ 1999 feet of water from a sub

terranean source. Water will be diverted by a well

and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$,

sec. 12, T. 6 S. R. 6 E. B.M., Owyhee County

and is to be used from January 1 to December 31 for domestic

use and from April 1 to September 31 for irrigation

in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 12, T. 6 S. R. 6 E. B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Owyhee Nugget, Marsing, Idaho,

on September 5 and September 12.

51 7026

Idaho DEPT. OF PARKS
Statehouse, Boise, Idaho 83707



STATE PARK BOARD

ERNEST E. DAY, Chairman
420 Crestline Drive
Boise, Idaho 83702

HAROLD T. BROWN, Member
Box 374
Filer, Idaho 83328

EMERY HEDLUND, Vice-Chairman
1746 Main Street
St. Maries, Idaho 83861

WILLIAM M. FROME, Member
505 East Main Street
St. Anthony, Idaho 83445

MRS. BETH DURHAM, Member
221 7th Avenue
Lewiston, Idaho 83501

EARL T. GUNNELL, Member
Box 215
Soda Springs, Idaho 83276

WILHELM M. BECKERT, Director

Ref: 235.30

August 14, 1968

RECEIVED

AUG 19 1968

Department of Reclamation

Department of Reclamation
Statehouse
Boise, Idaho

Gentlemen:

Enclosed herewith is the Application for Permit to Appropriate the Public Waters of the State of Idaho, which we are submitting for the Bruneau Dunes State Park area.

Sincerely,

W.M. Beckert _{ch}

Wilhelm M. Beckert
Director

ch

enc.