


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. M. Beckers
(Applicant)

NOTICE OF APPLICATION
FOR WATER

Notice is hereby given that the State of Idaho, Department of Parks, 920 Bank of Idaho Building, Boise, Idaho has on December 14, 1967 applied for permit to divert 0.45 cubic feet per second of water from a subterranean source under application No. 51-7009. Water will be diverted by a well and pump within the SW¹/₄ SW¹/₄, sec. 11, T. 6 S. R. 6 E. B. M., Owyhee County and is to be used from January 1 to December 31 for domestic purposes and from April 1 to September 31 for irrigation in SE¹/₄, W¹/₂ SW¹/₄, sec. 11, T. 6 S. R. 6 E. B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Published in the Owyhee
Chronicle, Homedale, Idaho,
on January 4 and January 11.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
COUNTY OF OWYHEE) ss.

I, Everett A. Colley, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice herein-after mentioned, I was and now am the printer or publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice

NOTICE OF APPLICATION FOR WATER

of which a printed copy, taken from said newspaper, is hereto annexed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (consecutive) calendar weekly issue(s) of said newspaper, on the following date(s):

Jan. 4, 1968

Jan. 11, 1968

(Signed)

Subscribed and sworn to before me this 12th day of Jan.
A. D., 1968.

Jane M. Parker

Notary Public in and for the State of Idaho.

residing at Homedale, Idaho.

My commission expires 6-10, 1971.


T.
6
S

Diagram of System

Place of use = $S\frac{1}{2}SW\frac{1}{4}$ Sec 11
Domestic $S\frac{1}{2}SW\frac{1}{4}$ Sec 12

$SE\frac{1}{4}NW\frac{1}{4}, NE\frac{1}{4}SW\frac{1}{4}$ Sec 13

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 51-7009 Priority Dec. 14, 1967 Amount 0.13 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Parks
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 51-7009 issued pursuant to Application for Permit dated December 14, 1967,
and has submitted proof to the Department of Water Administration on January 10, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.13 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	from <u>Jan. 1</u> to <u>Mar. 31</u>	at <u>0.13</u> cfs and	<u>4.0 acre feet</u>
Irrigation	from <u>April 1</u> to <u>Sept. 30</u>	at <u>1.5</u> cfs and	<u>18.0 acre feet or</u> <u>4.5 af per acre</u>
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.13 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
22.0 acre feet per year and waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 11,
Twp. 6 S, Rg. 6 E, B. M. in the County of Owyhee

Description and location of place of use: (Bruneau Dunes State Park)

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 S	6 E	11											4						4
Domestic Use:																			
6 S	6 E	11											X	X					
		12											X	X					
		13								X	X								

Total number of acres irrigated 4

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2 day of
October, 19 73.

51 7009

Director

APPLICATION FOR AMENDMENT

RECEIVED

SEP 25 1973

Department of Labor Administration

Permit No. 51-7009

Comes now **Idaho Department of Parks** of (address)

Boise, Idaho

Boise, Idaho, and represents to the Director of
the Idaho Department of Water Administration:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 51-7009, and requests that the permit and permit map be changed as follows:

NO CHANGE

1. Point of diversion: $\frac{1}{4}$ $\frac{1}{4}$, Sec. Twp.

Rge. _____, B. M., County of _____. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

NO CHANGE

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

Amount for purposes from _____ to _____ (both dates inclusive)

Amount for purposes from to (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre feet per annum)

3. Place of use or land to be irrigated: (Bruneau Dunes State Park)

[illegible]

Total number of acres to be irrigated

4

51 7009

Scale - 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at _____, this _____ day of _____, 19____.

(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration, hereby approve the above application for amendment for Permit No. 51-7009.

approve the above application for amendment for Permit No. 51-7009.

Director

Witness my hand this 2 day of October

RECEIVED

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Idaho Dept. of Parks & Recreation
b) Post Office Address Statehouse, Boise, ID 83707
2. Permit Number 51-7009
3. Date of Priority that you are prepared to establish Dec. 8, 1970
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 11
Township 6S, Range 6E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount .45 cfs. for culinary and lawn purposes from 1/1 to 12/31 incl.
(cfs and/or acre feet per annum) watering (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .45 cfs. cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measured by a flow regulating valve set at 60 Gal. per minute - Measurements made by Chronic and Associates, Boise, Idaho.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Johnson Pump - GB 4758 - 13 Stage 6 B.S. with 5 H.P. General Electric Motor - 12" casing for 18', 10" casing for 150' 8" casing and screening for approximately 32 feet.
b) Describe the type and size of measuring device which you have installed at your point of diversion: A flow regulating valve set at 60 gal/min.
c) Give well drillers name and address and date the well was completed _____
A. E. Hosock, Rt. #5, Nampa, ID
Oct. 31, 1968

Exam typed 1-12-73 by

51 7009

My commission expires 2-23-75

Notary Public residing at _____ 1210 N. 15th St.

On this 8th day of January, 1973, personally appeared before me the

State of IDAHO)
County of ADA) ss.

12/12/17 (Date)

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks:

Total number of acres irrigated

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
TOTALS			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: Approximately 1 acre in SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 11, T.6N., R.6E., B.M.

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. Culinary use in information center and campgrounds at Bruneau Dunes State Park. Also lawn watering at information center.

002 15

Identification No. 51-7009
Application No. 42184

LICENSE ISSUED FOR 0.13 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant State of Idaho Department of Parks
post office address 920 Bank of Idaho Building, Boise, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 6S.
Range 6E. B.M. Owyhee County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated
a. 0.45 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
Irrigation purpose from April 1 to Sept. 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and pump.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 12 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 8,000.00.
8. Description of proposed uses
a. If water is **not** for irrigation.
(1) Give the place of use of water. SE $\frac{1}{4}$ of - $\frac{1}{4}$ of Section 11 Township 6S.
Range 6E. B.M.
(2) Amount of power to be generated: 0 hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 0

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe. Will be used for domestic
and irrigation at Bruneau Dunes State Park.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. M. Beckers
(Applicant)

Received by Date 12-14-67 Time 8:00 a.m.
Preliminary check by Fee \$ 10.00 12-15-67

Received by Date

Publication prepared by Date 1-26-67

Published in

Publication dates 1-14-68 1-15-68

Publication approved 12-30-67 12-30-67

Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7009, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 73.

c. Other: The applicant shall permanently install a measuring device of a type

approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 2 day of February, 19 68.

State Reclamation Engineer

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

COUNTY OF OWYHEE)

ss.

I, Everett A. Colley, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the printer or publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice

NOTICE OF APPLICATION FOR WATER

of which a printed copy, taken from said newspaper, is hereto annexed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (consecutive) calendar weekly issue(s) of said newspaper, on the following date(s):

Jan. 4, 1968

Jan. 11, 1968

(Signed)

Subscribed and sworn to before me this 12th day of Jan.
A. D., 1968.

Jess M. Parker
Notary Public in and for the State of Idaho.

residing at Homedale, Idaho.

My commission expires 6-10, 1971.

ORIGINAL

The Owyhee Chronicle

Publishing & Printing

Homedale, Idaho, 83628

Jan. 11, 1968

RECEIVED

JAN 15

State of Idaho
 Department of Reclamation
 Room 107, State House,
 Boise, Idaho 83701

Department of Reclamation

Detach and Return This Stub with Remittance

Dollars

Cents

NOTICE OF APPLICATION FOR WATER--No. 51-7009

	CHARGES				CREDITS	BALANCE
	Display Advertising	Classified Advertising	Legal Publishing	Job Printing		
BALANCE FORWARD						
1st Issue			4.42			
2nd Issue			3.40			
3rd Issue			7.82			
4th Issue						
5th Issue						
I hereby certify that the foregoing account is just and correct and that the amount claimed is legally due and that no part of same has been paid. THE OWYHEE CHRONICLE By <i>Evelyn S. Colley</i>						
Total Due						

THE OWYHEE CHRONICLE
 Homedale, Idaho

51 7009

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

October 16, 1973

Re: Permit No. 96-7035, 51-7009,
28518/51-2157

Department of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

Enclosed herewith is a copy of the Water Licenses issued on the above referenced permits.

We are also enclosing copies of the approved amendments for permits 96-7035 and 51-7009 along with Receipt No. 12421 in the amount of \$10.00 and Receipt No. 12422 in the amount of \$6.50.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosures

51 7009



STEVEN W. BLY, Director
R. P. Peterson, Deputy Director

Idaho State

PARKS & RECREATION DEPARTMENT

STATEHOUSE MAIL - 2263 WARM SPRINGS AVE., BOISE, IDAHO 83720
PHONE (208) 384-2154

CECIL D. ANDRUS
Governor of Idaho

**IDAHO STATE PARKS &
RECREATION BOARD**

GEORGE MILLER, Chairman
Box 247, Bonners Ferry, ID 83805
WILLIAM FROME, Vice Chairman
505 E. Main St., St. Anthony, ID 83445
KENT GIST, Member
Box 349, Fruitland, ID 83619
MERLE ALLISON, Member
Box 336, Filer, ID 83328
WILLIAM STELLMON, Member
1122 10th Avenue, Lewiston, ID 83501
EARL GUNNELL, Member
Box 215, Soda Springs, ID 83276

September 24, 1973

Mr. Bobby D. Fleenor
Assistant Director
614 State Street
Statehouse - Annex 2
Boise, Idaho 83720

Dear Mr. Fleenor:

As you requested in your letter dated September 17, 1973, please find enclosed a pay voucher in the amount of \$10 to cover issuing a water license for permit number 51-7009.

I have also enclosed the signed application for amendment to said permit.

Thank you for your continued cooperation.

Sincerely,


Steven W. Bly
Director

MD:sad

Enclosures

RECEIVED

SEP 25 1973

Department

Division

51 7009

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 17, 1973

Mr. R. P. Peterson
Idaho State Department of Parks
Statehouse
Boise, Idaho 83707

Dear Mr. Peterson:

A representative of this Department has made an examination of the works covered by your Permit No. 51-7009 and has found the following:

Quantity of water diverted: 0.13 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.13 cfs

The maximum quantity diverted shall not exceed 22.0 acre feet per year.

Beneficial Use: Irrigation of 4 acres within the SW1/4SW1/4 Sec. 11; domestic purposes within the S1/2SW1/4, Sec. 11; S1/2SW1/4, Sec. 12; SE1/4NW1/4, NE1/4SW1/4, Sec. 13; Twp. 6 S, Rge. 6 E, B.M. (Bruneau Dunes State Park)

Point of diversion: SW1/4SW1/4 Sec. 11, Twp. 6 S, Rge. 6 E, B.M.

Priority date established: December 14, 1967

The place of use found by our field examiner differs from that listed under your permit, therefore, it will be necessary for you to amend the permit before a Water License can be issued. We are enclosing a partially completed application for amendment for your use. Please sign the application and return it to this office with a \$10.00 filing fee within 10 days of the date of this letter in order that we may issue a water license as set forth above.

If you do not concur with these findings or have any questions, please contact this office within the 10 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg
Enclosure

51 7009

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

1. Name of permit holder State of Idaho, Dept. of Parks
 Post office address Statehouse, Boise, Idaho Phone _____
 Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
 (name spring, stream, etc.)
 Tributary to _____

3. Water will be used for the following purposes:

Amount 0.45 c.f.s. for Domestic
 _____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for Irrigation
 _____ AF/Annum (nature of use)

Period of Use: from April 1 to Sept. 30
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 51-7009
 Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.45 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 6S N/S, Range 6E E/W, B.M., Section 11, Subdivision SW $\frac{1}{4}$ SW $\frac{1}{4}$, Owyhee
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County

Other Points of Diversions: _____

Description of diverting works: well, Johnson Pump, 5-hp motor

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. (Bruneau Dunes State Park)

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	6E	11									2	10							12
		11									(domestic)				X	X	X	X	

TOTAL ACREAGE 12




Diagram of System

Place of use = $S_2 SW \frac{1}{4}$ Sec 11
 $S_2 SW \frac{1}{4}$ Sec 12

$SE \frac{1}{4} NW \frac{1}{4}$, $NE \frac{1}{4} SW \frac{1}{4}$ Sec 13

DATE OF EXAM 29 May

ACREAGE
Found 4
Recommended 4

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .08 c.f.s. V = 18.0 AF/Ann. from April 1 to Sept 30
Domestic Q = .13 c.f.s. V = 4.0 AF/Ann. from Jan 1 to Dec 31
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes no

Name source: Groundwater
twp. 6 N/S Rge 6 E/W, B.M., Sec. 11, Sub. SW $\frac{1}{4}$ SW $\frac{1}{4}$ Osborne County

Exchange? yes no

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Total Q measured .13 cfs Method of measurement Installed meter

Total Q recommended .13 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 22.0 Ac ft

Recommended Amendments:

P.D. _____
Place of Use All SW $\frac{1}{4}$ Sec 11 SE SW $\frac{1}{4}$ Sec 12 SE NW $\frac{1}{4}$ Sec 13 NE SW $\frac{1}{4}$ Sec 13
Other _____
None Alto 65 6E

MEASUREMENT CALCULATION:

No measuring device installed OK 20 Aug 73
Q = .13 cfs (60 gpm)
V = 4 Ac ft/Ann

SYSTEM DESCRIPTION:

5HP Motor 230/460 Volts 1745 RPM General Electric
Serial # 251001317 Johnson Pump Serial # GP4758
3 Water Conditioner Tanks for Domestic use Large
Pump house

REMARKS:

20,000 gal Storage tank extensive domestic
water system connecting the camp sites
including a bath house and sanitary facilities

Examiner's Signature James Booker Date 29 May 73

Checked by Re exam 20 Aug 73 EB Date _____

Approved by _____ Date _____

MEMO

To: **Jim Booker**

From: **Darlene**

Date: **8/14/73**

Herewith forwarding field exam report for Permit No. **51-7009**

Cannot issue license until the following is determined:

- ☒ Amount of water measured
- ☐ Location of point of diversion
- ☐ Place of use for domestic
- ☐ Place of use for stockwater
- ☐ Place of use for irrigation (number of acres in each 40-acre subdivision)
- ☒ Installation of measuring device
- ☐ Permit holder does not agree with findings of examiner, please re-examine
- ☒ Other **See attached copy of letter from Parks**

51 7009



STEVEN W. BLY, Director
R. P. PETERSON, Deputy Director

Idaho State

PARKS & RECREATION DEPARTMENT

STATEHOUSE MAIL - 2263 WARM SPRINGS AVE., BOISE, IDAHO 83707
PHONE (208) 384-2154

RECEIVED
DECIL D. MADRIS
Governor of Idaho
IDAHO STATE PARKS &
RECREATION BOARD

EARL GUNNELL, Chairman
Box 216, Soda Springs, ID 83422
GEORGE MILLER, Vice-Chair
Box 147, Business Ferry, ID 83806

KENNETH W. MEMBER
Box 546, Pocatello, ID 83429

WILLIAM FROME, Member
508 E. Main St., St. Anthony, ID 83806

MERLE ALLISON, Member
Box 336, Pahr, ID 83326

WILLIAM STELLMON, Member
1122 10th Ave., Lewiston, ID 83501

August 7, 1973

Mr. Kenneth A. Dunn
Deputy Director
Department of Water Administration
Statehouse Annex #2
Boise, Idaho 83720

RE: Permit #51-7009

Dear Mr. Dunn:

Reference is made to your letter dated June 11, 1973 requesting the installation of a suitable measuring device on the diverting works for Permit #51-7009.

This letter is to advise you that said meter is scheduled for installation on the subject diverting works, Wednesday August 8, 1973. We would welcome an inspection by one of your personnel after this date. Detailed arrangements can be made for entering the building and performing the inspection by contacting Mr. Bryan Rowder, Manager, Bruneau Dunes State Park. Mr. Rowder resides at the Park.

Thank you for your cooperation in this matter, and do not hesitate to contact us if you have any questions, or we can be of further assistance.

Sincerely,

William G. Hagdorn, Chief
Resource Development

MD:sad

cc: Bryan Rowder

51 7009

July 11, 1973

Re: Permit No. 51-7009

Mr. R. P. Peterson
Idaho Department of Parks
Statehouse
Boise, Idaho 83707

Dear Mr. Peterson:

Pursuant to your letter of July 9, 1973, please be advised that the Department will extend the time to show cause under the above referenced permit to August 11, 1973.

Very truly yours,

A. KENNETH DUNN
Deputy Director

AKD/DR:cd

51 7009



STEVEN W BLY, Director
R P PETERSON Deputy Director

Idaho State

PARKS & RECREATION DEPARTMENT

STATEHOUSE MAIL - 2263 WARM SPRINGS AVE., BOISE, IDAHO 83707
PHONE (208) 384-2154

CECIL D ANDRUS
Governor of Idaho
**IDAHO STATE PARKS &
RECREATION BOARD**

EARL GUNNELL, Chairman
Box 216, Soda Springs, ID 83278
GEORGE MILLER, Vice-Chr
Box 247, Bonners Ferry, ID 83805
KENT GIST Member
Box 348, Fruitland, ID 83619
WILLIAM FROME Member
505 E Main St., St. Anthony, ID 83445
MERLE ALLISON, Member
Box 338, Filer, ID 83328
WILLIAM STELLMON, Member
1122 10th Ave, Lewiston, ID 83501

July 9, 1973

RECEIVED

JUL 9 1973

~~Department of Water Administration~~

Mr. A. Kenneth Dunn
Deputy Director
Department of Water Administration
Statehouse Mail Annex 2
Boise, Idaho 83707

RE: Permit #51-7009

Dear Mr. Dunn:

Reference is made to your certified letter dated June 11, 1973, informing us of the non-compliance of well permit #51-7009 to be equipped with a measuring device of a type approved by the Department of Water Administration.

We are currently endeavoring to collect information pertinent to the feasibility and cost of installing such a measuring device. This information will not be available to us prior to your July 11 deadline at which time you state the permit will lapse do to our failure to complete the requirements under said permit.

The Department of Parks and Recreation is therefore requesting an extension of time until August 11, 1973 in order to secure the necessary information. On or before this date, we will advise you as to what our future actions will be. Please advise us in the very near future if you concur with the proposed extension of time. Thank you for your cooperation and we will be looking forward to hearing from you.

Sincerely,

R. P. Peterson
Deputy Director

MD:sad

51 7009

7-9-73

Representative of Parks called and requested an extension on show cause order until August 11, 1973. A letter requesting that extension will be submitted prior to July 7 deadline.

Bob Fleenor

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

22587

INSURED NO.

DATE DELIVERED

MAR 12 1973

1

RAPIER BUILDING MARK ROOM

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

3

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

51 7009

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PS Form 3811 Nov. 1970 c65-16-81277-1

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

↑ Print in the space below your name, address, including ZIP Code.
↑ If special services are desired, check block(s) on other side.
↑ Moisten gummed ends and attach to back of article.

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2
BOISE, IDAHO 83702

RETURN
TO



0. 2009

June 11, 1973

CERTIFIED MAIL

Re: Permit No. 51-7009

#24584

State of Idaho, Dept. of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

On May 29, 1973, this office inspected the water diversion works and place of use as described in Permit No. 51-7009. Our examiner found no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of a license for your permit.

As you may be aware, your water right cannot be confirmed by the issuance of a license unless all of the conditions of approval are met. In the event that a license is not issued and the permit lapses, further diversion of water under the permit would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Administration, 614 State Street, Boise, Idaho, on or before July 11, 1973, as to why Permit No. 51-7009 should not be lapsed for failure to complete the requirements under said permit.

If you have any questions, please feel free to contact this office.

Very truly yours,


A. KENNETH DUNN
Deputy Director

AKD:jc

51 7009

6002 TS

NAME AND ADDRESS OF SENDER		NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS		Indicate type of mail ☐ INSURED ☐ C. O. D. ☒ CERTIFIED		Affix stamp here if issued as certificate of mailing or for additional copies of this bill.				POSTMARK AND DATE OF RECEIPT			
NUMBER OF ARTICLE				POSTAGE	FEE	DUE SENDER IF C. O. D.	ENDORSEMENT	R. R. FEE	S. D. FEE	S. H. FEE	RESTRICTED DELIVERY FEE		
1	24583	Thomas GAD Ward, Church of Jesus Christ of Latter-day Saints c/o Arnold S. Duncie, Bishop, Rt. 5, Box 79 Blackfoot			35			15			35-7190		
2	24584	State of Ida, Dept. of Parks, ~~Boise~~ Statehouse, Boise									51-7009		
3	24585	Ida Water Resource Board, Capitol Bldg. Boise									63-7019		
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
TOTAL NUMBER OF PRICES LISTED BY SENDER		3		TOTAL NUMBER OF PRICES RECEIVED AT POST OFFICE		POSTMASTER, PER (Name of receiving employee)		Mark "F" if "Fragile," "P" if "Perishable," "E" if "Eggs," "RH" if "Eggs for Hatching," "B" if "Butter," "FL" if "Fragile-Liquid," and "FLU" if "Fragile-Liquid-This Side Up." Special-handling charges apply only to fourth-class parcels. Special-delivery service also includes special-handling service.					

January 17, 1973

Re: Permit No. 51-7009
(Bruneau Dunes State Park)

State of Idaho, Dept. of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use of water for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may arrange to have someone show him the system.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

bc: Western District Office
Enc: Field exam report

51 7009



STEVEN W. BLY, Director

R. P. PETERSON, Deputy Director

Idaho State

PARKS & RECREATION DEPARTMENT

STATEHOUSE MAIL - 2263 WARM SPRINGS AVE., BOISE, IDAHO 83707

PHONE (208) 384-2154

CECIL D. ANDRUS

Governor of Idaho

IDAHO STATE PARKS & RECREATION BOARD

EARL GUNNELL, Chairman

Box 215, Soda Springs, ID 83278

GEORGE MILLER, Vice-Chr.

Box 247, Bonners Ferry, ID 83805

KENT GIST, Member

Box 349, Fruitland, ID 83619

WILLIAM FROME, Member

505 E. Main St., St. Anthony, ID 83445

MERLE ALLISON, Member

Box 336, Filer, ID 83328

WILLIAM STELLMON, Member

1122 10th Ave., Lewiston, ID 83501

RECEIVED

JAN 11 - 6 1973

Department of Water Administration

January 9, 1973

Mr. Bobby D. Fleenor
Assistant Director
State of Idaho
Dept. of Water Administration
Statehouse - Annex 2
Boise, ID 83707

Dear Mr. Fleenor:

Enclosed is the notarized copy proof of application for
Permit 51-7009.

Sincerely,

Ned Millard, Chief
Operations Division

lrv

enc

51 7009

December 19, 1972

Re: Permit No. 51-7009

State of Idaho, Dept. of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

We are herewith returning the proof affidavit submitted in connection with the above referenced permit.

Please be advised that the affidavit must be signed before a notary public before we can accept and process it.

Please return the affidavit at your earliest convenience.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

51 7009

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24152

INSURED NO.

DATE DELIVERED

DEC 19 1987

1

MAIL ROOM

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

3


SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

51 7009

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PS Form 3811 Nov. 1970 655-16-81277-1

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code
• If special services are desired, check block(s) on other side.
• Moisten gummed ends and attach to back of article

RETURN
TO



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83703

700-9

December 1, 1972 CERTIFIED MAIL #2 A152

Re: Permit No. 51-7009 (Bruneau Dunes State Park)

State of Idaho, Dept. of Parks
Statehouse
Boise, Idaho 83707

Gentlemen:

One of the conditions of approval of your water Permit No. 51-7009 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

51 7009

REPORT OF WELL DRILLER
State of Idaho

copies:
Dept Reclamation
Dept Pub. Works
✓ Engineer off.
Contractor

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: State of Idaho
Name Department of Public Works
Address Boise, Id. (Bruneau Sand Dunes State Park Well No I)
Owner's Permit No. 51-7009
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation + Domestic
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain) _____
CASING SCHEDULE: Threaded ☐ Welded ☐
12" Diam. from 29' ft. to _____ ft.
10" Diam. from 81' 10" ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
Thickness of casing: 375W 365W Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain) _____
PERFORATED? Yes ☐ No ☐ Type of perforator used: _____

Size of perforations: _____" by _____"
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐
Manufacturer's name Johnson
Type Stainless Steel Teles. Model No. 458 F A
Diam. 10 Slot size 10 Set from 67 ft. to 77 ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☒
No. ☐ size of gravel 1/4 to 3/8 Gravel placed from 77 ft. to 160 ft. Surface seal provided? Yes ☒ No ☐ To what depth? 10 ft. Material used in seal: Cement

Did any strata contain unusable water? Yes ☐
No. ☒ Type of water: _____
Depth of strata _____ ft. Method of sealing strata off: _____

Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☒ No ☐

Locate well in section

Sec. 11

Well Location → 0

LOCATION OF WELL: County Owyhee
SW 1/4 SW 1/4 Sec. 11 T. 6 N/S R. 6 E/4

Use other side for additional remarks

Size of drilled hole: 12" Total depth of well: 160' Standing water level below ground: 46.7 Temp. Fahr. 63 ° Test delivery: 60 gpm or _____ cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test: 8 Bowls 6" Column

Length of time of test: 24 Hrs. Min. Drawdown: 65 ft. Artesian pressure: ft. above land surface 0 Give flow 0 cfs or _____ gpm. Shutoff pressure: _____ Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☐

DEPTH FROM FEET	TO FEET	MATERIAL	WATER YES OR NO
0	6	Soil + Silt	
6	16	clay	
16	26	clay	
26	36	Fine Sand + Clay seams	
36	46	Fine Sand + Clay	yes
46	55	Fine Sand - Small gravel	
55	65	Silt	
65	69	clay gravel + sand	
69	78	small gravel sand	yes
78	82	clay tough	
82	85	Blue clay	
85	90	Blue clay Firm	
90	160	Blue clay	
		possible water seep of water in blue clay	

Well screens set at 67' to 77' - Standard 10 slot 10" Telescoping
5'-8" welded on bottom with 1/4" plate on bottom of 8" pipe
8" casing on top of well
8" casing screens to 3 ft above the ground

Ground elevation at well is 2,507.5 M.S.L.

Chemical analysis shows 0.15 ppm Iron & 0.65 ppm manganese

Work started: 3-28-68
Work finished: 4-20-68
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: ↑ Rt 5 308 N Midland Blvd.
Address: A. E. Hosack + Son Nampa
Signed by: A. E. Hosack
License No. 520 A Date: 5-1-68

51 7009

February 6, 1968

Re: Permit 51-7009

**Department of Parks
State of Idaho
920 Bank of Idaho Building
Boise, Idaho**

Dear Sirs:

We enclose a copy of your approved application for permit 51-7009 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**C. Stephen Allred, Assistant
State Reclamation Engineer**

CSA:kd

Enclosure: Copy of application

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that the State of Idaho, Department of Parks, 920 Bank of Idaho Building, Boise, Idaho has on December 14, 1967 applied for permit to divert 0.45 cubic feet per second of water from a subterranean source under application No. 51-7609. Water will be diverted by a well and pump within the SW1/4SW1/4, sec. 11, T. 6 S, R. 6 E, B. M., Owyhee County and is to be used from January 1 to December 31 for domestic purposes and from April 1 to September 31 for irrigation in SE1/4, W. 1/2SW1/4, sec. 11, T. 6 S, R. 6 E, B. M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Published in the Owyhee
Chronicle, Homedale, Idaho,
on January 4, and January 11

December 26, 1967

Re: Application No. 51-7009

Owyhee Chronicle
20 East Idaho Avenue
Homedale, Idaho 83628

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: legal notice

Form 3

51 7009

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the State of Idaho, Department of Parks,
920 Bank of Idaho Building, Boise, Idaho has on December 14, 1967
applied for permit to divert ~~store~~ 0.45 cubic feet per second ~~some feet~~
of water from a subterranean source
under application No. 51 7009. Water will be diverted by a well and
pump within the SW1/4, sec. 11, T. 6 S, R.
6 E, R.M., Owyhee County
and is to be used from January 1 to December 31 for domestic purposes and from
April 1 to September 31 for irrigation
in SE1/4, W1/2SW1/4, sec. 11, T. 6 S, R. 6 E, R.M.

Any protest against this application must be filed with the Department of Re-
clamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Owyhee Chronicle, Homedale, Idaho,
on January 4 and January 11.

Idaho DEPT. OF PARKS

Statehouse, Boise, Idaho 83707



STATE PARK BOARD

ERNEST E. DAY, Chairman
420 Crestline Drive
Boise, Idaho 83702

EMERY HEDLUND, Vice-Chairman
1746 Main Street
St. Maries, Idaho 83861

MRS. BETH DURHAM, Member
221 7th Avenue
Lewiston, Idaho 83501

HAROLD T. BROWN, Member
Box 374
Filer, Idaho 83328

WILLIAM M. FROME, Member
505 East Main Street
St. Anthony, Idaho 83445

EARL T. GUNNELL, Member
Box 215
Soda Springs, Idaho 83276

WILHELM M. BECKERT, Director

REF: 610.48

December 11, 1967

State Reclamation Engineer
Department of Reclamation
Statehouse
Boise, Idaho

Dear Sir:

Enclosed are two copies of the application for permit to appropriate the public water of the State of Idaho within Bruneau Sand Dunes State Park.

If we can supply any additional information, please advise.

Sincerely,

Wilhelm M. Beckert
Director

rk

enc

RECEIVED

DEC 14 1967

Department of Reclamation