

PROOF OF PUBLICATION

RECEIVED

OCT 5 1970

Department of Water Administration

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 17 day of Sept, 1970, and the last publication being on the 24 day of Sept, 1970;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 28 day of Sept, 1970.

Samona L. Curt
NOTARY PUBLIC

My commission expires 7-15-71

(SEAL)

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Robert and Lillian Tindall, Route B, Box 169, Bruneau, Idaho, have received an approved Permit No. G - 33599/51 - 2228 issued by the Idaho Department of Water Administration authorizing the diversion of 12.8 cubic feet per second of water from a ground - water source.

The priority to be established under this permit is May 12, 1967 and the permit was approved May 19, 1967.

Water is to be diverted by well from a point within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16, T. 7 S., R. 5 E., B. M., Owyhee County, to be used for irrigation and stock water purposes in all of Sec. 16, T. 7 S., R. 5 E., B. M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before May 19, 1972. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.


R. KEITH HIGGINSON,
Director, Idaho Department
Of Water Administration

Published in the Owyhee Nugget, Marsing, Idaho, on September 17 and September 24, 1970.

clg
OK
10-7-70

51-2228

33599



Reg. 5 E. O. M.

Top 7.50

16



P.O.

ACKNOWLEDGEMENT

Date:

May 12-1967

Re: Application No.

41862

I hereby acknowledge that, even though I was assisted by employees of the Idaho State Department of Reclamation in the preparation of Application No. 41862, all responsibility with regard to the accuracy and completeness of the information contained therein rests with me.

Signed:


Robert Tindall

Applicant

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none

MICROFILMED

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

16. Examiner's/Consultant's Signature

John K. Neys Date 7/19/84

Consultant's License Number

IDWR Director's Authorization to Conduct

Beneficial Use Examination 7/20/83

Date

CONSULTANT SEAL

✓ok

Robert Tindall
RSE

51-228

8/9

7/16

C220
288C

39

39

0

9/16

0

A
42.6

39

40

14

33

51-2228

T
7
S

B
160.2

6.1 D

E
4.6

P.P.

58.4
33

36

39

28

33

11

F
42.1

crop

G
109.1

16

21

16

21

Total
450 Acres

T7S

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 33599/51-2228 Priority May 12, 1967 Amount 6.41 cfs

THIS IS TO CERTIFY, that Robert and Lillian Tindall
of Bruneau, Idaho, has complied with the terms and conditions of Permit
No. 33599/51-2228 issued pursuant to Application for Permit dated May 12, 1967,
and has submitted proof to the Department of Water Resources on April 28, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 6.41 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 6.41 cfs and</u>	<u>2250.0 acre feet</u>
<u>Stockwater</u>	<u>from January 1 to December 31</u>	<u>at 0.13 cfs and</u>	<u>8.0 acre feet</u>
_____	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	_____

(both dates inclusive)

Subject, however, to the condition that no more than 6.41 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2258.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 16,
Twp 7S, Rge 5E in the County of Owyhee

Description and location of place of use:

Twp.	Range	Sec	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	5E	16			11	33	39	39	39	40	31	38	39	28	36	33	33	11	450

Total number of acres irrigated 450

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21st day of January, 19 86.

Norman C Young
Director

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 41862
Permit No. G- 33599
District No.

1. Name of Applicant: Robert and Lillian Tindall
Postoffice address: Bruneau County: Owyhee State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second 12.8 or Idaho
Miners' inches 640 or gallons per minute
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16
Twp. 7 S , Rge. 5 E , B.M., County of Owyhee
5. Water is to be used for: irrigation and stockwater
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp.
Rge. , B.M.
 - (b) Waste water or sewage effluent is to be returned to
at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.
7. Kind of works: Drilled well - surface irrigation
8. Estimated cost of works: \$ 20,000.00
9. (a) Is reservoir to be used? possible for cooling
(b) Capacity of reservoir: 2 acres
10. The time required for the completion of such work and complete application of the water to the proposed use is
years. 5
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: none
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) 12.8 (cubic feet per second, inches or gallons per minute) is for new lands.

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant.

Agent.

Returned to applicant for correction:

Correction application received:

The number of this permit is G— 33599

Recorded in Book 117 Page 33599 Approved May 19, 1967

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before

and to continue diligently and uninterruptedly to completion, unless

temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before November 19, 1969

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before May 19, 1972 /s/ R. KEITH HIGGINSON

Witness my hand this 19th day of May, 1967

STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, DON SAMUELSON, Governor of the State of Idaho,
and PETE T. CENARRUSA, Secretary of State of the State of Idaho, have caused this instrument
to be executed in the named of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this
19th day of May, 19 67

Countersigned:

STATE OF IDAHO

(SEAL)

By /s/ DON SAMUELSON

Governor

By /s/ PETE T. CENARRUSA
Secretary of State

12.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR EXTENSION OF TIME

APPROVED

State of Idaho)
County of Owyhee)

Permit No. 51-2228

Robert and Lillian Tindall of Route B, Box 169, Bruneau, Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to appropriate the Public Waters of the State of Idaho No. 51-2228.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before May 19, 19 72.

That he has heretofore performed the following work described under said permit:

The well has been completed and there is approximately 300 acres under irrigation
at this time.

Costing \$ 43,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Financially unable to put the rest of the land under
irrigation at this time.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to May 19, 19 77.

Robert Tindall
(signature) *

Subscribed and sworn before me this 7 day of February, 19 72.

seal

Gary J. Page
(notary public)

My commission expires 7/29/1975

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby APPROVE the above application for extension of time for Permit No. G-33599/51-2228 to May 19, 1977.

Witness my hand this 9th day of February, 19 72.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

51 2228

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-33599/51-2228)
in the name of ROBERT & LILLIAN TINDALL)
_____)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,

WHEREAS, on August 1, 1968, the Department of Water Administration adopted Rules of Practice and Procedure for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-33599 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedure as follows:

1. The above numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 12th day of August, 1970.


C. STEPHEN ALLRED
Deputy Director

51-2228
33599

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 17 day of Sept, 1970, and the last publication being on the 24 day of Sept, 1970;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 28 day of Sept, 1970.

Barbara X. Curt
NOTARY PUBLIC

My commission expires 7-15-71

(SEAL)

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Robert and Lillian Tindall, Route B, Box 189, Bruneau, Idaho, have received an approved Permit No. G - 33599/51 - 2228 issued by the Idaho Department of Water Administration authorizing the diversion of 12.8 cubic feet per second of water from a ground - water source.

The priority to be established under this permit is May 12, 1967 and the permit was approved May 19, 1967.

Water is to be diverted by well from a point within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16, T. 7 S., R. 5 E., B. M., Owyhee County, to be used for irrigation and stock water purposes in all of Sec. 16, T. 7 S., R. 5 E., B. M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before May 19, 1972. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON,
Director, Idaho Department
Of Water Administration
Published in the Owyhee Nug-
get, Marsing, Idaho, on Septem-
ber 17 and September 24, 1970.

51-2228

33599

Address all communications to:

Same

P. O. _____

APPLICATION FOR PERMIT

TO APPROPRIATE THE SUBTERRANEAN WATERS OF THE STATE OF IDAHO

Application No. G 41862

Permit No. G 33599

Water District No. _____

RECEIVED
MAY 12 1967
3:00 P.M.
Department of Reclamation

1. Name of applicant: Robert and Lillian Tindall

Post office address: Bruennu County Owyhee State Idaho

2. Quantity of water claimed: 640 miners inches 12.8 cfs

3. Source of water supply: Subterranean

4. Location of point of diversion or well is in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16

Twp 7S, Rge 5E, B.M., County of Owyhee

5. Water is to be used for: Irrigation - stock water

6. If for domestic, municipal, industrial or recreational purposes give:

(a) Point of use of water is in the _____ $\frac{1}{4}$ of the _____ $\frac{1}{4}$ of Section _____

Twp _____, Rge _____, B.M.

(b) Waste water or sewage effluent is to be returned to _____

at a point in the _____ $\frac{1}{4}$ of the _____ $\frac{1}{4}$ of Section _____, Twp _____, Rge _____, B.M.

7. Kind of Works Drilled well - surface irrigation

8. Estimated cost of works: \$ 20,000.00

9. (a) Is reservoir to be used? Possible for cooling

(b) Capacity of reservoir: 2 Acres

10. The time required for the completion of such work and complete application of the water to the proposed use is

5 years.

11. If applicant is a corporation, give:

I. (a) Date and place of incorporation _____

(b) Amount of capital stock \$ _____ (c) Amount paid in: \$ _____

(d) Names and addresses of directors: _____

33599
RD

(Continued)

II. The financial resources of the applicant are: (a) Cash on hand: \$_____

(b) Treasury stock: _____ (c) Bonds to be issued: _____

(d) Other resources: _____

12. The land to be irrigated is described in the following tabulation:

(Give irrigable acreage in each 40-acre subdivision)

[illegible]

13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None

(a) _____ (Cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.

(b) 12.8 (cubic feet per second, inches or gallons per minute) is for new lands.

33599

23544

Approval of State Reclamation Engineer

The number of this permit is G 33599

Recorded in Book 117 Page 33599 Approved MAY 19 1967


This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed before _____

One-fifth of the work above specified to be completed on or before November 19, 1969

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made on or before May 19, 1972

Witness my hand this 19th day of May, 19 67.


State Reclamation Engineer

IN TESTIMONY WHEREOF, We DON SAMUELSON, Governor of the State of Idaho,

and PETE T. CENARRUSA, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be

hereunto affixed, this 19th day of May, 1967.

Countersigned:

STATE OF IDAHO

By


Secretary of State

By


Governor.

No. G 33599

PERMIT

Date of first receipt at office of State
Reclamation Engineer

May 12, 1967 3:00 P.M.

Returned to applicant for correction

Corrected application received

Fees, \$ 8.00

FILING FEES FOR USE PERMIT:

For the first Sec. Ft. \$5.00

For each additional Sec. Ft. or Fraction


Thereof .25

33599

NAME OF APPLICANT

Robert & Lillian Tindall

Form No. 0



Re: 5 E. B. M.

Top 750

16

C ——— RD.

ACKNOWLEDGEMENT

Date: May 10 1967Re: Application No. 41862

33599

I hereby acknowledge that, even though I was assisted by employees of the Idaho State Department of Reclamation in the preparation of Application No. 41862, all responsibility with regard to the accuracy and completeness of the information contained therein rests with me.

Signed:

Robert Tindall

Applicant

33599

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

33599



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 22, 1986

RE: Permit No. 33599/51-2228

Robert & Lillian Tindall
Rt. B, Box 169
Bruneau, ID 83604

Dear Mr. and Mrs. Tindall:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

October 29, 1985

RE: Permit No. 33599/51-2228

Robert & Lillian Tindall
Rt. B, Box 169
Bruneau, ID 83604

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 33599/51-2228 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 6.41 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2258.0 acre feet
per year.

Point(s) of diversion: NWSE, Sec. 16, Twp 7S, Rge 5E

Beneficial Use: Stockwater and irrigation of 450 acres within
S1/2NE1/4, NW1/4, S1/2, Sec. 16, Twp 7S, Rge 5E

Priority date established: May 12, 1967

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

RECEIVED
NOV 7 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

51-2228
Permit No

Department of Water Resources

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

450 acres x .02 = 9 cfs Recommend Idaho Power Co.
measurements (attached) 2879 GPM x .002228 = 6.41 cfs
Theoretical 300 HP x 8.8 x .76 eff ÷ 336 TDN = 5.97 cfs
4.5 AF x 450 acres = 2025 AFA five Lock
600 hd/range x 12 = 7200 ÷ 54000 = .13 cfs ✓
7200 x .001118 = 8.0 AFA ✓

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 450 \times 5.0$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3114.99$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

← per water users' handbook
- 245 days

c) Volume Calculations for Other Uses: $V = 450 \text{ ac.} \times 5.0 \text{ AF} = 2250 \text{ AFA} \leftarrow$
 $V = 6.41 \text{ cfs} \times 1.9835 \times 245 = 3115.0$

2. **Overlap Review**

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis: no overlapping rights per VAX 10/23/85.

MICROFILMED

10 day

MICROFILMED

- | 3. Permit No. ✓ | Priority ✓ | Amount ✓ | App. Date ✓ | Date Proof Submitted ✓ | System Capacity ✓ |
|-----------------|------------|----------|-------------|------------------------|-------------------|
| 51-2228 | 5/12/67 | 6.41 | 5/12/67 | 4/28/77 | 6.41 |

4. Permit Holder: Robert & or Jillian Tindall ✓

Address: At 1, B Box 169 Bismarck, Idaho 83604

5. Source: Groundwater ✓ tributary to _____

6 Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>irrigation ✓</u>	<u>3/15 ✓</u>	<u>11/17 ✓</u>	<u>6.41 cfs</u>	<u>2250.0 AF</u>
<u>Stockwater ✓</u>	<u>1/1 ✓</u>	<u>12/31 ✓</u>	<u>13 cfs</u>	<u>8.0 AF</u>
Allowable Maximums:				<u>6.41 cfs</u> <u>2250.0 AF</u>

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		NW	NW	SE	16	75	5E	Bwyhee

8. Place(s) of Use ✓ less acres

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
75	5E	16			11	33	39	39	39	40	31	38	39	28	36	33	33	11	450
Total Acres <u>450</u>																			

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments

☐ Change P D as reflected above ☐ Add P.D as reflected above ☒ None

☐ Change P U. as reflected above ☐ Add P U as reflected above ☐ Other _____

11. Examiner's Signature John H. Meyer Date 6/19/84

Checked in Regional Office by bhs Date 11/5/84

Approved in State Office by Kay Walker Date 10-24-85

Department of Water Resources

Phone No. _____

2. Accompanied by: Robert Tindall EXAM. DATE: 6/21/83
Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Essundwates tributary to _____

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Farm is all under sprinkler system - three separate main lines. Applicant uses $1/8" \times 9/64$ size nozzles. Well 16" casing 1515 ft deep TD 336'

7. Measurements ☐ Additional data/computation sheets attached

$450 \text{ acres} \times .02 = 9055 \text{ Recommend 9000 Power}$
 $\text{measurement } 2879 \text{ GPM} \times .002228 = \text{6.41 CFS}$
 $4.5 \text{ AF} \times 450 \text{ acres} = 2025 \text{ AFH Livestock Wood/Range}$
 $\times 12 = 7200 \div 54000 = .13055 \text{ } 7200 \times .001118 = 8.0 \text{ AFH}$

8. Point(s) of Diversion: Indicate Method of Determination

9.

Irrigation - give acres served by system at time of exam.


Place(s) of Use:

Indicate Method of Determination

ASCS photo 1976

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	5E	16			11	33	34	24	39	40	31	38	39	28	36	33	33	11	450
									X							X			
Total Acres 450																			

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature John K. Meyer Date 7/19/84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination 7/20/83
- Date _____
- CONSULTANT SEAL



IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

November 8, 1983

Bob Tindall
Route 1, B
Box 169
Bruneau, Idaho 83604

Thank you for participating in the pump efficiency test program. From the test results the following information is provided to help you evaluate and manage your irrigation system.

PUMP EFFICIENCY TEST RESULTS:

Customer Bob Tindall	IPCo Pump Test Crew Layne Dodson & Jim Worstell								
District Mountain Home	Pump Identification Layne and Bowler #44521								
Customer Account Number 1834006483-1	Pump Horsepower (Rated) 300								
Test Date 9/28/83	Pumping Plant Efficiency 75.8% ✓								
<table border="1"><thead><tr><th>WATER LEVEL MEASUREMENTS</th><th>PRESSURE MEASUREMENTS</th></tr></thead><tbody><tr><td>Ground To Well Water In Feet With Pump OFF 55</td><td rowspan="3">Discharge Pressure = 87 psi After Uphill Mainvalve = 87 psi (valve fully open) After Downhill Mainvalve = 40 psi (valve partially closed)</td></tr><tr><td>Ground To Well Water In Feet With Pump ON 135</td></tr><tr><td>Center Line Of Pump Discharge To Water Level In Feet</td></tr><tr><td>TOTAL DYNAMIC HEAD (TDH) TDH=Pressure Head + Distance To Water 336 Feet</td><td>FLOW, HEAD, & POWER MEASUREMENTS 2879 gpm @ 336 Ft TDH @ 301 HP motor load</td></tr></tbody></table>		WATER LEVEL MEASUREMENTS	PRESSURE MEASUREMENTS	Ground To Well Water In Feet With Pump OFF 55	Discharge Pressure = 87 psi After Uphill Mainvalve = 87 psi (valve fully open) After Downhill Mainvalve = 40 psi (valve partially closed)	Ground To Well Water In Feet With Pump ON 135	Center Line Of Pump Discharge To Water Level In Feet	TOTAL DYNAMIC HEAD (TDH) TDH=Pressure Head + Distance To Water 336 Feet	FLOW, HEAD, & POWER MEASUREMENTS 2879 gpm @ 336 Ft TDH @ 301 HP motor load
WATER LEVEL MEASUREMENTS	PRESSURE MEASUREMENTS								
Ground To Well Water In Feet With Pump OFF 55	Discharge Pressure = 87 psi After Uphill Mainvalve = 87 psi (valve fully open) After Downhill Mainvalve = 40 psi (valve partially closed)								
Ground To Well Water In Feet With Pump ON 135									
Center Line Of Pump Discharge To Water Level In Feet									
TOTAL DYNAMIC HEAD (TDH) TDH=Pressure Head + Distance To Water 336 Feet	FLOW, HEAD, & POWER MEASUREMENTS 2879 gpm @ 336 Ft TDH @ 301 HP motor load								

After changes are made to increase the pump efficiency or reduce kilowatt hour usage, an additional efficiency test should be conducted to determine that projected savings are occurring.

Comments and Evaluation:

This is excellent efficiency.

See page 2.

(page 1 of 2)

signed

Jim Worstell

MICROFILMED



JIM WORSTELL
AGRICULTURAL
ENERGY MANAGEMENT ENGINEER

IDAHO POWER COMPANY

P.O. BOX 70
BOISE, IDAHO 83707
BUS (208) 383-2516

Because some of your water is pumped uphill and some downhill, the downhill valve must be adjusted to reduce the pressure on the downhill lines. Whenever a valve must be partially closed, energy is wasted in friction across the valve.

If your pump could be modified to supply the entire flow rate at 40 psi instead of 87 psi and a booster added to the uphill line to add pressure to only the water flowing uphill, some savings would be realized.

For example, you may be able to drop stages and/or trim impellers on your 300 Hp turbine to reduce the pressure at the discharge from 87 psi to 40 psi which is all required for the downhill line. The efficiency should remain about the same. This would require a motor load of 207 HP on the well pump. You could use the existing 300 HP motor to do this. It would be underloaded which would make it run cooler and last longer.

A booster pump would then need to be installed on the uphill mainline. To reach 87 psi, 47 psi would need to be added by the booster. With one-half the total flow (1440 gpm) running uphill at 80% pump efficiency, 49 HP would be required. This would make the total load equal to 207 + 49 or 256 HP. Under these conditions 45 HP would be saved (301-256). This would amount to about \$2000 per season.

You should consider converting your system to reduced pressure which would further reduce operation costs. If you could drop the operating pressure on your system by 20 psi, 42 additional horsepower or \$1800 per season would be saved. This amounts to a total potential savings of \$3800 per season.

*At 10 psi reduction in operating pressure save \$900/season
Total = 900 + 2000 = \$2900/season.*

MICROFILMED



JIM WORSTELL
AGRICULTURAL
ENERGY MANAGEMENT ENGINEER

IDAHO POWER COMPANY

P.O. BOX 70
BOISE IDAHO 83707
BUS (208) 383-2516

✓OK

Robert T. Timm
R 51-2228

819

716

C220
288C

39

39

16

0

A
42.6

T
7
S

51-2228

6.1 D

E
4.6

crop

G
109.1

16

21

Total
450 Acres

T7S

May 20, 1977

Re: Permit No. 51-2228

Robert & Lillian Tindall
Route B, Box 169
Bruneau, Idaho 83604

Dear Mr. & Mrs. Tindall:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

MICROFILMED

Identification No. _____

Permit No. 51-2228

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

APR 28 1967 OK

1. a) Name of Permit Holder ROBERT & LILLIAN TINDALL Department of Water Resources
b) Post Office Address Route B, Box 169 Bruneau, ID Western Regional Office

2. Permit Number 51-2228

3. Date of Priority that you are prepared to establish May 12, 1967

4. a) Source from which water was appropriated groundwater

b) Location of the point of diversion: NW 1/4 SE 1/4, Section 16

Township 7S, Range 5E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 9.7 cfs for irrigation purposes from 4-1 to 10-31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 9.7 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Layne Pump Co., Nampa, ID

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 300 horse power motor, well casing size-16 inches, depth of well 1500 feet, discharged into sprinkler system

b) Describe the type and size of measuring device which you have installed at your point of diversion: none

c) Give well driller's name and address and the date the well was completed: Irvin Glineski, Bruneau, ID November 1967

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Irrigation, stockwater and house use

MICROFILMED

Exam typed 5/9/77 by j

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	5E	16	3	37	18		36	40	40	40	28	40	20	21	40	31	40	10	459

Total number of acres irrigated 459

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-28-77
(Date)

Robert Lindall
Allan Lindall (Signature)

State of Idaho)
County of Ada) ss.

On this 28th day of April, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Rita Bendale
Notary Public residing at
Boise, Idaho

My commission expires March 8, 1980

February 28, 1977

CERTIFIED MAIL

138322

Re: Permit No. 51-2228


Robert & Lillian Tindall
Route B, Box 169
Bruneau, Idaho 83604

Dear Mr. & Mrs. Tindall:

One of the conditions of approval of your water Permit No. 51-2228 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 19, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

February 9, 1972

Re: Permit No. G-33599/51-2228

Robert and Lillian Tindall
Route B - Box 169
Bruneau, Idaho

Dear Mr. & Mrs. Tindall:

Enclosed please find a copy of the APPROVED extension of time in connection with the above referenced permit. The time within which to submit proof of beneficial use has been extended to May 19, 1977; the Department will notify you 60 days in advance to this due date.

If we may be of assistance at any time, please contact us.

Very truly yours,

Donald W. McElowney
Appropriation Supervisor

DWM/BB

Enclosure

51 2228

October 8, 1970

Re: Permit No. G-33599/51-2228

Mr. Robert Tindall
Route B, Box 169
BrunEAU, Idaho 83604

Dear Mr. Tindall:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit. Since proof of beneficial use of the water is not required until May 19, 1972, the Department will notify you sixty days in advance of this date as to further requirements. We wish to advise you, however, that if you have fulfilled the requirements under the permit you may submit proof anytime prior to the above date.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC/DG

51-2228
33599

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

September 8, 1970

Re: Permit No. G-33599/51-2228

Mr. Robert Tindall
Route B, Box 169
Bruneau, Idaho 83604

Dear Mr. Tindall:

The legal notice for the above-referenced permit is being published in the
Owyhee Nugget, Marsing, Idaho on September 17
and September 24, 1970.

You will be required to submit an affidavit of publication to this department.
The affidavit may be obtained from the above-mentioned newspaper upon payment of
the bill of publication.

Thank you for your cooperation in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
ENCLOSURE

P.S. We are returning the ORDER MODIFYING REQUIREMENTS FOR COMPLETION OF PERMIT
TO APPROPRIATE WATER. We suggest that you keep it for your records.

51-2228
33599

September 8, 1970

Re: Permit No. G-33599/51-2228

Mr. Robert Tindall
Route B, Box 169
Bruneau, Idaho 83604

Dear Mr. Tindall:

The legal notice for the above-referenced permit is being published in the
Owyhee Nugget, Marsing, Idaho on September 17
and September 24, 1970.

You will be required to submit an affidavit of publication to this department.
The affidavit may be obtained from the above-mentioned newspaper upon payment of
the bill of publication.

Thank you for your cooperation in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
ENCLOSURE

P.S. We are returning the ORDER MODIFYING REQUIREMENTS FOR COMPLETION OF PERMIT
TO APPROPRIATE WATER. We suggest that you keep it for your records.

51-2228
33599

September 8, 1970

Re: Permit No. G-33599/51-2228

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates, allowing ample time for you to submit to us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Water Administration immediately.

The expense of the publication is to be paid by Robert Tindall, Route B, Box 169, Bruneau, Idaho, to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: legal notice

51-2228
33599

NOTICE OF EXISTING WATER PERMIT

RECEIVED
Route B, Box 169, Bruneau, ID 83404

Notice is hereby given that Robert and Lillian Tindall, Bruneau, ID
Idaho, have had received an approved Permit No. G-33599/51-2228 issued by the Idaho Department of Water Administration authorizing the diversion ~~storage~~ of 12.8 cubic feet per second ~~add/deduct~~ add/deduct of water from a ground-water source.
The priority to be established under this permit is May 12, 1967
and the permit was approved May 19, 1967.

Water is to be diverted by well
from a point within the NW 1/4 Sec. 16, T. 7S, R. 5E, B.M., Owyhee County,
to be used for irrigation and stock water purposes
in all of Sec. 16, T. 7S, R. 5E, B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before May 19, 1972. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON, Director
Idaho Dept. of Water Administration

Published in the Owyhee Nugget, Marsing, Idaho,
on September 17 and September 24, 1970.

Permit No. 51-2228

Director:

You are hereby authorized to have the above notice published at my expense in the Owyhee Nugget of Marsing, Idaho; published in the county in which the works are situated.

Robert Tindall
(Signature)

Rt. B Box 169, Bruneau, ID
(Address)

Sep. 3, 1970
(Date)

51-2228
33599

August 13, 1970

Re: Permit No. G-33599 (New No. 51-2228)

Robert & Lillian Tindall
Bruneau
Idaho 83604

Dear Mr. & Mrs. Tindall:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department; previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply them upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Order
Advertising package

51-2228
33599

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.


OWNER: Robert & Lillian Tamm
Address Bruneau, Idaho
Owner's Permit No. G 33599
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: IRRIGATION
METHOD OF CONSTRUCTION: Rotary ☒ Cable ☐
☐ Other _____ (explain)
DRILLING SCHEDULE: Threaded _____ Welded _____
1. "Diam. from 1 1/2 ft. to 5.28 ft.
2. "Diam. from 5.28 ft. to 7.08 ft.
3. "Diam. from 7.08 ft. to 12.53 ft.
4. "Diam. from 12.53 ft. to 14.72 ft.
Thickness of casing: 1/4" wall Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
Perforator used: Pipe perforated when
installed.
Size of perforations: 1/8" by 3"
Perforations from 5.28 ft. to 7.08 ft. 12"
Perforations from 7.08 ft. to 12.53 ft. 10"
Perforations from 12.53 ft. to 14.72 ft. 8"
Perforations from _____ ft. to _____ ft.
IS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name _____
Type _____ Model No. _____
Slot size _____ Set from _____ ft. to _____ ft.
Slot size _____ Set from _____ ft. to _____ ft.
CONSTRUCTION: Well gravel packed? Yes ☐
Size of gravel none Gravel
placed from _____ ft. to _____ ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
_____ ft. Material used in seal: _____

Do any strata contain unusable water? Yes ☐
Type of water: ☒ Type of water:
Depth of strata _____ ft. Method of sealing
strata off: _____

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Owyhee
S.E. 1/4 Sec. 16 T. 7 N. R. 5 E.

Use other side for additional remarks

Size of drilled hole: 16" Total
depth of well: 1515' Standing water
level below ground: 13' Temp.
Fahr. 90 ° Test delivery: 4000 gpm
or _____ cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
12" Pump

Length of time of test: 5 Hrs. Min.
Drawdown: 160 ft. Artesian pressure: ft.
above land surface _____ Give flow _____ cfs
or _____ gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	21	TOP SOIL	no
21	68	YELLOW CHALK	no
68	76	FINE PEA GRAVEL	yes
76	93	CHALK	no
93	194	SOFT SAND STONE	no
194	271	CHALK	no
271	340	REDDISH CLAY	yes
340	432	SOFT SAND STONE	no
432	523	BLUE SHALE	no
523	568	BLACK LAVA	no
568	708	RED CHALK (LANDERS OF SAND STONE)	yes
708	719	BLACK ROCK 2' PH	no
719	764	BLACK w/RED ROCK 10' PH	no
764	970	BLACK ROCK HD	no
970	1065	BLACK ROCK w/BROWN 5' PH	no
1065	1094	BLACK ROCK (VERY HARD)	no
1094	1152	BLACK w/RED SOME BLUE CLAY	no
1152	1224	CONCRETE PIPE 10' PH	no
1224	1224	" " " "	no
1224	1257	BLACK ROCK HD (WATER 1257)	yes
1257	1461	SAND	yes
1461	1461	SOFT RED CLAY	yes
1461	1461	SOFT BROWN CLAY	yes
1461	1515	RED SILT (HARD)	yes

Work started: June 30 61
Work finished: APRIL 10 68
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: James C. Silvers
Address: Bruneau, Idaho
Signed by: James C. Silvers
License No. 129 Date: 4/15/68

33599

June 1, 1967

G-33599

Re: Permit No.

Robert and Lillian Tindall
Bruneau, Idaho

Dear Mr. and Mrs. Tindall:

G-33599

We enclose Permit No. _____ in which we direct
your attention to the limitations and conditions as given on the
fourth page under approval of the State Reclamation Engineer
G-11607

We also enclose Departmental Receipt No. 8.00
which was issued covering payment in the amount of \$ _____
for the filing fee of the above mentioned permit.

Very truly yours,

M. RUSSELL BOSCH
Office Manager

MRB:ejw

permit, receipt

Enc:

33599