



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Johnny & or Karen Lopez Permit No. 36-08224
Current Address: DBA L.M. DAIRY Phone No. 324-5602
309 Bob Barstow Rd. Jerome Ida
2. Accompanied by: _____ EXAM. DATE: 7/21/89
Address: Karen Lopez Phone No. 8444
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-8060 ☐ Copies Attached
2. Other water rights with same point of diversion: 36-8060 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



P. O.

36-8224

Well # 2

RECEIVED



New
Corals

MICROFILMED

DEC 15 1989



P.O.

36-8060

Well #1

MICROFILMED

DEC 15 1989

10

T1315
752

3-49

Subdivisions

71272

72475

New Stock Corals

28

54
42

DEC 15 1989

Gooding



1306-2

Transf


604

3090

72/2

10





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-8060 Priority February 9, 1982 Amount 0.20 cfs

THIS IS TO CERTIFY, that Ted Miller
of Jerome, Idaho, has complied with the terms and conditions of Permit
No. 36-8060 issued pursuant to Application for Permit dated February 9, 1982
and has submitted proof to the Department of Water Resources on June 28, 1982
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.53 cfs of water from a groundwater source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Commercial</u>	<u>from January 1 to December 31</u>	<u>at 0.20 cfs and</u>	<u>18.5 acre feet</u>
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	
(both dates inclusive)			

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
18.5 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 33,
Twp 8S, Rge 16E in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	16E	33	X																

Total number of acres irrigated _____

Commercial use is for a dairy.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of OCTOBER, 19 84.

Acting for the Director

Norman C. Young

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

SEP 8 1983

36-8060

Permit No.

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

Appointment letter mailed: Sept 17, 1982 AL

Telephone call made: 224-8720

Appointment scheduled for: 5/17/1983 7:00 AM
CO DAIRY

EXAMINATION

Date 5/17/1983 Accompanied by John Lopez Total Q measured 0.53 cfs

If source is surface water, estimate total flow of source N/A

Methods of measurement Pressure Gauge Meets Permit requirements? Yes

Measurement calculations: 50 Hds, 3/32 Nozzle, KAWAOKO (Spray Nozzle) 35-PS
45 PSI = 4.72 gpm/Hd = 236 gpm ÷ 448.8 gpm/cfs. = 0.53 cfs ✓ TNT
(0.53 cfs) (1.98 A-Ft/Hd) (365 days) = 383.0 A-Ft/Hd
(0.20 cfs) (1.98 A-Ft/Hd) (365 days) = 145.0 AFA 0.20 cfs Amount Applied
(236 gal/min) (60 min/day) (365 days) = 525,960 gal/AFA = 12.50 AFA ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	15	Red Jacket	GHP6				Good	
2	7.5	Red Jacket						

System Description Submersible well, motor, pump, 1500 gal pressure TANK. (12) WATERING TROUGHS 3'x15'x1' concrete. 2nd is A STAND By pump. Info on Bonster was not Available

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE Commercial ✓

Irrigation requirement = N/A AFA/Acre

Q (cfs) 0.20 cfs V (afa) 145 FROM JAN 1 TO Dec 31


18.50 AFA

MICROFILMED

DEC 15 1983

Remarks 900 Hd of DAIRY Cows USE THIS WATER for Dripping and also for spraying down the cows before milking. THE System operates 5 min/d - 14 times/24 hr day 365 days a yr. THE Capacity of THE MOTORS & pumps HAVE BEEN LISTED by THE Co. as follows ① 15 HP - 220 gpm ② 7.5 HP - 80 gpm. WATERING TROUGHS are located in The stock Corrals NEAR Hay Stacks.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NE 1/4, Sec. 33 T8S R16E. B.M.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
83	16E	33	X																

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Ray Jundtburg
G. B. Platter
Ray Walker


Date 6-02-1983

Date 6-2-83

Date 10-15-84

DEC 15 1989

TED MILLER DAIRY



MICROFILMED

DEC 15 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08224

Priority: June 29, 1983

Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume:¹ 76.3 AF

This is to certify, that JOHNNY LOPEZ
KAREN LOPEZ
DBA L M DAIRY

309 BOB BARTON RD.
JEROME, ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1983; and has submitted Proof of Beneficial Use on March 27, 1989. An examination indicates that the works have a diversion capacity of .530 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	8.0 AF
STOCKWATER	01/01 to 12/31	0.17 CFS	48.6 AF
COMMERCIAL	01/01 to 12/31	0.17 CFS	18.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.17 CFS	76.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 33, Township 08S, Range 16E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	16E	33	NENE	2		2

Total number of acres irrigated: 2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

DEC 15 1989

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 36-08224

CONDITIONS/REMARKS:

5. Commercial use is for a dairy.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1989.

Acting for


R. Keith Higginson, Director

MICROFILMED

DEC 15 1989

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	36-8224	Miller, Ted Felice Lopez, Johnny Karen Cantone, Jane	.17 total
Full Assignment	36-8224	Lopez, Johnny Karen DBA L-M Dairy	.17 total

MICROFILMED

JUN 13 1989

MAR 24 1989

State of Idaho
Department of Water Resources

Department of Water Resources

ASSIGNMENT OF PERMIT

DBA L-M Dairy

I, TEO MILLER, hereby assign to JOHNNY AND KAREN LOPEZ
of 309 BOB BARTON RD., JEROME, IDAHO 83338
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 36-08224
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 17th day of March, 19 89.

RECEIVED

MAR 21 1989

Department of Water Resources
Southern Region Office


Ted Miller
Permit Holder

Deceased
Spouse of Permit Holder

State of Idaho)

County of Jerome) ss.

On this 17th day of March, 19 89, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.



Jayne F. Burns
Notary Public residing at

Jerome, Idaho 83338

My commission expires:

August 21, 1993

MICROFILMED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ted ^{and} Felice Miller ^{and} for Jane Cantare ^{and/or Karen Lopez and/or Johnny Lopez} Phone 324-5602
Post office address C/O Lopez Rt 2 Box 2595 Jerome, ID 83338
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is ^{2nd} NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 8S
Range 16E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .06 for irrigation purposes from 4/1 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .17 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .17 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .17 ^(78 gpm) cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 7 1/2 HP pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 290 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 8S

Range 16E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 1500 hd Dairy Cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: This well provides back up water for a 1500 cow Dairy Primary well is filed under 36-8060

MICROFILMED


b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 2

Primary right for Darry.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks



[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

~~Proposed~~ Priority 6/29/83

MICROFILMED

Received by T.G. Blau Date 6-29-83 Time 6:00 pm

Preliminary check by ADM Fee \$ 30⁰⁰

Receipted by T.G. Blau Date 6-29-83 # 29094

Publication prepared by merge Date 7/22/85

Published in North side river

Publication dates 3/6 + 3/13/85

Publication approved merge Date 3/15/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8224, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 10th day of June, 1985.

A. M. Saylor
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

GORDON O. GLASMANN

being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 6th day of March

1985, and the date of the last publication was on the 13th

day of March, 1985.

Subscribed and sworn to before me this 14th

day of March, 1985.
(SEAL)

Darla D...

36-8222
MILLER, TED &/or FELICE
CANTONE, JANE
STONE, BARBARA
C/O Barbara Stone, Rt. 2 Box 2632,
JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: SWNE Sec 33 T 08S R
16E
Use: STOCKWATER (0.8333 CFS)
In: SWNE Sec 33 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8224

26
26
MILLER TED &/or FELICE
CANTONE, JANE
LOPEZ, KAREN &/or JOHNNY
C/O Karen and Johnny Lopez, Rt. 2
Box 2595, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: NENE Sec 33 T 08S R
16E
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.17 CFS)
COMMERCIAL (0.17 CFS)
DOMESTIC (0.04 CFS)
In: NENE Sec 33 T 08S R 16E FOR 2
ACRES
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8225

MILLER, TED &/or FELICE
STONE, BARBARA
CANTONE, JANE
C/O Barbara Stone, Rt. 2 Box 2632,
JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: NENW Sec 32 T 08S R
16E
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.66 CFS)
DOMESTIC (0.06 CFS)
In: NENW Sec 32 T 08S R 16E FOR 2
ACRES
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8226

36-8176
K & W DAIRY, RT. 3, JEROME, ID
83338
Source: GROUNDWATER
Date Filed: 04/11/1983
Diversión Pt: NWSW Sec 11 T 08S R
16E
Use: STOCKWATER (0.78 CFS)
COMMERCIAL (1.56 CFS)
In: NWSW Sec 11 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8193

72
79
23
SKEEN, A. DALE &/or KAREN L.
RT. 3, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 05/24/1983
Diversión Pt: NESE Sec 35 T 08S R
19E
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NESE Sec 35 T 08S R 19E FOR 2
ACRES
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8196

THORN CREEK GRAZING ASSOC.,
RT. 1, GOODING, ID 83330
Source: GROUNDWATER
Date Filed: 05/26/1983
Diversión Pt: NWNE NWSE Sec 22 T
08S R 17E
Use: COMMERCIAL (11.00 CFS)
In: NWNE SWNE NWSE Sec 22 T
08S R 17E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8215

VAN HOLLAND, ARTHUR, RT. 6
BOX 6335, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 06/22/1983
Diversión Pt: SWNW Sec 03 T 08S R
17E
Use: COMMERCIAL (0.11 CFS)
DOMESTIC (0.04 CFS)
In: SWNW Sec 03 T 08S R 17E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8216

COPY OF NOTICE

(Pas

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho

36-8139
MCCORD, LLOYD, RT. 2 BOX 2470,
JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 01/21/1983
Diversión Point: NWNW Sec 29 T
08S R 16E

36-8155
36-8147
36-8174
36-8196
36-8215
36-822
DE
PL
Use: STOCKWATER (0.44 CFS)
DOMESTIC (0.08 CFS)
In: NWNW Sec 29 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8156

BARRYMORE ESTATES SUB-
DIVISION WATERUSERS, C/O Gene
Anderson, Rt. 6, Box 6306, JEROME,
ID 83338
Source: GROUNDWATER
Date Filed: 03/04/1983
Diversión Pt: SESE Sec 04 T 08S R
17E

Use: STOCKWATER (0.04 CFS)
DOMESTIC (0.25 CFS)
In: NESE SESE Sec 04 T 08S R 17E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8163

DAIRY HEIFER INVESTMENT
GROUP, C/O Aurora Capital Corp.,
P.O. Box 2469, TWIN FALLS, ID 83301
Source: GROUNDWATER
Date Filed: 03/15/1982
Diversión Pt: SWSW Sec 27 T 08S R
21E

Use: STOCKWATER (0.66 CFS)
DOMESTIC (0.10 CFS)
In: SWSW Sec 27 T 08S R 21E
NWNW Sec 34 T 08S R 21E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8165

VAN BEEK, JACK, RT. 3, JEROME,
ID 83338
Source: GROUNDWATER
Date Filed: 04/07/1983
Diversión Pt: NENE Sec 10 T 08S R
16E
Use: STOCKWATER (0.65 CFS)
COMMERCIAL (1.30 CFS)
In: NENE Sec 10 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8167

MARCO RANCHES, INC., RT. 3,
JEROME, ID 83338
Source: SPRING trib. to SNAKE
RIVER
Date Filed: 03/30/1983
Diversión Pt: SWSE Sec 15 T 08S R
16E
Use: STOCKWATER (0.05 CFS)
In: SWSE Sec 15 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director
36-8174

SHEWMAKER BROS., INC., RT. 2
BOX 2205, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 04/14/1983
Diversión Pt: SENW Sec 08 T 08S R
16E
Use: STOCKWATER (0.33 CFS)
In: SENW Sec 08 T 08S R 16E
If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before MARCH 25, 1985.
A. KENNETH DUNN, Director

MICROFILMED

**THIS
RIGHT HAS BEEN
DECREED IN THE
SRBA**

November 24, 1989

JOHNNY LOPEZ
KAREN LOPEZ
DBA L M DAIRY
309 BOB BARTON RD.
JEROME, ID 83338

RE: PERMIT NO. 36-08224

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

36-824
Permit No.

RECEIVED
AUG 22 1989

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Russ Lewis 7/21/89 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent DRJ-8/4/89 (Initial and date)

Exam Reviewed by Manager of Regional Office RA 8/18/89 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

CHECKLIST

DATE 8/14/89

SEE FOOTNOTE FOR SYMBOLS

1,2. <u>N/A</u>	1,3. <u>/</u>	1,4. <u>/</u>	1,5. <u>N/A</u>
1,6. <u>/</u>	1,7. <u>/</u>	1,8. <u>/</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>/</u>	1,13. <u>/</u>
1,14. <u>/</u>	1,15. <u>/</u>	1,16. <u>N/A</u>	1,17. <u>N/A</u>

1, 1. / 1, 2. / 2. / 3. /
4. N/A 5. /

1, 1. ✓ 1, 2. ✓ 1, 3. ✓ 1, 4. ✓
1, 5. ✓

2, 1. 2, 2. 2, 3. 2, 4.

Date _____

* = SEE ITEM IN BENEFICIAL USE RPT
*** = SEE REMARKS ATTACHED

McGraw-Hill

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 36-08224
1. Owner: Johnny &/or Karen Lopez Phone No. 324-5602
Current Address: DBA - L.M. DAIRY
309 Bob Barto Rd, Jerome Id
2. Accompanied by: Karen Lopez EXAM. DATE: 7/21/89
Address: Karen Lopez Phone No. 84mm
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-8060 ☐ Copies Attached
2. Other water rights with same point of diversion: 36-8060 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

DEC 15 1989

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube						
Bucket / Stopwatch						

2. Measurements:

Avg 31 psi
71 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{8.8 \times 7.5 \times .7}{(31 \times 2.3) + 211} = .16 \text{ cfs}$

2. Alternate Method for Checking Purposes:

71 gpm $\approx$.16 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .16 \times 246 \times 1.9835 = 79.7 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6 \text{ afa}$

2. Volume Calculations for Other Uses:

stock { $1000 \times 35 \times 365 = 12,775,000 \div 325,900 = 39.2$
 $700 \times 12 \times 365 = 3,066,000 \div 325,900 = 9.4$

washing comm { $236 \times 70 \times 365 = 6,029,800 \div 325,900 = 18.5 \text{ afa}$

MICROFILMED

DEC 15 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The total capacity of this system is 0.16 cfs. The total capacity of permit 36-08224 when combined with permit 36-8060 will not exceed 0.37 cfs. The total capacity of permit 36-8060 was 0.53 cfs and was licensed for 0.20 cfs. Due to the total capacity of permit 36-8060 I recommend that this permit be licensed for ~~0.20 cfs~~ **0.16 cfs**

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2
Irrigation	4/1	10/15	.06	6
Stockwater	1/1	12/31	.17	48.6
Commercial	1/1	12/31	.17	18.5
Totals:			.17	74.3

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Russ Lewins

Signature Russell G Lewins

Certification Date 2/21/89

Field Report Preparation Date 7/21/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOTIFIED

DEC 15 1989



P.O.

36-8224

Well # 2



New
Corals

MICROFILMED

DEC 15 1989




P.O.

36-8060

well #1

MICROFILMED

DEC 15 1989



1315

11272

112

11273

113

1805

1805

1805

1805

Stock Corals

28

54
42

6





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-8060 Priority February 9, 1982 Amount 0.20 cfs

THIS IS TO CERTIFY, that Ted Miller
of Jerome, Idaho, has complied with the terms and conditions of Permit
No. 36-8060 issued pursuant to Application for Permit dated February 9, 1982
and has submitted proof to the Department of Water Resources on June 28, 1982
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.53 cfs of water from a groundwater source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Commercial</u>	<u>from January 1 to December 31</u>	<u>at 0.20 cfs and</u>	<u>18.5 acre feet</u>
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	
(both dates inclusive)			

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
18.5 acre feet per year, said waters to be diverted within the NE1/4 Section 33,
Twp. 8S, Rge 16E in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
8S	16E	33	X																


Total number of acres irrigated _____

Commercial use is for a dairy.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of OCTOBER, 19 84.


 for the Director

DEC 15 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

SEP 8 1983
36-8060
Permit No.

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

Appointment letter mailed: Sept 17, 1983 AS

Telephone call made: 324-8720

Appointment scheduled for: 5/17/1983 Microfilm
(Date, time, location) Co Dairy

EXAMINATION

Date 5/17/1983 Accompanied by John Lopez Total Q measured 0.53 cfs

If source is surface water, estimate total flow of source N/A

Methods of measurement PPS, CPE, Gauge Meets Permit requirements? Yes

Measurement calculations: 50 Hds, 3/32 No. 330's, KNUVOROS (Spray No.) 35-PJ
45 PSI = 4.72 gpm/Hd = 236 gpm = 448.8 gpm/cfs. = 0.53 cfs
(0.53 cfs) (1.98 Acre/Hd) (365 days) = 383.0 Acre/Hd/yr.
(0.20 cfs) (1.98 Acre/Hd) (365 days) = 145.0 AFA
(236 gal/min) (60 min/day) (365 days) = 525900 gal/AFA = 12.50 AFA
0.20 cfs Amount Applied

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	15	Rel. Jack	GNP6				Good	
2	7.5	Rel. Jack						

System Description Submersible well, motor, pump, 1500 gal pressure TANK. (12) WATERING TROUGHS 3' x 5' x 1' concrete
2nd is A STAND BY pump Tuff on Benster was Not Available
 *Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE Commercial / V

Irrigation requirement = N/A AFA/Acre

Q (cfs) 0.20 cfs V (afa) 18.50 AFA


FROM JAN 1 TO Dec 31

MICROFILM

DEC 15 1983

Remarks 900 Hd of Dairy Cows USE THIS WATER for Dripping and also for Spraying down the Cows Before Milking. THE System operates 5 min/15 14 times/24 hr Day 365 days a yr. THE CAPACITY OF THE MOTORS & PUMPS HAVE BEEN LISTED BY THE IC AS follows ① 15 HP = 220 gpm ② 7.5 HP 50 gpm
WATERING TROUGHS are located in The stock Corralls NEAR Hay Stacks.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NE 1/4, Sec. 33 TOS R16E. B.M.

Place(s) of Use ☒

TYP.	RGE.	SEC.	NEX				NWK				SWK				SEK				TOTALS
			NEX	NWK	SWK	SEK	NEX	NWK	SWK	SEK	NEX	NWK	SWK	SEK	NEX	NWK	SWK	SEK	
85	16E	33	X																

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Gay Lundberg

Checked by

Ray Walker

Approved by

Date

6-02-1985

Date


6-3-85

Date

10-15-85

DEC 15 1989

TED MILLER DAIRY



MICROFILMED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ted Miller Dairy</u> Address <u>Jerome</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA <u>NONE</u> ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																							
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td rowspan="14">8</td><td>0</td><td>7</td><td>Top Soil & Sand</td><td>X</td></tr> <tr><td>7</td><td>15</td><td>Sand & Brown Clay</td><td> </td></tr> <tr><td>15</td><td>19</td><td>Hard Gray Basalt</td><td> </td></tr> <tr><td>19</td><td>30</td><td>Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td>30</td><td>50</td><td>Med Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td>50</td><td>56</td><td>Med Gray Basalt w/lg. breaks</td><td> </td></tr> <tr><td>56</td><td>60</td><td>Med Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td>60</td><td>90</td><td>Med Hard w/large breaks - crevices</td><td> </td></tr> <tr><td>90</td><td>110</td><td>Hard w/small breaks</td><td> </td></tr> <tr><td>110</td><td>130</td><td>Med Hard w/ small breaks</td><td> </td></tr> <tr><td>130</td><td>150</td><td>Med Hard w/large breaks</td><td> </td></tr> <tr><td>150</td><td>170</td><td>Med Hard w/lg. breaks soft spots</td><td> </td></tr> <tr><td>170</td><td>177</td><td>Med Hard w/large breaks</td><td> </td></tr> <tr><td>177</td><td>190</td><td>Med Soft w/small breaks</td><td> </td></tr> <tr><td>190</td><td>196</td><td>Med Hard w/large breaks-crevices</td><td> </td></tr> <tr><td>196</td><td>205</td><td>Hard w/large breaks</td><td>X</td></tr> <tr><td>205</td><td>230</td><td>Hard w/small breaks</td><td>X</td></tr> <tr><td>230</td><td>250</td><td>Med Soft w/small breaks</td><td>X</td></tr> <tr><td>250</td><td>270</td><td>Med Hard w/large breaks</td><td>X</td></tr> <tr><td>270</td><td>290</td><td>Med Hard w/small breaks</td><td>X</td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes/No	From	To	8	0	7	Top Soil & Sand	X	7	15	Sand & Brown Clay		15	19	Hard Gray Basalt		19	30	Hard Gray Basalt w/sm. breaks		30	50	Med Hard Gray Basalt w/sm. breaks		50	56	Med Gray Basalt w/lg. breaks		56	60	Med Hard Gray Basalt w/sm. breaks		60	90	Med Hard w/large breaks - crevices		90	110	Hard w/small breaks		110	130	Med Hard w/ small breaks		130	150	Med Hard w/large breaks		150	170	Med Hard w/lg. breaks soft spots		170	177	Med Hard w/large breaks		177	190	Med Soft w/small breaks		190	196	Med Hard w/large breaks-crevices		196	205	Hard w/large breaks	X	205	230	Hard w/small breaks	X	230	250	Med Soft w/small breaks	X	250	270	Med Hard w/large breaks	X	270	290	Med Hard w/small breaks	X
Hole Diam.	Depth		Material	Water Yes/No																																																																																					
	From	To																																																																																							
8	0	7	Top Soil & Sand	X																																																																																					
	7	15	Sand & Brown Clay																																																																																						
	15	19	Hard Gray Basalt																																																																																						
	19	30	Hard Gray Basalt w/sm. breaks																																																																																						
	30	50	Med Hard Gray Basalt w/sm. breaks																																																																																						
	50	56	Med Gray Basalt w/lg. breaks																																																																																						
	56	60	Med Hard Gray Basalt w/sm. breaks																																																																																						
	60	90	Med Hard w/large breaks - crevices																																																																																						
	90	110	Hard w/small breaks																																																																																						
	110	130	Med Hard w/ small breaks																																																																																						
	130	150	Med Hard w/large breaks																																																																																						
	150	170	Med Hard w/lg. breaks soft spots																																																																																						
	170	177	Med Hard w/large breaks																																																																																						
	177	190	Med Soft w/small breaks																																																																																						
190	196	Med Hard w/large breaks-crevices																																																																																							
196	205	Hard w/large breaks	X																																																																																						
205	230	Hard w/small breaks	X																																																																																						
230	250	Med Soft w/small breaks	X																																																																																						
250	270	Med Hard w/large breaks	X																																																																																						
270	290	Med Hard w/small breaks	X																																																																																						
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>8/3/81</u> finished <u>8/18/81</u>																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☒ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>6 5/8 inches</td> <td>1</td> <td>19 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	.250 inches	6 5/8 inches	1	19 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMPING CO. INC.</u> 11 Address <u>Jerome</u> Date <u>8/18/81</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)																																																								
Thickness	Diameter	From	To																																																																																						
.250 inches	6 5/8 inches	1	19 feet																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																						
Number	From	To																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Jerome</u> <u>NE</u> x <u>NE</u> x Sec. <u>33</u> T. <u>8S</u> N/S; R. <u>16E</u> W.	USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																								

MICROFILMED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ted Miller Dairy</u> Address <u>Jerome</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>211 1/2</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA NONE ☐ Pump ☐ Bailer ☐ Air ☐ Other _____																																																																																																																												
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____		9. LITHOLOGIC LOG																																																																																																																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		<table border="1"><thead><tr><th>Hole</th><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th>Diam.</th><th>From</th><th>To</th><th>Yes No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>12</td><td>Top Soil</td><td>X</td></tr><tr><td>12</td><td>21 1/2</td><td>21 1/2</td><td>Med Hard Gray Basalt</td><td></td></tr><tr><td>21 1/2</td><td>31</td><td>31</td><td>Gray Basalt</td><td></td></tr><tr><td>31</td><td>36</td><td>36</td><td>Pinkish Gray Basalt</td><td></td></tr><tr><td>36</td><td>42</td><td>42</td><td>Broken Pink Basalt w/crevice</td><td></td></tr><tr><td>42</td><td>54</td><td>54</td><td>Med Hard</td><td></td></tr><tr><td>54</td><td>56</td><td>56</td><td>Broken spots</td><td></td></tr><tr><td>56</td><td>58</td><td>58</td><td>Crevice & Broken</td><td></td></tr><tr><td>58</td><td>61</td><td>61</td><td>Med Hard</td><td></td></tr><tr><td>61</td><td>68</td><td>68</td><td>Med Hard & Broken</td><td></td></tr><tr><td>68</td><td>83</td><td>83</td><td>Crevice Broken</td><td></td></tr><tr><td>83</td><td>102</td><td>102</td><td>Med Hard w/seams</td><td></td></tr><tr><td>102</td><td>103</td><td>103</td><td>Crevice</td><td></td></tr><tr><td>103</td><td>107</td><td>107</td><td>Med Hard</td><td></td></tr><tr><td>107</td><td>110</td><td>110</td><td>Broken spots</td><td></td></tr><tr><td>110</td><td>165</td><td>165</td><td>Med Hard w/broken spots</td><td></td></tr><tr><td>165</td><td>171</td><td>171</td><td>Broken with crevices</td><td></td></tr><tr><td>171</td><td>194</td><td>194</td><td>Broken w/med soft spots</td><td></td></tr><tr><td>194</td><td>208</td><td>208</td><td>Very Hard</td><td></td></tr><tr><td>208</td><td>211</td><td>211</td><td>Broken spots</td><td>X</td></tr><tr><td>211</td><td>231</td><td>231</td><td>Med Hard w/small breaks</td><td>X</td></tr><tr><td>231</td><td>241</td><td>241</td><td>Hard</td><td>1</td></tr><tr><td>241</td><td>249 1/2</td><td>249 1/2</td><td>Small breaks</td><td>X</td></tr></tbody></table>		Hole	Depth	Material	Water	Diam.	From	To	Yes No	10	0	12	Top Soil	X	12	21 1/2	21 1/2	Med Hard Gray Basalt		21 1/2	31	31	Gray Basalt		31	36	36	Pinkish Gray Basalt		36	42	42	Broken Pink Basalt w/crevice		42	54	54	Med Hard		54	56	56	Broken spots		56	58	58	Crevice & Broken		58	61	61	Med Hard		61	68	68	Med Hard & Broken		68	83	83	Crevice Broken		83	102	102	Med Hard w/seams		102	103	103	Crevice		103	107	107	Med Hard		107	110	110	Broken spots		110	165	165	Med Hard w/broken spots		165	171	171	Broken with crevices		171	194	194	Broken w/med soft spots		194	208	208	Very Hard		208	211	211	Broken spots	X	211	231	231	Med Hard w/small breaks	X	231	241	241	Hard	1	241	249 1/2	249 1/2	Small breaks	X
Hole	Depth	Material	Water																																																																																																																											
Diam.	From	To	Yes No																																																																																																																											
10	0	12	Top Soil	X																																																																																																																										
12	21 1/2	21 1/2	Med Hard Gray Basalt																																																																																																																											
21 1/2	31	31	Gray Basalt																																																																																																																											
31	36	36	Pinkish Gray Basalt																																																																																																																											
36	42	42	Broken Pink Basalt w/crevice																																																																																																																											
42	54	54	Med Hard																																																																																																																											
54	56	56	Broken spots																																																																																																																											
56	58	58	Crevice & Broken																																																																																																																											
58	61	61	Med Hard																																																																																																																											
61	68	68	Med Hard & Broken																																																																																																																											
68	83	83	Crevice Broken																																																																																																																											
83	102	102	Med Hard w/seams																																																																																																																											
102	103	103	Crevice																																																																																																																											
103	107	107	Med Hard																																																																																																																											
107	110	110	Broken spots																																																																																																																											
110	165	165	Med Hard w/broken spots																																																																																																																											
165	171	171	Broken with crevices																																																																																																																											
171	194	194	Broken w/med soft spots																																																																																																																											
194	208	208	Very Hard																																																																																																																											
208	211	211	Broken spots	X																																																																																																																										
211	231	231	Med Hard w/small breaks	X																																																																																																																										
231	241	241	Hard	1																																																																																																																										
241	249 1/2	249 1/2	Small breaks	X																																																																																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickest Diameter From To 250 inches 5/8" O.D. inches + 1 feet -21 1/2 feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number From To perforations feet feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		10. Work started <u>5/19/81</u> finished <u>5/22/81</u>																																																																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Jerome</u> <u>NE</u> 1/4 <u>NE</u> 1/4 Sec. <u>33</u> T. <u>8S</u> N. <u>R. 16</u> E. <u>W.</u>		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMPING CO., INC.</u> Address _____ Jerome Date <u>5/26/81</u> Signed by (Firm Official) <u>A. D. Smith</u> and (Operator) <u>A. D. Smith</u>																																																																																																																												

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

May 16, 1989

Johnny and Karen Lopez
dba L-M Dairy
309 Bob Barton Rd.
Jerome, ID 83338

Dear Mr. and Mrs. Lopez:

Re: Permit No. 36-8222 and 36-7224

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignments have been entered into the department's records. Enclosed is a copy of the permit for your records.

This office also accepts the proof of beneficial use forms for both permits. The next step is for the regional office to conduct a field inspection to determine the extent of use. I cannot tell just when this inspection will take place, but the regional office personnel will try to contact to you to schedule a convenient time.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures
c: region

MICROFILMED

JUN 13 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8224

Date: 5-16-1989

General Considerations:

y Name same as permit
y Signature the same as permit holder
✓ Address change _____ If yes, prepare a data entry
✓ Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

W/A Is a measuring device or access port required?
W/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
acknow. design.*

Priority Calculation:

Date proof received _____


Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



MAR 28 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 3/27/89
Receipt # 5006679
Receipt by IC
Reviewed by _____
Sent to region 3/27/89
State Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08224

Name(s) of Permit Holder: JOHNNY AND/OR KAREN LOPEZ DBA L-M Dairy

Post Office Address: 309 BOB BARTON RD

JEROME, IDAHO 83338 Telephone No. 324-5602

Source of Water: GROUNDWATER

Extent of Use:

Domestic 1 (number of households) Stockwater 700 range (number and type of stock)
Irrigation 2 (acres) Other/Remark 1000 dairy (A36-08060-PRIMARY WELL) INITIALLY REQUESTED FOR

APPROX 500 ANIMALS, CURRENTLY USED AS BACK-UP WELL FOR 1,000 DAIRY + 680 BRY + HFR STOCK, IN ADDITION TO DOMESTIC FOR 1 HOUSEHOLD
Total rate and/or volume for which proof is submitted 0.17 cfs USE acre-feet

Show the date water was first diverted and beneficially used under this permit: OCTOBER, 1981

Measuring Device: Required? Yes X No
Installed? Yes X No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

JOHNNY LOPEZ 324-5602
(Name) (Telephone Number)

309 BOB BARTON RD JEROME, ID 83338
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED
JUN 13 1989

3/31/89 Karen M. Lopez
Date Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00


Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

RECEIVED

JUN 1 1982

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ted Miller Dairy</u> Address <u>Jerome</u> Owner's Permit No. _____	2. WATER LEVEL Static water level <u>21 1/2</u> feet ^{Depart} <u>below land surface</u> Flowing? ☐ Yes ☒ No <u>G.P.M. flow</u> _____ Artesian closed in pressure <u>p.s.i.</u> _____ Controlled by: ☐ Valve ☐ Can ☐ Plug Temperature _____ OF. Quality _____																																																																																																																										
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA <u>NONE</u> ☐ Pump ☐ Bailor ☐ Air ☐ Other _____																																																																																																																										
4. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																									
5. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>10</td><td>0</td><td>12</td><td>Top Soil</td><td> </td></tr> <tr><td> </td><td>12</td><td>21 1/2</td><td>Med Hard Gray Basalt</td><td> </td></tr> <tr><td>8</td><td>21 1/2</td><td>31</td><td>Gray Basalt</td><td> </td></tr> <tr><td> </td><td>31</td><td>36</td><td>Pinkish Gray Basalt</td><td> </td></tr> <tr><td> </td><td>36</td><td>42</td><td>Broken Pink Basalt w/crevice</td><td> </td></tr> <tr><td> </td><td>42</td><td>54</td><td>Med Hard</td><td> </td></tr> <tr><td> </td><td>54</td><td>56</td><td>Broken spots</td><td> </td></tr> <tr><td> </td><td>56</td><td>58</td><td>Crevice & Broken</td><td> </td></tr> <tr><td> </td><td>58</td><td>61</td><td>Med Hard</td><td> </td></tr> <tr><td> </td><td>61</td><td>68</td><td>Med Hard & Broken</td><td> </td></tr> <tr><td> </td><td>68</td><td>83</td><td>Crevice Broken</td><td> </td></tr> <tr><td> </td><td>83</td><td>102</td><td>Med Hard w/seams</td><td> </td></tr> <tr><td> </td><td>102</td><td>103</td><td>Crevice</td><td> </td></tr> <tr><td> </td><td>103</td><td>107</td><td>Med Hard</td><td> </td></tr> <tr><td> </td><td>107</td><td>110</td><td>Broken spots</td><td> </td></tr> <tr><td> </td><td>110</td><td>165</td><td>Med Hard w/broken spots</td><td> </td></tr> <tr><td> </td><td>165</td><td>171</td><td>Broken with crevices</td><td> </td></tr> <tr><td> </td><td>171</td><td>194</td><td>Broken w/med soft spots</td><td> </td></tr> <tr><td> </td><td>194</td><td>208</td><td>Very Hard</td><td> </td></tr> <tr><td> </td><td>208</td><td>211</td><td>Broken spots</td><td> </td></tr> <tr><td> </td><td>211</td><td>231</td><td>Med Hard w/small breaks</td><td>X</td></tr> <tr><td> </td><td>231</td><td>241</td><td>Hard</td><td> </td></tr> <tr><td> </td><td>241</td><td>249 1/2</td><td>Small breaks</td><td>X</td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes No	From	To	10	0	12	Top Soil			12	21 1/2	Med Hard Gray Basalt		8	21 1/2	31	Gray Basalt			31	36	Pinkish Gray Basalt			36	42	Broken Pink Basalt w/crevice			42	54	Med Hard			54	56	Broken spots			56	58	Crevice & Broken			58	61	Med Hard			61	68	Med Hard & Broken			68	83	Crevice Broken			83	102	Med Hard w/seams			102	103	Crevice			103	107	Med Hard			107	110	Broken spots			110	165	Med Hard w/broken spots			165	171	Broken with crevices			171	194	Broken w/med soft spots			194	208	Very Hard			208	211	Broken spots			211	231	Med Hard w/small breaks	X		231	241	Hard			241	249 1/2	Small breaks	X
Hole Diam.	Depth		Material	Water Yes No																																																																																																																							
	From	To																																																																																																																									
10	0	12	Top Soil																																																																																																																								
	12	21 1/2	Med Hard Gray Basalt																																																																																																																								
8	21 1/2	31	Gray Basalt																																																																																																																								
	31	36	Pinkish Gray Basalt																																																																																																																								
	36	42	Broken Pink Basalt w/crevice																																																																																																																								
	42	54	Med Hard																																																																																																																								
	54	56	Broken spots																																																																																																																								
	56	58	Crevice & Broken																																																																																																																								
	58	61	Med Hard																																																																																																																								
	61	68	Med Hard & Broken																																																																																																																								
	68	83	Crevice Broken																																																																																																																								
	83	102	Med Hard w/seams																																																																																																																								
	102	103	Crevice																																																																																																																								
	103	107	Med Hard																																																																																																																								
	107	110	Broken spots																																																																																																																								
	110	165	Med Hard w/broken spots																																																																																																																								
	165	171	Broken with crevices																																																																																																																								
	171	194	Broken w/med soft spots																																																																																																																								
	194	208	Very Hard																																																																																																																								
	208	211	Broken spots																																																																																																																								
	211	231	Med Hard w/small breaks	X																																																																																																																							
	231	241	Hard																																																																																																																								
	241	249 1/2	Small breaks	X																																																																																																																							
6. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>5/8" O.D.</td> <td>inches + 1</td> <td>feet - 21 1/2 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Tamp, surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	250 inches	5/8" O.D.	inches + 1	feet - 21 1/2 feet																	Number	From	To													10. Work started <u>5/19/81</u> finished <u>5/22/81</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & REPAIRING, INC.</u> Address <u>Jerome</u> Date <u>5/26/81</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator) <u>[Signature]</u>																																																																																			
Thickness	Diameter	From	To																																																																																																																								
250 inches	5/8" O.D.	inches + 1	feet - 21 1/2 feet																																																																																																																								
Number	From	To																																																																																																																									
7. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Jerome</u>	12. <u>22</u> 1/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & REPAIRING, INC.</u> Address <u>Jerome</u> Date <u>5/26/81</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator) <u>[Signature]</u>																																																																																																																										

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE SHEET COPY TO THE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 36-8224
Name(s) of Permit Holder(s): Ted Miller and/or Jane Cantone
Post Office Address: Rt 2 Box 2487
Jerome, ID 83338 Tel. No. 324-3035

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 9/10/85 (date) and I understand that I must continue to develop the water system with the diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.


9/15/85
Date

Jane Cantone
Signature of Permit Holder

Cant - Miller

Rt2 Box 2487

Jerome, ID 83338



RECEIVED



MICROFILMED

JUN 13 1989

SEP 17 1985

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MILLER, TED & FELICE
C/O KAREN & JOHNNY LOPEZ
RT. 2 BOX 2595
JEROME, ID 83338

JUNE 19, 1985

RE: PERMIT NO. 36-8224

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

(Sun Falls)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

CONTONE, Jane &/or Ronald
MILLER, Ted &/or Felice &/or

INITIAL REVIEW BY: ADM

APPLICATION NUMBER: 36-8224

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: maryc Date: 3/16/85

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Not looked up
Lic 36-7255 on 36 acres within NENE Sec 33, 36-8060
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/25/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/15/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/29/83 Date of priority recommended.
Special conditions of approval or cover letter. ORC, 26

app. released in 3rd S.E. dismissal

By: ADM Date: 4/15/85

STATE OFFICE REVIEW:

617 26
☐ See attached sheet for more information.
By: EW Date: 6/6/85

RECEIVED
APR 19 1985

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

Gary Burkett
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Application for Permit No. 36-8139, - 36-8154, - 36-8165, -
36-8169, - 36-8183, - 36-8184, - 36-8190, - 36-8197, - 36-8211, -
36-8215, - 36-8224, - 37-8093, - 37-8109, - 37-8138, - 37-8139

Dear Mr. Burkett:

Please find enclosed copies of the above referenced applications
for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 22, 1985

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MARCH 25, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8224-

MILLER, TED &/or FELICE
CANTONE, JANE
LOPEZ, KAREN &/or JOHNNY

C/O KAREN & JOHNNY LOPEZ, RT. 2 BOX 2595, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: NENE Sec 33 T 08S R 16E

Use: IRRIGATION	(0.06 CFS)
STOCKWATER	(0.17 CFS)
COMMERCIAL	(0.17 CFS)
DOMESTIC	(0.04 CFS)

In: NENE Sec 33 T 08S R 16E FOR 2 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN

Director

Published 3/6 & 3/13/85.

MICROFILMED