


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rosemary Merritt
(Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho, }
County of Jerome } SS.

FEB 11 1985

GORDON O. CLASHMANN

Department of Water Resources
Jerome District Office

being first duly deposes and says that he is the printer (publisher) of the North Side News, a newspaper published every week in Jerome, of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, a newspaper qualified to publish legal notices as provided by the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 23rd day of January

19 85, and the date of the last publication was on the 5

day of January, 19 85.

Subscribed and sworn to before me this 30th

day of January, 19 85.

(SEAL)

Darla Pratt

NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line

Number of Lines in Notice

Number of Insertions

Lines tabular at 207 5/Pica

Lines straight at 107.64 4/Pica

Subsequent lines at 80.73 3/Pica

TOTAL COST 188.37

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

GLEN CAPPS, INC., 526 N. DAVIS, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 03-31-1983
Diversión Pt.: NENE Sec. 36 T 08S R 16E
Use: COMMERCIAL (0.08 CFS)
DOMESTIC (0.08 CFS) 2 Homes
In: NENE Sec 36 T 08S R 16E

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8186
MERRITT, VERL D. &/or ROSEMARY, RT. 2 BOX 2010, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 05-17-1983
Diversión Pt.: SESW Sec 14 T 08S R 16E
Use: COMMERCIAL (0.04 CFS)
DOMESTIC (0.04)

In: SESW Sec 14 T 08S R 16E
If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8197
SEVERSON, ROLAND O. &/or ELEANOR, RT. 3 BOX 3888, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-07-1983
Diversión Pt.: SWNW Sec 08 T 09S R 17E

Use: IRRIGATION (0.08 CFS)
DOMESTIC (0.04 CFS)
In: SWNW Sec 08 T 09S R 17E FOR 2.5 ACRES

If issued the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8202
JANSEN, B. HOWARD, RT. 3 BOX 3835, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-14-1983
Diversión Pt.: SWSW Sec 08 T 08S R 17E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.08 CFS)
In: SWSW Sec 08 T 08S R 17E FOR 5 ACRES-3 Homes

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8204
HATMAKER, DIANE K. &/or DAVID P., RT. 4 BOX 4941, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-14-1983
Diversión Pt.: SESW Sec. 03 T 08S R 17E

Use: IRRIGATION (0.05 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.04 CFS)
In: SESW Sec 03 T 08S R 17E FOR 1.5 ACRES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

TICE

36-8217
THOMPSON, D. R., RT. 2 BOX 2842, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 06-30-1983
Diversión Pt.: SENE Sec 28 T 08S R 16E

Use: DOMESTIC (0.08 CFS)
In: SENE Sec 28 T 08S R 16E FOR HOMES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8229
GOLDING, RICHARD T., RT. 1 BOX 116, JEROME, ID 83338
Source: GROUNDWATER
Date Filed: 07-18-1983
Diversión Pt.: NESW Sec 03 T 08S R 16E

Use: COMMERCIAL (0.06 CFS)
In: NESW Sec 03 T 08S R 16E

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8173
FLEENOR, EDWARD, RT. JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 03-25-1983
Diversión Pt.: NWNW Sec 32 T 07S R 17E

Use: IRRIGATION (0.03 CFS)
DOMESTIC (0.06 CFS)
In: NWNW Sec. 32 T 07S R 17E FOR 1 ACRE FOR 2 HOMES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8145
L.D.S.-CORP OF THE PRESIDENT, 50 E. NORTH TEMPLE, SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Date Filed: 02-14-1983
Diversión Pt.: NWSW Sec. 17 T 08S R 17E

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.02 CFS)
In: NWSW Sec. 17 T 08S R 17E FOR 5 ACRES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8166
ALLEN, LELLON &/or HAZEL, RT. BOX 141, HAZELTON, ID 83335

Source: GROUNDWATER
Date Filed: 03-31-1983
Diversión Pt.: LOT 02 Sec. 06 T 10S R 20E


IRRIGATION (0.02 CFS)
DOMESTIC (0.06 CFS) 2 HOMES
In: LOT 02 (NWNE) Sec. 06 T 10S R 20E FOR 1/4 ACRE

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

MICROFILMED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature *Amy J. [Signature]* Date 10-29-85

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

MICROFILMED

OCT 17 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08186

Priority: May 17, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
28.0 AF

This is to certify, that VERL D. MERRITT
ROSEMARY MERRITT

RT. 2 BOX 2010
JEROME, ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1983; and has submitted Proof of Beneficial Use on May 29, 1985. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	26.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	28.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 14, Township 08S, Range 16E
JEROME County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

08S 16E 14 SESW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for gas station and grocery store; domestic use is for 1 home.

MICROFILMED

OCT 17 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08186

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of OCTOBER, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

OCT 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Verl D. Merritt &/or Rosemary Merritt Phone 324-4880

Post office address Rt. 2, Box 2010, Jerome, Idaho, 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14 Township 8S

Range 16E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 cfs for Commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Submersible pump delivering to pressure system which supplies the needs of the service station.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 6 inches; ~~proposed~~ depth of well is 225 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14 Township 8S

Range 16E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

~~Commercial Use~~ ----- All water needs for a service station including _____ water for drinking, toilets, washing cars, ect.

~~Domestic Use for trailer house~~

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Well was drilled in 1975 by Smith Drilling for Rosemary's Freeway Service and has been used since that time.

20000000

28000

28000

The image displays a chaotic scene of destruction with a grid overlay. Key elements include:

- Labels and Text:**
 - Top left: "C175", "E 2.9", "F 1.5", "T.8S., R.16", "J 7.5", "K 10.9", "H 6.2".
 - Top right: "A 1.8", "B 4.4", "C 4.8", "D 4.4", "E 4.4", "F 4.4", "G 4.4", "H 4.4", "I 4.3", "J 4.3", "K 4.3", "L 4.3", "M 4.3", "N 4.3", "O 4.3", "P 4.3", "Q 4.3", "R 4.3", "S 4.3", "T 4.3", "U 4.3", "V 4.3", "W 4.3", "X 4.3", "Y 4.3", "Z 4.3".
 - Middle left: "C176", "L 5.4", "M 5.4", "N 5.4", "O 5.4", "P 5.4", "Q 5.4", "R 5.4", "S 5.4", "T 5.4", "U 5.4", "V 5.4", "W 5.4", "X 5.4", "Y 5.4", "Z 5.4".
 - Middle right: "C133-1", "K 5.7", "L 5.7", "M 5.7", "N 5.7", "O 5.7", "P 5.7", "Q 5.7", "R 5.7", "S 5.7", "T 5.7", "U 5.7", "V 5.7", "W 5.7", "X 5.7", "Y 5.7", "Z 5.7".
 - Bottom left: "C177", "L 2.4", "M 2.4", "N 2.4", "O 2.4", "P 2.4", "Q 2.4", "R 2.4", "S 2.4", "T 2.4", "U 2.4", "V 2.4", "W 2.4", "X 2.4", "Y 2.4", "Z 2.4".
 - Bottom right: "C181", "D 6.2", "E 6.2", "F 6.2", "G 6.2", "H 6.2", "I 6.2", "J 6.2", "K 6.2", "L 6.2", "M 6.2", "N 6.2", "O 6.2", "P 6.2", "Q 6.2", "R 6.2", "S 6.2", "T 6.2", "U 6.2", "V 6.2", "W 6.2", "X 6.2", "Y 6.2", "Z 6.2".
- Structural Elements:**
 - A large, dark, diagonal structure (possibly a beam or a pile of debris) runs from the bottom left towards the center.
 - Various smaller, dark, irregular shapes are scattered throughout, suggesting fragments of material.

Rosemary Merritt
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 5/17/83

Received by ADM Date 5/17/83 Time 3:00 pm

Preliminary check by TB Fee \$ 30.00

Receipted by ADM Date 5/17/83 # 27358

Publication prepared by marry Date 4/14/85

Published in north side news

Publication dates 1/23 + 1/30/85

Publication approved marry Date 1/22/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8186, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 22nd day of April, 1985.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT = PUBLICATION

State of Idaho,
County of Jerome

SS.

FEB 1 1985

GORDON D. CLARKSON

Department of Water Resources
Jerome District Office

being first duly deposes and says that he is the printer (publisher) of the North Side News, a newspaper published every week in Jerome, of Jerome, State of Idaho; that said newspaper has been continually and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, a newspaper qualified to publish legal notices as provided by the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 23rd day of January

19 85, and the date of the last publication was on the 5th

day of January, 19 85.

Subscribed and sworn to before me this 30th

day of January, 19 85.

(SEAL)

Darla Pratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line

Number of Lines in Notice

Number of Insertions

Lines tabular at

5/Pic

Lines straight at

4/Pic

Subsequent lines at

3/Pic

TOTAL COST 188.37

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

GLEN CAPPS, INC., 526 N. DAVIS, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 03-31-1983
Diversion Pt: NENE Sec. 36 T 08S R 16E
Use: COMMERCIAL (0.08 CFS)
DOMESTIC (0.06 CFS) 2 Homes
In: NENE Sec 36 T 08S R 16E

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8186

MERRITT, VERL O &/or ROSEMARY, RT. 2 BOX 2010, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 05-17-1983
Diversion Pt: SESW Sec 14 T 08S R 16E
Use: COMMERCIAL (0.04 CFS)
DOMESTIC (0.04)

In: SESW Sec 14 T 08S R 16E
If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8197

SEVERSON, ROLAND O. &/or ELEANOR, RT. 3 BOX 3888, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-07-1983
Diversion Pt: SWNW Sec 08 T 09S R 17E

Use: IRRIGATION (0.08 CFS)
DOMESTIC (0.04 CFS)
In: SWNW Sec 08 T 09S R 17E FOR 2.5 ACRES

If issued the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8202

JANSEN, B. HOWARD, RT. 3 BOX 3835, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-14-1983
Diversion Pt: SWSW Sec 08 T 08S R 17E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.08 CFS)
In: SWSW Sec 08 T 08S R 17E FOR 5 ACRES - 3 Homes

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8204

HATMAKER, DIANE K. &/or DAVID P., RT. 4 BOX 4941, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-14-1983
Diversion Pt: SESW Sec. 03 T 08S R 17E

Use: IRRIGATION (0.05 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.04 CFS)

In: SESW Sec 03 T 08S R 17E FOR 1.5 ACRES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

TICE

36-8217

THOMPSON, D. R., RT. 2 BOX 2842, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 06-30-1983
Diversion Pt: SENE Sec 28 T 08S R 16E

Use: DOMESTIC (0.08 CFS)
In: SENE Sec 28 T 08S R 16E FOR HOMES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8229

GOLDING, RICHARD T., RT. 1 BOX 116, JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 07-18-1983
Diversion Pt: NESW Sec 03 T 08S R 16E

Use: COMMERCIAL (0.06 CFS)
In: NESW Sec 03 T 08S R 16E

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8173

FLEENOR, EDWARD, RT. JEROME, ID 83338

Source: GROUNDWATER
Date Filed: 03-25-1983
Diversion Pt: NWNW Sec 32 T 07S R 17E

Use: IRRIGATION (0.03 CFS)
DOMESTIC (0.05 CFS)
In: NWNW Sec. 32 T 07S R 17E FOR 1 ACRE FOR 2 HOMES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8145

L.D.S.-CORP. OF THE PRESIDENT, 50 E. NORTH TEMPLE, SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Date Filed: 02-14-1983
Diversion Pt: NWSW Sec. 17 T 08S R 17E

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.02 CFS)
In: NWSW Sec. 17 T 08S R 17E FOR 5 ACRES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

36-8166

ALLEN, LELLON &/or HAZEL, RT. BOX 141, HAZELTON, ID 83335

Source: GROUNDWATER
Date Filed: 03-31-1983
Diversion Pt: LOT 02 Sec. 06 T 10S R 20E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.06 CFS) 2 HOMES
In: LOT 02 (NWNW) Sec. 06 T 10S R 20E FOR 1/4 ACRE

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

123

MICROFILMED

**THIS
RIGHT HAS BEEN
DECREED IN THE
SRBA**

October 5, 1990

VERL D. MERRITT
ROSEMARY MERRITT
RT. 2 BOX 2010
JEROME, ID 83338

RE: PERMIT NO. 36-08186

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
OCT 17 1990

MEMORANDUM

TO: FILE

FROM: TIM LUKE

DATE: September 22, 1990

RE: LICENSE EXAM REVIEW/36-8186

=====

This field exam was among a number of industrial/commercial use exams for which I delayed final recommendations because additional data or information was needed.


In this particular case, annual volume was based on a continuous rate of diversion. Use under this permit includes a service station along interstate-80 near Jerome. Volume should have been estimated based on the guidelines of the examiners handbook and average number of vehicles serviced per day. Since the exam has no data concerning number of vehicles serviced per day, I recommend using the continuous flow volume. While this volume may exceed actual use, it may be justified due to the location of this particular service station and probable high volume of traffic.

The total volume reported in the exam can be rounded to 28.0 af. Domestic use volume of 1.2 af should be subtracted from the total, leaving 26.8 af for the commercial use.

MICROFILMED

OCT 17 1990

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached
- ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature *Andy J. [Signature]* Date 10-29-85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination _____

Date

MICROFILMED

OCT 17 1990


CONSULTANT SEAL

VERL D. MERRITT

368186

9-19-85

RECEIVED
OCT 19 1985



MICROFILMED

OCT 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

DEC 5 1985

36-8186
Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

NA
Estimated
 $(8.8)(1.50)(0.70) / (1.50) + (35)(2.3) = 0.04 \text{ cfs}$

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

c) Volume Calculations for Other Uses: $(.04)(365 \text{ day})(1.98) = 28.90 \text{ AF/ACOM.}$
1.2 AC/FA DOM.

2. Overlap Review

- a) Other water rights with same place of use: _____
- b) Other water rights with same point of diversion: _____
- c) Analysis: _____

MICROFILMED

OCT 17 1990

0

MICROFILMED

OCT 17 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

OCT 17 1990

STATE OF IDAH

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

AUGUST 2, 1985

VERL & ROSEMARY MERRITT
RT. 2 BOX 2010
JEROME ID 83338

RE: Permit No. 36-8186

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

OCT 17 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-8186.

Name(s) of Permit Holder: Verl D. Merritt &/or Rosemary Merritt

Post Office Address: Rt. 2, Box 2010, Jerome, Idaho, 83338 ✓

Tel. No. 324-4880

Source of Water: Groundwater ✓

Extent of Use: ☒ Domestic 1 (number of households)

☐ Stockwater (number and type of stock)

☐ Irrigation (acres)

☒ Other Commercial ✓

MICROFILMED

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/12/89 *File in*
Date *five yrs.*

Rosemary Merritt ✓
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

APR 1 1985



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

RECEIVED
MAR 29 1985
DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MERRITT, VERL D. & ROSEMARY
RT. 2 BOX 2010
JEROME, ID 83338

MAY 01, 1985

RE: PERMIT NO. 36-8186

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

MERRITT, Verl D. &/or Rosemary

INITIAL REVIEW BY: T. G. Blau

APPLICATION NUMBER: 36-8186

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: mexa Date: 1/18/85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. BB-22
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/11/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/1/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/17/83 Date of priority recommended.
Special conditions of approval or cover letter. 26, ORC

app. released in first S.F. dismissal

By: ADM Date: 2/25/85

STATE OFFICE REVIEW:

217 26

- ☐ See attached sheet for more information.

By: KW Date: 4/10/85 MAR 08 1985

RECEIVED

Department of Water Resources
MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

IDENT. NO. 36-8186

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 18, 1985

Gary Burkett
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Application for Permit No.36-8186

Dear Mr. Burkett:

Please find enclosed a copy of the above referenced application for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 17, 1985

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 11, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

~~36-8186-~~

MERRITT, VERL D. &/or ROSEMARY

RT. 2 BOX 2010, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 05/17/1983

Diversion Pt: SESW Sec 14 T 08S R 16E

Use: COMMERCIAL (0.04 CFS)
DOMESTIC (0.04 CFS)

In: SESW Sec 14 T 08S R 16E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 11, 1985.

A. KENNETH DUNN

Director

Published 1/23 & 1/30/85.

MICROFILMED

ok
mayer
1/2/85

36-8186
MERRITT, VERL D.
ROSEMARY, RT. 2 BOX
JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 06-17-1983

Diversion Pt: SESW Sec 14 T 08S R
16E

Use: COMMERCIAL (0.04 CFS)

DOMESTIC (0.04)

In: SESW Sec 14 T 08S R 16E

If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83338 and received
on or before FEBRUARY 11, 1985.

A. KENNETH DUNN
Director

MICROFILMED