



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CRESTVIEW FARM ASSOCIATES #1


(Applicant)

MICROFILMED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 16th day of Sept
1982 and the date of the last publication was on the 23rd
day of Sept, 1982

L. L. Langdon

Subscribed and sworn to before me this 28th
day of September, 1982.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 38
Number of Insertions 2
Lines tabular at 38 4¢ / Pica
Lines straight at 14.82 3¢ / Pica
Subsequent lines at 38 9.88 2¢ / Pica
TOTAL COST 24.70

COPY OF NOTICE

(Paste Here)

Permit #36-8113
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Crestview Farms
DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
following application has been submit-
ted for permit to appropriate the public
waters of the State of Idaho.

36-8113

CRESTVIEW FARM ASSOC. No. 1,
C/O AURORA CAPITAL CORP., P.O.
BOX 221, TWIN FALLS, ID 83301.

Source: GROUNDWATER

Date Filed: 09/09/1982

Amount: 0.18 CFS

Diversion Point: SESE Sec 28 T 09S
R 21E, JEROME Co.

Use: IRRIGATION (0.08 CFS) from
03/15 to 11/15

DOMESTIC (0.10 CFS) from 01/01 to
12/31

Place of Use: SESE Sec 28 T 09S R
21E FOR 2.5 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd.
North, Twin Falls, Idaho 83301 and
received on or before OCTOBER 4,
1982.

A. KENNETH DUNN
Director
9-16-2tc

RECEIVED

No 851

SEP 29 1982

Department of Water Resources
Southern District Office

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CORRECTED BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Milner-Kimura Investment Group Permit No. 36-8/13
Current Address: 2709 E. 800 S., Hazelton, ID 83335 Phone No. 438-5437
2. Accompanied by: Grant Osterhaut EXAM. DATE: 5-17-90
Address: Same Phone No. _____
Relationship to Permit Holder: Manager
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-2254 (Domestic Well), 36-8014
_____ ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.

RECORDED
FEB 07 1992

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



RECEIVED

MAR 01 1989

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources **BENEFICIAL USE FIELD REPORT**

A. GENERAL INFORMATION

Permit No. 36-8113

1. Owner: Crestview Farm Associates #1 Phone No. 734-6347

Current Address: 46 Aurora Capital Corp., P.O. Box 221, Twin Falls, Id. 83301

2. Accompanied by: Larry Hamby EXAM. DATE: 7/28/88

Address: P.O. Box 2469 Twin Falls, Id. 83303 Phone No. 438-2136

Relationship to Permit Holder: Employee

3. Source: Ground water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-8014, 2284, 2254

☒ Copies Attached


2. Other water rights with same point of diversion: 36-8014, 2284, 2254

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)

RECEIVED

FEB 07 1992

36-8113

TS 95R21E

Measured
on
S 17

E
134.4

Bat

Bare

Wht

153.7

128.5

Beet

29 28
32 33

2070

P/D #2

P/D #1

28 27
33 34

~~Area~~ - Area Irrigated

FEB 07 1992

R-16

36-8113



Well #2 in foreground, well #1 inside Shed. Plu in Background.



315gal
← P.T

well #1 inside well house


RECEIVED

FEB 07 1992

RECEIVED

FEB 7 1992

36-8113



Piping and Pressure tanks in well House



Plu Looking South

MICROFILMED
FEB 07 1992

36-8113



Plu Looking North.



Section of watered ground

MICROFILMED

FEB 07 1992

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
) PARTIAL DECREE PURSUANT TO
Case No. 39576) I.R.C.P. 54(b) FOR
) Water Right 36-08113

1997 DEC 29 AM 9:53

DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED

NAME & ADDRESS: SUNRISE ORGANIC FARMS INC
12050 N PECOS STE 200
WESTMINSTER CO 80234

SOURCE: GROUNDWATER

QUANTITY: 0.08 CFS
3.6 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
GALLONS PER DAY.

RIGHTS 36-022548, 36-08014 AND 36-08113 ARE LIMITED TO A TOTAL
COMBINED RATE OF DIVERSION OF 0.33 CFS.

PRIORITY DATE: 09/09/1982

POINT OF DIVERSION: T09S R21E S33 NENENE Within JEROME County

TWO POINTS OF DIVERSION ARE LOCATED IN T09S, R21E, SEC. 33,
NENENE.

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	DOMESTIC 3 HOMES	01-01 12-31	0.08 CFS
			3.6 AFY

PLACE OF USE: DOMESTIC Within JEROME County
T09S R21E S33 NENE SENE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.



DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

MICROFILMED

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b)
Water Right 36-08113

JAN 12 2004

PAGE 1
DEC-16-1997

This
Right has been
Decreed in the
SRBA.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08113

Priority: September 9, 1982

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

3.6 AF

This is to certify, that IDAHO CONSOLIDATED DAIRY FARM

2709 E 800 S

HAZELTON ID 83335

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 9, 1982; and has submitted Proof of Beneficial Use on August 13, 1987. An examination indicates that the works have a diversion capacity of .330 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 33, Township 09S, Range 21E
JEROME County

PLACE OF USE: DOMESTIC

TWN RGE SEC

09S 21E 33

NENE

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 2 points of diversion located in SESE, S28, T9S, R21E.
6. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of JANUARY, 1992.

Acting for

R. Keith Higginson, Director

FEB 07 1992

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

OCT 24 1991

Department of Water Resources
Southern Region Office
0.08 CFS
3.6 AF

Date of Priority: September 9, 1982

Maximum Diversion Rate:

Maximum Diversion Volume:¹

Comes now
2709 E 800 S
HAZELTON ID 83335

IDAHO CONSOLIDATED DAIRY FARM

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-08113, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 33, Township 09S, Range 21E
JEROME County

PLACE OF USE: DOMESTIC
TWN RGE SEC

09S 21E 33

NENE

SENE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hazelton, ID, this 10 day of October, 1991.

MICROFILMED

FEB 07 1992

Don J. Kent
(Signature)
Managing General Partner

State of Idaho

Department of Water Resources

RECEIVED
JAN 07 1991

ASSIGNMENT OF PERMIT

Department of Water Resources

name change

I, Crestview Farm Assoc. # 1, hereby assign to Idaho Consolidated Dairy Farm

of 2709 E. 800 S. Hazelton, ID 83335

Address

All my right, title, and interest in and to Permit No. 36-8113
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 31 day of December, 19 90.

Idaho Consolidated Dairy Farms
X Dan Kent, General Partner
Permit Holder

Spouse of Permit Holder

State of Idaho)

County of GOODING) ss

On this 31st day of December, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Dusan M. Bolton

s e a l

Notary Public residing at
Gooding, Idaho

RECORDED

My commission expires:
10-16-92

FEB 07 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

FOR DEPARTMENT USE ONLY

#C019323

Preliminary check by SA Fee ☒ \$20.00 Received by JD Date 1/7/91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-08113 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Issuance of this license does not preclude a determination of forfeiture of this right through non-use which may include a period of time beginning subsequent to the licensing field examination conducted by the department.
5. 2 points of diversion located in SESE, S28, T9S, R21E.
6. Domestic use is for 3 homes.

Witness my hand this 22ND day of January, 1992

Acting for

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED

FEB 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Crestview Farm Associates #1 Phone 734-6347

Post office address c/o Aurora Capital Corp., P.O. Box 221, Twin Falls, Idaho 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE ¼ of SE ¼ of Section 28 Township 9 South

Range 21 E.B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 cfs for irrigation purposes from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum) 4 Families

Amount .10 cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .18 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Existing well, pump and electric motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE ¼ of SE ¼ of Section 28 Township 9 South
Range 21 E.B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 4 Families.

(5) If water is to be used for other purposes describe: _____

RECEIVED
MAY 1978

[illegible]


ALLOW 3 ACRES
RC 10-22-82

Permit No. 36-8014, .75 cfs, domestic and stock. This filing covers additional
uses over & above the existing permit.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

Amount Applied For _____ .18 cfs

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CRESTVIEW FARM ASSOCIATES #1

[Signature]
(Applicant)

DEPT. OF AGRICULTURE
IDAHO

Proposed Priority 9/9/1982

Received by mealy Date 9/9/82 Time 10:00 a
Preliminary check by Leavitt Fee \$ 30.00 # 20952
Receipted by mealy Date 9/9/82
Publication prepared by mealy Date 9/10/82
Published in North River News
Publication dates 9/16 + 9/23/82
Publication approved mealy Date 9/14/82
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8113, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 28th day of October, 1982.

J. Glen Sayton
Chief, Operations Bureau

RECEIVED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

, being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 16th day of Sept
19 82 and the date of the last publication was on the 23rd
day of Sept, 19 82

L. L. Langdon

Subscribed and sworn to before me this 28th
day of September, 1982.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 38
Number of Insertions 2

Lines tabular at 4c / Pica

Lines straight at 14.82 38 3c / Pica

38 Subsequent lines at 9.88 2c / Pica

TOTAL COST 24.70

COPY OF NOTICE

(Paste Here)


Permit # 36-8113
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Besthen Farms
DEFENDANT

PLAINTIFF

Dept of Water
BILL TO



RECEIVED

No 851
SEP 23 1982

Department of Water - Sevier
Southern District Office

sd maye

This
Right has been
Decreed in the
SRBA.

MICROFILMED
JAN 12 1985

January 24, 1992

IDAHO CONSOLIDATED DAIRY FARM
2709 E 800 S
HAZELTON ID 83335

RE: WATER RIGHT NO. 36-08113

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MICROFILMED
FEB 07 1992

WHITE - State Auditor
YELLOW - Remittance Advice
PINK - State Auditor then Agency
GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

Date 6/986
Code 11/01/91
153002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY
NAME:

DEPT. OF WATER RESOURCES

Document No.	
1000000000	
Pre-Audit	Date
Warrant No.	NOV 05 1991

CHECK ONE:

PAY

DUANE KENT

TO

RETURN WARRANT TO FISCAL

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

[illegible]

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date _____

Head of Agency or Institution

State Auditor



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 3, 1991

RE: Permit No. 36-8113

Idaho Consolidated Dairy Farm
2709 E. 800 S.
Hazelton, ID 83335

Gentlemen:

Enclosed is another Application for Amendment for the above referenced permit. This form reflects the use of water for 3 domestic units rather than 4 previously identified along with irrigation. This amendment agrees with the Snake River Basin Adjudication Claim that has been filed.

You simply need to sign the form and return it to us within 15 days. If you have any questions, feel free to give me a call.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

Enclosure

REPROFILMED

FEB 07 1992

State of Idaho
Department of Water Resources

RECEIVED
JAN 07 1991

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

Department of Water Resources

Date of Priority: September 9, 1982

Maximum Diversion Rate:

0.17 CFS

Maximum Diversion Volume:¹

11.2 AF

Comes now JOHN CRESTVIEW FARM ASSOC. NUMBER ONE
C/O AURORA CAPITAL CORP.
P.O. BOX 2469
TWIN FALLS, ID 83301

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-08113, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	8.8 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	2.4 AF
	Totals	0.17 CFS	11.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 28, Township 09S, Range 21E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S 21E 28	SESE 1			1
33	NENE 1.2			1.2

Total number of acres irrigated: 2.2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

MICROFILMED

FEB 07 1992

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Twin Falls, this 31 day of December, 1990.

[Signature]
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by J2 Date 1/7/91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-08113 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 2 points of diversion located in SESE, S28, T9S, R21E.
6. Domestic use is for 4 homes.

Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

MICROFILMED

FEB 07 1992

INTER-DEPARTMENT MEMO — 1

FROM Jim, Southern

DATE 2-12-91

TO Sharla Curtis

SUBJECT Licensing of Permit 36-8113, Corrected Field Exam

Attached is a corrected exam for this permit. The original exam was in error, as it did not take into account the other license and permit served by this system. I did the exam for 36-8014 last summer, and this problem was discovered during staff analysis of the 8014 exam. Both exams have been corrected so that all uses are covered and with not overlaps among the 3 rights on this system. A copy of the 8014 exam is also attached. Thanks.

MICROFILMED

FEB 07 1992



SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CORRECTED BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Milner-Kimura Investment Group
Current Address: 2707 E. 800 S., Hazelton, ID 83335
2. Accompanied by: Grant Osterhout
Address: Same
Relationship to Permit Holder: Manager
3. Source: Groundwater tributary to _____

Permit No. 36-8/13
Phone No. 438-5437


EXAM. DATE: 5-17-90
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-2254 (Domestic well), 36-9014
_____ ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversions System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 07 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2 wells w/submersible pumps. System serves 9 domestic uses. 2 homes & 4-plex are covered by earlier filings.
Main well & backup well.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		20			
		5			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	33	9S	21E	Jerome	2 points

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	33	D																

MICROFILMED

FEB 07 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured. Main pump rated 150 gpm at 45 psi, 334' lift by Smith Drilling.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9836 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic - 3 homes w/4000s = 3 x 1.2 AFA = 3.6 AFA

RECEIVED
FEB 07 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The larger pump is not in use at this time due to the dairy buyout program. License will cover the last 3 homes served by this system. Irrigation use is for 1993 - is covered under domestic use.

Not to exceed 0.33 cfs when combined with 36-8014 & domestic portion of 36-2254.

This exam is to replace the one done by Carl Reeb on 7-28-88. Original exam did not correctly account for the earlier rights on this system.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.08	3.6
Totals:			0.08	3.6

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

J. E. Stanton

Signature

J. E. Stanton

Certification Date

Field Report Preparation Date

2-8-91


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 07 1992

UNIT STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 19, 1990

RE: Permit No. 36-8113

Idaho Consolidated Dairy Farm
2709 E. 800 S.
Hazelton, ID 83335

Gentlemen:

We are in the process of reviewing the above referenced water right permit for licensing. The permit is currently in the name of Crestview Farm Associates #1 and we previously sent correspondence to this entity asking for an amendment of the permit so that a license could be issued. Our correspondence was returned undeliverable and attempts to locate a new address have failed.

I recently contacted Larry Hanby, who was listed as a contact person on the field examination report prepared by our examiner. Mr. Hanby informed me that Crestview Farm Associates is now known as Idaho Consolidated Dairy Farm. Therefore, I am forwarding copies of our previous correspondence to you along with the amendment form needed to license this right. The amendment is needed to add the 1.2 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33 as this irrigated land was not listed with the original filing.

I am also enclosing a partially completed assignment form which needs to be signed by a representative of Crestview (the form also needs to be notarized) and returned to us. A representative of Idaho Consolidated Dairy Farm can then sign the amendment form and return it at the same time along with the \$20.00 filing fee. We can then issue a license for this right in the name of Idaho Consolidated Dairy Farm. Please return these forms within 30 days.

If you have any questions concerning this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

RECORDED

FEB 17 1992

INTER-DEPARTMENT MEMO — 1

FROM J.J.

DATE 4/2/90

TO File # 36 - 8113

SUBJECT

The assessor's office still has this same address listed for Crestview Farm Assoc.

There is no current address.

MICROFILMED

FEB 07 1992

Idaho Consolidated Dairy Farm
2709 E. 800 S.
Hazelton 83335

per phone conversation
w/ Larry Hruby (listed on field exam)
current name & address is:

← J.J. SC 9-13-90
SIGNATURE

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

at. 10/26

UNDELIVERABLE AS ADDRESSED

7734-6347-Aurora Capital Corp
no number in service

NO ADDRESS at Twin Falls

Department of Water Resources


Forward

T.F. County 736-9090

~~PO BOX 449~~

FEB 07 1992

PRESORTED
FIRST CLASS



OCT 11 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

August 30, 1989

CRESTVIEW FARM ASSOC. NUMBER ONE
C/O AURORA CAPITAL CORP.
P.O. BOX 2469
TWIN FALLS, ID 83301

RE: PERMIT NO. 36-08113

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

Date of Priority: September 9, 1982 Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume:¹ 11.2 AF

Comes now CRESTVIEW FARM ASSOC. NUMBER ONE
C/O AURORA CAPITAL CORP.
P.O. BOX 2469
TWIN FALLS, ID 83301

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-08113, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	8.8 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	2.4 AF
	Totals	0.17 CFS	11.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 28, Township 09S, Range 21E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	21E	28	SESE	1		1
		33	NENE	1.2		1.2

Total number of acres irrigated: 2.2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08113

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by _____ Date _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08113 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 2 points of diversion located in SESE, S28, T9S, R21E.
6. Domestic use is for 4 homes.

Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

August 30, 1989

CRESTVIEW FARM ASSOC. NUMBER ONE
C/O AURORA CAPITAL CORP.
P.O. BOX 2469
TWIN FALLS, ID 83301

RE: PERMIT NO. 36-08113

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 07 1992

MEMORANDUM

TO:FILE 36-8113

FROM:JOHN MCLEOD

RE: CHANGE TO EXAMINER RECOMMENDATION

DATE: 29-MAR-1989

The irrigation rate for this right should be .07 cfs, or .03 cfs per acre, for 2.2 acres, in order to be consistent with the rate allowed on the permit.

MICROFILMED

FEB 07 1992

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
3608113	09S	21E	28	SE SE		GROUNDWATER	CRESTVIEW FARM
3602254						GROUNDWATER	HUMPHREY, ELME
3608014						GROUNDWATER	CRESTVIEW FARM

RECEIVED
FEB 07 1982

FEB 07 1982

RAK 01 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources **BENEFICIAL USE FIELD REPORT**

A. GENERAL INFORMATION

Permit No. 36-8113

1. Owner: Crestview Farm Associates #1

Phone No. 734-6347

Current Address: 46 Aurora Capital Corp., P.O. Box 221, Twin Falls, Id 83301

2. Accompanied by: Larry Hamby

EXAM. DATE: 7/28/88

Address: P.O. Box 2469 Twin Falls, Id. 83303

Phone No. 438-2136

Relationship to Permit Holder: Employee

3. Source: Ground water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-8014, 2284, 2254


☒ **Copies Attached**

2. Other water rights with same point of diversion: 36-8014, 2284, 2254

☒ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)

FEB 07 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two interconnected wells with SHP and 20HP Submersible pumps, 1-365 gal Pressure tank, and 1 smaller Pressure tank supply 8-Horses, Shop, and grain Rolling mill, and about 2 acres of lawn irrigation. 20HP pump is not in operation since it supplies ^(daily) additional water to feed-lot, which is vacant at time of exam. ⁽³⁶⁻⁸⁰⁴⁹⁾ 2 Melnor 8/6" nozzles at 30psi are used for irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible #1		5			
Submersible #2		20			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#112		SE	SE	SE	28	9S	21E	Jerome	Quad

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	28																1.0	1.0
9S	21E	33	1.2																1.2
																			2.2

MICROFILMED

Do not use this space

FEB 07 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Pitot					

2. Measurements:

2 1/4" meter nozzles at 30psi = 4.56 gpm/nozzle * 2 = 9.12 gpm
 This measurement is for 5HP pump only, 20HP pump is off since dairy is not in use. Because of pressure tanks this not the capacity of the system.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 0.02 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8 \times 25 \text{ HP} \times .8}{30 \times 2.31 + 300} = .48 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.2 \times 4.0 = 8.8 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 8.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

Domestic: 4 x .6 = 2.4 AFA ; this permit will cover 4 homes and irrigation, 36-8014 will cover additional houses.

RECEIVED
FEB 07 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

this permit covers additional uses above permit 36-8014 which is .75 cfs for domestic and stock. Plus under this permit will therefore be irrigation for 22 acres, and domestic for 4 homes other uses under 36-8014. Total capacity of system will need to be measured under 36-8014 when duty is operating in 1989.

domestic $.025 \times 4 = .10 \text{ cfs}$

irrigation $.02 \times 22 = .44 \text{ cfs}$

.54 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	March 15	Nov. 15	.09 cfs	8.8 AFA
Domestic (4 homes)	Jan. 1	Dec. 31	.10 cfs	2.4 AFA
Totals:			.14	11.2 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above ^{see #6}

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Carl Reeb

Signature


Carl Reeb

Certification Date

3/27/89

Field Report Preparation Date

8/1/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 3/27/89

REGISTERED

FEB 07 1989

36-8113

TS 95 R 21 E

E
34.4

Bats

Bare

153.7

Beet

28
33

2070

ID
73.2

Mea Sur

S 17

P/D #2

P/D #1



8/27
33/34

Area Irrigated

FL 4 R 2


2-16

36-813









AN

Well #2 - 20HP



Press. Tanks

SHP - Well #1



Road


MAINTAINED

FEB 07 1932




PROVISIONAL MAP
 Produced from origin
 manuscript drawings. Infor-
 mation shown as of date
 field check.

UT - UTM PROJECTION
 1985 MAGNETIC NORTH DECLINATION 15° 30' EAST
 VERTICAL DATUM NATIONAL GEODETIC VERTICAL DATUM OF 1929
 HORIZONTAL DATUM 1927 NORTH AMERICAN DATUM
 To place on the predicted North American Datum of 1983,
 move the projection lines as shown by dashed corner ticks
 (12 meters north and 69 meters east)
 There may be private inholdings within the boundaries of any
 Federal and State Reservations shown on this map
 All marginal data and lettering generated and positioned by
 automated type placement procedures



36-8113



Well #2 in foreground, Well #1 inside
Shed. Plu in Background.



315gal
← P.T


well #1 inside well house

RECEIVED


FEB 07 1992

RECEIVED
FEB 07 1992

36-8113




Piping and Pressure tanks in well House



Plu Looking South

RECEIVED
FEB 07 1992

36-8113



Plu Looking North.



Section of watered ground

RECORDED
7 1972

RECEIVED
AUG 13 1987

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$50.00
Date 8-13-87
Receipt # 44426
Receipt by af
Reviewed by af
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-8113

Name(s) of Permit Holder: Crestview Farms Associates #1 ✓

Post Office Address: c/o Aurora Capital Corp. P.O. Box 2469 Twin Falls IDA 83301

Telephone No. 208-734-6347

Source of Water: GROUND WATER ✓

Extent of Use:

Domestic 4 (number of households) Stockwater (number and type of stock)

Irrigation 2.5 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.18 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 12-1-87 ✓

Measuring Device: Required? Yes ✓ No
Installed? Yes No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ✓ No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

GRANT OSTERHOUT
(Name)

208-734-6347
(Telephone Number)

P.O. Box 2469 Twin Falls, Idaho 83301
(Address)

MICROFILMED

SEP 25 1987

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/11/87
Date

Crestview Farms Associates #1 by [Signature]
Signature of Permit Holder (and title, if appropriate)

P. O. BOX 13099

BOULDER, CO

80308

L E	COMPANY NO.	INV NO	DESCRIPTION	ACCOUNT DESCR.	AMOUNT
8-11-87	I.C.D.F.		Proof of Beneficial Use Crestview Domestic Well		50.00

MICROFILMED

SEP 25 1987

CHECK NO.

265

CHECK AMOUNT

138814
CERTIFIED MAIL
July 31, 1987

CRESTVIEW FARM ASSOC. #1
C/O AURORA CAPITAL CORP.
P.O. BOX 221
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: Permit No. 36-8113

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

FILED
SEP 25 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED

SEP 25 1985

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CRESTVIEW FARM ASSOC. #1
C/O AURORA CAPITAL CORP.
P.O. BOX 221
TWIN FALLS, ID 83301

NOVEMBER 09, 1982

RE: PERMIT NO. 36-8113

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RECEIVED

RE: PERMIT 36-8113

PAGE 01
NOVEMBER 09, 1982

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
OCT 10 1982

State of Idaho
Department of Water Resources

113

APPLICATION FOR PERMIT ANALYSIS SHEET

CRESTVIEW FARM ASSO. #1

INITIAL REVIEW BY: Amy Funderburg APPLICATION NUMBER: 36-8113

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☒ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. N. 36-8014

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 10/4/82

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/29/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 9/29/82

Special conditions of approval or cover letter. 26

By: ADM

Date: 10/12/82

STATE OFFICE REVIEW:

receipt
4/11, 117

- ☐ See attached sheet for more information.

By: [Signature]

Date: 10/22/82

RECEIVED

OCT 19 1982

RECEIVED

OCT 10 1965

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8113-

CRESTVIEW FARM ASSOC. #1

C/O AURORA CAPITAL CORP., P.O. BOX 221, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 09/09/1982

Amount: 0.18 CFS

Diversion Point: SESE Sec 28 T 09S R 21E, JEROME Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15
DOMESTIC (0.10 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 28 T 09S R 21E FOR ~~XXXXXX~~ 2.5 ACRES

Diversion Means: WELL, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before OCTOBER 4, 1982.

A. KENNETH DUNN

Director

Published 9/16 & 9/23/82.

OK

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho.

36-8113

CRESTVIEW FARM ASSOC. No. 1,
C/O AURORA CAPITAL CORP., P.O.
BOX 221, TWIN FALLS, ID 83301.

Source: GROUNDWATER

Date Filed: 09/09/1982

Amount: 0.18 CFS

Diversion Point: SESE Sec 28 T 09S
R 21E, JEROME Co.

Use: IRRIGATION (0.08 CFS) from
03/15 to 11/15

DOMESTIC (0.10 CFS) from 01/01 to
12/31

Place of Use: SESE Sec 28 T 09S R
21E FOR 2.5 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before OCTOBER 4, 1982.

A. KENNETH DUNN

Director

9-16-2tc

ok
meyer
9/14/82

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

CRESTVIEW FARM ASSO. #1

INITIAL REVIEW BY: Amy Funderburg

APPLICATION NUMBER: 36-8113

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. N. 36-8014
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 10/4/82
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/29/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
9/9/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. 26

By: ADM

Date: 10/12/82

STATE OFFICE REVIEW:

receipt
11/11, 117

☐ See attached sheet for more information.

By: [Signature]

Date: 10/22/82

RECEIVED
OCT 19 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

Department of Agriculture

OCT 18 1905

RECEIVED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

2. 27

2. 27

100

100

100

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8113-

CRESTVIEW FARM ASSOC. #1

C/O AURORA CAPITAL CORP., P.O. BOX 221, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 09/09/1982

Amount: 0.18 CFS

Diversion Point: SESE Sec 28 T 09S R 21E, JEROME Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15
DOMESTIC (0.10 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 28 T 09S R 21E FOR ~~XXXXXXX~~ 2.5 ACRES

Diversion Means: WELL, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before OCTOBER 4, 1982.

A. KENNETH DUNN

Director

Published 9/16 & 9/23/82.

OK

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho.

36-8113

CRESTVIEW FARM ASSOC. No. 1,
C/O AURORA CAPITAL CORP., P.O.
BOX 221, TWIN FALLS, ID 83301.

Source: GROUNDWATER

Date Filed: 09/09/1982

Amount: 0.18 CFS

Diversion Point: SESE Sec 28 T 09S
R 21E, JEROME Co.

Use: IRRIGATION (0.08 CFS) from
03/15 to 11/15

DOMESTIC (0.10 CFS) from 01/01 to
12/31

Place of Use: SESE Sec 28 T 09S R
21E FOR 2.5 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before OCTOBER 4, 1982.

A. KENNETH DUNN

Director

9-16-2tc

ok
merge
9/14/82

— STATE OF IDAH —

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

SEPTEMBER 10, 1982

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 4, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.



3/79

IDENT. NO. 36-8113

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]