

MICROFILMED

A
76.8

B
80.5

B 189-1-2

C
152.4

15 14
22 23

14 13
23 24

D
22.5

C
6.0

B
16.9

H
11.7

E
2.7

K
12.8

Simplet
Potatoes
W.H.S.

L
15.9

J
44.1

B 188

I
17.4

A
11.0

D
4.0

E
7.5

M
13.8

P
24.9

N
27.9

O
3.3

S
35.4

R
23.9

"NOT TO SCALE"

AFFIDAVIT OF PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 2nd day of Sept

19 82 and the date of the last publication was on the 9th

day of Sept, 19 82

L. L. Langdon

Subscribed and sworn to before me this 23rd

day of September, 19 82.
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____ 13

Number of Lines in Notice _____ 36

Number of Insertions _____ 2

Lines tabular at _____ 4¢ / Pica

36 Lines straight at 14.04 3¢ / Pica

36 Subsequent lines at 9.36 2¢ / Pica

TOTAL COST 23.40

MICROFILMED

COPY OF NOTICE

(Paste Here)

Permit #36-8111
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Mc Gonigal
DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8111

MCGONIGAL, JOHN D. &/or
ROSEMARY, P.O. BOX 102,
JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 08/20/1982

Amount: 0.76 CFS

Diversion Point: NESE Sec 14 T 08S
R 17E, JEROME Co.

Use: IRRIGATION (0.76 CFS) from
03/15 to 11/15

Place of Use: NENE NWNE NENW
Sec 23 T 08S R 17E FOR 38 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North Twin Falls, Idaho 83301 and received on or before SEPTEMBER 27, 1982.

A. KENNETH DUNN

Director

9-2-2tc

RECEIVED

ad mayo
No SEP 83 1982

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: John D &/or Rosemary McGonigal
Current Address: PO Box 102 Jerome, ID 83338
2. Accompanied by: Owner
Address: _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____


Permit No. 36-8111
Phone No. 324-2272
EXAM. DATE: 6-17-86
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: license 36-2611 for adjacent land under same owner as permit 36-8111 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JAN 20 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

1413

Sanitary
Landfill

DUMP HERE →

A
76.8

B 189-1-3
T576

B
90.5

C
152.4

1413

25/24

C
6.0

B
16.9

H
11.7

E
2.7

K
12.8

L
15.9

J
44.1

I
17.1

H
11.0

E
7.5

MICROFILMED

JAN 20 1989

27°30"

709

3169 IV SW
(SHOSHONE SW)

HAILEY 55 MI.
SHOSHONE (U.S. 26) 12 MI.

711

25'

R. 17 E. 390 000 F





Point of diversion

MICROFILMED

JAN 20 1989

DISTRICT COURT-SRBA	
Fifth Judicial District	
County of Twin Falls - State of Idaho	
JAN - 2 2002	
By _____	Clerk
_____	Deputy Clerk

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS**

In Re SRBA

Case No. 39576

ORDER OF PARTIAL DECREE

For Water Right 36-08111

On November 2, 1992, the Idaho Department of Water Resources (IDWR) filed its *Director's Report, Part 1, For Reporting Area 3 (Basin 36)*, which included a recommendation for the above water right. No objections to this recommendation were filed and the time period for filing objections has now expired.

On August 2, 1999, in response to the Idaho Supreme Court decision in *A&B Irrigation District v. Idaho Conservation League*, 131 Idaho 411, 423, 958 P.2d 568, 580 (1998), IDWR filed a *Supplemental Director's Report, Reporting Area 3, IDWR Basin 36, Regarding Revision of Period of Use (For Irrigation Water Uses) and Conjunctive Management General Provisions* which included a recommendation for the irrigation season of use for this water right. No objections to this Supplemental Report were filed and the time period for filing objections has now expired.

Therefore, IT IS ORDERED that water right 36-08111 is hereby decreed as set forth in the attached *Partial Decree Pursuant to I.R.C.P. 54(b)*.

DATED January 2, 2002.

Roger Burdick

ROGER S. BURDICK
Presiding Judge
Snake River Basin Adjudication

MICROFILMED
JAN 12 2004

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR

Water Right 36-08111

DISTRICT COURT-SRBA
Fifth Judicial District
County of Twin Falls - State of Idaho

JAN - 2 2002

By _____ Clerk
_____ Deputy Clerk

NAME AND ADDRESS: JAY A BROWN
MARIE H BROWN
11 SOUTH 500 EAST
JEROME, ID 83338

SOURCE: GROUNDWATER

QUANTITY: 0.76 CFS

PRIORITY DATE: 08/20/1982

POINT OF DIVERSION: T08S R17E S14 SWNESE Within Jerome County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	Irrigation	03-15 TO 11-15	0.76 CFS

PLACE OF USE:	Irrigation		Within Jerome County
	T08S R17E S14	SENW 38.0	NESW 40.0
		SESW 40.0	NESE 39.0
		NWSE 39.0	SWSE 39.0
		SESE 39.0	
	S23	NENE 19.0	NWNE 16.0
		NENW 3.0	
	312.0 Acres Total		

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 38 ACRES WITHIN THE
PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

RIGHT NO. 36-02611 IS ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE.

USE OF THIS RIGHT WITH RIGHT NO. 36-02611 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 4.61 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 1248 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 312 ACRES IN A SINGLE IRRIGATION SEASON.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance
with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a
final judgment and that the court has and does hereby direct that the above judgment or order shall be a final
judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

Roger Burdick

Roger Burdick
Presiding Judge of the
Snake River Basin Adjudication

MICROFILMED
JAN 12 2004

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 36-08111

2002 JUN -2 PM 4:05

FILED

NAME AND ADDRESS: JAY A BROWN
MARIE H BROWN
11 SOUTH 500 EAST
JEROME, ID 83338

SOURCE: GROUNDWATER

QUANTITY: 0.76 CFS

PRIORITY DATE: 08/20/1982

POINT OF DIVERSION: T08S R17E S14 SWNESE Within Jerome County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	Irrigation	03-15 TO 11-15	0.76 CFS

PLACE OF USE:	Irrigation	Within Jerome County
T08S R17E S14	SENE 38.0	NESW 40.0
	SESW 40.0	NESE 39.0
	NWSE 39.0	SWSE 39.0
	SESE 39.0	
S23	NENE 19.0	NWNE 16.0
	NENW 3.0	
312.0 Acres Total		

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 38 ACRES WITHIN THE
PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

RIGHT NO. 36-02611 IS ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE.

USE OF THIS RIGHT WITH RIGHT NO. 36-02611 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 4.61 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 1248 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 312 ACRES IN A SINGLE IRRIGATION SEASON.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance
with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a
final judgment and that the court has and does hereby direct that the above judgment or order shall be a final
judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

Roger Burdick

Roger Burdick
Presiding Judge of the
Snake River Basin Adjudication

This
Right has been
Decreed in the
SRBA.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-8111

Priority: August 20, 1982 Amount: .76 CFS 152.0 AF

This is to certify, that JOHN D. MC GONIGAL
ROSEMARY MC GONIGAL

P.O. BOX 102

JEROME, ID 83338

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated August 20, 1982, and has submitted proof to the Department of Water Resources on September 14, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 4.61 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.76 cfs	152.0 af

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 14, Township 8S, Range 17E
Jerome County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
8S	17E	23	NENE 19	NWNE 16	NENW 3		38

Total number of acres irrigated: 38

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. The maximum combined rate of diversion under this right & Right No. 36-2611 shall not exceed 4.61 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of JANUARY, 1989.

MICROFILMED

Action for the Director

JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John D. &/or Rosemary McGonigal Phone 324-2272

Post office address P. O. Box 102, Jerome, ID 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 8S

Range 17E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.76cfs for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.76 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 20 inches; ~~proposed~~ depth of well is 790 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John D McLaughlin
(Applicant)

(Applicant)

MICROFIL MED

Proposed Priority 8/20/1982
Received by JP Date 8-20-82 Time 3 pm
Preliminary check by T.G.B. Fee \$ 45.00
Receipted by JP Date 8-20-82 # 20925
Publication prepared by merge Date 8/27/82
Published in North side news
Publication dates 9/9 + 9/16/82
Publication approved merge Date 9/1/82
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8111, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 7th day of October, 1982.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

A
76.8

MICROFILMED

B
80.5

C
152.4

E 189.1

1514
2223

13
24

D
12.5

C
6.0

R
12.9

H
11.7

E
2.7

K
12.8

L
15.9

J
44.1

I
17.4

H
11.0

P
24.9

O
2.3

R
28.9

S
33.4


SIMPLET
POTATO
WNSL

"NOT TO SCALE"

PLAT OF SURVEY FOR

C. MARSHALL

Located in NW⁴ & NE⁴ Sec. 23, T. 8 S., R. 17 E., B.M.
Jerome County, Idaho
February 12, 1973



CERTIFICATE OF SURVEYOR

This is to certify that I, Richard S. Mickelson, a Registered Land Surveyor in the State of Idaho, hereby attests that this Plat is a reasonably correct representation of Survey as made by me.



AFFIDAVIT PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 2nd day of Sept
19 82 and the date of the last publication was on the 9th
day of Sept, 19 82

Subscribed and sworn to before me this 23rd
day of September, 19 82.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 36
Number of Insertions 2

Lines tabular at 36 4¢ / Pica
Lines straight at 14.04 3¢ / Pica
Subsequent lines at 36 9.36 2¢ / Pica

MICROFILMED

TOTAL COST 23.40

COPY OF NOTICE

(Paste Here)


Permit #36-8111
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Mc Gonigal
DEFENDANT

PLAINTIFF

Dept of Water
BILL 145



RECEIVED

SEP 8 5 1982

Department of Water Resources
Southern District Office

This
Right has been
Decreed in the
SRBA.

Microfilm
JUL 12 2004

January 9, 1989

JOHN D. MC GONIGAL
ROSEMARY MC GONIGAL
P.O. BOX 102
JEROME, ID 83338

RE: PERMIT NO. 36-08111

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\text{capacity} = 4.61 \text{ cfs}$$

$$\frac{12.31^2 \times \sqrt{12.6} \times 3.85}{448.8} = 4.61 \text{ cfs}$$

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 38 \times 4.0 = 152.0 \text{ AF} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.76 \times 1.9835 \times 245 = 369.3 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 152.0 \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: 01-0212, 01-0213, 01-0215,
01-0220, 36-7484, 36-8230
- b) Other water rights with same point of diversion: 36-2611 - same pld

- c) Analysis: Recommend R31

Capacity = 4.61 cfs
Rt. 36-2611 = 4.46 cfs
0.15 cfs remaining - not
enough to license this permit...
allow $38 \times 0.02 \text{ cfs} = 0.76 \text{ cfs}$ with
condition R17(36-2611, 4.61 cfs) -

MICROFILMED

JAN 20 1989

RECOMMENDED AMOUNTS

[illegible]

- Allowable Maximums:**

Date 2-3-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-8111

1. Owner: John D &/or Rosemary McGonigal

Phone No. 324-2272

Current Address: PO Box 102 Jerome, ID 83338

2. Accompanied by: Owner

EXAM. DATE: 6-17-86

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: license 36-2611 for adjacent land under same owner as permit 36-8111

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JAN 20 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 500 HP pump pumps water through a 12" main to a tee-section. On each side of the tee (perpendicular to the 12" main) there is 300' of 10" line that drops to 8". The east end of the line drops to 6" mainline. The west end has another tee-section (one end continuing west, the other north). The west end goes to a 6" mainline at the tee and ends 1/4 mile from this tee. The north end continues to be 8" for 1/4 mile then drops to 6" mainline for another 1/4 mile and ends. At the time of the exam, there were 13 1/2 lines with 33 heads per line.

See Remarks on page 4 for continuati

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	500	1402552	No Plate	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	14	8S	17E	Jerome	USGS Quad map & aerial photo

6. Place(s) of Use:

Indicate Method of Determination Same as above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	17E	23	19	20	16		3A												47 38
			I	I			I												

I = Irrigation

MICROFILMED

JAN 20 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Flow measured with annubar (see supplement for annubar measurement)
Alternate method was by gaging pressure in 13 1/2 lines with 33 heads
a line; average pressure was 54 psi. From Rainbird tables for type 30
3/64" nozzle gives 4.19 gpm per head

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

See supplement for annubar measurement $Q = 4.62 \text{ cfs}$
Allow $Q = 0.76 \text{ cfs}$ for 38 acres
Filed on

2. Alternate Method for Checking Purposes:

$$Q = 13\frac{1}{2} \times 33 \times 4.19 = 1866 \text{ gpm} = 3.86 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 38 \times 4.0 = 152 \text{ afa}$$

$$V_{OR} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.76 \times 246 \times 1.9835 = 370.8 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 152 \text{ afa}$$

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 20 1989

H. REMARKS AND OVERVIEW REVIEW ANALYSIS

This permit covers the southern end of the irrigated fields.

When 36-8111 and 36-2611 are combined, the diversion rate of the system must not exceed the capacity of the well.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>Mar 15</u>	<u>Nov 15</u>	<u>0.76 cfs</u>	<u>152 afa</u>
Totals:			<u>0.76 cfs</u>	<u>152 afa</u>

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name Allen Merritt & Michael McCurdy

Signature Allen Merritt & Michael McCurdy

Certification Date _____

Field Report Preparation Date 6-17-86

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resource employee on a computer printout attached hereto.

MICROFILMED

JAN 20 1989

RECEIVED
SEP 26 1988

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Department of Water Resources

Measured by: Allen Merritt & Michael McCurdy Date 6-17-86
Owner: John McGonigal Permit No. 36-8111

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

A 500 HP pump pumps water through lines to sprinklers.
Pump is 23' from access port, 8' from gate valve and
6' from check valve. (see number 3 under system
description and photo

Measured inside diameter of pipe in inches

(A) 12.31

Size of Annubar used in test 12.00"

State ID No. 091430

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

~~Size Eagle-Eye Meter Used~~ Manometer

State ID No. _____

Date of Last Calibration of Meter _____

Observed inches of H₂O read on Meter

(B) 12.6

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) _____

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $K \frac{(A^2) (\sqrt{B})}{448.8} C =$

4.62 cfs measured

SKETCH (If not shown on Field Report):

MICROFILMED

JAN 20 1989


San Francisco
Land

RI B 89-13
76.8 576

12.4

H
1.7

5.9





Point of diversion

MICROFILMED

JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE

Staff Analysis Sheet
for
Beneficial Use Field Report

36-8111
Permit No.

RECEIVED

SEP 26 1986

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index MM (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☒ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index MM (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Michael McIndy 7-22-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JO 7-28-86 (Initial and date)

Exam Reviewed by Manager of Regional Office JA 9/10/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 32315/36-2611 Priority April 12, 1965 Amount 4.46 cfs

THIS IS TO CERTIFY, that Rosemary Hof McConigal
of Hailey, Idaho, has complied with the terms and conditions of Permit
No. 32315/36-2611 issued pursuant to Application for Permit dated April 12, 1965,
and has submitted proof to the Department of Water Administration on February 3, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 4.46 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____ is hereby confirmed in the following amounts:

Amount 4.46 for irrigation from April 1 to Nov. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 4.46 cfs of water be diverted at
any one time, said waters to be diverted within the _____

same → NE 1/4 SE 1/4 Sec. 14, Twp. 8 S, Rge. 17 E, B.M.

in the county of Jerome; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,096 acre feet per year or
4.0 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	17E	14								38	40			40	39	39	39	39	274

no overlap

Total number of acres irrigated 274

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 1 day of

December, 19 71.

R. Kent Higgs
Director

RECORDED

JAN 24 1989

36 2611

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100.00
Date 5/12/86 per
Receipt # 40134 phone
Receipt by JK con.
Sent to S.O. 5/12/86 2/3/87
kw

RECEIVED

MAY 16 1986

1. Permit No. 36-8111

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: John D. & Rosemary McGonigal

3. Post Office Address: P.O. Box 102 Jerome ID 83338

Telephone No. 324-2272 or 324-4828

4. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 38 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .76 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8/20/82

8. Person to contact to accompany the department representative during the field examination:

Permit Holder

(Name)

JAN 20 1989

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5/12/86

John D. McGonigal
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

Mailing address:

Statehouse

Boise, Idaho 83720

A. KENNETH DUNN

Director

36-8111

MC GONIGAL, JOHN D.
MC GONIGAL, ROSEMARY
P.O. BOX 102
JEROME, ID 83338

138321

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You may later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED
JAN 20 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JAN 20 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 14, 1983

JOHN D. & ROSEMARY MC GONIGAL
P.O. BOX 102
JEROME ID 83338

RE: Permit No. 36-8111

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

JAN 20 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 36-8111

Name(s) of Permit Holder: MCGONIGAL, JOHN D. & ROSEMARY

Post Office Address: PO BOX 102

Jerome ID 83338

Tel. No. 324-4828
324-2272

Source of Water: WELL

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 318 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.



13 Sept 1983
Date

John D. McLaughlin
Signature of Permit Holder

McConibial, Charles Rosemary

Po Box 102

Jerome IDAHO



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MC CONIGAL, JOHN D. & ROSEMARY
P.O. BOX 102
JEROME, ID 83338

138936

PROOF DUE NOTICE

AUGUST 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-8111 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
AUG 31 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MC GONIGAL, JOHN D. & ROSEMARY
P.O. BOX 102
JEROME, ID 83338

OCTOBER 13, 1982

RE: PERMIT NO. 36-8111

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

10/13/82

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

Rosemary
McGONIGAL, John D. &/or

INITIAL REVIEW BY: T. G. Blau

APPLICATION NUMBER: 36-8111

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☒ Yes ☐ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. BB-24

Other rights on same place of use. 36-7484, 36-2301 may be on adjacent lands in same 40

In form for advertising.

Final date for protests: 9/27/82 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/24/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/20/82 Date of priority recommended.
✓ Special conditions of approval or cover letter. OIC, 26

By: ADL

Date: 9/29/82

STATE OFFICE REVIEW:

SLW/L11, L16, L03

OIC

- ☐ See attached sheet for more information.

By: T. G. Blau

Date: 10/6/82

RECEIVED

OCT 04 1982

MICROFILM

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

AUGUST 30, 1982

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 27, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICHAEL

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8111-

MC GONIGAL, JOHN D. &/or ROSEMARY

P.O. BOX 102, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 08/20/1982

Amount: 0.76 CFS

Diversion Point: NESE Sec 14 T 08S R 17E, JEROME Co.

Use: IRRIGATION (0.76 CFS) from 03/15 to 11/15

Place of Use: NENE NWNE NENW Sec 23 T 08S R 17E FOR 38 ACRES

Diversion Means: WELL, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before SEPTEMBER 27, 1982.

A. KENNETH DUNN

Director

Published 9/9 & 9/16/82.

RECEIVED
SEP 16 1982
IDAHO DEPT. OF WATER RESOURCES

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8111

MCGONIGAL, JOHN D. &/or
ROSEMARY, P.O. BOX 102,
JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 08/20/1982

Amount: 0.76 CFS

Diversion Point: NESE Sec 14 T 08S
R 17E, JEROME Co.

Use: IRRIGATION (0.76 CFS) from
03/15 to 11/15

Place of Use: NENE NWNE NENW
Sec 23 T 08S R 17E FOR 38 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North Twin Falls, Idaho 83301 and received on or before SEPTEMBER 27, 1982.

A. KENNETH DUNN

Director

9-2-2tc

*ok
meyer
9/1/82*

*3
4/11*

IDENT. NO. 36-8111

WATER RIGHT
DATA ENTRY LOG

[illegible]