


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lark W. Hyder
(Applicant)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Pipeline - - - - -

Concrete ditch - - - - -

Place of Use 

Jack W. Hyder
Mrs Jack W. Hyder
(Applicant)

AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(Paste Here)

Hyder #36-8104
TITLE OF NOTICE

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL 00

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8104

HYDER, JACK W., RT. 6, JEROME, ID 83338

Source: WASTE WATER tributary to NORTH SIDE CANAL CO.

Date Filed: 07-23-1982

Amount: 3.34 CFS

Diversion Point: SENW Sec 32 T 08S R 17E, JEROME Co.

Use: IRRIGATION (3.34 CFS) from 04-01 to 11-01

Place of Use: SWNE SENE Sec 31 T 08S R 17E SWNW SENW NESW NSW Sec 32 T 08S R 17E FOR 167 ACRES

Diversion Means: CONCRETE COLLECTION BOX, DITCHES, PIPELINES.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 23, 1982.

A. KENNETH DUNN

Director
8-5-2tc

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 5th day of August

19 82 and the date of the last publication was on the 12th

day of August, 19 82

L. L. Langdon

Subscribed and sworn to before me this 25th

day of August, 19 82

(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13

Number of Lines in Notice 38

Number of Insertions 2

Lines tabular at 4¢ / Pica

38 Lines straight at 14.82 3¢ / Pica

38 Subsequent lines at 988 2¢ / Pica

TOTAL COST 24.70

RECEIVED

No 806
AUG 25 1982

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Jack Hyder Permit No. 36-8104
Current Address: 100 E 246 S Route 6 Jerome ID 83338 Phone No. 324-4016
2. Accompanied by: Virgil Andrews EXAM. DATE: 6-12-86
Address: 175 E 100 S Jerome, ID 83338 Phone No. 324-5690
Relationship to Permit Holder: Rents Farm
3. Source: Wastewater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: Northside Canal Company shares

☐ Copies Attached
2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

JAN 20 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



MICROFILMED

JAN 20 1966

WELL

PD

D133 PU

PU

Com.

D535

D20.8

B 4.1

A 5.1

X 6.7

W 4.8

U 5.3

R 10.6

Q 4.2

T 6.8

S 3.6

D 32.1

P 5.7

N 5.3

L 7.0

K 8.4

J 5.5

I 4.1

H 13.3

A 13.1

B 14.2

C 14.8

D 14.2

E 14.2

F 11.2

G 10.0

H 11.2

I 11.2

J 11.2

K 11.2

L 11.2

M 11.2

N 11.2

O 11.2

P 11.2

Q 11.2

R 11.2

S 11.2

T 11.2

U 11.2

V 11.2

W 11.2

X 11.2

Y 11.2

Z 11.2

AA 11.2

AB 11.2

AC 11.2

AD 11.2

AE 11.2

AF 11.2

AG 11.2

AH 11.2

AI 11.2

AJ 11.2

AK 11.2

AL 11.2

AM 11.2

AN 11.2

AO 11.2

AP 11.2

AQ 11.2

AR 11.2

AS 11.2

AT 11.2

AU 11.2

AV 11.2

AW 11.2

AX 11.2

AY 11.2

AZ 11.2

BA 11.2

BB 11.2

BC 11.2

BD 11.2

BE 11.2

BF 11.2

BG 11.2

BH 11.2

BI 11.2

BJ 11.2

BK 11.2

BL 11.2

BM 11.2

BN 11.2

BO 11.2

BP 11.2

BQ 11.2

BR 11.2

BS 11.2

BT 11.2

BU 11.2

BV 11.2

BW 11.2

BX 11.2

BY 11.2

BZ 11.2

CA 11.2

CB 11.2

CC 11.2

CD 11.2

CE 11.2

CF 11.2

CG 11.2

CH 11.2

CI 11.2

CJ 11.2

CK 11.2

CL 11.2

CM 11.2

CN 11.2

CO 11.2

CP 11.2

CQ 11.2

CR 11.2

CS 11.2

CT 11.2

CU 11.2

CV 11.2

CW 11.2

CX 11.2

CY 11.2

CZ 11.2

DA 11.2

DB 11.2

DC 11.2

DD 11.2

DE 11.2

DF 11.2

DG 11.2

DH 11.2

DI 11.2

DJ 11.2

DK 11.2

DL 11.2

DM 11.2

DN 11.2

DO 11.2

DP 11.2

DQ 11.2

DR 11.2

DS 11.2

DT 11.2

DU 11.2

DV 11.2

DW 11.2

DX 11.2

DY 11.2

DZ 11.2

EA 11.2

EB 11.2

EC 11.2

ED 11.2

EE 11.2

EF 11.2

EG 11.2

EH 11.2

EI 11.2

EJ 11.2

EK 11.2

EL 11.2

EM 11.2

EN 11.2

EO 11.2

EP 11.2

EQ 11.2

ER 11.2

ES 11.2

ET 11.2

EU 11.2

EV 11.2

EW 11.2

EX 11.2

EY 11.2

EZ 11.2

FA 11.2

FB 11.2

FC 11.2

FD 11.2

FE 11.2

FF 11.2

FG 11.2

FH 11.2

FI 11.2

FJ 11.2

FK 11.2

FL 11.2

FM 11.2

FN 11.2

FO 11.2

FP 11.2

FQ 11.2

FR 11.2

FS 11.2

FT 11.2

FU 11.2

FV 11.2

FW 11.2

FX 11.2

FY 11.2

FZ 11.2

GA 11.2

GB 11.2

GC 11.2

GD 11.2

GE 11.2

GF 11.2

GG 11.2

GH 11.2

GI 11.2

GJ 11.2

GK 11.2

GL 11.2

GM 11.2

GN 11.2

GO 11.2

GP 11.2

GQ 11.2

GR 11.2

GS 11.2

GT 11.2

GU 11.2

GV 11.2

GW 11.2

GX 11.2

GY 11.2

GZ 11.2

HA 11.2

HB 11.2

HC 11.2

HD 11.2

HE 11.2

HF 11.2

HG 11.2

HH 11.2

HI 11.2

HJ 11.2

HK 11.2

HL 11.2

HM 11.2

HN 11.2

HO 11.2

HP 11.2

HQ 11.2

HR 11.2

HS 11.2

HT 11.2

HU 11.2

HV 11.2

HW 11.2

HX 11.2

HY 11.2

HZ 11.2

IA 11.2

IB 11.2

IC 11.2

ID 11.2

IE 11.2

IF 11.2

IG 11.2

IH 11.2

II 11.2

IJ 11.2

IK 11.2

IL 11.2

IM 11.2

IN 11.2

IO 11.2

IP 11.2

IQ 11.2

IR 11.2

IS 11.2

IT 11.2

IU 11.2

IV 11.2

IW 11.2

IX 11.2

IY 11.2

IZ 11.2

JA 11.2

JB 11.2

JC 11.2

JD 11.2



MICROFILMED
JAN 20 1989

onnickson
VABM
3741
Butte

Canyonside School

STATE
GAME FARM

Haytown

Hydra

UNION

Barrymore

Substation

33

28

29

29

30

25

26

35

36

31

32

6

5

5

4

1

1

DITCH

DITCH

BM 3701

BM 3730

BM 3811

BM 3814

BM 3762

BM 3737

3785

37829

37659

37719

3776

3790

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600

3800

3799

3750

3700

3650

3600



Point of diversion is located behind man with plastic.



Measuring device is a 1' Cipolletti weir.

MICROFILMED

JAN 20 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-8104

Priority: July 23, 1982

Amount: 1.60 CFS 320.0 AF

This is to certify, that JACK W. HYDER

RT. 6

100 E. 246 S.

JEROME, ID 83338

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 23, 1982, and has submitted proof to the Department of Water Resources on October 7, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 1.89 cfs of water from;

WASTE WATER

tributary to NORTHSIDE CANAL

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	1.60 cfs	320.0 af

LOCATION OF POINT OF DIVERSION(S): SENW , Sec. 32, Township 8S, Range 17E
Jerome County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
8S	17E	31	SWNE 3	SENE 26			29
		32	SWNW 32	SENW 13	NWSW 6		51

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of January, 1989.

MICROFILMED

Acting for the Director

Roman C. Young

JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Jack W. Hyder Phone 536-5271 (office)
324-4016 (home)
Post office address Route #6, Jerome, ID 83338
2. Source of water supply Wastewater which is a tributary of Northside Canal Co. system
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 8S
Range 17E B.M. Jerome County, additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.34 cfs for irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.34 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Concrete collection box, ditches, pipelines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	17E	31			3	39													42
		32							38	23	25	39							125

Total number of acres to be irrigated 167

c. Describe any other water rights used for the same purposes as described above.

Northside Canal Co. shares


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Some of this wastewater has been used for many years. This application represents an enlargement and improvement of the system.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lark W. Hyder
(Applicant)

Proposed Priority 7/23/1982

Received by JS Date 7-23-82 Time 5:10 pm

Preliminary check by T.G. Blau Fee \$ 105⁰⁰

Received by JS Date 7-23-82 # 20892

Publication prepared by maps Date 7/28/82

Published in north side news

Publication dates 3/5 + 8/12/82

Publication approved maps Date 8/2/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8104, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water shall not be diverted under this permit until a written agreement with the irrigation district or canal company serving the area containing the point of diversion is filed with the Department of Water Resources providing for the coordination of the permit use with the irrigation district or canal company operation.

Witness my hand this 10th day of September, 1982.

A. Glen Saxton
Chief, Operations Bureau

Replaced by
New App

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 15 1982

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant Jack W. Hyder Phone 324-4016 324-4016

Post office address Route No. 6, Jerome, Idaho 83338

2. Source of water supply Waste Water Drainage which is a tributary of Snake River

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 8 South
Range 17 E.B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.34 ~~8.16~~ for irrigation purposes from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.5 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Concrete collecting box, ditches, pipelines
Intake structures and pipeline
and concrete ditches to place of use on Applicant's land

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8 S.	17 E.	32							38	23	30	40	40	44					150 125
8 S.	17 E.	31			3	39													70 42

Total number of acres to be irrigated 220 167

c. Describe any other water rights used for the same purposes as described above. 127 shares of the North Side Canal Company, Ltd.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant is diverting waste water and by pipeline siphon and concrete ditch applying the waste water on high land previously not fully irrigable with his "live" North Side Canal Company, Ltd., irrigation water as delivered.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Pipeline - - - - -
Concrete ditch - - - - -
Place of Use

Jack W. Hyder
Mrs Jack W. Hyder
(Applicant)

Received by menya Date 7/15/82 Time 3:00 p
Preliminary check by _____ Fee \$ 8.00 8/05 # 7/27/82
Receipted by menya Date 7/27/82
Publication prepared by menya Date 7/28/
Published in north side news
Publication dates 8/5 + 8/12/82
Publication approved menya Date 8/7/82
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 5th day of August, 19 82 and the date of the last publication was on the 12th day of August, 19 82

V. L. Langdon
Subscribed and sworn to before me this 25th day of August, 19 82
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13

Number of Lines in Notice 38

Number of Insertions 2

Lines tabular at 38 4¢ / Pica

Lines straight at 14.82 3¢ / Pica

38 Subsequent lines at 9.88 2¢ / Pica

TOTAL COST 24.70

COPY OF NOTICE

(Paste Here)

Hyder #36-8104
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

RECEIVED

No 806
AUG 25 1982

Department of Water Resources
Southern District Office

This
Right has been
Decreed in the
SRBA.

MICHIGAN
JAN 12 2003

January 9, 1989

JACK W. HYDER
RT. 6
100 E. 246 S.
JEROME, ID 83338

RE: PERMIT NO. 36-08104

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

NOT RECORDED
RECORDED

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 80 \times 4.0 = 320.0 \text{ AF} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.6 \times 1.9835 \times 245 = 777.5 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: 01-0005, 01-0016, 01-0212, 01-0213,
01-0215, 01-0220

- b) Other water rights with same point of diversion: none

- c) Analysis:

Recommend R31

MICROFILMED
JAN 20 1989

10 day

- 7. Point(s) of Diversion:**

8. Place(s) of Use ☒

9. Recommended Conditions/Remarks:

- ### 11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date _____

Date _____



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

[Signature]
FECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 26, 1987

JACK W. HYDER
RT. 6
100 E. 246 S.
JEROME, ID 83338

RE: Permit No. 36-8104

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT**RECEIVED**

SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Jack Hyder Permit No. 36-8104
Current Address: 100 E 2465 Route 6 Jerome ID 83338 Phone No. 324-4016
2. Accompanied by: Virgil Andrews EXAM. DATE: 6-12-86
Address: 175 E 1005 Jerome, ID 83338 Phone No. 324-5690
Relationship to Permit Holder: Rents Farm
3. Source: Wastewater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Northside Canal Company shares
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

JAN 20 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (AS operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water flows from 2 sources to point of diversion where it can be separated into 2 flow directions in open ditches. South flow curves around field along railroad tracks to a riser. Water is then underground in a pipe system with Tee-valves located to irrigate fields by gravity feed. West flow runs along North fence line in concrete ditch and the curves toward railroad tracks in a dirt ditch. Water goes under tracks and is open discharge.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination Same as above

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	17E	31			3	26.1													29.1
8S	17E	32							32.1	13.3		5.5							50.9
																	TOTAL		80.0

MICROFILMED

JAN 20 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measurement of a 1' Cip Weir with a depth of 0.66' gave a discharge of 1.89 cfs from tables.

E. FLOW CALCULATIONS☐ Additional Computation Sheets Attached

1. Measured Method:

From Tables of 1' Cip Weir with depth of 0.66'

$Q = 1.89 \text{ cfs}$ (Allow 1.6 cfs)

2. Alternate Method for Checking Purposes:

Trapezoidal concrete ditch $\Rightarrow$ 3.0' across top
1.0' across bottom
1.1' depth
 $A = 2.2 \text{ ft}^2 = \left(\frac{3+1}{2}\right) \times 1.1$ $V = \left(\frac{10'}{5.5 \text{ sec}}\right) \times (0.7) = 1.27 \text{ ft/sec}$
 $Q = VA = 2.80 \text{ cfs}$
(Allow 1.6 cfs)

F. PUMP EFFICIENCY DATA (Optional)Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)Meter Input KW: 3.6 $\times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)Meter Input HP: (6) $\times 1.34 =$ _____ (7)Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 80 \times 4.0 = 320 \text{ afa}$
 $V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.6 \times 215 \times 1.9835 = 682.3 \text{ afa}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 320 \text{ afa}$

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 20 1989

H. REMARKS AND OVERVIEW REVIEW ANALYSIS

Water was mainly diverted to the weir for measurement, but some water was leaking under dam and flowing over ditch bank. Also, more water can come through diversion from either of the 2 sources. The approach velocity at the weir was high, no pond to slow water, and the weir was partially submerged. For alternate method, a stick was timed in 10' to determine velocity. Weir under 70% submergence, only about 20%.

Water was diverted through ditch with weir for measurement of flow.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	Apr 1	Nov 1	1.6 cfs	320 afa
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Allen Merritt & Michael McCurdy
 Signature Allen Merritt & Michael McCurdy
 Certification Date _____
 Field Report Preparation Date 6-12-86

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resource employee on a computer printout attached hereto.

MICROFILMED

JAN 20 1989



B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

B

30

31

32

33

34

35


36

37

38

39

40



MICROFILMED

JAN 20 1989



*Point of diversion is located behind man
with plastic.*



Measuring device is a 1' Cipolletti weir.

MICROFILMED

JAN 20 1989

6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE

36-8104

Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

SEP 26 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index MM (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Michael McCurdy 7-22-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JS 7-28-86 (Initial and date)

Exam Reviewed by Manager of Regional Office JS 9/10/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 1.75
Date 5/17/86
Receipt # 40128
Receipt by SK
Sent to S.O. SK

RECEIVED

MAY 16 1986

1. Permit No. 36-8104

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Jack W. Hyder

3. Post Office Address: 100 E 246 S Rt #6 Jerome ID 83339
Telephone No. 536-5271 Office
324-446 Home

4. Source of Water: Waste water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 167 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 3.34 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

7/23/82

8. Person to contact to accompany the department representative during the field examination:

Virgil Adams - (Rents Farm)
(Name)

175 E 100 S Jerome, ID
(Address)

324-56910
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5/13/86 Signature of Permit Holder (and title, if appropriate) Jack W. Hyder



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

Mailing address:

Storehouse

Boise, Idaho 83720

A. KENNETH DUNN

36-8104
HYDER, JACK W.
RT. 6
JEROME, ID 83338

138319

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee need department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JAN 20 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,




L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JAN 20 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 14, 1982

Jack W. Hyder
Rt. 6
Jerome, Idaho 83338

Re: Permit 36-8104

Dear Mr. Hyder:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LJR:GLF:marya

MICROFILMED

JAN 20 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below on permit No. 36-8104

Name(s) of Permit Holder: Jack W. Hyder

Post Office Address: Route 6 536-5271 Office
Jerome, Idaho 83338 789-324-4016 home

Source of Water: Waste Water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation 167 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No Will be
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No installed

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-7-82
Date

Jack W. Hyder
Signature of Permit Holder

RECEIVED

OCT 7 1982

Department of Water Resources
Southern District Office

MICROFILMED

JAN 20 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

OCT 8 1982

PLACE
TEN CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HYDER, JACK W.
RT. 6
JEROME, ID 83338

SEPTEMBER 28, 1982

RE: PERMIT NO. 36-8104

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS MUST BE STARTED WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. THE PROJECT MUST THEN BE DILIGENTLY CONSTRUCTED UNTIL COMPLETED. TO MAINTAIN THE PERMIT IN A VALID STATUS YOU MUST COMPLETE AND RETURN THE ENCLOSED POSTCARD WHEN CONSTRUCTION IS COMMENCED, NO LATER THAN ONE YEAR FROM THE DATE OF APPROVAL OF THE PERMIT.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

HYDER, Jack W.

INITIAL REVIEW BY: T.G. Blau

APPLICATION NUMBER: 36-8104

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other Northside Canal Co.

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☐ No

Platted by: _____ Map No. BB-23

Other rights on same place of use. 36-7623

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 8/23/82

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/24/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☒ Yes ☐ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended. 7/23/82

Special conditions of approval or cover letter. OIC, 23, 26

By: ADM

Date: 8/30/82

STATE OFFICE REVIEW:

SW/L12, L03

23
26 OK

- ☐ See attached sheet for more information.

By: _____

Date: _____

RECEIVED
SEP 02 1982

9/8/82

The Farmers National Bank

WENDELL BRANCH

JACK W. HYDER

MANAGER

Department of Water Resources

536-5271
536-2943

160 SOUTH IDAHO
WENDELL, IDAHO 83355

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

Page 2
of 2
18
1986



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

**1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578**

C. Stephen Allred
Director

August 30, 1982

North Side Canal Co.
921 N. Lincoln
Jerome, Idaho 83338

Re: Application for Permit No. 36-8104

Gentlemen:

Enclosed for your information is a copy of a notice of application for water permit which has been filed with this office.

The application seeks to divert surface water within your service area, and may therefore, be of interest to you.

Any permit issued will be subject to all prior water rights and will not constitute an easement or right-of-way upon lands or in ditches not belonging to the applicant.

If you have any questions regarding this application, please feel free to contact this office.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl :

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JULY 28, 1982

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 23, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8104

HYDER, JACK W.

RT. 6, JEROME, ID 83338

Source: WASTE WATER tributary to NORTH SIDE CANAL CO.

Date Filed: 07/23/1982

Amount: 3.34 CFS

Diversion Point: SENW Sec 32 T 08S R 17E, JEROME Co.

Use: IRRIGATION (3.34 CFS) from 04/01 to 11/01

Place of Use: SWNE SENE Sec 31 T 08S R 17E SWNW SENW NESW NWSW
Sec 32 T 08S R 17E FOR 167 ACRES

Diversion Means: CONCRETE COLLECTION BOX, DITCHES, PIPELINES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 23, 1982.

A. KENNETH DUNN

Director

Published 8/5 & 8/12/82.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8104

HYDER, JACK W., RT. 6, JEROME,
ID 83338

Source: WASTE WATER tributary to
NORTH SIDE CANAL CO.

Date Filed: 07-23-1982

Amount: 3.34 CFS

Diversion Point: SENW Sec 32 T 08S
R 17E, JEROME Co.

Use: IRRIGATION (3.34 CFS) from
04-01 to 11-01

Place of Use: SWNE SENE Sec 31 T
08S R 17E SWNW SENW NESW
NWSW Sec 32 T 08S R 17E FOR 167
ACRES

Diversion Means: CONCRETE COL-
LECTION BOX, DITCHES, PIPELINES.

If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and received
on or before AUGUST 23, 1982.

A. KENNETH DUNN

Director

8-5-2tc

*dl
murega
8/2/82*

IDENT. NO. 36-8104

WATER RIGHT DATA ENTRY LOG

[illegible]

1-34

42-45

62-76