


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joe L. Dyer
Jeanette L. Dyer
(Applicant)

RECORDED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 21st day of January, 1982 and the date of the last publication was on the 28th

day of January, 1982

L. L. Langdon

Subscribed and sworn to before me this 1st

day of February, 1982.
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____ 13
Number of Lines in Notice _____ 32
Number of Insertions _____ 2
Lines tabular at _____ 4¢ / Pica
32 Lines straight at 12.48 3¢ / Pica
32 Subsequent lines at 8.32 2¢ / Pica
TOTAL COST 20.80

COPY OF NOTICE

(Paste Here)

#36-8049
TITLE OF NOTICE

Frazier
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8049

FRAZIER, JOE L. &/or JEANETTE R., RT. 4, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 12/21/1981

Amount: 2.00 CFS

Diversion Point: SWSE Sec 12 T 09S R 17E, JEROME Co.

Use: IRRIGATION (2.00 CFS) from 04/01 to 10/30

Place of Use: SWNE SENE NESE NWSE SWSE SESE Sec 13 T 09S R 17E FOR 80 ACRES


Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 8, 1982.

A. KENNETH DUNN

Director
1-21-2tc



No 571



36-8049



RECEIVED
DEC 10 1991



6 MI. TO IDAHO 50
39 MI. TO IDAHO 27 (BURLEY EXIT)

ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Light-duty road, hard or improved surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route

DEC 10 1991


FALLS CITY, IDAHO
N4237.5—W11422.5/7.5

1979

DMA 3169 III NW—SERIES V893

(KIMBERLY)
3169 III SE

BB-2



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)

Case No. 39576)

ORDER OF PARTIAL DECREE

For Water Right 36-08049

On November 2, 1992, the Idaho Department of Water Resources (IDWR) filed its *Director's Report, Part 1, For Reporting Area 3 (Basin 36)*, which included a recommendation for the above water right. No objections to this recommendation were filed and the time period for filing objections has now expired.

On August 2, 1999, in response to the Idaho Supreme Court decision in *A&B Irrigation District v. Idaho Conservation League*, 131 Idaho 411, 423, 958 P.2d 568, 580 (1998), IDWR filed a *Supplemental Director's Report, Reporting Area 3, IDWR Basin 36, Regarding Revision of Period of Use (For Irrigation Water Uses) and Conjunctive Management General Provisions* which included a recommendation for the irrigation season of use for this water right. No objections to this Supplemental Report were filed and the time period for filing objections has now expired.

Therefore, IT IS ORDERED that water right 36-08049 is hereby decreed as set forth in the attached *Partial Decree Pursuant to I.R.C.P. 54(b)*.

DATED December 19, 2001.

A handwritten signature in cursive script, reading "Roger Burdick".

ROGER S. BURDICK
Presiding Judge
Snake River Basin Adjudication

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

DISTRICT COURT-SRBA
Fifth Judicial District
County of Twin Falls - State of Idaho

DEC 13 2001

In Re SRBA)
)
Case No. 39576)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR

Water Right 36-08049

By _____

Clerk

Deputy Clerk

NAME AND ADDRESS: JOE L & JEANETTE R FRAZIER
5438 HWY 93
JEROME, ID 83338

SOURCE: GROUNDWATER

QUANTITY: 0.94 CFS
188.00 AFY

PRIORITY DATE: 12/21/1981

POINT OF DIVERSION: T09S R17E S12 NWSWSE Within Jerome County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	Irrigation	04-01 TO 10-31	0.94 CFS 188.00 AFY

THE USE OF WATER FOR IRRIGATION UNDER THIS RIGHT MAY BEGIN AS
EARLY AS MARCH 15 AND MAY CONTINUE TO AS LATE AS NOVEMBER 15,
PROVIDED OTHER ELEMENTS OF THE RIGHT ARE NOT EXCEEDED. THE USE
OF WATER BEFORE APRIL 1 AND AFTER NOVEMBER 1 UNDER THIS REMARK
IS SUBORDINATE TO ALL WATER RIGHTS HAVING NO SUBORDINATED EARLY
OR LATE IRRIGATION USE AND A PRIORITY DATE EARLIER THAN THE DATE
A PARTIAL DECREE IS ENTERED FOR THIS RIGHT.

PLACE OF USE:	Irrigation	Within Jerome County
	T09S R17E S13	SWNE 8.0 SENE 13.0 NWSE 2.0
	47.0 Acres Total	

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

RIGHT NO. 36-07745 IS ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF DIVERSION OF
THESE RIGHTS IS LIMITED TO 4.74 CFS (CAPACITY OF
DIVERSION SYSTEM).

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance
with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a
final judgment and that the court has and does hereby direct that the above judgment or order shall be a final
judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

Roger Burdick

Roger Burdick
Presiding Judge of the
Snake River Basin Adjudication

MICROFILMED
JAN 12 2004

This
Right has been
Decreed in the
SRBA.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08049

Priority: December 21, 1981

Maximum Diversion Rate:

0.94 CFS

Maximum Diversion Volume:

188.0 AF

This is to certify, that JOE L FRAZIER
JEANETTE R FRAZIER

5348 HWY 93
JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 21, 1981; and has submitted Proof of Beneficial Use on February 1, 1983. An examination indicates that the works have a diversion capacity of 4.740 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.94 CFS	188.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 12, Township 09S, Range 17E
JEROME County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>		<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S 17E 13	SWNE 8		SENE 13	NESE 24	
	NWSE 2				47
Total number of acres irrigated:					47

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. The maximum combined rate of diversion under this right & Right No. 36-7745 shall not exceed 4.74 cfs.

RECORDED

DEC 10 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08049

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of NOVEMBER, 1991.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

DEC 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Joe L. + Jeanette R. Frazier Phone 324-3850
Post office address RT #4 Jerome, Idaho 83338
2. Source of water supply ground water which is a tributary of -
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 12 Township 9S
Range 17E B.M. Jerome County, additional points of diversion if any: -

4. Water will be used for the following purposes:

Amount 2 cfs. for irrigation purposes from April 1 to October 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)

Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)

Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: Supplemental to Appl. # 36-7745 for additional water + acres to be irrigated.
a. 2 (Two) cubic feet per second and/or b. - acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 300' 20" well - pumping from 165' w/ 14" bore + 200 hp Turbine, Thence by mainline to point of use.

b. Height of storage dam - feet, active reservoir capacity - acre-feet; total reservoir capacity - acre-feet, materials used in storage dam: -

Period of year when water will be diverted to storage - to - inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ ^{Existing} well diameter is 20 inches; ~~proposed~~ ^{existing} depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: - $\frac{1}{4}$ of - $\frac{1}{4}$ of Section - Township -
Range - B.M. -

(2) Amount of power to be generated: - horsepower under - feet of head.

(3) List number of each kind of livestock to be watered -

(4) Name of municipality to be served -, or number of families to be supplied with domestic water -

(5) If water is to be used for other purposes describe: -

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicants


b. Who owns the land to be irrigated or place of use Asheville

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This application is supplemental to
Appl. 36-7745 to cover increased water
use on additional acres as shown.

SECRET

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Joe L. Dyer
Jeanette L. Dyer
(Applicant)

Proposed Priority 12/21/1981

Received by marya Date 12-21-81 Time 9:15 a

Preliminary check by Audrey Fee \$ 65.00 # 20724

Receipted by marya Date 12-21-81

Publication prepared by marya Date 1/8/81

Published in north side news

Publication dates 1/21 & 1/28/82

Publication approved marya Date 1/8/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Adam Juri

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8049 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1 , 19 83 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of March, 1982.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

E. L. LANGDON
ASST. PUBLISHER

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 21st day of January
19 82 and the date of the last publication was on the 28th
day of January, 19 82

E. L. Langdon

Subscribed and sworn to before me this 1st
day of February, 19 82
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line 13
Number of Lines in Notice 32
Number of Insertions 2
Lines tabular at 4¢ / Pica
32 Lines straight at 12.48 3¢ / Pica
32 Subsequent lines at 8.32 2¢ / Pica
TOTAL COST 20.80

MICROFILMED

COPY OF NOTICE

(aste Here)


#36-8049
TITLE OF NOTICE

Frazier
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO



No 571

This
Right has been
Decreed in the
SRBA.

Millions of
2000-02-2005

Change of Address:
Water License Holder

Joe L. + Jeanette R. Frazier

From: 5438 Hwy 93

To: 4765 500 E
Jerome Idaho
83338

36-8049
36-7745

RECEIVED

OCT 28 1994

Department of Water Resources

Thanks!
Jan Frazier

Computer updated
10/28/94
sc

MICROFILMED

JAN 12 2004

November 20, 1991

JOE L FRAZIER
JEANETTE R FRAZIER
5348 HWY 93
JEROME ID 83338

RE: WATER RIGHT NO. 36-08049

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

ENCLOSURE MED

DEC 10 1991

October 31, 1991

JOE L FRAZIER
JEANETTE R FRAZIER
5348 HWY 93
JEROME ID 83338

RE: WATER RIGHT NO. 36-08049

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
DEC 10 1991

DEC 10 1991

LICENSE REVIEW CHECKLIST

Permit No. 36-8049

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac ☒ 3.0

Capacity Actual measurement checked ☒
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 44? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 44
Description of non-irrig uses
Special overlap condition ☒

Conditions -
Measuring device
W.Master control
Overlap P31
Water quality
Other

Dates/Misc. -
Water Dist
App Rec'd
Proof Rec'd

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

52 Date 10/28/91 Review time 10 min.

DEC 10 1991

Handwritten signature

WR0734NP
No. 136-08049

IDaho DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/28/91
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOE L FRAZIER 5348 HWY 93 JEROME ID 83338	12/21/1981	IRRIGATION	04-01 11-01	0.94 CFS	188.0 AFA
TOTAL DIVERSION:					0.94 CFS	188.0 AFA

C JEANETTE R FRAZIER

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 4.74 CFS

Point(s) of Diversion: T09S R17E S12 SW SE

Place of use Legal Description for: IRRIGATION

	NE	NW	SW	SE	
T R S	NE NE NE NE NE NE	NE NE NE NE NE NE	NE NE NE NE NE NE	NE NE NE NE NE NE	SUM
09S 17E 13	: 08	: 13	:	:	: 24
TOTAL ACRES					47.0

Other Water Rights with Same Point(s) of Diversion and Source:
36-07745 ~~36-00049~~

Other Water Rights Listing Overlapping Place(s) of use:
~~36-00049~~

Conditions of Approval:

R31 - This right when combined with all other rights shall provide no more than .02 cfs per acre not more than 4.0 afa per acre for the lands above.

Remarks:

The maximum combined rate of diversion under this right & right No. 36-7745 shall not exceed 4.74 cfs.

Dates:

App. Received: 12/21/1981 Priority Date: 12/21/1981
Proof Due Date: 04/01/1983 Proof Made Date: 02/01/1983
Exam Made Date: 06/13/1986 Exam Sent to S.O.:
Licensed Date:

Misc:

Water District Number: Field Exam Fee: R (Received)

Audit:

10/28/91 CURTIS

RECEIVED
FILMED
DEC 10 1991

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN 'A' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE	NW	SE	SW	NE	NW	SE	SW	NE	NW	SE	SW	NE	NW	SE	SW	SUM
L3608049	T09S R17E S13																	47
0100212	SNAKE RIVE																	
0100213	SNAKE RIVE																	
0100215	SNAKE RIVE																	
0100220	SNAKE RIVE																	
3607745	GROUNDWATE	40	33				33	33										139
A3607745	GROUNDWATE	40	33				33	33										139
R3607745	GROUNDWATE	40	33				33	33										139
~~3608049~~	~~GROUNDWATE~~	~~06~~	~~12~~															~~80~~
A3608049	GROUNDWATE	06	12															80
R3608049	GROUNDWATE	06	13															47
--86 MAP--	C83Q-BB 23	34	35				34	38	04	03								148
--86 MAP--	CO-BB 23	34	28				35	36										133

OK

RECORDED
DEC 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-8049
1. Owner: Joe L. & Jeanette Frazier Phone No. 324-3850
Current Address: 5348 Hwy. 93, Jerome, ID 83338
2. Accompanied by: Mr. Frazier & Clark Egbert EXAM. DATE: 6-13-86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-7745 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached See 36-7745 exam

To pivot



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

DEC 10 1991

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, mainline to two pivots & handlines. System developed under Permit 36-7745 was extended to cover additional ground under this permit.
42 5/32" nozzles & 100 9/64" nozzles at 25 psi water this ground.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	200	ANT/26/02	Lyne	T 78098

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	12	95	17E	Jerome	

6. Place(s) of Use:

Indicate Method of Determination electronic planimeter

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
95	19E	13			8	13									24 25	2			47

RECORDED

DEC 10 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

System capacity was previously measured at 4.74 cfs under Lic. 26-7745.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$474 \text{ cfs} \times .02 \text{ cfs/4c} = 0.94 \text{ cfs} \text{ @ } 10 \text{ ft/lb}$

2. Alternate Method for Checking Purposes:

$42 \text{ 5/32" nozzle} \times 2.57 \text{ gpm/lb} = 151 \text{ gpm}$ $100 \text{ 3/4" nozzle} \times 2.87 \text{ gpm} = 287 \text{ gpm}$ 440 gpm

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: 155 ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 47 \times 4 = 188 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (4.74 \text{ cfs}) \times (214 \text{ days}) \times (1.9835) = 202 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 188.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

DEC 10 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Since the pumping plant was not changed to accommodate the additional ground, no measurement of system ^{capacity} was made under this permit. Therefore, right should not exceed 4.94 cfs when combined with Lic. 36-1745.

Field work was done by Terry Blau, but exam was written into final form by me

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	0.94	188
Totals:			0.94	188

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton Terry Blau
Signature J. E. Stanton - exam preparer
Certification Date 4/10/91
Field Report Preparation Date 5-14-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

DEC 10 1991





53


215

1991

36-8049




UNRECORDED
DEC 10 1991



INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1980
 39 MI. TO IDAHO 27 (BURLEY EXIT) 6 MI. TO IDAHO 50
 714000m.E. 711 25' 712 R. 17 E. R. 18 E. 114°22'30"

ROAD CLASSIFICATION

- | | |
|------------------------------------|--|
| Primary highway,
hard surface | Light-duty road, hard or
improved surface |
| Secondary highway,
hard surface | Unimproved road |
| Interstate Route | U. S. Route |
| | State Route |



DEC 10 1991

FALLS CITY, IDAHO
 N4237.5—W11422.5/7.5

1979

DMA 3169 III NW—SERIES V893

(KIMBERLY)
 3169 III SE

BB-2

ARDS
 RESTON, VIRGINIA 22092
 LE ON REQUEST

4/86

RECEIVED
JUN 10 1986

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 125.00
Date 6/10/86
Receipt # 40167
Receipt by myb
Sent to S.O. 6/10/86

RECEIVED

JUN 11 1986

1. Permit No. 36-8049

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Joe L. Frazier

3. Post Office Address: 5438 Hwy 93 Jerome, Idaho

Telephone No. 324-3850

4. Source of Water: Ground

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

April 15, 1982

8. Person to contact to accompany the department representative during the field examination:

Joe L. Frazier
(Name)

5438 Hwy 93 Jerome
(Address)

324-3850
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 6/10/86

[Signature]
Signature of Permit Holder (and title, if appropriate)

DEC 10 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

36-8049
FRAZIER, JOE L.
FRAZIER, JEANETTE R.
RT. 4
JEROME, ID 83338

Mailing address:

Statehouse

Boise, Idaho 83720

138311

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

DEC 10 1991

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

DEC 10 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 18, 1985

Joe L. and Jeanette R. Frazier
Route 4
Jerome, ID 83338

Re: Water Right Identification No. 36-8049

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

- ☒ Proof of beneficial use has already been submitted for the water right.
- ☐ Proof of beneficial use is not applicable for existing licensed rights.
- ☐ Proof of beneficial use is not applicable for existing decreed rights.
- ☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.
- ☐ Other:

Sincerely,


RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

RECEIVED

DEC 10 1991



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

February 25, 1983

Joe L. & Jennette R. Frazier
Route 4 - Box 4400
Jerome, Idaho 83338

Re: Permit 36-8049

Dear Mr. & Mrs. Frazier:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED
DEC 10 1991

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as document that the permit holder(s) has completed development to the extent shown below of Permit No. 36-8049.

Name(s) of Permit Holder: Joel & Verne R. Frazier

Post Office Address: RR 4 Box 4400

Jerome, Idaho 83338 Tel. No. 324-3850

Source of Water: Groundwater

Extent of Use:

- ☐ Domestic (number of households)
☐ Stockwater
☒ Irrigation (number and type of stock)
☐ Other

80

Measuring Device:

- Required? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No
 Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/1/83

Date

Joe Frazier
 Signature of Permit Holder

RECEIVED

FEB 1 1983

Department of Water Resources
Southern District Office



PLACE
13 CENT
STAMP
HERE

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138191

FRAZIER, JOE L. & JEANETTE R.
RT. 4
JEROME, ID 83338

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-8049 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FRAZIER, JOE L. & JEANETTE R.
RT. 4
JEROME, ID 83338

MARCH 30, 1982

RE: PERMIT NO. 36-8049

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

16-8049.

FRAZIER, JOE L. &/or JEANETTE R.

RT. 4, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 12/21/1981

Amount: 2.00 CFS

Diversion Point: SWSE Sec 12 T 09S R 17E, JEROME Co.

Use: IRRIGATION (2.00 CFS) from 04/01 to 10/30

Place of Use: NE NESE NWSE SWSE SESE Sec 13 T 09S R 17E
FOR 80 ACRES

Diversion Means: WELL, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 8, 1982.

A. KENNETH DUNN

Director

Published 1/21 & 1/28/82.

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8049

FRAZIER, JOE L. &/or JEANETTE
R., RT. 4, JEROME, ID 83338

Source: GROUNDWATER

Date Filed: 12/21/1981

Amount: 2.00 CFS

Diversion Point: SWSE Sec 12 T 09S
R 17E, JEROME Co.

Use: IRRIGATION (2.00 CFS) from
04/01 to 10/30

Place of Use: SWNE SENE NESE
NWSE SWSE SESE Sec 13 T 09S R
17E FOR 80 ACRES

Diversion Means: WELL, PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 8, 1982.

A. KENNETH DUNN

Director

1-21-2tc

*ok
may*

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 8, 1982

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 8, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

FRAZIER, Joe L. & Jeannette R.

INITIAL REVIEW BY: Angela Dubey

APPLICATION NUMBER: 36-8049

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: _____ Map No. 5B-23
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 2/8/82
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/2/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/21/81 Date of priority recommended.
Special conditions of approval or cover letter. OIC

By: ADM

Date: 3/3/82

STATE OFFICE REVIEW:

OIC

L11

403

- ☐ See attached sheet for more information.

By: Jm

Date: 3/16/82

RECEIVED

MAR 05 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX