



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Operations Manager

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

E. L. LANGDON
ASST. PUBLISHER

being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for Two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 29th day of October

19 81, and the date of the last publication was on the 5th

day of November, 19 81.

E. L. Langdon

Subscribed and sworn to before me this 20th

day of November, 19 81.

(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line 13

Number of Lines in Notice 36

Number of Insertions 2

Lines tabular at 4c / Pica

36 Lines straight at 14.04 3c / Pica

36 Subsequent lines at 9.36 2c / Pica

TOTAL COST 23.40

COPY OF NOTICE

(Paste Here)

Permit #36-8008
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Crestview Farms
DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

36-8008

CRESTVIEW FARM ASSOC.
(CRESTVIEW NO. 2), P.O. BOX 221,
TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 10-19-1981

Amount: 2.90 CFS

Diversion Point: SESE Sec 16 T 09S
R 21E, JEROME Co.

Use: IRRIGATION (2.90 CFS) from
03-15 to 11-15

Place of Use: NESW NWSW SWSW
SESW NESE NWSE SWSE SESE Sec
16 T 09S R 21E FOR 320 ACRES

Diversion Means: WELL, PUMP,
SPRINKLER

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before NOVEMBER 16, 1981.


A. KENNETH DUNN

Director


10-29-2tc

No 488

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SE 1/4 SE 1/4, Sec. 16 T.9S. R.21E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	16									40	40	40	40	39	40	40	39	314
													39	39			39		

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

FEB 26 1988

Examiner's Signature Gary Linderburg


Checked by _____

Approved by _____


Date 8/2/1984

Date _____

Date _____



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SE 1/4 SE 1/4, Sec. 16 T.9S. R.21E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	16									40	40	40	40	39	40	40	38	318
													39	39			39		

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

FEB 26 1988

Examiner's Signature Gary Linderburg Date 8/2/1984
 Checked by _____ Date _____
 Approved by _____ Date _____

1650 W

8 9

200 N

9 10

17 16

18 15

17 16

100 N

16 15

20 21

21 22

wall

MICROFILMED

FEB 26 1988

95

471

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
) PARTIAL DECREE PURSUANT TO
) I.R.C.P. 54(b) FOR
Case No. 39576)
) Water Right 36-08008

FILED - 4 JAN 21
DISTRICT COURT -
TWIN FALLS COUNTY
IDaho

NAME & ADDRESS: SUNRISE ORGANIC FARMS INC
12050 N PECOS STE 200
WESTMINSTER CO 80234-2711

SOURCE: GROUNDWATER

QUANTITY: 0.84 CFS

USE OF RIGHT NOS 36-02430 AND 36-08008 IS LIMITED TO A TOTAL
COMBINED DIVERSION RATE OF 4.34 CFS AND A TOTAL COMBINED ANNUAL
DIVERSION VOLUME OF 1256 AFA.

PRIORITY DATE: 12/08/1981

POINT OF DIVERSION: T09S R21E S16 NESESE Within JEROME County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	Irrigation Season	0.84 CFS

PLACE OF USE:	IRRIGATION	Within JEROME County			
	T09S R21E S16	NESW 40	NWSW 40	SWSW 39	SESW 39
		NESE 39	NWSE 40	SWSE 39	SESE 38
	314 ACRES TOTAL				


USE OF RIGHT NOS. 36-02430 AND 36-08008 IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 314 ACRES IN A SINGLE
IRRIGATION SEASON.

CONSUMPTIVE USE:
USE OF RIGHT NOS. 36-02430 AND 36-08008 IS LIMITED TO A TOTAL
COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 942 AFA.


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b)
Water Right 36-08008

MICROFILM PAGE 1
NOV-20-1997

JAN 12 2004

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)

Water Right 36-08008

Case No. 39576)

ORDER AMENDING IRRIGATION PERIOD OF USE ELEMENT
IN PARTIAL DECREE AND INCORPORATING INTO PARTIAL
DECREE AN EXPRESS STATEMENT REGARDING GENERAL
PROVISIONS, *NUNC PRO TUNC*

A *Partial Decree* was entered for the above-captioned irrigation water right on December 04, 1997. The period of use element was decreed as "irrigation season." In *A&B Irrigation Dist. v. Idaho Conservation League*, 131 Idaho 411, 423, 958 P.2d 568, 580 (1998), the Idaho Supreme Court remanded with the directive to include specific dates for the period of use element. Following remand, IDWR filed a *Supplemental Director's Report, Reporting Area 3, IDWR Basin 36, Regarding Revision of Period of use (For Irrigation Water Uses) and Conjunctive Management General Provisions*, which included an irrigation period of use recommendation for this water right. No objections were filed to this recommendation and the time period for filing objections has now expired.

THEREFORE, IT IS ORDERED that the period of use for the irrigation element of the above-captioned water right is hereby amended and decreed as:

PERIOD OF USE: 03-15 11-15

IT IS FURTHER ORDERED that the *Partial Decree* for the above-captioned water right is hereby amended and decreed to contain the following:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the court at a point in time no later than the entry of a final unified decree. I.C. section 42-1412(6).

This order is being entered *nunc pro tunc* as of the date the *Partial Decree* was issued and is not intended to modify any subsequent administrative changes for the water right, if any, which occurred following entry of the *Partial Decree*.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

Dated August 27, 2001

Roger Burdick
ROGER BURDICK
Presiding Judge
Snake River Basin Adjudication

MICROFILMED
JAN 12 2004

District Court
Snake River Basin Adjudication
PO Box 2707
Twin Falls, ID 83303-2707

Important Information About Your Water Right

August 27, 2001

HORIZON ORGANIC DAIRY IDAHO FARM INC
6311 HORIZON LN
LONGMONT, CO 80503

Dear Water Right Claimant(s):

The reverse side of this letter contains a copy of an *Order Amending Irrigation Period of Use Element in Partial Decree and Incorporating into Partial Decree An Express Statment Regarding General Provisions, Nunc Pro Tunc* (hereinafter "*Order*") for water right number 36-08008. According to Idaho Department of Water Resources (IDWR) records, you are the current owner of this water right. If you are not the current owner, please contact IDWR immediately at:

Idaho Department of Water Resources
1301 North Orchard
Boise, ID 83706
800-451-4129

The Purpose of the *Order* is to set forth beginning and ending dates for the irrigation period of use for this water right. As stated in the face of the *Order*, this action was necessary following the decision of the Idaho Supreme Court in *A&B Irrigation Dist. v. Idaho Conservation League*, 131 Idaho 411, 423, 958 P.2d 568, 580 (1998). This *Order* also incorporates into the *Partial Decree* an express statement that the *Partial Decree* is subject to such general provisions necessary for the definition or for the efficient administration of the water right. This express statement is necessary to comply with the requirements of Idaho Code section 42-1412(6). This *Order* in combination with the *Partial Decree* that was issued for this water right on December 04, 1997, sets forth all of the elements of your water right. The Snake River Basin Adjudication (SRBA) Court suggests that you keep this document in a safe location together with a copy of the *Partial Decree* to show evidence of the water right. The original of this *Order* and the original of the *Partial Decree* for this water right are on file with SRBA Court. If you do not have a copy of the original *Partial Decree*, one can be obtained by contacting the SRBA Court at (208) 736-3011. Please note that the *Order* is entered *Nunc Pro Tunc*, meaning that the *Order* will be treated as if it were issued the same date that the *Partial Decree* was originally issued.

Sincerely,



Diana Delaney
Case Administrator

MICROFILMED
JAN 12 2004

This
Right has been
Decreed in the
SRBA.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-8008

Priority: December 8, 1981 Amount: .84 CFS

This is to certify, that CRESTVIEW FARM ASSOC.

CRESTVIEW #2
C/O MILNER KIMAMA INV. GROUP
P.O. BOX 2469
TWIN FALLS, ID 83303

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 19, 1981, and has submitted proof to the Department of Water Resources on September 1, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 4.34 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>		
Irrigation	03/15 to 11/15	.84 cfs			
<u>LOCATION OF POINT OF DIVERSION(S):</u>		SESE , Sec. 16, Township 9S, Range 21E Jerome County			
<u>PLACE OF USE:</u> Irrigation					
<u>TWN</u> <u>RGE</u> <u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
9S 21E 16	NESW 40	NWSW 40	SWSW 39	SESW 39	
	NESE 39	NWSE 40	SWSE 39	SESE 38	314
Total number of acres irrigated:					314

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. The rate of diversion and annual volume under this right shall be appurtenant to the place of use so that each irrigated acre will receive an equal portion of water when all rights appurtenant to the place of use from the same source are considered cumulatively.
6. The maximum combined annual volume of water under this right & Right 36-2430 shall not exceed 1256.0 acre feet per year.

MICROFILMED

FEB 26 1988

7/10/82
6/15

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 36-8008

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of December, 19 87.


Director

MICROFILMED

FEB 26 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Crestview Farm Associates (Crestview#2) Phone 734-6347

Post office address P.O. Box 221, Twin Falls, Idaho 83301

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 16 Township 9S

Range 21E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.90 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.90 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Existing well and pump delivering to a sprinkler irrigation system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	21E	16									40	40	40	40	40	40	40	40	320

Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes as described above. _____

License #36-2430 = 3.50 CFS

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

320 acres x 0.02 CFS/acre = 6.40 CFS

License #36-2430 = 3.50 CFS


6.40 CFS - 3.50 CFS = 2.90 CFS amount applied for

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



(Applicant)

Operations Manager

Proposed Priority 10/19/1981

Received by marry Date 10/19/81 Time 2:30 p

Preliminary check by ADM Fee \$ 85.00 # 20614

Receipted by marry Date 10/19/81

Publication prepared by marry Date 10/20/81

Published in north side news

Publication dates 10/29 & 11/5/81

Publication approved marry Date 11/23/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8008, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 3rd day of December, 1981.

A. Glen Saxton
Chief, Operations Bureau

SOURCE: GROUNDWATER

INDICATES TOTAL

RIGHT NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR RIGHT
--------------	------------------	---------------	-----	--------------------	---------------------	-----------------	--------------------------	-----------------

76-2430	HUMPHREY, BEN K. 645 5TH ST. RUPERT		04-21-1960	IRRIGATION		SESE S16 3.50 CFS	NESW(40) N4SW(40) LICENSE T09S R21E SESW(40) S16 NESE(40) N4SE(40) SWSE(40) SESE(40) S16 T09S R21E * 320 ACRES*	
---------	---	--	------------	------------	--	----------------------	---	--

STOCKWATER	-	-					SAME AS OTHER USE	
------------	---	---	--	--	--	--	-------------------	--

DOMESTIC	-	-					SAME AS OTHER USE	
----------	---	---	--	--	--	--	-------------------	--

*	---	*AFA						
*	3.50	*CFS						

State of Idaho
License and Certificate of Water Right

Water License No. G-28645

Amount 3.5 c.f.s. ✓

Water District No. _____

Priority April 21, 1960

THIS IS TO CERTIFY that

DR. BEN K. HUMPHREY

of Rupert, Idaho

, made application for a permit to appropriate the

public waters of the State of Idaho, dated April 21, 1960; that Permit No. G-28645
was issued under said application; that Certificate of Completion of works, with a carrying capacity of

3.5 second feet, was issued thereunder on June 22, 1966, showing that said works
were completed on the 30th day of April, 1965; and that on the 30th
day of April, 1965,

DR. BEN K. HUMPHREY

of Rupert

, State of Idaho

, made proof to the satisfaction of the

State Reclamation Engineer

of Idaho, of the right to use the waters of a well

, a tributary of subterranean flow, for the purpose of irrigation, domestic & stock
water.

, under Use Permit No. G-28645 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

13 of Licenses at page 8502, on the 22 day of June, 1966;

The right hereby confirmed dates from April 21, 1960;

The Point of Diversion is located

in the SE 1/4 SE 1/4, Sec. 16, Tp. 9 S, R. 21 E, B. M. Jerome County ✓

The right hereby confirmed dates from April 21, 1960;

The Point of Diversion is located

in the SE 1/4 SE 1/4, Sec. 16, Twp. 9 S, R. 21 E, B. M. Jerome County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 3.5 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
9 S.	21 E	16	S 1/4	320	320

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 22nd day of June, 1966.

(SEAL) R. KEITH HIGGINSON Deputy State Reclamation Engineer.

NESH	40	A	1.0000	*	36-7419	A	12-11-1973	GROUNDWATER
NESH	40	A	1.0000	*	36-7974	A	04-04-1981	GROUNDWATER
NHSH	40	A	1.0000	*	36-7419	A	11-1973	GROUNDWATER
SESW	40	A	1.0000	*	36-7419	A	11-1973	GROUNDWATER
SESW	40	A	1.0000	*	36-7974	A	03-04-1991	GROUNDWATER
SHSW	40	A	1.0000	*	36-7419	A	12-11-1973	GROUNDWATER
NENE	40	A	1.0000	*	36-7423	A	12-11-1973	GROUNDWATER
NHNE	40	A	1.0000	*	36-7423	A	12-11-1973	GROUNDWATER
SENE	40	A	1.0000	*	36-7423	A	12-11-1973	GROUNDWATER
SHNE	40	A	1.0000	*	36-7423	A	12-11-1973	GROUNDWATER
NESH	40	A	1.0000	*	36-7423	A	06-26-1957	GROUNDWATER
SESW	40	A	1.0000	*	36-7423	A	06-26-1957	GROUNDWATER

WR0420

WATER RIGHTS BY PLACE OF USE
SHOWING OVERLAPPING RIGHTS AND DIVERSION RATE PER ACRE

07/10/81

PAGE 2968

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USE	INCHES PER ACRE	ACRE FEET PER ACRE	RIGHT NUMBER	STAGE STATUS	PRIORITY DATE	SOURCE OF WATER
09S	21C	14	SENE	00	A	1.0828	*	36-2333	L		06-26-1957	GROUNDWATER
			SENE	40	A	1.0828	*	36-2333	L		06-26-1957	GROUNDWATER
			NESE	40	A	1.0000	*	36-7423	A		12-11-1973	GROUNDWATER
			NHSE	40	A	1.0000	*	36-7423	A		12-11-1973	GROUNDWATER
			SESE	40	A	1.0000	*	36-7423	A		12-11-1973	GROUNDWATER
			SHSE	40	A	1.0000	*	36-7423	A		12-11-1973	GROUNDWATER
			NESH	10	A	1.0828	*	36-2333	L		06-26-1957	GROUNDWATER
			NHSH	40	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
			SHSH	35	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
		15	NESE	15	A	1.0828	*	36-2333	L		06-26-1957	GROUNDWATER
			NHSE	30	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
			NHSE	40	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
			SESE	40	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
			SHSE	40	A	.6933	*	36-2337	L		08-19-1957	GROUNDWATER
			NESH	40	A	1.0000	*	36-7549	A		05-14-1975	GROUNDWATER
			NHSH	40	A	1.0000	*	36-7549	A		05-14-1975	GROUNDWATER
			SESH	40	A	1.0000	*	36-7549	A		05-14-1975	GROUNDWATER
			SHSH	40	A	1.0000	*	36-7549	A		05-14-1975	GROUNDWATER
		16	SENE	15	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			SHNE	20	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			NHNE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			NHNE	05	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			NHNE	25	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			SENE	23	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			SHNE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			SENE	30	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			NESE	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			NHSE	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			SESE	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			SHSE	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			NESH	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			NHSH	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			SESH	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			SHSH	40	A	.8483	*	36-2430	L		04-21-1960	GROUNDWATER
			SENE	26	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			SENE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			SENE	13	A	1.0000	*	36-2353	L		06-05-1958	UNNAMED DRAIN
			SHNE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			NHNE	30	A	.8700	*	36-2319	L		05-11-1957	GROUNDWATER
			SENE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			SENE	27	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			SHNE	27	A	.8700	*	36-2319	L		05-11-1957	GROUNDWATER
			NESE	40	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			NESE	35	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			NHSE	35	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			NHSE	30	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			SESE	35	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER
			SHSE	25	A	.8483	*	36-2310	L		11-20-1956	GROUNDWATER
			SHSE	29	A	1.0000	4.00	36-2699	L		07-20-1966	GROUNDWATER

WR0420

WATER RIGHTS BY PLACE OF USE
SHOWING OVERLAPPING RIGHTS AND DIVERSION RATE PER ACRE

07/10/81

PAGE 2969

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USE	INCHES PER ACRE	ACRE FEET PER ACRE	RIGHT NUMBER	STAGE STATUS	PRIORITY DATE	SOURCE OF WATER
09S	21E	17	NESH	08	A		.8433	*	36-2310	L	11-20-1956	GROUNDWATER
			NESH	06	A		1.0000	4.00	36-2699	L	07-20-1966	GROUNDWATER
		18	NHNE	37	A		.6813	*	36-2349	L	04-17-1958	GROUNDWATER
			SHNE	40	A		1.0000	4.00	36-2573	L	04-29-1963	GROUNDWATER
			NENH	40	A		.6813	*	36-2349	L	04-17-1958	GROUNDWATER
			NHNE	40	A		.6813	*	36-2349	L	04-17-1958	GROUNDWATER
			SENE	40	A		.6813	*	36-2349	L	04-17-1958	GROUNDWATER
			SHNE	02	A		1.0000	4.00	36-2573	L	04-29-1963	GROUNDWATER
			NESE	26	A		.6700	*	36-2319	L	05-11-1957	GROUNDWATER
			NHSE	19	A		.6700	*	36-2319	L	05-11-1957	GROUNDWATER
			SHSE	09	A		.6700	*	36-2319	L	05-11-1957	GROUNDWATER

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for Two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 29th day of October
19 81, and the date of the last publication was on the 5th
day of November, 19 81.

L. L. Langdon
20th

Subscribed and sworn to before me this
day of November, 19 81.
(SEAL)

Darla Brett

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 36
Number of Insertions 2

Lines tabular at 4¢ / Pica
36 Lines straight at 14.04 3¢ / Pica
36 Subsequent lines at 9.36 2¢ / Pica

TOTAL COST 23.40

COPY OF NOTICE

(Paste Here)


Permit #36-8008
TITLE OF NOTICE

PLAINTIFF ATTORNEY

Crestview Farms
DEFENDANT

PLAINTIFF

Dept of Water
BILL 145



No 488

This
Right has been
Decreed in the
SRBA.

MICROFILMED
JAN 12 2008

December 21, 1987

CRESTVIEW FARM ASSOC.
CRESTVIEW #2
C/O MILNER KIMAMA INV. GROUP
P.O. BOX 2469
TWIN FALLS, ID 83303

RE: Permit No. 36-8008

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 26 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{4.0 = 1256.0 \text{ AFA}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{408.2 \text{ AFA}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. **Overlap Review**

a) Other water rights with same place of use: 01-0014, 36-2430

b) Other water rights with same point of diversion: 36-2430

c) Analysis: 36-2430 - Lic., 3.5 cfs/320 ac. = 0.0109375
same pld & same plu cfs/ac.
see copy below permit.

System as used presently:

$$\underline{4.34 \text{ cfs/314 ac.} = 0.0138217 \text{ cfs/ac.}}$$

show all land on this license,
allow remainder of capacity

$$\underline{4.34 - 3.5 = 0.84 \text{ cfs allowable}}$$

no volume amt. shown on 36-2430

$$\underline{\text{whole system} = 4.34 \text{ cfs} \times 1.9835 \times 245 = 2109.1 \text{ AFA}}$$

FEB 26 1988

10 day

- Allowable Maximums:**

Date 7/27/87

November 2, 1987

CRESTVIEW FARM ASSOC.
CRESTVIEW #2
C/O MILNER KIMAMA INV. GROUP
P.O. BOX 2469
TWIN FALLS, ID 83303

RE: Permit No. 36-8008

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 26 1988

RECEIVED

State of Idaho
DEPARTMENT OF WATER RESOURCES
MARCH 1987

FIELD REPORT

Department of Water Resources

36-8008

Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

☒ Telephone call made:

(List Telephone No. used)

☒ Appointment scheduled for:

(Date, time, location)

DATE

INITIALS

REMARKS

EXAMINATION 8/6/84

Date 8/6/1984

Accompanied by Larry Hanbey

Total Q measured 4.18 cfs

If source is surface water, estimate total flow of source

Methods of measurement Manometer

Meets Permit requirements? yes

Measurement calculations:

$$(4.0 \text{ ac/ft}^2) (318 \text{ ac}) = 1272 \text{ ac-ft/1000}$$
$$(.68)(1.98)(245) = 330 \text{ ac-ft/1000}$$

WELL/DIVERSION*	HP	MOTOR MAKE	SERIAL NO.	MOTOR MAKE	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
200		G.E.	5K6334X2918	Lev. line			Manometer	good	
100		Perford	C1004885						

System Description (1) Turbine (1) Booster 16 1/2 mile handlines 33 1/2 lines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

IRRIGATION

Q (cfs) 0.68

V (afa) 330.0

FROM 3/15

TO 11/15

AFA/Acre

Irrigation requirement = 4.0

Total

0.68

330.0

Remarks See Map 36-2430 - 3.50

Permit 36-8008 Meas 4.18

Allow


0.68 cfs

This is when combined w/ 36-2430 shall not exceed capacity of system flow 5.02 cfs/acre or 4.04 AFA/Ac.


UNRECORDED

FEB 26 1988

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SE 1/4 SE 1/4, Sec. 16 T.9S. R.21E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	16									40	40	40	40	39	40	40	39	318
													39	39			39		

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

FEB 26 1988

Examiner's Signature

Sam Lundberg

Date


8/2/1984

Checked by


Date

Approved by

Date



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SE 1/4 SE 1/4, Sec. 16 T. 9 S. R. 21 E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	21E	16									40	40	40	40	39	40	40	39	314
													39	39			39		

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
 ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other
 FEB 26 1988

Examiner's Signature Gary Lundberg
 Date 8/2/1984
 Checked by _____
 Date _____
 Approved by _____
 Date _____

For Annubar Measurements

TABLE 3

<u>Pipe size/Annubar</u> Model No.	<u>C</u> ← Based ON Annubar Model No.	% Difference
6"	3.75	+2.60
8"	3.87	+1.10
10"	3.94	-2.34
<u>12"</u>	<u>3.99</u>	-3.64
14" & 16"	4.01	-4.16
18" & 24"	4.02	-4.42
30" & larger	4.03	-4.68

$$\frac{(12^2) \times (\sqrt{11.5}) \times 3.99}{448.8} = 4.34 \text{ cfs}$$

kw
7/27/87

MICROFILMED

FEB 26 1988

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: Cary Funderburg
Owner: CRESTVIEW FARMS, INC.

Date: 8/2/1987
Permit #: 36-8008

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Turbine & Booster - Hand line

Measured inside diameter of pipe in inches 12"

Size of Annubar used in test 12.00

State ID# of Annubar used 091430

Size Eagle Eye Meter used Manometer

State ID# of Meter used _____

Date of Last Calibration of Meter _____

Observed inches of H2O read on Meter 11.5"

Adjusted inches of H2O from Last Calibration ✓


CALCULATION: $\frac{(3.85) \times (A)^2 \times (\sqrt{B})}{448.8} = \text{4.18 cfs measured}$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:

MONITORED

FEB 26 1988



CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 36 - 8008 - Crestview Farm Assoc

BY: *LH*

	<u>DATE</u>	<u>NUMBER OF DAYS</u> (From Table of Days Between Two Dates)
A. EXAMINATION FEE NOTICE SENT	<u>4/17/86</u> ✓	<u>107</u>
B. DATE FEE DUE (60 days)	<u>6/16/86</u> ✓	<u>167</u>
C. DATE FEE RECEIVED	<u>8/5/86</u>	<u>217</u>
D. NUMBER OF DAYS LATE (C - B)		<u>50</u> ✓
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>10/19/81</u> ✓	<u>292</u>
F. NEW PRIORITY DATE (D + E)	<u>12/8/81</u> ✓	<u>342</u>

REMARKS:

INDEXED

FEB 26 1988

KW
1/27/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

36-8008
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

MAY 01 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index MM 8-6-86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index MM 8-6-86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? DD 9/23/86 (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed LL 9/23/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JP 10-3-86 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original

Refiled in White File _____ (Initial and date)

MICROFILMED

FEB 26 1988

1500
RECEIVED

AUG 5 1986

Department of Water Resources
Salem, Oregon 97331

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 150.00
Date 8/5/86
Receipt # 38648
Receipt by M. Baldwin
Sent to S.O. 8/5/86

RECEIVED

AUG 6 1986

Department of Water Resources

1. Permit No. 36-8008

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Crestview Farm Assoc % Milner Kimura Inv. Group

3. Post Office Address: P.O. Box 2469
Twin Falls, ID 83303 Telephone No. 734-6347

4. Source of Water: Ground

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 320 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.9 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit
May 1982

8. Person to contact to accompany the department representative during the examination: Feb 26 1988

Larry Hamby (Name)

P.O. Box 2469 Twin Falls, ID 438-2736 829-5816
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 7/15/86 Signature of Permit Holder (and title, if appropriate) Ray Velle Farm Operations Mgr
Hurore Capital



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720

A. KENNETH DUNN

36-8008
CRESTVIEW FARM ASSOC. (CRESTVIEW #2
P.O. BOX 221
TWIN FALLS, ID 83301

138301

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative. If you need the fee needed for the department to conduct the field examination, you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
FEB 26 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 18, 1983

RE: Permit Nos. 36-7784, 36-8003, 36-8004, 36-8005, 36-8006, 36-8007,
36-8008, 36-8009, 36-8015, 36-7801 and 45-7483

Aurora Capital Corp.
P.O. Box 221
Twin Falls, ID 83301

Gentlemen:

We have made a review of the extension of time request in which to submit proof to beneficial use under the above permits and per our telephone conversation on January 17, 1983, it is our understanding that the access ports are in the process of being installed and since proof to beneficial use statements have already been submitted on all of the permits the Department will not process the enclosed request for extensions of time and will send a refund of \$165.00.

Also per our telephone conversation, please submit the proof to beneficial use statement for Permits 36-7801 and 45-7483 on or before January 30, 1983.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures

RECEIVED
FEB 26 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

EXTENSION OF TIME

January 11, 1983

Aurora Capital Corporation
Trustee for Idaho Dairy Farms
P. O. Box 221
Twin Falls, ID 83301

PERMIT NO. 36-8008, Crestview Farm Associates #2

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 25807.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED

FEB 26 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 29, 1982

Aurora Capital Corp.
P.O. Box 221
Twin Falls, Idaho 83301

RECEIVED
NOV 1 1982
Department of Water Resources

Re: Permits - 36-8003, 36-8004, 36-8005, 36-8007, 36-8008, 36-8011, 36-8012,
36-8013, 36-8014, 36-8015, 36-8016, 36-8017, 36-7949

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LOH:GFL:marya

RECEIVED
FEB 26 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-8008

Name(s) of Permit Holder: Crestview Farm Associates #2

Post Office Address: c/o Aurora Capital Corp., P.O. Box 221,

Twin Falls, Idaho 83301

Tel. No. 734-6347

Source of Water: Ground Water

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

FEB 26 1988

(acres)

2.90 cfs

☐ Other

Measuring Device: Required?

☐ Yes ☒ No

Installed?

☒ Yes ☒ No

Access Port:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/31/82

Date

Signature of Permit Holder

RECEIVED

SEP 1 1982

Department of Water Resources
Southern District Office

MICROFILMED

FEB 28 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

RECEIVED

SEP 7 1982

Department of Water Resources

December 16, 1981

Re: Permit No. 36-8008

Crestview Farm Associates
P.O. Box 221
Twin Falls, ID 83301

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosure

MICROFILMED

FEB 26 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ADM

CRESTVIEW FARM ASSOCIATES(Crestview #2)
APPLICATION NUMBER: 36-8008

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: ADM Map No. BB-26 + BB-27
☒ Yes ☐ No Other rights on same place of use. Lic. 36-2430 for 3.5 cfs
on 320 acres, + 2.9
6.4 = .02 cfs/ac
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 11/16/81 ✓
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/23/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
10/19/81 Date of priority recommended.
Special conditions of approval or cover letter. OIC

By: ADM Date: 11/24/81

STATE OFFICE REVIEW:

5/10/83 OIC

- ☐ See attached sheet for more information.
By: Reyn

Date: 12/2/81

RECEIVED
NOV 25 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

OCTOBER 20, 1981

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 16, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-8008-

CRESTVIEW FARM ASSOC. (CRESTVIEW #2)

P.O. BOX 221, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 10/19/1981

Amount: 2.90 CFS

Diversion Point: SESE Sec 16 T 09S R 21E, JEROME Co.

Use: IRRIGATION (2.90 CFS) from 03/15 to 11/15

Place of Use: NESW NWSW SWSW SESW NESE NWSE SWSE SESE Sec 16 T 09S R 21E
FOR 320 ACRES

Diversion Means: WELL, PUMP, SPRINKLER

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before NOVEMBER 16, 1981.

A. KENNETH DUNN

Director

Published 10/29 & 11/5/81.

WATER RIGHT
DATA ENTRY LOG

[illegible]