




RECEIVED

AUG 06 2001

Department of Water Resources
Southern Region





Legend

Property Boundary Line

Set 1/2" x 24" Meter & Cap (15 1000)

Found Aluminum Cap

Fence

Creek/Gully

Overhead Power Line

Sewer Line

Water Line

Front Free Hydrant

Power Pole

Anchor

Telephone Pole

Natural Gas Meter

Water Meter

Water Valve

Fire Hydrant

Electrical Box

Fire Supply Line

Drain Line

Construction Notes:

ALL CONSTRUCTION SHALL BE IN CONFORMANCE WITH YEAR 2000 I.S.P.W.C. STANDARD SPECIFICATIONS AND DRAWINGS.

CONTRACTOR SHALL VERIFY ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION WITH APPROPRIATE UTILITY COMPANIES AND NOTIFY "TOLINE" 48 HOURS PRIOR TO ANY EXCAVATION.

ALL SEWER CONSTRUCTION AND MATERIALS SHALL CONFORM TO YEAR 2000 I.S.P.W.C. STANDARD SPECIFICATIONS AND DRAWINGS. SEWER LINES SHALL BE PVC ASTM D-3034, SDR-35 PVC.

ALL WATER MAINS SHALL BE ANWWA C-151, CLASS 51 D.L. PIPE AND BE DISINFECTED IN ACCORDANCE WITH ANWWA SPEC. C-601.

ALL GATE VALVES SHALL BE RESILIENT WEDGE - ANWWA APPROVED.

ALL WATER AND SEWER MAINS SHALL MAINTAIN A 10 FOOT MINIMUM HORIZONTAL SEPARATION AND AN 18 INCH VERTICAL SEPARATION AT ALL CROSSINGS OR BE ENCASED IN CONCRETE 12" MIN. EITHER SIDE OF CROSSING.

RECORDED OR FILED SURVEY MONUMENTS ARE PRESENT WITHIN THE CONSTRUCTION LIMITS OF THIS PROJECT.

EHM Engineers, Inc.
ENGINEERS/SURVEYORS/PLANNERS
821 N. 1000 E. SUITE 100 - TWIN FALLS, IDAHO 83301
208/734-4888 - FAX 208/734-6048

PROPOSED UTILITY PLAN
FOR
UNIVERSITY OF IDAHO
2001

DO NOT SCALE DRAWINGS
CONTRACTOR SHALL VERIFY ALL EXISTING AND PROPOSED UTILITIES AT THE JOB SITE AND NOTIFY THE ENGINEER OF ANY DISCREPANCIES, OMISSIONS, OR DISCREPANCIES BEFORE BEGINNING OR FABRICATING ANY WORK.


DESIGNED BY	C.B.
CHECKED BY	C.B.
DRAWN BY	S.J.A.
DATE	06/14/01
SCALE	AS SHOWN
FILE NO.	31400_071
JOB NO.	314-00

Detail 'A'

N.T.S.

MICROFILMED
NOV 13 2001

RECEIVED
AUG 06 2001
Department of Water Resources
Southern Region



NW/SE Sec. 6

NOV 13 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED
OCT - 6 2003
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 36-15712
Name(s) of Permit Holder: Regents of the University of Idaho
Address: PO Box 443162 City Moscow State ID Zip 83844-3162
Telephone No. 208-885-6468 Date Proof is Due: November 1, 2003

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

This permit is for domestic use in a research facility. The University has substantially completed environmental and project design review and bids to proceed with the first phase of the project (well drilling and road construction) will be received later this fall.

Costing \$ 50,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Completion of this project is subject to approval from the federal government and can not proceed without detailed environmental and project design review.

Permit holder(s) request an extension to November 1, 20 04

[Signature]
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 2004.

Signed this 10th day of October, 20 03

[Signature]
GARY SPACKMAN

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 36-15712

Priority: 08/06/2001

Maximum Diversion Rate: 0.04 CFS

This is to certify, that UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE 1/4 NW 1/4 SE 1/4 Sec. 6, Twp 08S, Rge 14E, B.M. GOODING County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
08S	14E	6															X		

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2003.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The daily diversion volume for the domestic use authorized under this right shall not exceed 2,500 gallons per day.
6. Domestic use is for employee/visitor facilities at the National Fish Hatchery.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 17th day of October, 2001.


for KARL J DREHER, Director

MICROFILMED

NOV 13 2001

RECEIVED

AUG 06 2001

FORM 202
12/99

Department of Water Resources
Southern Region

Ident. No. 36-15712
69329

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant University of Idaho Phone (208) 885-7044

Mailing address P.O. Box 443146, Moscow, ID 83844

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is Township 8S Range 14 E. Sec. 6 in the S.E. $\frac{1}{4}$,
N.W. $\frac{1}{4}$, S.E. $\frac{1}{4}$, Govt. Lot _____, B.M., Gooding County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 cfs for Domestic purposes from 01/01 to 12/31/94 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 cfs and/or (b) 28-06 acre feet per annum
cubic feet per second

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source new well and pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet

d. Is ground water with a temperature of greater than 85°F being sought? no

e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. commercial to office buildings

MICROFILMED

NOV 13 2001

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
8S	14E	6														D			

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? University of Idaho

b. Who owns the land to be irrigated or place of use? N/A

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jung Walker, VP Finance & Admin
Signature of Applicant (and title, if applicable)


Received by JF Stanton Date 8-6-01 Time noon Preliminary check by JS
Fee \$ 100. Received by JS # 5024236 Date 8-7-01
Publication prepared by MB Date 8/28/01 Published in Leading Co. Leader
Publication approved _____ Date _____


MICROFILMED
NOV 13 2001


RECEIVED

AUG 06 2001

Department of Water Resources
Southern Region









GERARD BILLINGTON
Real Estate Officer

Capital Planning and Budget
P.O. Box 443162
Moscow, Idaho 83844-3162

Phone: 208-885-7044
Fax: 208-885-9490
E-mail: gerardb@uidaho.edu



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 14, 2003

UNIVERSITY OF IDAHO
PO BOX 443162
MOSCOW ID 83844-3162

RE: PERMIT NO. 36-15712

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit that extends the time within which to submit proof of beneficial use of water to **November 1, 2004**.

Please note that the department granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department may not be able to grant additional extensions based on due diligence.

According to Section 42-248, Idaho Code, which requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please feel free to contact the department if you have questions.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure
c: IDWR - Regional Office

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No.: 36-15712

Reviewed By: dgibson

Date: October 10, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Request received timely?	X		Is delay by a government agency?	X	
Appropriate fee	X		Is supporting documentation needed to support the file?		
Additional Amount Due:					
Receipt No.:	S024226, C071124		Has the permit been involved in litigation?		X
Name and signature same as permit?	X		Is supporting documentation needed to support the file?		
Is address same as permit?		X	Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?		
Has adequate work been completed to demonstrate due diligence?	X				

Priority Calculation

Extension request received	10/06/2003	New proof due date	11/01/2004
Date proof due	- 11/01/2003		
Lapse notice sent	-		
No. of days late	= 0		
Holiday allowance	+		
Priority date	+ 08/06/2001		
New priority date	= 08/06/2001		

Action Taken

Acknowledge request for extension of time. The request gives enough information to grant extension for both due diligence and government agency delay. Since no evidence is provided for government delay, this extension is based on due diligence, since the university's contact was certain that the project would be completed within 1 year. Extend proof deadline to November 1, 2004.

August 31, 2003

UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW, ID 83844-3162

PROOF DUE NOTICE

RE: PERMIT NO. 36-15712

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 24, 2001

UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844

RE: Permit No. 36-15712

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.


The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

MICROFILMED
OCT 13 2001

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley Keen". The signature is fluid and cursive, with the first name "Shelley" and last name "Keen" clearly distinguishable.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

NOV 13 1999

CERTIFICATE OF MAILING

I hereby certify that on October 24, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 36-15712

**UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844**


**Kari Lynn Townsend
Secretary**

0001
MICROFILMED
NOV 13 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

NOV 13 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Sharla Curtis on 10/16/01

No. 36-15712 Name: UofI Corp. Officers _____ Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes ESPA Moratorium _____ GWMA TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121

Trust - 031 (non-consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
>1 in restricted area - 070-071-075(no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

BENEFICIAL USE DUE: 11/01/2003

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS Demolition/visitor facilities @ National Fish Hatchery

COMMENTS _____

493327

STATE OF IDAHO
IDWR SOUTHERN REGION
APPLICATION FOR PERMIT ANALYSIS SHEET

RECEIVED

OCT 9 2001

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY J. E. Linton DATE 8-13-01

REQUIRED INFORMATION (Ck if OK)

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.
- ☒ Address
- ☒ Source (see USGS quad for names of water sources)
- ☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.
- ☒ County
- ☒ Quantity (flow &/or volume)
- ☒ Period of use
- ☒ Nature of proposed use (include description of use)
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map
- ☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt?

++++PROPOSED PRIORITY DATE 8-6 10,01

ADDITIONAL INFORMATION

- ☒ Overlapping place of use(Describe source & relationship to present application on the back.
- ☒ Overlapping point of diversion.
- ☐ Yes ☒ No Is Source Surface Water?
- ☐ If Yes Send Copy to F&G.
- ☐ If Yes Field check/memo required.
- ☐ Field check/memo by _____
- ☐ Yes ☒ No Field report attached?
- ☐ Yes ☒ No Critical Ground water area?
- ☒ Yes ☐ No Groundwater management area?
- ☒ Yes ☐ No Measurement District or Groundwater District?
- ☐ What District? Thousand Springs GWMA - Exempt Class B domestic use
- ☐ Yes ☒ No Send Dam safety information?
- ☐ Yes ☒ No Send power requirement letter?
- ☐ Yes ☒ No Send fish farm requirement letter?
- ☐ Yes ☒ No Power residency affidavit attached?
- ☐ Yes ☒ No Power efficiency form?
- ☒ Yes ☐ No Within trustwater boundary?(If yes, attach trustwater supplementary analysis sheet.
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft? (If yes, attach large diversion supplementary analysis sheet.
- ☐ Yes ☒ No Is Application made to record Pre Nov 1987 Development?
- ☐ If Yes then request clear evidence of when use started.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

Date Requested _____

Date Sent Comments Received

SEND COPIES TO:

☐ Idaho Dept of Health & Welfare	_____	_____
☐ USDI BLM	_____	_____
☐ Idaho Dept of Fish & Game	_____	_____
☐ USFS	_____	_____
☐ Idaho Dept of Lands	_____	_____
☐ Water Dist. No. _____	_____	_____
☐ Adjudication Bureau Unit	_____	_____
_____	_____	_____
_____	_____	_____

PROCESSING ☒ Yes ☐ No In form for Advertising?
☐ Yes ☒ No Statewide Advertising?
☐ Yes ☐ No Fee amount, receipt date & No. recorded?

W/A ☐ Yes ☐ No Has all requested additional information been received?
If not, describe action taken: _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received?
☒ Yes ☐ No Application published correctly? If not, record action taken.

☒ Yes ☐ No Publication dates and paper recorded?

Final date for protest: _____

☐ Yes ☒ No Protests received?

☐ Yes ☒ No Protested?

Describe Resolution: _____

☐ Yes ☒ No Measuring device required?

☐ Yes ☒ No Access port required?

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist? _____

☐ Yes ☐ No Special conditions codes: _____

☒ Yes ☐ No Is Evaluation Memo Attached?

If yes; date of Memo _____

Date of priority recommended: 8/6/01

COMMENTS:

RECOMMEND ☒ Approval ☐ Denial

By ASR Date 10/4/01

RECEIVED

OCT 9 - 2001

Department of Water Resources

MEMO

FROM: Allen Merritt 

DATE: October 4, 2001

TO: Application for Permit No: 36-15712

In the Name of: **University of Idaho**

SUBJECT: Review and Recommendation

This proposed development is within the ESPA moratorium area. It was processed pursuant to the exception for processing of domestic uses. This application was advertised without protest.

This application is for development of a well to be drilled for a commercial/domestic use. The use should be limited to 42-111 part B definition of domestic and limited to 0.04 cfs and 2500 gpd.

RECOMMENDATION

- One new well authorized and must comply with drilling permit requirements.
- Well must meet public water supply requirements.
- Limited to 2,500 gpd under domestic definition part B.

MICROFILMED

NOV 13 2001

AFFIDAVIT OF PUBLICATION RECEIVED

State of Idaho } ss.
County of Gooding

SEP 18 2001

Department of Water Resources
Southern Region

Norma DeVoe, being first duly sworn, deposes and says that he/she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 16th day of September, 2001, and the date of the last publication was on the 13th day of September, 2001.

Norma DeVoe
On this 13th day of September, in the year of 2001, before me, a Notary Public, personally appeared Norma DeVoe, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

SHELLEY STURGEON
Notary Public
State of Idaho

Shelley Sturgeon
Notary Public for Idaho

Residing at Jerome

My commission expires: 12/3/05

#7579/38384
GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 8.0¢/Pica

519.75 Lines straight at 36.38 7.0¢/Pica

519.75 Subsequent lines at 31.19 6.0¢/Pica

Affidavit Fee: 2.50

TOTAL COST 70.07

MICROFILMED

NOV 13 2001

COPY OF NOTICE

(Paste Here)

36-15693, 36-15712

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

EDWR

BILL TO

NOTICE OF APPLICATION

Notice is hereby given that the following application(s) have been filed to appropriate the public waters of the State of Idaho, GOODING County:

36-15683
KIRT L MARTIN
17865 US HWY 30
HAGERMAN ID 83332
Point(s) of Diversion: NWSNE S11
T07S R13E
Source: BILLINGSLEY CREEK Tributary To SNAKE RIVER
Use: 01/01 To 12/31
AESTHETIC STORAGE (3 AFA)
Date Filed: 07/09/2001
Place Of Use: Lot 2 (SWNE) S02
T07S R13E

36-15712
UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844
Point(s) of Diversion: SENWSE S06 ca
T08S R14E
Source: GROUND WATER ca
Use: 01/01 To 12/31
DOMESTIC (0.04 CFS)
Date Filed: 08/08/2001
Place Of Use: NWSE S06 T08S ca
R14E

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Southern Region, 1341 Fillmore St, Suite 200, Twin Falls ID 83301 together with a protest fee of \$25.00 for each application on or before 09/24/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

PUB: 9/6 - 9/13 G38384

38384

Notice is hereby given that the following application(s) have been filed to appropriate the public waters of the State of Idaho, GOODING County:

36-15683
KIRT L MARTIN
17865 US HWY 30
HAGERMAN ID 83332
Point(s) of Diversion: NWSENE S11 T07S R13E
Source: BILLINGSLEY CREEK Tributary To SNAKE RIVER
Use: 01/01 To 12/31
AESTHETIC STORAGE (3 AFA)
Date Filed: 07/09/2001
Place Of Use: Lot 2 (SWNE) S02 T07S R13E

36-15712
UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844
Point(s) of Diversion: SENWSE S06 T08S R14E
Source: GROUND WATER
Use: 01/01 To 12/31
DOMESTIC (0.04 CFS)
Date Filed: 08/08/2001
Place Of Use: NWSE S06 T08S R14E

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Southern Region, 1341 Fillmore St, Suite 200, Twin Falls ID 83301 together with a protest fee of \$25.00 for each application on or before 09/24/2001. The protestant must also send a copy of the protest to the applicant.
KARL J DREHER, Director

Published in the Gooding County Leader on 09/06 & 09/13/01

MICROFILMED

NOV 13 2001

August 28, 2001

MAGIC VALLEY PUBLISHING
ATTN: **Gooding County Leader**
PO BOX 468
JEROME ID 83338

Ladies and Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper.

We have inserted the required publication dates. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Administrative Assistant

Enclosure

MICROFILMED

NOV 13 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 29, 2001

ATTN KATE GRINDLE
UNIVERSITY OF IDAHO
PO BOX 443146
MOSCOW ID 83844

Re: Application for Permit No. 36-15712

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office has scheduled advertising the application in the Gooding County Leader for 9/6/01 & 9/13/01. A period of ten days following the second publication will be allowed for the submittal of protests. (September 24, 2001)

If an application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If an application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. If a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Mary A. Baldwin
Administrative Assistant

MICROFILMED

NOV 13 2001

May 30, 2001

Kate Grinde
University of Idaho Facilities
Capital Planning and Capital Budget
P.O. Box #443146
Moscow, ID 83844

Re: Pre-design Report
Hagerman Land Transfer
URS Project # 50-00000002.00
Sewer / Water Development

Kate,

EHM Engineers, Inc. conducted a site review of the Hagerman Land Transfer Project on Tuesday, May 25, 2001. Brian Kenworthy, Steve Money, and Matt Powell participated and provided information during the review. The inspection consisted of a review of site plans and site facilities and discussions concerning existing facilities and proposed growth. The following items were discussed as being appropriate for design purposes for sewer and water facilities.

TABLE 1

<i>Facilities</i>	<i>Existing Use</i>	<i>Proposed Addition</i>	<i>Total</i>
Administration Building	15 employees	0 employees	15
Net Lab #47	4	0	4
New 2 -story structure	0	4	4
New Wet Lab	0	4	4
*On site tours	2/year @ 40	0	2 @ 40
Total:			27 employees

MICROFILMED

NOV 13 2001