




QUAD BB 76 MILNER QUADRANGLE

36-15643


09S21E

08 LT04	08 LT03	08 LT02	08 LT01	05 LT04	05 LT03	05 LT02	05 LT01	04 TROB	04 TROA	03 TROA	03 TROC	03 TROD	02 TROE	02 TROD	01 TROD	01 TROE	01 NENE						
08 LT05	08 SENW	08 SWNE	08 SESE	05 SWNW	05 SENW	05 SWNE	05 SESE	04 TROB	04 TROD	03 TROB	03 TROE	02 TROF	02 TROH	01 TROA	01 TROF	01 SESE							
08 LT06	08 NESW	08 NWSE	08 NESE	05 NWBW	05 NESW	05 NWSE	05 NESE	04 TROC	04 TROF	03 TROF	03 TROE	02 TROJ	02 TROK	02 TROL	02 TROM	01 TROG	01 SESE						
08 LT07	08 SE3W	08 SW3E	08 SE3E	05 SW3W	05 SE3W	05 SW3E	05 SE3E	04 TROH	04 TROJ	03 TROH	03 TROJ	02 TROA	02 TROB	02 TROC	02 TROD	01 TROG	01 SESE						
07 LT01	07 NENW	07 NWNE	07 NENE	08 NWBW	08 NENW	08 NWSE	08 NENE	09 TROA	09 TROJ	10 TROJ	10 TROA	11 TROA	11 NENW	11 NWNE	11 NENE	12 NENW	12 NENE						
07 LT02	07 SENW	07 SWNE	07 SESE	08 SENW	08 SWNE	08 SESE	08 NENE	09 TROB	09 TROK	10 TROB	10 TROD	11 TROB	11 SENW	11 SWNE	11 SESE	12 SENW	12 SESE						
07 LT03	07 NESW	07 NWSE	07 NESE	08 NWBW	08 NESW	08 NWSE	08 NESE	09 TROB	09 TROK	10 TROB	10 TROD	11 TROB	11 NESW	11 NWSE	11 NESE	12 NESW	12 NESE						
07 LT04	07 SE3W	07 SW3E	07 SE3E	08 SW3W	08 SE3W	08 SW3E	08 SE3E	09 TROH	09 TROH	10 SW3W	10 SE3W	10 SW3E	10 SE3E	11 SW3W	11 SE3W	11 SW3E	11 SE3E	12 SW3W	12 SE3W	12 SW3E	12 SE3E		
18 LT01	18 NENW	18 NWNE	18 NENE	17 NWBW	17 NENW	17 NWSE	17 NENE	18 NWBW	18 NENW	18 NWSE	18 NENE	15 NWBW	15 NENW	15 NWSE	15 NENE	14 NWBW	14 NENW	14 NWSE	14 NENE	13 NWBW	13 NENW	13 NWSE	13 NENE
18 LT02	18 SENW	18 SWNE	18 SESE	17 SENW	17 SWNE	17 SESE	17 NENE	18 SWNW	18 SENW	18 SWNE	18 SESE	15 SWNW	15 SENW	15 SWNE	15 SESE	14 SWNW	14 SENW	14 SWNE	14 SESE	13 SWNW	13 SENW	13 SWNE	13 SESE
18 LT03	18 NESW	18 NWSE	18 NESE	17 NESW	17 NWSE	17 NESE	17 NENE	18 NWBW	18 NESW	18 NWSE	18 NESE	15 NWBW	15 NESW	15 NWSE	15 NENE	14 NWBW	14 NESW	14 NWSE	14 NESE	13 NWBW	13 NESW	13 NWSE	13 NESE
18 LT04	18 SE3W	18 SW3E	18 SE3E	17 SE3W	17 SW3E	17 SE3E	17 NENE	18 SW3W	18 SE3W	18 SW3E	18 SE3E	15 SW3W	15 SE3W	15 SW3E	15 SE3E	14 SW3W	14 SE3W	14 SW3E	14 SE3E	13 SW3W	13 SE3W	13 SW3E	13 SE3E
19 LT01	19 NENW	19 NWNE	19 NENE	20 NWBW	20 NENW	20 NWSE	20 NENE	21 NWBW	21 NENW	21 NWSE	21 NENE	22 NWBW	22 NENW	22 NWSE	22 NENE	23 NWBW	23 NENW	23 NWSE	23 NENE	24 NWBW	24 NENW	24 NWSE	24 NENE
19 LT02	19 SENW	19 SWNE	19 SESE	20 SENW	20 SWNE	20 SESE	20 NENE	21 SWNW	21 SENW	21 SWNE	21 SESE	22 SWNW	22 SENW	22 SWNE	22 SESE	23 SWNW	23 SENW	23 SWNE	23 SESE	24 SWNW	24 SENW	24 SWNE	24 SESE
19 LT03	19 NESW	19 NWSE	19 NESE	20 NESW	20 NWSE	20 NESE	20 NENE	21 NWBW	21 NESW	21 NWSE	21 NESE	22 NWBW	22 NESW	22 NWSE	22 NENE	23 NWBW	23 NESW	23 NWSE	23 NESE	24 NWBW	24 NESW	24 NWSE	24 NESE
19 LT04	19 SE3W	19 SW3E	19 SE3E	20 SE3W	20 SW3E	20 SE3E	20 NENE	21 SE3W	21 SE3W	21 SW3E	21 SE3E	22 SE3W	22 SE3W	22 SW3E	22 SE3E	23 SE3W	23 SE3W	23 SW3E	23 SE3E	24 SE3W	24 SE3W	24 SW3E	24 SE3E
20 LT01	20 NENW	20 NWNE	20 NENE	28 NWBW	28 NENW	28 NWSE	28 NENE	28 NWBW	28 NENW	28 NWSE	28 NENE	27 NWBW	27 NENW	27 NWSE	27 NENE	28 NWBW	28 NENW	28 NWSE	28 NENE	25 NWBW	25 NENW	25 NWSE	25 NENE
20 LT02	20 SENW	20 SWNE	20 SESE	28 SENW	28 SWNE	28 SESE	28 NENE	28 SWNW	28 SENW	28 SWNE	28 SESE	27 SWNW	27 SENW	27 SWNE	27 SESE	28 SWNW	28 SENW	28 SWNE	28 SESE	25 SWNW	25 SENW	25 SWNE	25 SESE
20 LT03	20 NESW	20 NWSE	20 NESE	28 NESW	28 NWSE	28 NESE	28 NENE	28 NWBW	28 NESW	28 NWSE	28 NESE	27 NWBW	27 NESW	27 NWSE	27 NENE	28 NWBW	28 NESW	28 NWSE	28 NESE	25 NWBW	25 NESW	25 NWSE	25 NESE
20 LT04	20 SE3W	20 SW3E	20 SE3E	28 SE3W	28 SW3E	28 SE3E	28 NENE	28 SE3W	28 SE3W	28 SW3E	28 SE3E	27 SE3W	27 SE3W	27 SW3E	27 SE3E	28 SE3W	28 SE3W	28 SW3E	28 SE3E	25 SE3W	25 SE3W	25 SW3E	25 SE3E
21 LT08	21 LT07	21 LT06	21 LT05	22 NWBW	22 NENW	22 NWSE	22 NENE	23 NWBW	23 NENW	23 NWSE	23 NENE	24 NWBW	24 NENW	24 NWSE	24 NENE	25 NWBW	25 NENW	25 NWSE	25 NENE	26 NWBW	26 NENW	26 NWSE	26 NENE
21 TROB	21 TROA	21 TROA	21 TROA	22 TROA	22 TROA	22 TROA	22 TROA	23 TROA	23 TROA	23 TROA	23 TROA	24 TROA	24 TROA	24 TROA	24 TROA	25 TROA	25 TROA	25 TROA	25 TROA	26 TROA	26 TROA	26 TROA	26 TROA
21 LT10	21 LT11	21 TROC	21 TROC	22 TROC	22 TROC	22 TROC	22 TROC	23 TROC	23 TROC	23 TROC	23 TROC	24 TROC	24 TROC	24 TROC	24 TROC	25 TROC	25 TROC	25 TROC	25 TROC	26 TROC	26 TROC	26 TROC	26 TROC

MICROFILMED

DEC 12 2001

36-15643



POINT OF DIVERSION SWSW $\frac{1}{4}$ OF
SECTION 31

T09S
R21E

MICROFILMED
DEC 12 2001

36-15643

AFFIDAVIT of PUBLICATION

RECEIVED

JUL 17 2001

State of Idaho } ss.
County of Jerome }

Department of Water Resources
Southern Region

Norma DeVoe

, being first duly sworn, deposes and says that he/she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

5th day of July, 2001, and the date of the last publication was on the 12th day of July, 2001.

On this 12th day of July, in the year of 2001, before me, a Notary Public, personally appeared Norma DeVoe, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

SHELLEY STURGEON
Notary Public
State of Idaho

Shelley Sturgeon
Notary Public for Idaho

Residing at Jerome

My commission expires: 12/3/05

#8836/35846
NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2x

_____ Lines tabular at _____ 8.0¢/Pica

532.13 Lines straight at 37.25 7.0¢/Pica

532.13 Subsequent lines at 31.93 6.0¢/Pica

Affidavit Fee: 2.50

MICROFILMED

TOTAL COST 71.68

DEC 12 2001

COPY OF NOTICE

(Paste Here)

Not. of App. McKinnon
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

IDWR

BILL TO

NOTICE OF APPLICATION

The following application has been filed to appropriate the public waters of the State of Idaho, Jerome County: 36-15643

DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335
Point(s) of Diversion: L10 SWSWSW
S31 T09S R21E
Source WASTE WATER Tributary To
SINKS
Use: IRRIGATION (0.97 CFS) 03/15
To 11/15
Date Filed: 05/07/2001
Place of Use: 48.5 acres within S1/2
S31 T09S
Remark: Development completed by
November 1987.

The application proposes to divert groundwater from the "Eastern Snake River Plain Aquifer" presently under a moratorium order dated April 30th, 1993. The order allows the Director to consider on a case-by-case basis applications; if it can be shown the development will have no effect on prior surface and groundwater rights because of its location, insignificant consumption, or mitigation by the applicant to offset injury to other rights. The applicant has submitted material as evidence of pre-1987 development as part of the application. Any protest against the proposed application must be filed with the Department of Water Resources, Southern Region, 1341 Fillmore St., Suite 200; Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before July 23, 2001. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the North Side News on
07/05 & 07/12/01 N35846

MEMORANDUM

TO: Application for Permit File 36-15643

FROM: Corey Skinner *CS*

DATE: June 8, 2001

SUBJECT: Pre-Permit Field Exam

On June 5th, I visited the property involved with Application for Permit 36-15643, filed in the name of Donna McKinnon. Mr. McKinnon, the applicant's husband, accompanied me during my investigation.

I observed that a pond exists in the SWSWSW ¼ of Section 31 (T09S, R21E) and a pump, powered by an electric motor diverts water from the pond into a pipeline system that is used to convey water to a sprinkler system. Water enters the pond from a channel that conveys water westward along the boundary of Section 31 (T09S, R21E) and Section 06 (T10S, R21E). It appeared that wastewater from fields, mostly in the north ½ of Section 06 fed this channel. This wastewater is considered the source of water for the enclosed application. The photo below shows the existing pond and diversion system in the SWSWSW ¼ of Section 31 (T09S, R21E).




View looking to the south, showing the diversion system from the pond located in the SWSWSW ¼ of Section 31 (T09S, R21E). Note vegetation and general condition of the diversion works and delivery system indicating that the system has been in place for some time.

MICROFILMED

DEC 12 2001

The enclosed application is being processed based on pre-1987 development. Examination of NAPP photos (371-21 7-13-87) of the area clearly shows the pond described as the point of diversion and the lands identified as the place of use appear to be irrigated. The applicant has also submitted copies of receipts obtained from the previous owner of the property. These receipts, dated in April and May of 1980, are supposed to be for the irrigation equipment that was purchased when the system was put in place. One of these receipts apparently lists an irrigation pump ("2 ½ W Cornell Pump 15 H.P"). A close examination of the pump and motor for the diversion works from the pond shown on the previous page revealed that a 15 horsepower motor and a Cornell pump are part of the diversion works. A close up view with the components labeled is shown below.



MICROFILMED
DEC 12 2001

RECEIVED

NOV 27 2001

Department of Water Resources
Southern Region

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

NOV 28 2001

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 36-15643 Telephone No. (208) 829-5056

2. Name of Permit Holder(s): DONNA M. MCKINNON

3. Mailing Address: 897 So 2500 EAST

City HAZELTON State ID Zip 83535

4. Source of Water: WASTE WATER If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 48.5 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .97 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: LOWRY (OR) DONNA MCKINNON Telephone Number: (208) 829-5056

Address: 897 So 2500 EAST HAZELTON, ID 83535

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Donna McKinnon
(include your title, if on behalf of company or organization)

Date: Nov 27-2001

MICROFILMED

DEC 12 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 36-15643

Priority: 05/07/2001

Maximum Diversion Rate: 0.97 CFS

This is to certify, that DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335

has applied for a permit to appropriate water from:

Source: WASTE WATER

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.97 CFS

LOCATION OF POINT(S) OF DIVERSION:

WASTE WATER L10 SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 31, Twp 09S, Rge 21E, B.M. JEROME County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals	
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
09S 21E 31										6.5	.2	13.0	7.3		3.5	13.3	4.7	48.5
										L 10	L 10							

Total Acres: 48.5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before December 1, 2001.
2. Subject to all prior water rights.
3. This right does not authorize the irrigation of land not previously irrigated.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of August, 2001.



KARL J DREHER, Director

MICROFILMED

DEC 12 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

1. Name: DONNA M MCKINNON
897 S 2500 E
HAZELTON ID 83335
(208)829-5056

RECEIVED

AUG - 2 2001

RECEIVED
MAY 07 2001
Department of Water Resources
Southern Region

2. Source: WASTE WATER Tributary to: SINKS

Department of Water Resources

3. Location of Point of Diversion:

#1 WASTE WATER

L10 SW1/4SW1/4SW1/4 Sec. 31, Twp 09S, Rge 21E, B.M.

JEROME County

4. Water will be used for the following purposes:

<u>Purpose</u>	<u>From</u> <u>To</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	~~120 CFS~~ .97 CFS	DMK

5. Total quantity to be appropriated is:

~~120 CFS~~ .97 CFS DMK

6. Proposed diverting works:

POINT OF DIVERSION #1

a. Type and size of devices used to divert water from the source: BURIED PIPE FROM WASTE WATER DITCH, TO SMALL POND, WITH RELIFT PUMP FROM POND TO SPRINKLER IRRIGATION SYSTEM

- b. Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet;

- c. Proposed well diameter is _____ inches;
Proposed depth of well is _____ feet.

- d. Is ground water with a temperature of greater than 85F being sought?

- e. If well is already drilled, when? _____;

Drilling Firm _____;

Drilling Permit No. _____.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

- 8.

MICROFILMED
DEC 12 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 21E 31									6.5	.2	13.0	7.3		3.5	13.3	4.7	48.5
									L 10	L 10							

Total Acres: 48.5

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

10. Remarks:

This application is for an existing irrigation development that was put in place by a previous owner at least prior to 1980 (see attached receipts and IDWR GIS imagery). We want this application processed due to pre 1987 development. The place of use is located within parts of government lots 10 and ~~11~~ and tract C in Section 31. *Amk*

11. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Diana McKinnon
Applicant

Received by P. SKINNER Date 5/7/2001 Time 9:15 Preliminary check by P.S.
Publication prepared by MB Date 6/29/01 Published in North Side News
Publication approved MB Date 7/30/01

Receipt No. 5023924 \$290.00 * APPLICANT AMENDED APPLICATION TO 0.97cfs ⇒ \$250.00
Date: 5/7/2001 ON 6/5/2001 AND REQUESTED REFUND OF \$40.00. *P.S.*
Receipted by: P. SKINNER

MICROFILMED
DEC 12 2001



QUAD BB 76 MILNER QUADRANGLE

36-15643

36-15643

↑
N

POINT OF DIVERSION SWSW 1/4 OF
SECTION 31

T09S
R21E

MICROFILMED

DEC 12 2001

36-15643



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 5, 2001

DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-15643

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Southern** Regional Office of the department in Twin Falls at (208) 736-3033.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

DEC 12 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 36-15643

Reviewed By: dgibson

Date: December 4, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		S023924, C024449	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	=	11/27/2001
Date proof due	-	12/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	05/07/2001
New priority date	=	05/07/2001

Deficiencies of Actions Items

Acknowledge proof.

September 30, 2001

DONNA M MC KINNON
897 S 2500 E
HAZELTON, ID 83335

PROOF DUE NOTICE

RE: PERMIT NO. 36-15643

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

BEC 12 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 8, 2001

DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335

RE: Permit No. 36-15643

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

DEC 12 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,


for Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

DEC 12 2001

CERTIFICATE OF MAILING

I hereby certify that on August 8, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 36-15643

**DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335**


**Kari Lynn Townsend
Secretary**

MICROFILMED

DEC 12 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

DEC 12 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

DEC 12 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 8/2/01

No. 36-15643 Name: McKinnon Corp. Officers N/A Ad ok _____ Govt Lots _____

AREA OF CONCERN: No/Yes ESPA pre-1987 dev. OK Moratorium _____ GWMA TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121

Trust - 051 (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WB

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02, 03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL
Restricted area - 022, 075
Irr., GW supp to SW - 102
Future needs - 007, 109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

BENEFICIAL USE DUE: 12/01/2001

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076 90

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

IRR VOLUME/ACRE 4.0

OTHER CONDITIONS/REMARKS

COMMENTS

No overlaps

*Norma M.
McKinnon*

STATE OF IDAHO
IDWR SOUTHERN REGION
APPLICATION FOR PERMIT ANALYSIS SHEET

RECEIVED

INITIAL REVIEW BY A. SKINNER DATE 6/5/2001

AUG 2 2001

REQUIRED INFORMATION (Ck if OK)

DEPARTMENT OF WATER RESOURCES

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.
- ☒ Address
- ☒ Source (see USGS quad for names of water sources)
- ☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.
- ☒ County
- ☒ Quantity (flow &/or volume) AMENDED TO 0.97 cfs
- ☒ Period of use
- ☒ Nature of proposed use (include description of use)
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map
- ☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt?

++++PROPOSED PRIORITY DATE MAY 7 2001

ADDITIONAL INFORMATION

- ☒ Overlapping place of use(Describe source & relationship to present application on the back. NONE
- ☒ Overlapping point of diversion. NONE
- ☒ Yes ☐ No Is Source Surface Water?
If Yes Send Copy to F&G.
If Yes Field check/memo required.
Field check/memo by A. SKINNER
- ☒ Yes ☐ No Field report attached?
- ☐ Yes ☒ No Critical Ground water area?
- ☐ Yes ☒ No Groundwater management area?
- ☒ Yes ☐ No Measurement District or Groundwater District?
What District? WEST MEASUREMENT DISTRICT.
- ☐ Yes ☒ No Send Dam safety information?
- ☐ Yes ☒ No Send power requirement letter?
- ☐ Yes ☒ No Send fish farm requirement letter?
- ☐ Yes ☒ No Power residency affidavit attached?
- ☐ Yes ☒ No Power efficiency form?
- ☒ Yes ☐ No Within trustwater boundary?(If yes, attach trustwater supplementary analysis sheet.
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft? (If yes, attach large diversion supplementary analysis sheet.
- ☒ Yes ☐ No Is Application made to record Pre Nov 1987 Development?
If Yes then request clear evidence of when use started.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

Date Requested _____

Date Sent Comments Received

SEND COPIES TO:

☐ Idaho Dept of Health & Welfare	_____	_____
☐ USDI BLM	_____	_____
☐ Idaho Dept of Fish & Game	_____	_____
☐ USFS	_____	_____
☐ Idaho Dept of Lands	_____	_____
☐ Water Dist. No. _____	_____	_____
☐ Adjudication Bureau Unit	_____	_____
_____	_____	_____
_____	_____	_____

PROCESSING ☒ Yes ☐ No In form for Advertising?
☐ Yes ☒ No Statewide Advertising?
☒ Yes ☐ No Fee amount, receipt date & No. recorded?

☐ Yes ☐ No Has all requested additional information been received?
If not, describe action taken: _____

FINAL REGIONAL PROCESSING REVIEW

☐ Yes ☐ No Affidavit of publication received?
☐ Yes ☐ No Application published correctly? If not, record action taken.

☐ Yes ☐ No Publication dates and paper recorded?

Final date for protest: _____

☐ Yes ☐ No Protests received?

☐ Yes ☐ No Protested?

Describe Resolution: _____

☐ Yes ☐ No Measuring device required?

☐ Yes ☐ No Access port required?

☐ Yes ☐ No Will water be delivered by watermaster? If yes, what dist? _____

☐ Yes ☐ No Special conditions codes: _____

☐ Yes ☐ No Is Evaluation Memo Attached?

If yes; date of Memo _____

Date of priority recommended: _____

COMMENTS:

RECOMMEND ☐ Approval ☐ Denial

By _____ Date _____

RECEIVED

AUG - 2 2001

MEMO

Department of Water Resources

FROM: Allen Merritt 

DATE: July 31, 2001

TO: Permit No: 36-15643

In the Name of McKinnon

SUBJECT: Review and Recommendation

This application is for irrigation of lands from wastewater that has occurred for many years. The land was irrigated by a previous owner and irrigated since around 1980. See evidence of irrigation in the file and Skinner's 6/8/01 memo. NAPP photo dated 1987 shows lands irrigated. The land is located within the ESPA Moratorium area.

The application was processed without protest. NSCC was notified of application without comment.

Recommendation

I recommend that the application be approved subject to the following conditions:

- Source is waste water and subject to original appropriator to cease wasting water.
- Subject to measuring and reporting of use to West ESPA Measurement District.
- Measuring device required at point of diversion.

MICROFILMED
DEC 12 2001

**AFFIDAVIT of PUBLICATION
RECEIVED**

State of Idaho } ss.
County of Jerome }

JUL 17 2001

Department of Water Resources
Southern Region

Norma DeVoe, being first duly sworn, deposes and says that he/she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

5th day of July, 2001, and the date of the last publication was on the 12th day of July, 2001

On this 12th day of July in the year of 2001, before me, a Notary Public, personally appeared Norma DeVoe, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

SHELLEY STURGEON
Notary Public
State of Idaho

Shelley Sturgeon
Notary Public for Idaho

Residing at Jerome

My commission expires: 12/3/05

8836/35846
NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2x

Lines tabular at _____ 8.0¢/Pica
532.13 Lines straight at 37.25 7.0¢/Pica
532.13 Subsequent lines at 31.93 6.0¢/Pica

Affidavit Fee: 2.50

MICROFILMED TOTAL COST 71.68

DEC 12 2001

COPY OF NOTICE

(Paste Here)

Not. of App. McKinnon
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

IDWR

BILL TO

The following information has been filed with the Department of Water Resources of the State of Idaho, Jerome County, 38-15843

DONNA M MC KINNON
897 S 2600 E
HAZELTON ID 83335
Point(s) of Diversion: 1.10 SWSWSW
S31.109

Source _____ To _____

Class _____ Date _____

To _____ Date _____

Place _____ Date _____

S31.109

Remarks: Development completed by November 1997.

The application proposes to divert groundwater from the "Eastern Snake River Plain Aquifer" presently under a microfilm order dated April 30th, 1995. The order allows the Director to consider on a case-by-case basis applications. If it can be shown the development will have no effect on price surface and groundwater rights because of its location, insignificant consumption, or mitigation by the applicant to offset injury to other rights. The applicant has submitted material as evidence of pre-1987 development as part of the application. Any protest against the proposed application must be filed with the Department of Water Resources, Southern Region, 1341 Fillmore St., Suite 200, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before July 23, 2001. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the North Side News on 07/05/01 at 133946

MB-norma-nsn-E-TRANSFER-mckinnon
IDAHO DEPARTMENT OF WATER RESOURCES
1341 FILLMORE STREET-STE# 200
TWIN FALLS ID 83301
Phone: 736-3033

Fax#: 736-3037

June 29, 2001

ATTN: Norma
MAGIC VALLEY PUBLISHING
North Side News
PO BOX 468
JEROME ID 83338

Dear Norma:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues).

If you cannot publish the notice on the proposed dates, please contact us immediately at 736-3033. An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before July 23, 2001. Your cooperation is appreciated.

Sincerely

Mary A. Baldwin
Administrative Assistant

MICROFILMED

DEC 12 2001

NOTICE OF APPLICATION

The following application has been filed to appropriate the public waters of the State of Idaho, Jerome County:

36-15643

DONNA M MC KINNON
897 S 2500 E
HAZELTON ID 83335

Point(s) of Diversion: L10 SWSWSW S31 T09S R21E

Source WASTE WATER Tributary To SINKS

Use: IRRIGATION (0.97 CFS) 03/15 To 11/15

Date Filed: 05/07/2001

Place of Use: 48.5 acres within S½ S31 T09S

Remark: Development completed by November 1987.

The application proposes to divert groundwater from the "Eastern Snake River Plain Aquifer" presently under a moratorium order dated April 30th, 1993. The order allows the Director to consider on a case-by-case basis applications; if it can be shown the development will have no effect on prior surface and groundwater rights because of its location, insignificant consumption, or mitigation by the applicant to offset injury to other rights. The applicant has submitted material as evidence of pre-1987 development as part of the application. Any protest against the proposed application must be filed with the Department of Water Resources, Southern Region, 1341 Fillmore St., Suite 200; Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before July 23, 2001. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the North Side News on 07/05 & 07/12/01.

MICROFILMED

DEC 12 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 27, 2001

DONNA MC KINNON
897 S 2500 E
HAZELTON ID 83335

Re: Application for Permit No. 36-15643

Dear Applicant:

Preliminary review of your application indicates that it may qualify for an exception from the Snake River Basin Moratorium on approval of new consumptive-use permits if the **development of your irrigation system was completed by November 19, 1987**

This office acknowledges that you have submitted documents supporting evidence of the prior development. Note that the application can only be approved for the water usage that existed in 1987; any increases since then would not be exempt from the Moratorium.

Legal advertising of the application has been scheduled to appear in the North Side News for 07/05 & 07/12/01. A period of ten days following the second publication will be allowed for the submittal of protests. (July 23, 2001)

If you have any questions regarding this procedure, please feel free to contact us

Sincerely,

Mary A. Baldwin
Administrative Assistant

MICROFILMED

DEC 12 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 27, 2001

ATTN TED DIEHL
NORTHSIDE CANAL CO
912 NO LINCOLN
JEROME ID 83338

Re: Applications for Permit No. 36-15642 (Barragan) and No. 36-15643 (McKinnon)

Dear Mr. Diehl:

Please find enclosed copies of Applications for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very Truly Yours,

Mary A. Baldwin
Administrative Assistant

Enclosure(s)

MICROFILMED

DEC 12 2001

MEMORANDUM

TO: Application for Permit File 36-15643

FROM: Corey Skinner /s

DATE: June 8, 2001

SUBJECT: Pre-Permit Field Exam

On June 5th, I visited the property involved with Application for Permit 36-15643, filed in the name of Donna McKinnon. Mr. McKinnon, the applicant's husband, accompanied me during my investigation.

I observed that a pond exists in the SWSWSW ¼ of Section 31 (T09S, R21E) and a pump, powered by an electric motor diverts water from the pond into a pipeline system that is used to convey water to a sprinkler system. Water enters the pond from a channel that conveys water westward along the boundary of Section 31 (T09S, R21E) and Section 06 (T10S, R21E). It appeared that wastewater from fields, mostly in the north ½ of Section 06 fed this channel. This wastewater is considered the source of water for the enclosed application. The photo below shows the existing pond and diversion system in the SWSWSW ¼ of Section 31 (T09S, R21E).




View looking to the south, showing the diversion system from the pond located in the SWSWSW ¼ of Section 31 (T09S, R21E). Note vegetation and general condition of the diversion works and delivery system indicating that the system has been in place for some time.

MICROFILMED

DEC 12 2001

Page 2
36-15643 Memo
June 8, 2001

The enclosed application is being processed based on pre-1987 development. Examination of NAPP photos (371-21 7-13-87) of the area clearly shows the pond described as the point of diversion and the lands identified as the place of use appear to be irrigated. The applicant has also submitted copies of receipts obtained from the previous owner of the property. These receipts, dated in April and May of 1980, are supposed to be for the irrigation equipment that was purchased when the system was put in place. One of these receipts apparently lists an irrigation pump ("2 ½ W Cornell Pump 15 H.P"). A close examination of the pump and motor for the diversion works from the pond shown on the previous page revealed that a 15 horsepower motor and a Cornell pump are part of the diversion works. A close up view with the components labeled is shown below.



MICROFILMED

DEC 12 2001

MEMORANDUM

TO: Fiscal

FROM: Corey Skinner *CS*

DATE: June 5, 2001

SUBJECT: Request for Refund

On May 7th, Donna McKinnon filed an application for permit for 1.20 cfs, which required a filing fee of \$290.00. Mrs. McKinnon paid the filing fee as indicated by receipt S023924. Today, Mrs. McKinnon amended her application for permit from 1.20 cfs to 0.97 cfs, which would require a filing fee of \$250.00. We have not yet advertised her application, and she requested that the difference in the two filing fees (\$40.00) be refunded (see-attached letter).

Please issue a \$40.00 refund to....

Donna McKinnon
897 S 2500 E
Hazelton, ID 83335

MICROFILMED
DEC 12 2001

36-15643

Corey Spinner

June 05-2001

Per my amended application for water permit,
36-15643, which was amended from 1.2 CFS
to .97 CFS, could you please refund the
difference in the filing fee from \$290⁰⁰ to
\$250⁰⁰, which results in \$40⁰⁰ overage.

Thank you,
Donna McKinnon

RECEIVED
JUN 05 2001
Department of Water Resources
Southern Region

MICROFILMED
DEC 12 2001

36-15643

Type	WR #	Owner	Source	TRS	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	1 5	NORTH SIDE CANAL CO,	SNAKE RI'	09S21E31									0
Right	1 6	AMERICAN FALLS RESERVOIR	SNAKE RI'	09S21E31									0
Right	1 16	NORTH SIDE CANAL CO,	SNAKE RI'	09S21E31									0
Right	36 2364	KUE H BEAMES,	GROUND	'09S21E31									80
Rec	36 2364	WILMA B BEAMES, KUE H BEA	GROUND	'09S21E31									92
Claim	36 12879	EMMA J HARRISON, HAWLEY	GROUND	'09S21E31								X	0
Claim	36 12879	EMMA J HARRISON, HAWLEY	GROUND	'09S21E31								X	0
Claim	36 13940	A E BRITT, TWILA M BRITT,	GROUND	'09S21E31								X	0
Claim	36 14252	WILMA B BEAMES, KUE H BEA	GROUND	'09S21E31									0
Claim	36 14252	WILMA B BEAMES, KUE H BEA	GROUND	'09S21E31									0
Claim	36 14265	LERENE HANSON, DEL ROY H	GROUND	'09S21E31									0
Claim	36 14265	LERENE HANSON, DEL ROY H	GROUND	'09S21E31									0
Claim	36 14631	BARBARA LANKFORD, JERRY	GROUND	'09S21E31				X					0
Claim	36 2299	KUE H BEAMES, WILMA B BEA	GROUND	'09S21E31									80
Claim	36 2364	KUE H BEAMES, WILMA B BEA	GROUND	'09S21E31									80
Right	36 12879	EMMA J HARRISON, HAWLEY	GROUND	'09S21E31								X	0
Right	36 12879	EMMA J HARRISON, HAWLEY	GROUND	'09S21E31								X	0
Right	36 13940	TWILA M BRITT, A E BRITT,	GROUND	'09S21E31									0
Right	36 13940	TWILA M BRITT, A E BRITT,	GROUND	'09S21E31									0
Right	36 14252	WILMA B BEAMES, KUE H BEA	GROUND	'09S21E31									0
Right	36 14252	WILMA B BEAMES, KUE H BEA	GROUND	'09S21E31									0
Right	36 14265	DEL ROY HANSON, LERENE H	GROUND	'09S21E31									0
Right	36 14265	DEL ROY HANSON, LERENE H	GROUND	'09S21E31									0
Right	36 14631	BARBARA LANKFORD, JERRY	GROUND	'09S21E31				X					0
Rec	36 2364	KUE H BEAMES, WILMA B BEA	GROUND	'09S21E31									92
Right	36 2299	KUE H BEAMES, WILMA B BEA	GROUND	'09S21E31									92
Rec	36 2299	KUE H BEAMES, WILMA B BEA	GROUND	'09S21E31									92

NO EXISTING
IRRIGATION
RIGHTS.

MICROFILMED

DEC 12 2001

36-15643

McKinnon
Field Notes

6/5/2001 Cornell pump

A.S.

model 2 1/2 W 15-Z

serial 30422

6 3/4

Cornell pump co

General Electric Motor

15 Hp

model 5K215JL198A

water
comes
from

north 1/2 section 6

MICROFILMED

DEC 12 2001

36-15643



Butte Irrigation Inc.

☐ P.O. BOX 757
PAUL, IDAHO 83347
PHONE (208) 438-8103

☐ P.O. BOX 308
REXBURG, IDAHO 83440
PHONE (208) 356-6669

CUSTOMER'S NAME

H.A. Harrison

DATE

4-12-80

ADDRESS

PHONE

LOCATION

QUANTITY	PARTS USED (DESCRIPTION AND COMMENTS)		UNIT PRICE	TOTAL
1	2 1/2 W CORNELL Pump 15 H.P.			210.55
1	Size #2 panel			740
	wiring			250
13	6" x 50' W.V. & R.L.			1432
13	5 x 50 W.V. & R.L.			1320
1	4 x 3 VOE			32.00
1	6" x 5" Red R.L.			28.00
1	5" Surg Plug			55
32	3" x 40' Used Pierce H.L.			950
32	Risers w/ Birds			INC
SERVICEMAN	HRS.	1 3" End Plug		INC
		1 6" Foot Valve		138.55
				6000.55
I certify that the property which I have purchased will be used for mining, processing, or for farming or for repair thereof. I certify that all statements are true and correct. ANY DAMAGE OR LOSS TO THE DESCRIBED PROPERTY, OR TO OTHER PROPERTY (INCLUDING BUT NOT LIMITED TO CROP LOSSES), REGARDLESS OF CAUSE WHILE UNDER CUSTOMER'S POSSESSION OR CONTROL, SHALL BE CUSTOMER'S SOLE LIABILITY AND CUSTOMER WILL SAVE THIS COMPANY HARMLESS THEREON.			RECEIVED BY:	LABOR
			X MICROFILM	SUB-TOTAL
				TAX
				TOTAL 6000.55

TERMS: NET 30 DAYS. A LATE CHARGE OF 1 1/2% PER MONTH (AN ANNUAL PERCENTAGE RATE OF 18%) WILL BE MADE ON PAST DUE ACCOUNTS. FREIGHT IS CHARGED FROM OUR YARD.

WORK PERFORMED UNDER WARRANTY OF 1 YEAR

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS LISTED ON THE REVERSE SIDE OF THIS FORM.

MATERIALS for Pump
INSTALLATION WEST SIDE R.R. RANCH

36-15643



Butte Irrigation Inc.

P. O. BOX 757
PAUL, IDAHO 83347
PHONE (208) 438-8103

☐ P.O. BOX 308
REXBURG, IDAHO 83440
PHONE (208) 356-6669

CUSTOMER'S NAME

DATE _____

ADDRESS

PHONE

LOCATION

[illegible]

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS LISTED ON THE
REVERSE SIDE OF THIS FORM.

CUSTOMER

36-15643

NO. 3754



Butte Irrigation Inc.

☒ P. O. BOX 757
PAUL, IDAHO 83347
PHONE (208) 438-8103

☐ P. O. BOX 308
REXBURG, IDAHO 83440
PHONE (208) 356-6669


CUSTOMER'S NAME

DATE _____

ADDRESS

PHONE

LOCATION

QUANTITY	PARTS USED (DESCRIPTION AND COMMENTS)	UNIT PRICE	TOTAL
15'	6" Bare		
6"	90° weld to bare		
1	6x4 case (acc.)		
1	4" Flange Bracket.		
SERVICEMAN	HRS.		
I certify that the property which I have purchased will be used for mining, processing, or for farming or for repair thereof. I certify that all statements are true and correct.		RECEIVED BY:	LABOR
ANY DAMAGE OR LOSS TO THE DESCRIBED PROPERTY, OR TO OTHER PROPERTY (INCLUDING BUT NOT LIMITED TO CROP LOSSES), REGARDLESS OF CAUSE WHILE UNDER CUSTOMER'S POSSESSION OR CONTROL, SHALL BE CUSTOMER'S SOLE LIABILITY AND CUSTOMER WILL SAVE THIS COMPANY HARMLESS THEREON.			SUB-TOTAL
			TAX
			TOTAL

TERMS: NET 30 DAYS, A LATE CHARGE OF 1½% PER MONTH (AN ANNUAL PERCENTAGE RATE OF 18%) WILL BE MADE ON PAST DUE ACCOUNTS. FREIGHT IS CHARGED FROM OUR YARD.

WORK PERFORMED UNDER WARRANTY OF 1 YEAR

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS LISTED ON THE
REVERSE SIDE OF THIS FORM.

CUSTOMER

36-15643

Declo, Idaho 83323

DATE 4-28 1980

4:8

TOTAL	9718
-------	------

MICROFILMED
DEC 12 2005

31. 15643

MATERIAL TICKET

Date 4-28-80 Name HAWLEY HARRISON Account No. 18
 Purpose of Withdrawals MATERIAL Work Order No. _____

	Qua.	Unit	Total
Anchor			
Arrester			
Bolt, Carriage			
Bolt, Eye			
Bolt, DA			
Bolt, Machine			
Bolt,			
Bolt,			
Brace, 28" x-arm			
Brace,			
Bushing & Locknuts 1 1/4" R-53	1	1.09	1.09
Breaker,			
Clamp, Hot Line			
Clamp, 3 bolt			
Clamp,			
Conduit, EMT 1" C-22	10'	.35	3.50
Conduit,			
Connectors, EMT 1" C-67	1	.87	.87
Connectors, cu SB			
Connectors, cu to al			
Connectors, PG			
Connectors, Service #			
Crossarm, 8'			
Crossarm,			
Crossarm, Stand Off			
Coupling, EMT			
Cleatarmount,			
Cutout,			
Cutout,			
Cutout, arrester comb.			
Deadend, guy			
Deadend,			
Deadend, pri.			
Deadend,			
Drive hook			
Fuse,			
Fuse,			
Guy, hook J			
Guy, Plate strain			
Guy, Hard-Tight 1 1/4"	2	3.68	7.36
Gains, pole			
Insulator, neutral			
Insulator, PT 7.2			
Insulator, Suspension			
Lug, transf. grd			
Meter,			
Meter,			
Meter Base, 30-50-200A	1	71.64	71.64
Nipple, 1/4" Close	1	.58	.58
Nut, eye			
Pin, pole top			
Pin, x-arm			
Pin, screw			

	Qua.	Unit	Total
Pole, 30'			
Pole, 35'			
Pole, 40'			
Pole,			
Reducer 1 1/4" - 1"	1	.89	.89
Rod, anchor			
Rod,			
Rod, ground			
Screw, lag 1/4			
Screw, lag 5/8			
Strap, pipe 1"	2	.11	.22
Strap,			
Service Head, 1"	1	1.60	1.60
Service Head,			
Splice Kit, URD 600v			
Splice Kit, Urd 15KV			
Transformer current			
Terminator, 15KV			
Tie, spool			
Tie,			
Tie, Pin			
Tie,			
Tie, Side			
Tie,			
Washer, TE			
Washer, sq			
Wire, guy			
Wire, SD cop.			
Wire, SD cop.			
Wire, MHD			
Wire, ACSR			
Wire, ACSR			
Wire, ACSR			
Wire, THW #6	36'	.15	5.40
Wire, THW			
Wire,			
Wire,			
Wire, Duplex			
Wire, Triplex			
Wire, Triplex			
Wire, Quadroplex			
Yard-lite			

TOTAL 94.35
 TAX 2.83
 LABOR _____
 TOTAL 97.18

94.35
 21.64
 22.71 21.04 21.64