

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John G. Shouser
(Applicant)

APR 09 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	DUPONT-TROL	1.5	unk	RED JACKET	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MEASUREMENTS

DEC 08 1995



T7

T8

MICROFILMED
DEC 0 8 1995

JEROME 1.8 MI.

PERMIT 36-08675 INIT dst
T. R. S. Q/Q
P/D 075 17E 31 SW/NE/NE
SCALE _____
PHOTO ID. _____

P.O.U.



P.O.U.

P.O.D.

DEC 0 8 1999



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08675

Priority: September 14, 1992

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

0.8 AF

This is to certify, that JOHN S THOMSON
379 N 100 E
JEROME ID 83338

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 14, 1992; and
has submitted Proof of Beneficial Use on March 22, 1993. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	0.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 31, Township 07S, Range 17E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 17E 31

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 60 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of NOVEMBER, 1995.

Acting for

KARL J. DREHER, Director

DEC 08 1995

RECEIVED

RECEIVED

MAR 23 1993

OFFICE USE ONLY

Amt. of Fee \$

Date

Receipt No.

Receipt by

MAR 22 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08675 Telephone No. (208) 324-2755

2. Name(s) of Permit Holder(s): JOHN S and NANCY L THOMPSON

3. Mailing Address: 379 N 100 E JEROME ID 83338

4. Source of Water: GROUNDWATER

If GROUNDWATER, Well Driller's Name: Smith Date Drilled: 1980 ?

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 1-60 Beef cows (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.03 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

OR

Flow Measurement Port: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

8. Fee Enclosed: \$ 0.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

JOHN S. THOMPSON 324-2755
Name Telephone No.

379 N 100 E JEROME ID 83338
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

3/22/93 John S. Thompson
Date Signature (and title, if on behalf of a company or organization)

APR 09 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08675

Proposed Priority: September 14, 1992 Maximum Diversion Rate: 0.03 CFS

This is to certify, that JOHN S THOMSON
379 N 100 E
JEROME ID 83338

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 31, Township 07S, Range 17E
JEROME County

PLACE OF USE: STOCKWATER
TWN RGE SEC


07S 17E 31 NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1994.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Stockwater use is for 60 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

2nd day of March, 1993.

for 
R. Keith Higginson, Director

MICROFILMED

APR 09 1993

RECEIVED

Form 202
6/85

SEP 14 1992

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Ident. No. 36-08675

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN S. THOMSON Phone (208) 324-2755
Post office address 379 N 100 E JEROME ID 83338
2. Source of water supply GROUND WATER which is a tributary of N/A
3. Location of point of diversion is N 1/4 SW 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 31 Township 7 S Range 17 E B.M. JEROME County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 for STOCK WATER purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing PUMP at well to
stock tanks
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
 - c. ~~Proposed~~ well diameter is 6" existing inches; ~~proposed~~ depth of well is unknown feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 YA years (minimum 1 year).

RECEIVED

APR 09 1993

a. Hydropower; show total feet of head and proposed capacity in KW. 50-60 Power Lewis

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

_____Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? John S. Thompson

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing.

12. Remarks: The purpose of this right is to license the stockwater use from an existing well.

APR 09 1993

36-8675

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John G. Shumaker
(Applicant)

APR 09 1993

Received by MTS Date 9-14-92 Time 2:05 Preliminary check by J. S. Stanton
Fee \$ 30.00 Receipted by MTS # 5014964 Date 9-14-92
Publication prepared by MB Date 9/8/92 Published in North Side News
Publication approved MBaldwin Date 11/16/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AFFIDAVIT of PUBLICATION

State of Idaho } ss.
County of Jerome

NOV 10 1992
CLERK OF DISTRICT COURT
Jerome, Idaho

Betty Nance being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 28 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 28 day of October, 1992 and the date of the last publication was on the 4 day of November, 1992

Subscribed and sworn to before me this 4th day of November, 1992
(SEAL)

Norma De Voe
NOTARY PUBLIC

#17215/5557
NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 28

Lines tabular at _____ 6¢/Pica
946 Lines straight at 47.30 5¢/Pica
Subsequent lines at 37.84 4¢/Pica
TOTAL COST 85.14

COPY OF NOTICE

(Pastor) (Jore)

not of application
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08672

EDWARD E. OR ANN A. CIOCCA
1640 E 2900 S
MENDALL ID 83355

Source: groundwater

Diversion Pt: NW1/4NE1/4NW1/4, S36, T07S, R14E; Jerome County.

Use: 1/1 to 12/31

Stockwater (.16 cfs)
Domestic (.04 cfs)

Total Diversion: .16 cfs

Date Filed: 9/22/1992

In: NE1/4NW1/4, S36, T07S, R14E; Jerome County.

36-08675

JOHN S. THOMPSON
379 N 100 E
JEROME ID 83338

Source: groundwater

Diversion Pt: SW1/4NE1/4NE1/4, S31, T07S, R17E; Jerome County.

Use: 1/1 to 12/31

Stockwater (.03 cfs)

Date Filed: 9/14/1992

In: NE1/4NE1/4, S31, T07S, R17E; Jerome County.

36-08677

DOROTHY GAMBREL
JOAN FAIRBANKS
927 S 1000 E
EDEN ID 83325

Source: groundwater

Diversion Pt: NE1/4NE1/4NE1/4, S3, T10S, R18E; Jerome County.

Use: 1/1 to 12/31

Domestic (0.04 cfs)

Date Filed: 9/4/1992

In: SE1/4NE1/4, S3, T10S, R18E; Jerome County.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before November 9, 1992.

R. Keith Higginson, Director

Published in North Side News on 10/21 & 10/28/92.

APR 09 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 20, 1995

JOHN S THOMSON
379 N 100 E
JEROME ID 83338

RE: WATER RIGHT NO. 36-08675

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

DEC 08 1995

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 36-8675 Name: Thomson Date: 11/13/95
 App Rcd 9/12/92 Priority 9/12/92 Examined 6/20/95 ✓ Lots 5

NAME Chng Same Or Address Change?
 SOURCE Clarify source
Prelim. Order to Void - Source change.
 P/D Amendment Needed? SAME -P39, P38
Overlap(s)
 P/U Amendment Needed? -P41, P38
Overlap(s)
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)
 RATE Permit/fee limits: 0.04 / 0.04
Measured Q= cfs/Theoretical Q= 0.04 cfs
Table: 60 hrd = 0.03 cfs
(HP) $\frac{8.8 \times 0.70 \times 1.5}{135 + (2.31 \times 45)} = \frac{9.24}{238.95} = 0.038 \approx 0.04$
Recommended capacity 0.04 cfs
Recommended rate 0.03 cfs
 VOLUME Season of Use: (1/1 - 12/31) = 365 days
Calculations: $\frac{(60 \text{ hrd} \times 12 \text{ gph/hr} \times 365 \text{ d})}{262,800} = \frac{325,800}{262,800} = 0.8 \text{ AF}$
Flow limit: $\frac{0.03}{1.9835} \times 365 = 2.17 \text{ AF}$
Recommended volume 0.8 AF
 USES Same Nature of Use? -P46
Amendment Needed?
 REMARKS Multiple p/d's in 1/4?
① WOR/60RC
 CONDITIONS Measuring (R01)/Locking (R02) Devices
Watermaster Control (R04) - WD #
Irrigation rate/volume overlap
Irrigation water overlap (065) (If gw use sw)
Water Quality/Other
 PRIORITY Due 4/1/94 Rc'd 3/23/93 Receipt# NA Fee OK? (Yes) No
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:

COMMENTS:

USE	CFS	DIV VOL
<u>Stock/60</u>	<u>0.03</u>	<u>0.8</u>
<u>TOTAL</u>	<u>0.03</u>	<u>0.8</u>

Adjustment Memo
 LICENSE: P49
 #1 AMEND LTR: P46 or
 P39/P41/P37 & P38
 #2 AMEND LTR: P42/P47

MEMORANDUM

DATE: November 13, 1995
TO: File No. 36-08675
FROM: Cindy Zimmerman *cz*.
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments were made on the field report to correct an ommission:


1. Annual Volume.
 - a. Stockwater = $(\text{hd} \times \text{gpd/hd} \times \text{days}) \div 325,850$
= $(60 \times 12 \times 365) \div 325,850$
= $262,800 \div 325,850$
= 0.8 AF.

RECEIVED

DEC 08 1995

DEC 10 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	DUPONT-TROL	1.5	UNK	RED JACKET	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MIC

DEC 08 1995

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM CONSISTS OF A SIX INCH WELL 250' DEEP WITH A STATIC WATER LEVEL OF 125' (INFORMATION OBTAINED FROM NOMENCLATURE PLATE INSIDE WELL HOUSE). PUMP PRODUCES 45 PSI AT 50 GAL PRESSURE TANK. TURNS ON AT 40 - OFF AT 50 PSI. H₂O IS DIVERTED TO (2) STOCK WATERING TANKS LE2 IN 2 CORRALS THROUGH 250 FT OF 1" PVC PIPE AND CONTROLLED BY A AQUA-TROL FLOATING SWITCH.

THE DOMESTIC COMPONENT OF THIS SYSTEM IS ADDRESSED THROUGH ADJ CLAIM 36-10918.

ALTHOUGH PERMIT IS SUBMITTED FOR 60 HEAD OF CATTLE, THERE WERE ONLY 10-12 HEAD PRESENT AT THE TIME OF THIS EXAM.

Have conditions of permit approval been met? ☒ yes ☐ no

MICHAEL R. RAY

DEC 08 1995

F. FLOW CALCULATIONS

Measured Method: THEORETICAL

Additional Computation Sheets Attached

$$\frac{8.8 \times \text{HP} \times \text{EFF.}}{\text{TQH}}$$

$$\frac{8.8 \times 1.5 \times .70}{125 (45 \times 2.31)} = \frac{9}{229} = .04 \text{ cfs system capacity}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

Permit Div Rate .03
Proof of Beneficial Use, Dec-0.00
Limiting factor .04
Theoretical Div Cal.04 is
Basis for recommendation
* Legal Limit from TABLE 6
is .03 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* STOCK WATER	01-01	12-31	.03 cfs	*
Totals:			.03 cfs	*

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Dallas Torgerson Date 06-26-95

Reviewer _____ Date _____

SEAL

* Adjustments made during the review of this right for license approval.
See memo for additional information. 11/12/95

DEC 08 1995



T7

T8


MICROFILMED

DEC 0 8 1965


JEROME 1.8 MI

PERMIT 36-08675 INIT dst
T. R. S. Q/Q
P/D OTS ITE 3L SW/NE/NE
SCALE _____
PHOTO ID.

P.O.U.



P.O.U.



P.O.D.



DEC 0 8 199



March 26, 1993

JOHN S THOMSON
379 N 100 E
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08675

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

APR 09 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 2, 1993

JOHN S THOMSON
379 N 100 E
JEROME ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08675


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,


BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED
APR 09 1993

NOTICE OF APPLICATION FOR WATER
PERMIT

The following application(s)
have been filed to appropriate
the public waters of the State
of Idaho:

36-08672

EDWARD &/OR ANN A. CIOCCA
1648 E 2900 S
WENDELL ID 83355

Source: groundwater

Diversion Pt: NW1/4NE1/4NW1/4,
S36, T07S, R14E; Jerome County.

Use: 1/1 to 12/31

Stockwater (.16 cfs)
Domestic (.04 cfs)

Total Diversion: .16 cfs

Date Filed: 9/22/1992

In: NE1/4NW1/4, S36, T07S,
R14E; Jerome County.

36-08675

JOHN S. THOMSON
379 N 100 E
JEROME ID 83338

Source: groundwater

Diversion Pt: SW1/4NE1/4NE1/4,
S31, T07S, R17E; Jerome County.

Use: 1/1 to 12/31

Stockwater (.03 cfs)

Date Filed: 9/14/1992

In: NE1/4NE1/4, S31, T07S,
R17E; Jerome County.

36-08677

DOROTHY GAMBREL
JOAN FAIRBANKS
927 S 1000 E
EDEN ID 83325

Source: groundwater

Diversion Pt: NE1/4SE1/4NE1/4,
S3, T10S, R18E; Jerome County.

Use: 1/1 to 12/31
Domestic (0.04 cfs)

Date Filed: 9/4/1992

In: SE1/4NE1/4, S3, T10S,
R18E; Jerome County.

The permit(s) will be subject
to all prior water rights.
Protests must be filed with the
Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin
Falls, ID 83301 on or before
November 9, 1992.

R. Keith Higginson, Director

Published in North Side News on
10/21 & 10/28/92.

RECORDED

APR 09 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

09-Oct-1992

R. KEITH HIGGINSON
Director

NORTHSIDE NEWS
PO BOX 468
JEROME ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

APR 09 1993

NOTICE OF APPLICATION FOR WATER PERMIT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08675

JOHN S. THOMSON
379 N 100 E
JEROME ID 83338

Source: groundwater

Diversion Pt: SW1/4NE1/4NE1/4, S31, T07S, R17E; Jerome County.

Use: Stockwater (.03 cfs) from 1/1 to 12/31

Total Diversion: .03 cfs

Date Filed: 9/14/1992

In: NE1/4NE1/4, S31, T07S, R17E; Jerome County.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before November 9, 1992.

R. Keith Higginson, Director

Published in North Side News on 10/21 & 10/28/92.

APR 09 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

08-Oct-1992

R. KEITH HIGGINSON
Director

JOHN S THOMSON
379 N 100 E
JEROME ID 83338

Re: Application for Permit No. 36-08675

Dear Mr. Thomson:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 10/21 & 10/28/92. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

APR 09 1993

CHECKLIST FOR APPLICATION ACKNOWLEDGEMENT LETTER

Please check each specialized paragraph to INCLUDE

>

>

Re: Application for Permit No. >

Dear >:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

>1) Please be advised that your application is subject to a moratorium on processing new applications which has been imposed due to drought conditions and may be held in this office without further processing until the Moratorium is lifted. At this time we are unable to give a date for further review of this application.

>2) However, your application may be exempt from the moratorium if it meets one of the following criteria:

-Drought relief-to replace existing surface water supply for a limited time.

-Application represents existing development which occurred prior to November 19, 1987.

Permits granted for drought relief purposes will be limited to the extent of the existing valid surface water rights and will be issued for one (1) irrigation season.

Please complete and return the enclosed questionnaire regarding the proposed project to aid in reviewing your application.

>3) From the information contained in your file, it is not possible to determine whether any of these exemptions apply. If you wish to proceed with your application at this time you must provide additional information about the proposed project. The attached questionnaire is intended to aid in reviewing your application.

>4) We acknowledge receipt of the Snake River Moratorium Questionnaire which you have submitted regarding the above referenced application. It will be reviewed to determine if your application qualifies for a moratorium exemption.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

APR 9 1993

OK
PROCESS
PML/24
10/5/92

36-08675