

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

8S

12

16E

PID, P/U

MICROFILMED
MAY 15 1982

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven C. Marshall
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Jerome } ss.

JAN 09 1992

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

31st day of December, 19 91.

and the date of the last publication was on the 8th day of

January, 19 92.

Patty Nance

Subscribed and sworn to before me this 8th day of

January, 19 92
(SEAL)

Norma DeVoe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
3.25 Lines straight at 16.25 5¢/Pica
Subsequent lines at 13.00 4¢/Pica

TOTAL COST 29.25

COPY OF NOTICE

(Paste Here)

Not. of App 36-08610
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id Dept of Water Resources
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 36-08610

MARSHALL, STEVEN C
MARSHALL, MARY E
145 NORTH RD
JEROME, ID 83338
Source: GROUNDWATER
Diversions Pt: NENESE Sec 12 T 08S R
16E in JEROME County.
Use: DOMESTIC (.040 CFS)
Total Diversions (.040 CFS)
Date Filed: 10/25/1991
In: JEROME County
T08S R16E S12 NESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before JANUARY 20, 1992.

R. Keith Higginson, Director
PUB: 12-31, 1-8 N11672

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

Should not be trusted

wrong D

Errors noted
1/14/92
mb

MICROFILMED
MAY 1998
5298
11072

No

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 11 1995
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Steven C. & Mary E. Marshall Permit No. 36-08610
Current Address: 145 North Rd., Jerome, ID 83338 Phone No. 324-7409
2. Accompanied by: Steven C. Marshall EXAM. DATE: 05/30/95
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Ground Water tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)


PERMIT 36-08610 INIT _____

T. R. S. Q/Q

P/D 085 16E 12 NESE

SCALE _____

PHOTO ID. _____



- WR# 36-08610 -



P/D



P/U

MICROFILMED
DEC 08 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08610

Priority: October 25, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MARY E MARSHALL
STEVEN C MARSHALL

145 NORTH RD
JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 25, 1991; and has submitted Proof of Beneficial Use on July 6, 1992. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 12, Township 08S, Range 16E
JEROME County

PLACE OF USE: DOMESTIC


TWN RGE SEC

08S 16E 12 NESE


CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of NOVEMBER, 1995.

Acting for  KARL J. DREHER, Director

DEC 08 1995



STATE OF IDAHO

For Office Use Only
 Amt. of Fee \$ NA
 Date 7/6/92
 Receipt No. -
 Received by -

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08610 Telephone No. 208-324-7409
2. Name(s) of Permit Holder(s): Steven C. Marshall & Mary E. Marshall
3. Post Office Address: 145 North Road Jerome, Idaho 83338
4. Source of Water: Ground Water
 - a. If ground water, well driller's name: Smith Drilling Pump Co Date drilled: 6-13-91
 - b. Pump horsepower: 3 Pressure (psi): 60 Dynamic pumping level (ft.): 267

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

 Stockwater Cows Horses 16 (No. and type of stock)
NA 7/7/92 Klg

Other _____

6. Total rate and/or volume for which proof is submitted 1.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☒

OR

Flow Measurement Port: Required? Yes ☐ No ☒ Installed? Yes ☐ No ☒8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Steven C. Marshall
 Name

324-7409
 Telephone No.

145 North Road Jerome, Idaho 83338
 Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

7/1/92
 Date

Steven C Marshall
 Signature (and title if on behalf of a company or organization)

JUL 24 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08610

Proposed Priority: October 25, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **STEVEN C MARSHALL**
MARY E MARSHALL
145 NORTH RD
JEROME ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 12, Township 08S, Range 16E
JEROME County

PLACE OF USE: DOMESTIC
TWN RGE SEC

08S 16E 12 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 3, 1993.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of April, 1992

[Signature]
for R. Keith Higginson, Director

MICROFILMED

MAY 15 1992

RECEIVED
Form 202
6/86

OCT 25 1991

STATE OF IDAHO

Ident. No. 36-08610

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources
Southern Region Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Steven C. & Mary E. Marshall Phone 324-7409
Post office address 145 North Rd., Jerome, ID 83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 12 Township 8S Range 16E B.M. Jerome County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump, line to house,
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ ^{Existing} well diameter is 6" inches; ~~proposed~~ depth of well is 340 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MAILED
MAY 15 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 home
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
85	16E	12													D				

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above.

NOT RECORDED

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

MAY 15 1992

12. Remarks: Well drilled in 1991 under permit # 36-91-S-065
Place of use also known as "Steve Marshall's One Lot
Subdivision"

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

85 12 P/D, P/U

16E

MICROFILMED
MAY 15 1962

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven C. Marshall
(Applicant)

Received by DJ Date 10/25/91 Time 3:30 PM Preliminary check by J. G. Stanton
Fee \$ 30 Receipted by DJ # 3013820 Date 10/25/91
Publication prepared by MB Date 12-17-91 Published in North Side News
Publication checked approved M. Baldwin Date 1/14/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAY 15 1992

RECEIVED

JAN 09 1992

Department of Water Resources
Southern Region Office

_____ 2^d _____ consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the _____ 31st _____ day of _____ December _____, 19 91, and the date of the last publication was on the _____ 8th _____ day of _____ January _____, 19 92.

Subscribed and sworn to before me this 8th day of

(SEAL)

NOTARY PUBLIC

COST OF PUBLICATION

Number of Insertions 28

_____	Lines tabular at _____	6¢/Pica
<u>3.25</u>	Lines straight at <u>14.25</u>	5¢/Pica
_____	Subsequent lines at <u>13.00</u>	4¢/Pica
TOTAL COST <u>29.25</u>		

(Paste Here)

Not. of Asp. 312-086016
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id Dept of Water Resources
BILL TO

NORTON
 MARSHALL, STEVEN C
 MARSHALL, MARY E
 1451 NORTH RD
 ROCKFORD, ILL 61238
 Bureau of Land Management
 Department of the Interior
 Washington, D.C. 20250
 10/25/1971
 DEER PARK, ILLINOIS
 De Kalb County
 61238
 The following information is being furnished to you for your information. This information was obtained from the Illinois State Survey for very recent historical information of East 141-1000. The Illinois Planning Board has been asked the Bureau, Dept. of Water Resources, 212 Madison Street East, Twin Falls, ID 83301 on or before JANUARY 20, 1972.

should not
be
Trustworthy

Wrong

PUR: 12-51, 1-0

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No

MAY 1968
5298
11072



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 20, 1995

MARY E MARSHALL
STEVEN C MARSHALL
145 NORTH RD
JEROME ID 83338

RE: WATER RIGHT NO. 36-08610

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

DEC 08 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 11 1995
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Steven C. & Mary E. Marshall Permit No. 36-08610
Current Address: 145 North Rd., Jerome, ID 83338 Phone No. 324-7409
2. Accompanied by: Steven C. Marshall EXAM. DATE: 05/30/95
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Ground Water tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)
 A 6" diameter well with a 3.0 hp. submersible pump diverts water to a pressure tank located in the basement of the house. Water is diverted from the tank for domestic use. About 0.3 acres of lawn is watered. No over laps were found.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3.0	2823028103	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NE SE 12	08S	16E	Utah	Photo Aerial

6. Place(s) of Use:

Twp.	Rge.	Sec.	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	Totals
08S	16E	12																	

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No measurements

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(3.0)(8.8)(0.7)}{[(2.31 \times 40) + 267]} = \frac{B.C.}{B.C.} = .05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

DEC 08 1995

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04	1.2
Totals:				

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name B. Bruce Campbell
Signature Bruce Campbell
Certification Date _____
Field Report Preparation Date 05/30/95

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 08 1995


PERMIT 36-08610 INIT

T. R. S. Q/Q

P/D 085 16E 13 NESE

SCALE

PHOTO ID.



- WR# 86-08610 -



P/D



P/U

RECEIVED
DEC 08 1995

July 13, 1992

STEVEN C MARSHALL
MARY E MARSHALL
145 NORTH RD
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08610

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 24 1992

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Steve Marshall
2. Mailing Address 145 North Rd Jerome Idaho
Telephone 324-7409

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 12, Twp. 8S, Rge. 16E, County Jerome
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 350

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Within 30 days

7. Anticipated Well Driller Smith & Sons & Sons
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature May E. Marshall Date 5-15-91

Title Owner
(Owner, Firm Representative, Other)

MICROFILMED
JUL 24 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

5/16/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED
JUL 24 1992


Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. SD13352 Received by GA Fee \$35.00 Date 5-16-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER CONTINUED FROM PREVIOUS PAGE Name <u>STEVE MARSHALL</u> Address <u>Jerome</u> Owner's Permit No. <u>36-91-S-065</u>	7. WATER LEVEL Static water level <u>267'</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____ <i>Describe stratum or temperature zones below</i>																																																																																																																																																																												
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☒ Sailer ☐ Air ☐ Other _____ Discharge G.P.M. _____ Pumping level <u>311' IV</u> _____ Date <u>MAY 22 1991</u>																																																																																																																																																																												
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG Department of Water Resources Southern Region Office																																																																																																																																																																												
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Sore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6</td><td>203</td><td>209</td><td>med hard gray basalt lg. breaks</td><td></td><td></td></tr> <tr><td></td><td>209</td><td>211</td><td>med hard gray basalt sm. breaks</td><td></td><td></td></tr> <tr><td></td><td>211</td><td>214</td><td>med hard gray basalt lg. breaks</td><td></td><td></td></tr> <tr><td></td><td>214</td><td>218</td><td>med hard gray basalt</td><td></td><td></td></tr> <tr><td></td><td>218</td><td>222</td><td>clay & basalt</td><td></td><td></td></tr> <tr><td></td><td>222</td><td>229</td><td>gray basalt brown clay</td><td></td><td></td></tr> <tr><td></td><td>229</td><td>231</td><td>gray basalt</td><td></td><td></td></tr> <tr><td></td><td>231</td><td>234</td><td>gray basalt & lrg. breaks</td><td></td><td></td></tr> <tr><td></td><td>234</td><td>239</td><td>gray basalt sm. breaks</td><td></td><td></td></tr> <tr><td></td><td>239</td><td>260</td><td>med hard basalt</td><td></td><td></td></tr> <tr><td></td><td>260</td><td>264</td><td>med hard gray basalt sm. breaks</td><td></td><td></td></tr> <tr><td></td><td>264</td><td>270</td><td>med gray basalt sm. break & porous</td><td></td><td></td></tr> <tr><td></td><td>270</td><td>271</td><td>large breaks</td><td></td><td></td></tr> <tr><td></td><td>271</td><td>279</td><td>med hard gray basalt</td><td></td><td>X</td></tr> <tr><td></td><td>279</td><td>280</td><td>crevice</td><td>X</td><td></td></tr> <tr><td></td><td>280</td><td>284</td><td>med hard</td><td></td><td></td></tr> <tr><td></td><td>284</td><td>285</td><td>lrg. breaks</td><td>X</td><td></td></tr> <tr><td></td><td>285</td><td>287</td><td>med hard sm. break</td><td></td><td></td></tr> <tr><td></td><td>287</td><td>293</td><td>med hard large breaks</td><td></td><td></td></tr> <tr><td></td><td>293</td><td>295</td><td>med hard</td><td></td><td></td></tr> <tr><td></td><td>295</td><td>296</td><td>med hard sm. break</td><td>X</td><td></td></tr> <tr><td></td><td>296</td><td>299</td><td>crevice lrg. break</td><td>X</td><td></td></tr> <tr><td></td><td>299</td><td>304</td><td>med hard sm. breaks</td><td>X</td><td></td></tr> <tr><td></td><td>304</td><td>306</td><td>med hard lrg. breaks</td><td>X</td><td></td></tr> <tr><td></td><td>306</td><td>309</td><td>med hard sm. breaks</td><td>X</td><td></td></tr> <tr><td></td><td>309</td><td>311</td><td>med hard large breaks</td><td>X</td><td></td></tr> <tr><td></td><td>311</td><td>322</td><td>med hard sm. breaks</td><td>X</td><td></td></tr> </tbody> </table>	Sore Diam.	Depth		Material	Water		From	To	Yes	No	6	203	209	med hard gray basalt lg. breaks				209	211	med hard gray basalt sm. breaks				211	214	med hard gray basalt lg. breaks				214	218	med hard gray basalt				218	222	clay & basalt				222	229	gray basalt brown clay				229	231	gray basalt				231	234	gray basalt & lrg. breaks				234	239	gray basalt sm. breaks				239	260	med hard basalt				260	264	med hard gray basalt sm. breaks				264	270	med gray basalt sm. break & porous				270	271	large breaks				271	279	med hard gray basalt		X		279	280	crevice	X			280	284	med hard				284	285	lrg. breaks	X			285	287	med hard sm. break				287	293	med hard large breaks				293	295	med hard				295	296	med hard sm. break	X			296	299	crevice lrg. break	X			299	304	med hard sm. breaks	X			304	306	med hard lrg. breaks	X			306	309	med hard sm. breaks	X			309	311	med hard large breaks	X			311	322	med hard sm. breaks	X	
Sore Diam.	Depth		Material	Water																																																																																																																																																																									
	From	To		Yes	No																																																																																																																																																																								
6	203	209	med hard gray basalt lg. breaks																																																																																																																																																																										
	209	211	med hard gray basalt sm. breaks																																																																																																																																																																										
	211	214	med hard gray basalt lg. breaks																																																																																																																																																																										
	214	218	med hard gray basalt																																																																																																																																																																										
	218	222	clay & basalt																																																																																																																																																																										
	222	229	gray basalt brown clay																																																																																																																																																																										
	229	231	gray basalt																																																																																																																																																																										
	231	234	gray basalt & lrg. breaks																																																																																																																																																																										
	234	239	gray basalt sm. breaks																																																																																																																																																																										
	239	260	med hard basalt																																																																																																																																																																										
	260	264	med hard gray basalt sm. breaks																																																																																																																																																																										
	264	270	med gray basalt sm. break & porous																																																																																																																																																																										
	270	271	large breaks																																																																																																																																																																										
	271	279	med hard gray basalt		X																																																																																																																																																																								
	279	280	crevice	X																																																																																																																																																																									
	280	284	med hard																																																																																																																																																																										
	284	285	lrg. breaks	X																																																																																																																																																																									
	285	287	med hard sm. break																																																																																																																																																																										
	287	293	med hard large breaks																																																																																																																																																																										
	293	295	med hard																																																																																																																																																																										
	295	296	med hard sm. break	X																																																																																																																																																																									
	296	299	crevice lrg. break	X																																																																																																																																																																									
	299	304	med hard sm. breaks	X																																																																																																																																																																									
	304	306	med hard lrg. breaks	X																																																																																																																																																																									
	306	309	med hard sm. breaks	X																																																																																																																																																																									
	309	311	med hard large breaks	X																																																																																																																																																																									
	311	322	med hard sm. breaks	X																																																																																																																																																																									
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started _____ finished _____ JUL 24 1992																																																																																																																																												
Thickness	Diameter	From	To																																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																										
Number	From	To																																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																																											
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County _____ <u>NE</u> 1/4 <u>SE</u> 1/4 Sec. <u>12</u> T. <u>8S</u> R. <u>16E</u> W. <u>4</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name _____ Firm No. _____ Address _____ Date _____ Signed by (Firm Official) <u>[Signature]</u> and (Operator) _____																																																																																																																																																																												

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: STEVE MARSHALL Address: 145 North Rd., Jerome, Idaho 83338 Owner's Permit No. 36-91-S-065		7. WATER LEVEL Static water level 257' feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow Artesian closed-in pressure p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature OF Quality Describe artesian or temperature zones below.																																																																																																																																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA NONE ☐ Pump ☐ Bailer ☐ Air ☐ Other																																																																																																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other (specify type)		9. LITHOLOGIC LOG MAY 22 1991 Department of Water Resources Southern Region Office																																																																																																																																																					
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other		<table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From To</th><th>Description</th><th>Water Yes No</th></tr></thead><tbody><tr><td>8"</td><td>0 8'2"</td><td>TOP SOIL</td><td>X</td></tr><tr><td></td><td>8'2" 14'</td><td>gray basalt</td><td></td></tr><tr><td></td><td>14' 15'6"</td><td>brown clay</td><td></td></tr><tr><td>8-6 15'6"</td><td>22'</td><td>gray basalt</td><td></td></tr><tr><td>6</td><td>22' 25'</td><td>red basalt</td><td></td></tr><tr><td></td><td>25' 27'</td><td>crevice</td><td></td></tr><tr><td></td><td>27' 29'</td><td>med hard broken</td><td></td></tr><tr><td></td><td>29' 33'</td><td>gray basalt</td><td></td></tr><tr><td></td><td>33' 35'</td><td>gray basalt sm breaks</td><td></td></tr><tr><td></td><td>35' 36'</td><td>gray basalt sm breaks</td><td></td></tr><tr><td></td><td>36' 44'</td><td>scoria</td><td></td></tr><tr><td></td><td>44' 49'</td><td>gray basalt</td><td></td></tr><tr><td></td><td>49' 55'</td><td>brownish basalt-porous-sm breaks</td><td></td></tr><tr><td></td><td>55' 72'</td><td>med hard broken</td><td></td></tr><tr><td></td><td>72' 84'</td><td>med hard gray basalt</td><td></td></tr><tr><td></td><td>84' 95'</td><td>pink basalt sm breaks</td><td></td></tr><tr><td></td><td>95' 101'</td><td>gray basalt</td><td></td></tr><tr><td></td><td>101' 106'</td><td>pink basalt sm breaks</td><td></td></tr><tr><td></td><td>106' 114'</td><td>gray basalt</td><td></td></tr><tr><td></td><td>114' 118'</td><td>gray basalt sm breaks</td><td></td></tr><tr><td></td><td>118' 125'</td><td>brownish basalt</td><td></td></tr><tr><td></td><td>125' 126'</td><td>crevice</td><td></td></tr><tr><td></td><td>126' 131'</td><td>med hard broken soft spots</td><td></td></tr><tr><td></td><td>131' 136'</td><td>med hard soft spots</td><td></td></tr><tr><td></td><td>136' 138'</td><td>lrg breaks soft spots</td><td></td></tr><tr><td></td><td>138' 145'</td><td>med hard broken</td><td></td></tr><tr><td></td><td>145' 150'</td><td>med hard</td><td></td></tr><tr><td></td><td>150' 153'</td><td>med hard sm breaks</td><td></td></tr><tr><td></td><td>153' 157'</td><td>MH lrg breaks soft spots brown clay</td><td></td></tr><tr><td></td><td>157' 163'</td><td>gray basalt sm breaks</td><td></td></tr><tr><td></td><td>163' 176'</td><td>med hard gray basalt</td><td></td></tr><tr><td></td><td>176' 179'</td><td>med hard gray basalt lrg break</td><td></td></tr><tr><td></td><td>179' 187'</td><td>med hard sm breaks gray basalt</td><td></td></tr><tr><td></td><td>187' 189'</td><td>med hard gray basalt gray basalt</td><td></td></tr><tr><td></td><td>189' 196'</td><td>med hard gray basalt</td><td></td></tr><tr><td></td><td>196' 203'</td><td>med hard gray basalt sm break</td><td></td></tr></tbody></table>		Bore Diam.	Depth From To	Description	Water Yes No	8"	0 8'2"	TOP SOIL	X		8'2" 14'	gray basalt			14' 15'6"	brown clay		8-6 15'6"	22'	gray basalt		6	22' 25'	red basalt			25' 27'	crevice			27' 29'	med hard broken			29' 33'	gray basalt			33' 35'	gray basalt sm breaks			35' 36'	gray basalt sm breaks			36' 44'	scoria			44' 49'	gray basalt			49' 55'	brownish basalt-porous-sm breaks			55' 72'	med hard broken			72' 84'	med hard gray basalt			84' 95'	pink basalt sm breaks			95' 101'	gray basalt			101' 106'	pink basalt sm breaks			106' 114'	gray basalt			114' 118'	gray basalt sm breaks			118' 125'	brownish basalt			125' 126'	crevice			126' 131'	med hard broken soft spots			131' 136'	med hard soft spots			136' 138'	lrg breaks soft spots			138' 145'	med hard broken			145' 150'	med hard			150' 153'	med hard sm breaks			153' 157'	MH lrg breaks soft spots brown clay			157' 163'	gray basalt sm breaks			163' 176'	med hard gray basalt			176' 179'	med hard gray basalt lrg break			179' 187'	med hard sm breaks gray basalt			187' 189'	med hard gray basalt gray basalt			189' 196'	med hard gray basalt			196' 203'	med hard gray basalt sm break	
Bore Diam.	Depth From To	Description	Water Yes No																																																																																																																																																				
8"	0 8'2"	TOP SOIL	X																																																																																																																																																				
	8'2" 14'	gray basalt																																																																																																																																																					
	14' 15'6"	brown clay																																																																																																																																																					
8-6 15'6"	22'	gray basalt																																																																																																																																																					
6	22' 25'	red basalt																																																																																																																																																					
	25' 27'	crevice																																																																																																																																																					
	27' 29'	med hard broken																																																																																																																																																					
	29' 33'	gray basalt																																																																																																																																																					
	33' 35'	gray basalt sm breaks																																																																																																																																																					
	35' 36'	gray basalt sm breaks																																																																																																																																																					
	36' 44'	scoria																																																																																																																																																					
	44' 49'	gray basalt																																																																																																																																																					
	49' 55'	brownish basalt-porous-sm breaks																																																																																																																																																					
	55' 72'	med hard broken																																																																																																																																																					
	72' 84'	med hard gray basalt																																																																																																																																																					
	84' 95'	pink basalt sm breaks																																																																																																																																																					
	95' 101'	gray basalt																																																																																																																																																					
	101' 106'	pink basalt sm breaks																																																																																																																																																					
	106' 114'	gray basalt																																																																																																																																																					
	114' 118'	gray basalt sm breaks																																																																																																																																																					
	118' 125'	brownish basalt																																																																																																																																																					
	125' 126'	crevice																																																																																																																																																					
	126' 131'	med hard broken soft spots																																																																																																																																																					
	131' 136'	med hard soft spots																																																																																																																																																					
	136' 138'	lrg breaks soft spots																																																																																																																																																					
	138' 145'	med hard broken																																																																																																																																																					
	145' 150'	med hard																																																																																																																																																					
	150' 153'	med hard sm breaks																																																																																																																																																					
	153' 157'	MH lrg breaks soft spots brown clay																																																																																																																																																					
	157' 163'	gray basalt sm breaks																																																																																																																																																					
	163' 176'	med hard gray basalt																																																																																																																																																					
	176' 179'	med hard gray basalt lrg break																																																																																																																																																					
	179' 187'	med hard sm breaks gray basalt																																																																																																																																																					
	187' 189'	med hard gray basalt gray basalt																																																																																																																																																					
	189' 196'	med hard gray basalt																																																																																																																																																					
	196' 203'	med hard gray basalt sm break																																																																																																																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness inches Diameter inches From feet To feet ---.250 inches 6 5/8 inches 2 feet 19 feet --- inches inches feet feet --- inches inches feet feet --- inches inches feet feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation inches by inches Number From To --- perforations feet feet --- perforations feet feet --- perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name Type Model No. Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No Size of gravel Placed from feet to feet Surface seal depth 18' Aerial used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port		10. CONTINUED ON NEXT PAGE Work started 5-16-91 finished 5-17-91																																																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written description N W E S County Jerome County NE 1/4 SE 1/4 Sec. 12 T. 8S R. 15E Subdivision Name Lot No. Block No.		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were compiled with at the time the rig was removed. Firm Name Smith Drilling & Pump Co., Firm No. 11 Address Jerome Date 5-22-91 Signed by (Firm Official) [Signature] and (Operator) [Signature]																																																																																																																																																					

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 17, 1992

STEVEN C MARSHALL
MARY E MARSHALL
145 NORTH RD
JEROME ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08610

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

MICROFILMED
MAY 15 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08610

MARSHALL, STEVEN C
MARSHALL, MARY E
145 NORTH RD
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NENESE Sec 12 T 08S R 16E in JEROME County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 10/25/1991

In: JEROME County
T08S R16E S12 NESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before JANUARY 20, 1992.

R. KEITH HIGGINSON, Director

Published: 12/31/1991 & 1/ 8/1992

RECORDED
MAY 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)736-3033

DECEMBER 17, 1991

NORTH SIDE NEWS
PO BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 20, 1992.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
MAY 15 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

17-Dec-1991

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

STEVEN C &/OR MARY E MARSHALL
145 NORTH RD
JEROME ID 83338

Re: Application for Permit No. 36-08610

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 12/31/91 & 1/8/92. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

RECEIVED
MAY 15 1992