

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 16E

T. 9S

PD P. 4

MICROFILMED
JAN 21 1992

Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Holtzen
(Applicant) Pres.

← 1,320' →

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

400 South Rd.



Scale: 1" = 275'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 1	Red Jacket	3.0	111-64-NG	Red Jacket	Unknown
Well # 2	Red Jacket	3.0	Unknown	Red Jacket	8838C

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOT FILMED

SEP 14 1985



PERMIT 36-08003 INIT

T. R. S. Q/Q

P/D 095 16E 9 NWNW

SCALE

PHOTO ID.

400 West Rd.

300 West Rd.

400 South Rd.

500 South Rd.

P/U
P/D
P/D
P/U

16

15

SNAKE

SEP 14 1995

JEROME CO
N FALLS CO

Gravel Pit

Spring

Mile 605

3473

3485

3508

3488

3515

3520

3525

3530

3535

3540

PERMIT 36-08603 INIT _____
T. R. S. Q/Q
P/D 097 16E 9 NWNW
SCALE _____
PHOTO ID. _____
4

Sonnicksen
VABM Δ 3741
Butte

400 South Rd.

P/D
P/D

500 South Rd.

400 West Rd.

300 West Rd.

Snake River
Gravel Pit
Gravel Pit
Springs
SEP 14 1995

21

22

PERMIT 36-08603 INIT
T. R. S. Q/Q
P/D 095 16F 9 NW NW
SCALE
PHOTO ID.

Feed lots, 1-11

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

11 P/U

T5932 1923-1-5

Subdivision

T5931 2-

1923-2-5

SEP 14 1905

Dairy

T5949 1097

129 19 HEL

WR# 36-08603



P/D #1
(Original
well; located
in well house
below ground
surface)



P/D #2
(New
supplements
well; added
to original
well to
increase
rate of di-
version &
for backup)

SEP 14 1995

WR# 36-08603



P/U
(looking west
towards shops
& other
buildings)



P/U
(north west
corner area
of feedlot
operations)

REPRODUCTION
SEP 14 1995

VR# 36-08603



P/U
(north west-
north side
of feed lots)



P/U
(north
view of
feed lots)

MANAGEMENT
SEP 14 1995

WR# 36-08603



P/U
(east view
of feed-
lots)



P/U
(northeast
corner area
of feedlots)

HAERSELUITEN
SEP 14 1995


**MODEL
25S**

25 GPM


GRUNDFOS

FLOW RANGE
18 to 32 GPM

PUMP OUTLET
1½" NPT



PERFORMANCE



DIMENSIONS AND WEIGHTS

MODEL NO.	HP	LENGTH (INCHES)	WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
25S05-3	½	20 ¼	3 ¾	26
25S07-5	¾	22 ¾	3 ¾	28
25S10-7	1	24 7/8	3 ¾	29
25S15-9	1 ½	28	3 ¾	34
25S20-11	2	28 7/8	3 ¾	37
25S30-15	3	39 1/8	3 ¾	59
25S50-26	5	51 1/8	3 ¾	76

Specifications are subject to change without notice.

MICROFILMED

DEC 01 1993

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Jerome } ss.

NOV 18 1991

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

6th day of Nov., 19 91.

and the date of the last publication was on the 13th day of

Nov., 19 91.

Patty Nance
Subscribed and sworn to before me this 14th day of Nov, 19 91.

(SEAL)

Norma DeJae
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

_____ Lines tabular at _____ 6¢/Pica

295.3 Lines straight at 14.77 5¢/Pica

_____ Subsequent lines at 11.82 4¢/Pica

TOTAL COST 26.59

COPY OF NOTICE

(Paste Here)

Not. Appl. Water Rt.
TITLE OF NOTICE

Holtzen Farms
36-08603
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J D W R - T E
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08603
Holtzen Farms Inc
341 W 400 S
Jerome, ID 83338

Source: GROUNDWATER
Diversion Pt: SWNNW Sec 9 T 09S
R 16E in JEROME County.
Use: STOCKWATER (.420 CFS)
Total Diversion: (.420 CFS)
Date Filed: 6/14/1991
T09S R16E S09 NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before NOVEMBER 25, 1991.

-by-R. Keith Higginson, Director
PUB: 11-6 & 13 N11830

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

NOT FILMED

JAN 21 1992

No 5233

11830

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08603

Priority: June 14, 1991

Maximum Diversion Rate: 0.14 CFS
Maximum Diversion Volume: 33.6 AF

This is to certify, that HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 14, 1991; and
has submitted Proof of Beneficial Use on November 16, 1993. An examination indicates
that the works have a diversion capacity of 0.140 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.14 CFS	33.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 9, Township 09S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09S 16E 9

NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Right 36-14461 is also diverted through the point(s) of diversion described above.
6. The total combined rate of diversion under this right and Right 36-14461 shall not exceed .14 cfs nor a combined annual stockwater diversion volume of 33.6 af.
7. Two points of diversion are located within NWNW, S09, T09S, R16E.
8. Stockwater use is for 2500 range cattle.


SEP 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08603

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of September, 1995.


Acting for KARL J. DREHER, Director



SEP 14 1995

RECEIVED

NOV 16 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 11-16-93

Receipt No. 0029006

Receipt by gw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08603 Telephone No. _____

2. Name(s) of Permit Holder(s): Holtzen Farms, Inc

3. Mailing Address: 341 W 400 S Jerome ID 83338

4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Smith Drilling & Pumping Co Date Drilled: 7-26-91

OPTIONAL:

Pump horsepower: 3 hp Pressure (psi): 40 Dynamic pumping level (ft.): 164

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater 1000 Beef (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .05 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Larry Holtzen 324-4431
Name Telephone No.

341 W 400 S Jerome ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-12-93
Date

Larry Holtzen
Signature (and title, if on behalf of a company or organization)

RECEIVED

DEC 01 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08603

Proposed Priority: June 14, 1991 Maximum Diversion Rate: 0.42 CFS
This is to certify, that **HOLTZEN FARMS INC**

341 W 400 S
JEROME ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.42 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNNW, Sec. 9, Township 09S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER
TWN RGE SEC

09S 16E 9 NNNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 3, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Stockwater use is for 2500 range cattle.
7. Two points of diversion located within SWNNW, S09, T09S, R16E.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of December, 1991.

R. Keith Hilderson
R. Keith Hilderson, Director
for **RECORDED**

JAN 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Holtzen Farms Inc. Phone 224-2150
Post office address 341 W. 400 S., Jerome, ID 83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is 2 points SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 9S Range 16E B.M. Jerome County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.42 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.42 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing + new wells & pumps,
pipelines to stock troughs

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 216 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

RECEIVED
JAN 21 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. 3500 range cattle
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households.
- e. Other; describe fully.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.
11. a. Who owns the property at the point of diversion? b. Who owns the land to be irrigated or place of use? c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

applicant to make this filing.

12. Remarks: SRBA claim is for 13 cfs + 2000 cwt/le, Head size is being unchanged

SRBA claim is for 13 cfs & 2000 cattle, head size is being enlarged to 2500 head, & flow rate is being increased by adding a second well. Officers are Larry Holtzen (Pres.), Ramon Holtzen (V.P. & Secy). Same address as shown on front.

PD 84

A. 16E

T. 95

9

RECEIVED
JAN 21 1992

Larry Holtzen
(Applicant) Pres.

Received by JF Stenta Date 6-14-91 Time 11:17 am Preliminary check by [Signature]
Fee \$ 45.00 Receipted by [Signature] # 5013446 Date 6-14-91
Publication prepared by mb Date 10-30-91 Published in North Side News
Publication approved M Baldwin Date 11-21-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 7, 1995

HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

RE: WATER RIGHT NO. 36-08603

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAILED

SEP 14 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 36-08603 DATE 8-30-95



NAME	Change ☐ OK ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒ ☐	Amendment needed? ☐ Overlaps? <u>36-14461 @ .13 CFS</u>
PLACE OF USE	☒ ☐	Amendment needed? ☐ Overlaps? <u>36-14461 for 2000 HEAD</u>
DIV RATE	☐ ☒	Permit/fee limits: <u>.42 / .20 CFS</u> Meas Q = <u>—</u> Theo Q = <u>.14</u> Recommend: <u>.14</u> <u>2500 require more than .14 (.55) but limited by capacity.</u> Combined rates exceed capacity <u>YES-CONDITION</u>
ANNUAL VOLUME	☐ ☒	Volume Limit: ☐ Season: ☐ Calculations: <u>2500 x 12 gal/day x 365 ÷ 325850 = 33.6 cfs</u> Flow limit: <u>.14</u> cfs x <u>365</u> x 1.9835 = <u>101.3</u> Combined volumes exceed capacity/allowable <u>NO VOL</u> <u>listed on claim as submitted - so condition.</u>
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
ADDITIONAL INFO	Supplemental Groundwater ☒ PPU Scenario ☒ Irr/Dom Combination ☒ Shared G/W System <u>YES</u>	
NEW REMARKS	<u>YES</u> Multiple p/d(s) in 1/4 1/4? <u>Already conditioned</u> <u>YES</u> Other <u>W36, W26</u>	
NEW CONDITIONS	☒ Watermaster control - District ☐ ☒ Measuring/Locking Devices ☐ ☒ Irrigation Overlap ☐ ☒ Other ☐ ☒ Water Quality ☐ Heat/Cool/Fish verified ☐	

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.14</u>	<u>33.6</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

AUG 21 1991

1. WELL OWNER Name <u>HOLTZEN FARMS, INC.</u> Address <u>341 W. 400 S. Jerome, Idaho 83338</u> Owner's Permit No. <u>36-91-S-084</u>		7. WATER LEVEL Static water level <u>164'</u> Flowing? ☐ Yes ☒ No Artisan closed-in pressure ☐ Yes ☒ No Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>OF</u> Quality <u></u> Describe artes an or temperature zones below																																																																																																																																																																																																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA NONE ☐ Pump ☐ Bailor ☐ Air ☐ Other																																																																																																																																																																																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>9</td><td>top soil</td><td></td><td>X</td></tr><tr><td></td><td>9</td><td>17</td><td>gray basalt</td><td></td><td></td></tr><tr><td></td><td>17</td><td>25</td><td>gray basalt porous sm. breaks</td><td></td><td></td></tr><tr><td></td><td>25</td><td>29</td><td>gray basalt lg. breaks</td><td></td><td></td></tr><tr><td></td><td>29</td><td>33</td><td>gray basalt porous sm. breaks</td><td></td><td></td></tr><tr><td></td><td>33</td><td>38</td><td>pink basalt porous sm. breaks</td><td></td><td></td></tr><tr><td></td><td>38</td><td>47</td><td>gray basalt</td><td></td><td></td></tr><tr><td></td><td>47</td><td>56</td><td>gray basalt sm. breaks</td><td></td><td></td></tr><tr><td></td><td>56</td><td>60</td><td>med hard gray basalt</td><td></td><td></td></tr><tr><td></td><td>60</td><td>62</td><td>broken</td><td></td><td></td></tr><tr><td></td><td>62</td><td>72</td><td>gray basalt</td><td></td><td></td></tr><tr><td></td><td>72</td><td>75</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>75</td><td>77</td><td>gray basalt broken</td><td></td><td></td></tr><tr><td></td><td>77</td><td>84</td><td>med hard gray basalt</td><td></td><td></td></tr><tr><td></td><td>84</td><td>86</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>86</td><td>90</td><td>broken</td><td></td><td></td></tr><tr><td></td><td>90</td><td>92</td><td>med hard w/sm breaks & soft spots clay</td><td></td><td></td></tr><tr><td></td><td>92</td><td>94</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>94</td><td>98</td><td>sm. breaks med hard</td><td></td><td></td></tr><tr><td></td><td>98</td><td>101</td><td>gray basalt sm. breaks</td><td></td><td></td></tr><tr><td></td><td>101</td><td>103</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>103</td><td>122</td><td>med hrd w/sm. breaks</td><td></td><td></td></tr><tr><td></td><td>122</td><td>128</td><td>gray basalt lg. breaks</td><td></td><td></td></tr><tr><td></td><td>128</td><td>141</td><td>med hard gray basalt</td><td></td><td></td></tr><tr><td></td><td>141</td><td>143</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>143</td><td>146</td><td>broken w/gravel</td><td></td><td></td></tr><tr><td></td><td>146</td><td>153</td><td>med hard broken w/gravel</td><td></td><td></td></tr><tr><td>10/8"</td><td>153</td><td>162</td><td>broken</td><td></td><td></td></tr><tr><td>8"</td><td>162</td><td>169</td><td>black basalt broken</td><td></td><td></td></tr><tr><td></td><td>169</td><td>173</td><td>gray basalt sm. breaks</td><td></td><td></td></tr><tr><td></td><td>173</td><td>178</td><td>pink & gray basalt porous talc sm breaks</td><td></td><td></td></tr><tr><td></td><td>178</td><td>178</td><td>crevice</td><td></td><td></td></tr><tr><td></td><td>178</td><td>183</td><td>pink basalt porous broken</td><td></td><td></td></tr><tr><td></td><td>183</td><td>186</td><td>pink basalt porous lg. breaks</td><td></td><td></td></tr><tr><td></td><td>186</td><td>194</td><td>med hard gray basalt</td><td></td><td></td></tr><tr><td></td><td>194</td><td>198</td><td>med hrd gray basalt w/ lg. breaks</td><td></td><td></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Yes	No	10"	0	9	top soil		X		9	17	gray basalt				17	25	gray basalt porous sm. breaks				25	29	gray basalt lg. breaks				29	33	gray basalt porous sm. breaks				33	38	pink basalt porous sm. breaks				38	47	gray basalt				47	56	gray basalt sm. breaks				56	60	med hard gray basalt				60	62	broken				62	72	gray basalt				72	75	crevice				75	77	gray basalt broken				77	84	med hard gray basalt				84	86	crevice				86	90	broken				90	92	med hard w/sm breaks & soft spots clay				92	94	crevice				94	98	sm. breaks med hard				98	101	gray basalt sm. breaks				101	103	crevice				103	122	med hrd w/sm. breaks				122	128	gray basalt lg. breaks				128	141	med hard gray basalt				141	143	crevice				143	146	broken w/gravel				146	153	med hard broken w/gravel			10/8"	153	162	broken			8"	162	169	black basalt broken				169	173	gray basalt sm. breaks				173	178	pink & gray basalt porous talc sm breaks				178	178	crevice				178	183	pink basalt porous broken				183	186	pink basalt porous lg. breaks				186	194	med hard gray basalt				194	198	med hrd gray basalt w/ lg. breaks		
Bore Diam.	Depth From	To	Material	Yes	No																																																																																																																																																																																																																												
10"	0	9	top soil		X																																																																																																																																																																																																																												
	9	17	gray basalt																																																																																																																																																																																																																														
	17	25	gray basalt porous sm. breaks																																																																																																																																																																																																																														
	25	29	gray basalt lg. breaks																																																																																																																																																																																																																														
	29	33	gray basalt porous sm. breaks																																																																																																																																																																																																																														
	33	38	pink basalt porous sm. breaks																																																																																																																																																																																																																														
	38	47	gray basalt																																																																																																																																																																																																																														
	47	56	gray basalt sm. breaks																																																																																																																																																																																																																														
	56	60	med hard gray basalt																																																																																																																																																																																																																														
	60	62	broken																																																																																																																																																																																																																														
	62	72	gray basalt																																																																																																																																																																																																																														
	72	75	crevice																																																																																																																																																																																																																														
	75	77	gray basalt broken																																																																																																																																																																																																																														
	77	84	med hard gray basalt																																																																																																																																																																																																																														
	84	86	crevice																																																																																																																																																																																																																														
	86	90	broken																																																																																																																																																																																																																														
	90	92	med hard w/sm breaks & soft spots clay																																																																																																																																																																																																																														
	92	94	crevice																																																																																																																																																																																																																														
	94	98	sm. breaks med hard																																																																																																																																																																																																																														
	98	101	gray basalt sm. breaks																																																																																																																																																																																																																														
	101	103	crevice																																																																																																																																																																																																																														
	103	122	med hrd w/sm. breaks																																																																																																																																																																																																																														
	122	128	gray basalt lg. breaks																																																																																																																																																																																																																														
	128	141	med hard gray basalt																																																																																																																																																																																																																														
	141	143	crevice																																																																																																																																																																																																																														
	143	146	broken w/gravel																																																																																																																																																																																																																														
	146	153	med hard broken w/gravel																																																																																																																																																																																																																														
10/8"	153	162	broken																																																																																																																																																																																																																														
8"	162	169	black basalt broken																																																																																																																																																																																																																														
	169	173	gray basalt sm. breaks																																																																																																																																																																																																																														
	173	178	pink & gray basalt porous talc sm breaks																																																																																																																																																																																																																														
	178	178	crevice																																																																																																																																																																																																																														
	178	183	pink basalt porous broken																																																																																																																																																																																																																														
	183	186	pink basalt porous lg. breaks																																																																																																																																																																																																																														
	186	194	med hard gray basalt																																																																																																																																																																																																																														
	194	198	med hrd gray basalt w/ lg. breaks																																																																																																																																																																																																																														
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other																																																																																																																																																																																																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness <u>250</u> inches Diameter <u>8 5/8</u> inches From <u>1 1/2</u> feet To <u>160</u> feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between strata Describe access port																																																																																																																																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S County <u>Jerome County</u> NW NW 1/4 Sec 9 T. 9S R. 16E BMW		11. DRILLER'S CERTIFICATION 20 We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Smith Drilling & Pump Co., Inc.</u> No. <u>11</u> Address <u>Jerome, Idaho</u> Date <u>7-286-91</u> Signed by (Firm Official) <u>Arthur H. Smith</u> and <u>Nelson H. Hobbs</u> Operator																																																																																																																																																																																																																															

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

36-08603

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 14 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08603

1. Owner: Larry & Ramon Holtzen Phone No. (208) 324-4431

Current Address: 341 West - 400 South, Jerome, ID 83338

2. Accompanied by: Ramon Holtzen EXAM DATE: 7/14/95

Address: Same Phone No. Same

Relationship to Permit Holder: Co-owner

3. Source: Ground water tributary to none

B. OVERLAP REVIEW

1. Other water rights with the same place of use: (A) 36-14461

2. Other water rights with the same point of diversion: (A) 36-14461

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Well #1		SW	NW	NW	9	9S	16E	Jerome	Photo Aerial
Well #2		SW	NW	NW	9	9S	16E	Jerome	Photo Aerial

2. Place(s) of Use:

Indicate Method of Determination On-site exam


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	16E	9					S												
									</										

RECEIVED
AUG 14 1995

← 1,320' →

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

400 South Rd.



Scale: 1" = 275'

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 1	Red Jacket	3.0	111-64-NG	Red Jacket	Unknown
Well # 2	Red Jacket	3.0	Unknown	Red Jacket	8838C

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECEIVED

SEP 14 1985

E. NARRATIVE/REMARKS/COMMENTS

Two 8" wells, each with a 3.0 hp submersible pump & motor, divert water to 11 feed lots, each with 1 stock watering trough, to supply the daily water requirements for 2,500 mature (800 lb. - 1,300 lb.) beef cattle. The feed lots & adjoining buildings & feed supply yards cover the entire 40-acre northwest corner of Section 9, located 8 miles southwest of Jerome at the junction of 400 West Rd. & 400 South Rd.

An earlier water right, (A) 36-14461, filed under the adjudication process, covers the same point of diversion as WR# 36-08603, with the same place of use (2,000 head of beef cattle). The 2nd well was drilled to expand the number of beef cattle to 2,500 head.

The rate of diversion (cfs) at capacity for the 2 wells combined is approximately .14 cfs. This rate of diversion is therefore recommended for this water right. The annual volume (afa) is based on the standard 12 g.p.d. for 1 beef cow, daily use.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

SEP 14 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(3.0)(8.8)(0.7)}{\sum(2.31 \times 40) + 1647} = .07 \text{ cfs} \times (2) = \underline{.14 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Stock water use:

$$\frac{12 \text{ g.p.d.} \times 2500 (\text{head}) \times 365 (\text{days})}{325,850 \text{ gals (acre-ft)}} = \underline{33.6 \text{ a.f.g.}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock water	1-1	12-31	.14	33.6
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			.14	33.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Bruce Campbell Date 8/11/95

Reviewer _____ Date _____

SEAL

SEP 14 1995

32

33

34

PERMIT 36-08-13 INIT

T. R. S. Q/Q

P/D 08 16E 9 NWNW

SCALE

PHOTO ID.

IRRIGATION

3481

3500

3554

3579

400 West Rd.

300 West Rd.

400 South Rd.

P/U
P/D
P/D
P/U

BM 3451

500 South Rd.

BM

3491

BM

CHROME CO
FALLS CO

16

15

MC 3463

3445 MC

Gravel Pit

BM

3473

3485

SEP 14 1995

3508

3488

3500

PERMIT 36-18683 INIT _____

T. R. S. Q/Q

P/D 097 16E 9 MNW

SCALE _____

PHOTO ID. _____

4

Sonnicksen

VABM 3741

Butte

400 South R#

500 South

BM 3491

BM 35

16

15

14

Gravel Pit

Gravel Pit


SEP 14 1995

3488

21

22

PERMIT 36-08603 INIT _____
T. R. S. Q/Q
P/D 095 16F 9 NW/4
SCALE _____
PHOTO ID. _____



303

306

P/D
P/D

10
76

8
1443

T5932 1923-1-5

Subdivision

SEP 14 1905

Dairy

9
73

T5931

1923-2-5

11
288

T5949
1097


HEL - 17

129
19

WR# 36-08603




P/D #1
(Original
well; located
in well house
below ground
surface)



P/D #2
(New
supplemental
well; added
to original
well to
increase
rate of di-
version &
backup)

SEP 14 1995

WR# 36-08603-




P/U
(looking west
towards shops
& other
buildings)




P/U
(north west
corner area
of food lot
operations)

REPRODUCED
SEP 14 1995

V# 36-08603




P/U
(north west-
north area
of feed lots)



P/U
(north
view of
feed lots)

MAILED
SEP 14 1995

WR# 36-08603



P/U
(east view
of feed-
lots)



P/U
(northeast
corner area
of feed lots)

SEP 14 1995

November 19, 1993

HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08603

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED


DEC 01 1993

MODEL
25S


GRUNDFOS

FLOW RANGE
18 to 32 GPM

PUMP OUTLET
1½" NPT



PERFORMANCE



DIMENSIONS

MODEL NO.	HP	LENGTH (INCHES)	WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
25S05-3	½	20 ¼	3 ¾	26
25S07-5	¾	22 ¾	3 ¾	28
25S10-7	1	24 7/8	3 ¾	29
25S15-9	1 ½	28	3 ¾	34
25S20-11	2	28 7/8	3 ¾	37
25S30-15	3	39 1/8	3 ¾	59
25S50-26	5			76

Specifications are subject to change without notice.

MICROFILMED

HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

October 31, 1993

PROOF DUE NOTICE

RE: PERMIT NO. 36-08603

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
FILMED

DEC 01 1993





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 30, 1991

HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08603

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

RECORDED
JAN 21 1992

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Jerome } ss.

NOV 18 1991

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Nov., 1991, and the date of the last publication was on the 13th day of Nov., 1991.

Patty Nance

Subscribed and sworn to before me this 14th day of Nov., 1991.
(SEAL)

Norma DeVoe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2x

Lines tabular at _____ 6¢/Pica
295.3 Lines straight at 14.77 5¢/Pica
Subsequent lines at 11.82 4¢/Pica
TOTAL COST 26.59

COPY OF NOTICE


(Paste Here)

Not. Appl. Wat. Rt.
TYPE OF NOTICE
Holtzen Farms
36-08603
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J D W R - T E
BILL TO



PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

RECEIVED

JAN 21 1992

No 5233

11830

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08603

HOLTZEN FARMS INC
341 W 400 S
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SWNWNW Sec 9 T 09S R 16E in JEROME County.

Use: STOCKWATER (.420 CFS)
Total Diversion: (.420 CFS)

Date Filed: 6/14/1991

T09S R16E S09

NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before NOVEMBER 25, 1991.

R. KEITH HIGGINSON, Director

Published: 11/ 6/1991 & 11/13/1991

MICROFILMED

JAN 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

OCTOBER 30, 1991

NORTH SIDE NEWS
PO BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 25, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

REPROFILMED
JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

30-Oct-1991

R. KEITH HIGGINSON
Director

LARRY HOLTZEN PRESIDENT
HOLTZEN FARMS INC
341 W 400 S
JEROME ID 83338

Re: Application for Permit No. 36-08603

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 11/6 & 11/13/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Douglas Jones, E. I. T.
Water Resources Engineering Specialist

DJ:MB

MICROFILMED
JAN 21 1992

Drilling Permit No. 36-91-S-084Water Right Permit No. App. 36-08603

Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Holtzen Farms Inc.
2. Mailing Address 391 W. 400 S., Jerome, ID 83338
Telephone 324-2150
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 9, Twp. 9S, Rge. 16E, County Jerome
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
- ☐ Injection
- ☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9
- B. Proposed Surface Diameter 6" Proposed Maximum Depth 216'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)
6. Construction Start Date Within 30 days
7. Anticipated Well Driller Smith Drilling & Pump, Jerome, ID
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Larry Holtzen Date June 14-91
Title President
(Owner, Firm Representative, Other)

RECORDED

JAN 21 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 6/14/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

REPROFILMED
JAN 21 1992

Laura Hulme
Signature of Authorized Department Representative

Mgr. Southern Region
Title

Receipt No. 5013446 Received by JA Fee \$200.00 Date 6-14-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 26-91-5-084

Water right No. App. 36-08603

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Holtzen Farms Inc., Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Driller will be available shortly.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date June 14 - 91

Signature

Applicant

Larry Holtzen
JAN 21 1992
RECEIVED