


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert H. Robinson
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 220'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Electric	30.0	NGP 1243	Layne	LP92-21-4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECORDED

SEP 14 1995



IRRIGATION

PERMIT 36-0859 INIT

T. R. S. Q/Q

P/D 015 16E 16 SENE

SCALE

PHOTO ID.

3600 South Rd.

2400 East Rd.

500 West Rd.

(2400 East Rd.)

400 South Rd.

300 South Rd.

SEP 14 1995


PERMIT 36-08591 INIT

T. R. S. Q/O

P/D 08591 E 6 SENE

SCALE


PHOTO ID. _____



PERMIT 36-08591 INIT _____
T. R. S. Q/Q
P/D 095 16E 6 SENE
SCALE _____
PHOTO ID. _____

PHOTO ID.

SEP 14 1995



WR# 36-0859



P/D
(30-hp.
vertical lift
pump & motor
on 2400
East (500 West)
Rd)



P/D
(View of
P/D in fore-
ground; well-
house &
main pump-
ing unit
in back-
ground by
wooden wall
shelter)

SEP 14 1995

W#36-08591



SEP 14 1995

Measuring
the rate
of diversion
with a
poly sonic
meter.
Preparing
& placing
the com-
ponents
of the
metering
unit -

WR# 36-08591



P/U
(northwest
view of
alfalfa
field)



P/U
(looking
west across
the field)

MICROFILMED
SEP 14 1995

WR# 36-0859



P/U
(southwest
view of
alfalfa
field)



P/U
(southwest
area of
field)

SEP 14 1995

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Gooding } ss.

RECEIVED

JUL 11 1991

Patty Nance Department of Water Resources
Southern Region Office being first duly
sworn, deposes and says that she is the printer (publisher) of the Gooding County
Leader, a newspaper published every week in Gooding, County of Gooding, State of
Idaho; that said newspaper has been continuously and uninterruptedly published for
a period of seventy-eight consecutive weeks prior to the first publication of the
annexed notice, and is a newspaper qualified to publish legal notices as provided by
act of the 1919 session of the legislature of the State of Idaho, known as House Bill
145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a
supplement; that the date of the first publication of said advertisement was on the
3rd day of July, 1991,
and the date of the last publication was on the 10th day of
July, 1991.

Subscribed and sworn to before me this 10th day of
July, 1991.
(SEAL)

Vince Gaudin
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2x

_____ Lines tabular at _____ 6¢/Pica
323.4 Lines straight at 16.17 5¢/Pica
_____ Subsequent lines at 12.94 4¢/Pica
TOTAL COST 29.11

COPY OF NOTICE

(Paste Here)

Not. Appl. Wat. Rt.
TITLE OF NOTICE

Robert Parkinson
36-08591
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Wat. Res.
BILL TO T.F.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho.

36-08591

PARKINSON, ROBERT J.

3641 S. 2400 E.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SENE Sec 6 T 09S R 16E

Use: IRRIGATION (1.000 CFS)

Total Diversion: (1.000 CFS)

Date Filed: 3/6/ 1991

In: T09S R16E S06 Lot 1 (NENE) SENE

66.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 222
Shoshone St. East, Twin Falls, Idaho
83301 on or before JULY 23, 1991.

-s-R. Keith Higginson, Director

Pub: 7-3, 10

G5751

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

MACROFILMED
JAN 21 1992

No 5076

5751

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08591

Priority: March 6, 1991

Maximum Diversion Rate:

1.00 CFS

This is to certify, that ROBERT J PARKINSON

3641 S 2400 E

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1991; and has submitted Proof of Beneficial Use on December 15, 1992. An examination indicates that the works have a diversion capacity of 1.010 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	1.00 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 6, Township 09S, Range 16E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	16E	6	Lot 1(NENE) 33	SENE 33		66

Total number of acres irrigated: 66

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
8. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

SEP 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08591


CONDITIONS OF APPROVAL AND REMARKS

9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 264.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of SEPTEMBER, 1975.

Acting for


KARL J. DREHER, Director



RECEIVED
SEP 4 1995

RECEIVED

DEC 15 1992

Department of Water Resources
Southern Region OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 100
Date 12/15/92
Receipt No. 3015226
Receipt by R. Fisher

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

36-92-5-053

1. Permit No. 36-08591 Telephone No. 324-2096
2. Name(s) of Permit Holder(s): Robert J. Parkinson
3. Mailing Address: 3641 South 2400 East, Jerome, ID 83338
4. Source of Water: Ground

If GROUNDWATER, Well Driller's Name: Eatons Date Drilled: June 92

OPTIONAL:

Pump horsepower: 30 Pressure (psi): 0 Dynamic pumping level (ft.): 190

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 100 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bob Parkinson 324-2096
Name Telephone No.

3641 S. 2400 E., Jerome, ID 83338
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 27 1993

11 Dec 92 Robert Parkinson
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08591

Proposed Priority: March 6, 1991 Maximum Diversion Rate: 1.00 CFS

This is to certify, that **ROBERT J PARKINSON**
3641 S 2400 E
JEROME ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 6, Township 09S, Range 16E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	16E	6	Lot 1(NENE) 33	SENE 33		66

Total number of acres irrigated: 66

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1993.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JAN 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08591

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of December, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
JAN 21 1992

Form 202
RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 36-08591

MAR - 7 1991

Department of Water Resources **To appropriate the public waters of the State of Idaho**
Southern Region Office

1. Name of applicant Robert J. Parkinson Phone 324-2096
Post office address 3641 South 2400 East, Jerome, ID
83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ ¼ of SE ¼ of NE ¼, Govt. Lot _____
Sec. 6 Township 9S Range 16E B.M. Gooding County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.00 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) Agricultural
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.00 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump, mainline
to pivot
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12" inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
MAR 1 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
95	16E	6	33	33		33													66

Total number of acres to be irrigated 66

10. Describe any other water rights used for the same purposes as described above. Northside

Canal Co Shares (120)

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Groundwater will supplement canals for
pivot only. Corners will either remain
unirrigated or continue to be covered by
canal shares. Pivot shared with neighbor
who has enough canal shares.

RECORDED
JAN 21 1992

[illegible]

JAN 21 1992

Robert J. Parkinson
(Applicant)

Received by DRJ Date 3/6/91 Time 2:20 Preliminary check by AJ
Fee \$ 45.00 Receipted by DRJ # 5013084 Date 3/6/91
Publication prepared by MB Date 6-18-91 Published in Gooding Co. Leader
Publication approved M. Baldwin Date 8-2-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED
JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 7, 1995

ROBERT J PARKINSON
3641 S 2400 E
JEROME ID 83338

RE: WATER RIGHT NO. 36-08591

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

SEP 14 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 36-08591 DATE 8-29-95



NAME	<u>Change OK</u>	☒	Or Address Change?	
PRIORITY DATE		☒	Advance? <u> </u> Advanced to: <u> </u>	
			Order to reinstate needed? <u> </u>	
			Incorrect fee for rate recommended? <u>NO</u>	
SOURCE		☒	Changes or just clarification of originally intended source? <u> </u>	
			Notice of Intent to Void necessary? <u> </u>	
POINT OF DIV		☒	Amendment needed? <u> </u>	
		☒	Overlaps? <u> </u>	
PLACE OF USE		☒	Amendment needed? <u> </u>	
		☒	Overlaps? <u> </u>	
DIV RATE		☒	Permit/fee limits: <u>1 CFS - 666 acms</u>	
			Meas Q = <u>1.01</u> Theo Q = <u> </u> Recommend: <u>1.0</u>	
			<u>666 x .02 = 1.32</u>	
			Combined rates exceed capacity <u> </u>	
ANNUAL VOLUME		☒	Volume Limit: <u> </u> (^{NEW} Season) <u>4.0 (4.1 to 10.31)</u>	
			Calculations: <u>666 x 4 = 2664</u>	
			Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u>	
			Combined volumes exceed capacity/allowable <u> </u>	
USES		☒	Change in Nature of Use or additional uses? <u> </u>	
			Amendment necessary? <u> </u>	
			(NORTHSIDE CANAL CO)	
ADDITIONAL INFO			Supplemental Groundwater <u>YES</u> PPU Scenario <u> </u>	
			Irr/Dom Combination <u> </u> Shared G/W System <u> </u>	
NEW REMARKS		☒	Multiple p/d(s) in <u> </u> <u> </u> ?	
		☒	Other <u>WB3 WB8 WB7</u>	
NEW CONDITIONS		☒	Watermaster control - District <u> </u>	
		☒	Measuring/Locking Devices <u> </u>	
		☒	Irrigation Overlap <u> </u>	
		☒	Other <u>R55 R56 R57 (TRUST)</u>	
		☒	Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>	

COMMENTS: Supplemental GW

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>(Irrigation)</u>	<u>1.0</u>	<u>2664</u>	Adjustment Memo Needed	<u>NO</u>
		<u>(in</u>	LICENSE	☒
		<u>remarks)</u>		
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 23 1995 36-8591

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08591

1. Owner: Robert J. Parkinson Phone No. (208)324-2096

Current Address: 3641 So., 2400 East, Jerome, ID 83338

2. Accompanied by: Bob Parkinson EXAM DATE: 7/19/95

Address: Same Phone No. Same

Relationship to Permit Holder: Same

3. Source: Ground water tributary to none

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 01-00005, 01-00016, 01-00212, (North Side Canal)
01-00218, 01-00215, 01-00220 (Co. shares)

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	6	09S	16E	Gooding	Photo Aired


2. Place(s) of Use:

Indicate Method of Determination On-site exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	16E	6	33			33												66	

SEP 14 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = 220'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Electric	30.0	NGP 1243	Layne	LP92-21-4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECEIVED

SEP 14 1985

E. NARRATIVE/REMARKS/COMMENTS

A 12" well, with a 30.0 hp vertical lift pump & motor, diverts water to an adjacent holding & settling pond. The water is then pumped from the pond by another, larger, vertical lift pump & motor, to a main line about 1,300' in length & 9" diameter. The water is pumped through this buried main line to the center pad & control panel of a center pivot irrigation system, and then is pumped through the length of the center pivot line & sprinklers to irrigate 66 acres of cropland as listed on the permit. This groundwater diversion is used to supplement North Side Canal Co. shares of water, the numbers (WR#s) of which are listed in this report.

A planimeter reading of 68 acres for the land area of the P/Us is close to the actual number of 66 acres claimed on the permit.

A Polysonic meter was used to measure the rate of diversion, which was found to average 454.0 gpm, or approximately 1.01 cfs.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
SEP 14 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Polysonic meter; Average flow rate: 454.0 spm
Average cfs: $\frac{454.0 \text{ spm}}{449.0 \text{ spm}} = \underline{1.01 \text{ cfs}}$

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (66)(4.0) = \underline{264.0 \text{ afa}}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.01)(214)(1.9835) = \underline{428.7 \text{ afa}}$
 $V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = \underline{264.0 \text{ afa}}$

2. Volume Calculations for Other Uses:**H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-1</u>	<u>10-31</u>	<u>1.00</u>	<u>264.0</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>1.00</u>	<u>264.0</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Bruce Campbell Date 8/16/95

Reviewer _____ Date _____

SEAL

SEP 14 1995

WR#36-08591

Printouts, rate of diversion, Polysonic meter
method of flow measurement:

MODE SELECT

OUTER DIAMETER
6.0476 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1039 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
4.111 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
T0 CHECK

0221.1 MMSEC
101.36 % T0

00-00 00:3000 *R
+458.338E 06PM

DAMPING SET
5 SEC

DAMPING SET
30 SEC

00-00 00:0100 *R
+457.281E 06PM

MODE SELECT

INPUT
OUTER DIAMETER
6.0476 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1039 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
4.111 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
T0 CHECK

0221.1 MMSEC
101.35 % T0


00-00 00:1600 *R
+444.073E 06PM

MODE SELECT
T0 CHECK

00-00 00:1700 *R
+443.809E 06PM

RECEIVED

SEP 14 1995



PERMIT 36-0859/INIT

T. R. S. 9/9

P/D 075 WE & SENE

SCALE

PHOTO ID.

3600 South Rd.

2300 East Rd.

500 West Rd.

(2400 East Rd.)

400 South Rd.

SEP 14 1955

PERMIT 36-08591 INIT

T. R. S. Q/Q

P/D 09516E6 SENE

SCALE

PHOTO ID.

13

71.5

65.9

65.9

21.32

6

1125
T-790

3

131.6

P/D

3

31.7


3

43.6

615

SEP 4 1995

-WR# 36-0859 L-



P/D
(30-hp.
vertical lift
pump & motor
on 2400
East (500 West)
Rd)



P/D
(View of
P/D in fore-
ground; well-
house &
main pump-
ing unit
in back-
ground by
wooden wall
shelter)

SEP 14 1995

W#36-08591-




Measuring
the rate
of diversion
with a
polysonic
meter,
preparing
& placing
the com-
ponents
of the
metering
unit -



SEP 14 1995

WR# 36-08591-




P/U
(northwest
view of
alfalfa
field)



P/U
(looking
west across
the field)

UNRECORDED
SEP 14 1995

WR# 36-0859



P/U
(southwest
view of
alfalfa
field)



P/U
(southwest
area of
field)

SEP 14 1995

December 18, 1992

ROBERT J PARKINSON
3641 S 2400 E
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08591

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JAN 27 1993

PERMIT NUMBER: 36-92-S-0053-000
 OWNER: ROBERT J PARKINSON
 CODE: 3641 S 2400 E
 NAME & ADDRESS: JEROME, ID 83338
 (208) 324-2096
 TWP: 09S RGE: 16E SEC: 06 LOT: SE NE
 COUNTY: GOODING

Subdivision Location and Description:

Subdivision Name:
 Well Site Address:
 City, State:

Geographic Location:
 Accuracy Code:
 Lat: : N
 Long: : W

Proposed Use of Well: Irrigation
 Proposed Casing Diameter: 12 In.
 Proposed Depth: 200 Ft.

Well Use Comments:

Driller License No: 0026

Firm Name: EATON DRILLING & PUMP SERVICE INC
 Official: LARRY M NIELSON

Permit Status: Permit

Verbal Issue Date: 03/26/1992
 Date Received: 03/26/1992
 Date Approved: 03/26/1992
 Proposed Start Date: 04/01/1992
 Extension Date:
 Extension Expiration:

Receipt No. S014303
 Receipt Date: 03/26/1992
 Fee: \$ 200.00

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 36-92-S-0053-000
 Water Right No: 36-08591
 Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY & AIR

Number of Monitor Wells:

Casing Diameter: 12 In.
 Depth of Casing: 18 Ft.
 Total Depth: 240 Ft.
 Screen Installed? No

Static Water Level: 178 Ft.
 Temperature: 85 F.
 Production Rate: GPM

Actual Start Date: 05/11/1992
 Well Finish Date: 05/12/1992
 Log Received Date: 06/09/1992
 Certification Date: 05/13/1992
 Field Inspection Date:

Well Log Remarks:

Inspector:

October 31, 1992

ROBERT J PARKINSON
3641 S 2400 E
JEROME ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08591

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JAN 27 1993

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 31, 1991

ROBERT J PARKINSON
3641 S 2400 E
JEROME ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08591

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the State.

JAN 21 1992

pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED

JAN 21 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE *TL*

RE: APP. NO. 36-⁸⁵⁹¹~~8602~~/Trust Water Processing

DATE: 12-18-91

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

The applicants have stated that the groundwater source under this filing will supplement existing canal shares. An attached copy of an orthohoto quad shows that the land has been irrigated. Since this is a supplemental filing, none of the acreage shall count as trust acreage.

Continued processing of the application is recommend. Trust conditons are applicable.

MICROFILM
JAN 21 '92



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

19-Jun-1991

R. KEITH HIGGINSON
Director

ROBERT J PARKINSON
3641 S 2400 E
JEROME ID 83338

Re: Application for Permit No. 36-08591

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 7/3 & 7/10/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED

JUN 21 1992

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Gooding } ss.

RECEIVED

JUL 11 1991

Patty Starn Department of Water Resources
Southern Region Office
being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of July, 1991, and the date of the last publication was on the 10th day of

July, 1991.

Patty Starn

Subscribed and sworn to before me this 10th day of

July, 1991.

(SEAL)

Walter J. Lindquist
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2x

Lines tabular at _____ 6¢/Pica

323.4 Lines straight at 16.17 5¢/Pica

Subsequent lines at 12.94 4¢/Pica

TOTAL COST 29.11

COPY OF NOTICE

(Paste Here)

Not. Appl. Wat. Rt.

TITLE OF NOTICE

Robert Parkinson

36-08571


PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Wat. Res.

BILL TO T.F.



7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

RECEIVED
JAN 21 1992

No 5076

5751

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

JUNE 18, 1991

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 23, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

JAN 21 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08591

PARKINSON, ROBERT J.
3641 S. 2400 E.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SENE Sec 6 T 09S R 16E

Use: IRRIGATION (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 3/ 6/ 1991

In: T09S R16E S06 Lot 1 (NENE) SENE

66.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 23, 1991.

R. Keith Higginson, Director

Published 7/ 3/1991 & 7/10/1991

MICROFILMED

JAN 21 1992
