






36-8550



- LEGEND**
- STREETS FORMING URBAN EXTENSIONS OF
FEDERAL-AID, PRIMARY STATE AND US ROUTES**
- UNIMPROVED
 - GRAVEL, OR FLORE
 - STANDARD SURFACING TYPE
 - PAVED STREET
 - OTHER CITY STREETS
 - PAVED OR SURFACE TREATED
 - UNPAVED
 - DEVELOPED (TWO-WAY)
 - FEDERAL-AID PRIMARY SYSTEM
 - STATE HIGHWAY SYSTEM
 - FEDERAL-AID URBAN SYSTEM
 - U.S. NUMBERED ROUTES
 - STATE NUMBERED ROUTES
 - CITY CENTER
 - RAILROAD STATION
 - CENTRAL BUSINESS DISTRICT
 - CORPORATE BOUNDARY LINE
 - END OF MAINTENANCE ROUTE
 - END OF FEDERAL-AID SYSTEM
- OTHER**
- SCHOOL
 - CITY WALL
 - CHURCH
 - POST OFFICE



REVISIONS

NO.	DATE	DESCRIPTION
1	10/1/75	Initial Map
2	10/1/75	City Street Map

CITY MAP
HEYBURN
IDAHO
MINIDOKA COUNTY

FIELD DATA COLLECTED MAY 1974

36-8550

RECEIVED

SEP 21 1990

Department of Water Resources
Southern Region Office

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia, }
STATE OF IDAHO } ss.

Irene C. Sanchez being first
duly sworn, deposes and says that she
is the clerk of the South
Idaho Press, a daily newspaper published
at Burley, Idaho, in the county aforesaid
and that the paper is of general circulation
therein. Deponent further states that the
printed notice attached hereto was duly
published according to law in the regular
editions of The South Idaho Press for two
consecutive weeks, commencing with the
issue dated August 28 19 90, and
ending with the issue dated September 4,
19 90. Irene C. Sanchez

Not published on
requested dates
MB
9/24/90

90-362
NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s) have been
filed to appropriate the public water of the
State of Idaho:
36-08550
CITY OF HEYBURN
941 18TH STREET
HEYBURN, ID 83336
Source: GROUNDWATER
Diversion PT:
NESWNE Sec 15 T 10S R 23E
NWSWNE Sec 15 T 10S R 23E
Use: MUNICIPAL (8,700 CFS)
Total Diversion: (8,700 CFS)
Date Filed: 5/29/1990
In: Within city limits of Heyburn.
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 222 Shoshone St. East, Twin
Falls, Idaho 83301 on or before SEPTEMBER
24, 1990.
R. Keith Higgison, Director
Published in the South Idaho Press on Au-
gust 28 and September 4, 1990.

STATE OF IDAHO }
COUNTY OF Cassia }

On this 20th day of September in the year of 1990, before me,
a Notary Public, personally appeared Irene C. Sanchez,
known or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared that the
statements therein are true, and acknowledged to me that he executed
the same.

Dolores Mabey
Notary Public for Idaho
Residing at Burley ID
My commission expires: 2/4/93

Cost of Publication: 31.32
Notary Fee: .50
Total Cost: 31.82

MICROFILMED

JAN 15 1991

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 36-08550

Priority: May 29, 1990

Maximum Diversion Rate:

6.67 CFS

This is to certify, that CITY OF HEYBURN

941 18TH ST

HEYBURN ID 83336

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 29, 1990; and has submitted Proof of Beneficial Use on November 8, 1991. An examination indicates that the works have a diversion capacity of 6.670 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	6.67 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 15, Township 10S, Range 23E
NENW , Sec. 15, Township 10S, Range 23E
MINIDOKA County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. Place of use is within city limits of Heyburn.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 10TH day of APRIL, 1998.

Acting for

KARL J. DREHER,

Director

APR 15 1998

RECEIVED

APR 10 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08550

Date of Priority: May 29, 1990 **Maximum Diversion Rate:** 6.67 CFS
Comes now **CITY OF HEYBURN**
941 18TH ST
HEYBURN ID 83336 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-08550, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	6.67 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 15, Township 10S, Range 23E
NENW , Sec. 15, Township 10S, Range 23E
MINIDOKA County

PLACE OF USE: See Remarks

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Heyburn Idaho, this 3 day of April, 1998.

Roger Dinkler
(Signature)

APR 15 1998

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08550

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = 50.00 Receipted by VB # C00000 Date 4/10/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08550 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. Place of use is within city limits of Heyburn.

Witness my hand this 10TH day of APRIL, 1998.


Acting for KARL J. DREHER, Director

APR 15 1998

RECEIVED

STATE OF IDAHO

NOV 08 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08550

Telephone No. 734-4888

Name(s) of Permit Holder(s): City of Heyburn, Idaho

Post Office Address: 941 18th Street Heyburn Idaho 83336

Source of Water: Groundwater

If ground water, well driller's name: NA

Date drilled: 1970's

Extent of Use: Municipal

~~Domestic~~ (No. of households)

Irrigation (No. of acres)

Stockwater (No. and type of stock)

Other

Total rate and/or volume for which proof is submitted 6.67 cfs 4829 acre/feet

Show date water was first diverted and beneficially used under this permit: Well in use since 1983

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Measurement Accomplished in Storage Tank

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Field Examination Reports Attached

Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 10 1991

11-4-91
Date

* Harold R. Hurst, Mayor
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08550

Proposed Priority: May 29, 1990 Maximum Diversion Rate: 8.70 CFS

This is to certify, that CITY OF HEYBURN
941 18TH ST.
HEYBURN, ID 83336

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

MUNICIPAL	01/01 to 12/31	8.70 CFS
-----------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NESWNE	Sec. 15, Township 10S, Range 23E
	NWSENW	Sec. 15, Township 10S, Range 23E
		MINIDOKA County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
9. Place of use is within city limits of Heyburn, ID.

MICROFILMED

JAN 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08550

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7 ~~th~~ day of January, 1991.

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

JAN 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Heyburn, Idaho Phone 678-8158
Post office address 941 18th St., Heyburn, ID 83336
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW NW ¼ of NE SE ¼ of NW NW ¼, Govt. Lot _____
Sec. 15 Township 10S Range 23E B.M. Minidoka County; additional
points of diversion if any: NE ¼ SE ¼ NE ¼ Sec. 15 T. 10S R. 23E
4. Water will be used for the following purposes:
Amount 8.7 cfs for Municipal purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 8.7 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells & pumps
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. ~~Proposed~~ well diameter is 20, 24 inches; ~~proposed~~ depth of well is 460, 445 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is One years (minimum 1 year).

JAN 15 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. Heyburn, Idaho
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	23E	9																	
		10																	
		16																	
		22																	


Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? city residents
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: P/U is within city limits of Heyburn, Idaho.
Wells were drilled in the 1970's. Both wells were in use in 1983.







[illegible]

Harold R. Hurst, Mayor
(Applicant)

Received by 168 Date 5/22/90 Time 10:30 AM Preliminary check by W. Stettin
Fee \$ 205⁰⁰ Receipted by J. Stettin # 5012357 Date 5-29-90
Publication prepared by M. Baldwin Date 8/20/90 Published in So. Id. Press
Publication checked approved M. Baldwin Date 9/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:





LEGEND

- STREETS FORMING URBAN EXTENSIONS OF FEDERAL-AID, PRIMARY STATE AND US ROUTES
- UNIMPROVED
- GRAVEL AND DRAINED
- GRAVEL OR FLOID
- BITUMINOUS SURFACED-LOW TYPE
- PAVED STREET
- OTHER CITY STREETS
- PAVED OR SURFACE TREATED
- GRAVEL (NOT DRAINED)
- UNIMPROVED (NOT DRAINED)
- GRAVEL (NOT DRAINED)
- PAVED (NOT DRAINED)
- FEDERAL-AID, PRIMARY SYSTEM
- FEDERAL-AID, SECONDARY SYSTEM
- FEDERAL-AID, URBAN SYSTEM
- U.S. NUMBERED ROUTES
- STATE NUMBERED ROUTES
- CENTRAL BUSINESS DISTRICT
- PORTLAND BUSINESS DISTRICT
- END OF MAINLINE ROUTE
- END OF FEDERAL-AID SYSTEM
- SCHOOL
- CHURCH
- POST OFFICE
- CITY HALL

MAPS PREPARED BY ROBERT G. GARY, JR.
1000 N. TAPPALE STREET, BOISE, IDAHO 83707

REVISIONS	
NO. 1	1974
NO. 2	1975
NO. 3	1976
NO. 4	1977
NO. 5	1978
NO. 6	1979
NO. 7	1980
NO. 8	1981
NO. 9	1982
NO. 10	1983
NO. 11	1984
NO. 12	1985
NO. 13	1986
NO. 14	1987
NO. 15	1988
NO. 16	1989
NO. 17	1990
NO. 18	1991
NO. 19	1992
NO. 20	1993
NO. 21	1994
NO. 22	1995
NO. 23	1996
NO. 24	1997
NO. 25	1998
NO. 26	1999
NO. 27	2000
NO. 28	2001
NO. 29	2002
NO. 30	2003
NO. 31	2004
NO. 32	2005
NO. 33	2006
NO. 34	2007
NO. 35	2008
NO. 36	2009
NO. 37	2010
NO. 38	2011
NO. 39	2012
NO. 40	2013
NO. 41	2014
NO. 42	2015
NO. 43	2016
NO. 44	2017
NO. 45	2018
NO. 46	2019
NO. 47	2020
NO. 48	2021
NO. 49	2022
NO. 50	2023
NO. 51	2024
NO. 52	2025
NO. 53	2026
NO. 54	2027
NO. 55	2028
NO. 56	2029
NO. 57	2030
NO. 58	2031
NO. 59	2032
NO. 60	2033
NO. 61	2034
NO. 62	2035
NO. 63	2036
NO. 64	2037
NO. 65	2038
NO. 66	2039
NO. 67	2040
NO. 68	2041
NO. 69	2042
NO. 70	2043
NO. 71	2044
NO. 72	2045
NO. 73	2046
NO. 74	2047
NO. 75	2048
NO. 76	2049
NO. 77	2050
NO. 78	2051
NO. 79	2052
NO. 80	2053
NO. 81	2054
NO. 82	2055
NO. 83	2056
NO. 84	2057
NO. 85	2058
NO. 86	2059
NO. 87	2060
NO. 88	2061
NO. 89	2062
NO. 90	2063
NO. 91	2064
NO. 92	2065
NO. 93	2066
NO. 94	2067
NO. 95	2068
NO. 96	2069
NO. 97	2070
NO. 98	2071
NO. 99	2072
NO. 100	2073
NO. 101	2074
NO. 102	2075
NO. 103	2076
NO. 104	2077
NO. 105	2078
NO. 106	2079
NO. 107	2080
NO. 108	2081
NO. 109	2082
NO. 110	2083
NO. 111	2084
NO. 112	2085
NO. 113	2086
NO. 114	2087
NO. 115	2088
NO. 116	2089
NO. 117	2090
NO. 118	2091
NO. 119	2092
NO. 120	2093
NO. 121	2094
NO. 122	2095
NO. 123	2096
NO. 124	2097
NO. 125	2098
NO. 126	2099
NO. 127	2100
NO. 128	2101
NO. 129	2102
NO. 130	2103
NO. 131	2104
NO. 132	2105
NO. 133	2106
NO. 134	2107
NO. 135	2108
NO. 136	2109
NO. 137	2110
NO. 138	2111
NO. 139	2112
NO. 140	2113
NO. 141	2114
NO. 142	2115
NO. 143	2116
NO. 144	2117
NO. 145	2118
NO. 146	2119
NO. 147	2120
NO. 148	2121
NO. 149	2122
NO. 150	2123
NO. 151	2124
NO. 152	2125
NO. 153	2126
NO. 154	2127
NO. 155	2128
NO. 156	2129
NO. 157	2130
NO. 158	2131
NO. 159	2132
NO. 160	2133
NO. 161	2134
NO. 162	2135
NO. 163	2136
NO. 164	2137
NO. 165	2138
NO. 166	2139
NO. 167	2140
NO. 168	2141
NO. 169	2142
NO. 170	2143
NO. 171	2144
NO. 172	2145
NO. 173	2146
NO. 174	2147
NO. 175	2148
NO. 176	2149
NO. 177	2150
NO. 178	2151
NO. 179	2152
NO. 180	2153
NO. 181	2154
NO. 182	2155
NO. 183	2156
NO. 184	2157
NO. 185	2158
NO. 186	2159
NO. 187	2160
NO. 188	2161
NO. 189	2162
NO. 190	2163
NO. 191	2164
NO. 192	2165
NO. 193	2166
NO. 194	2167
NO. 195	2168
NO. 196	2169
NO. 197	2170
NO. 198	2171
NO. 199	2172
NO. 200	2173
NO. 201	2174
NO. 202	2175
NO. 203	2176
NO. 204	2177
NO. 205	2178
NO. 206	2179
NO. 207	2180
NO. 208	2181
NO. 209	2182
NO. 210	2183
NO. 211	2184
NO. 212	2185
NO. 213	2186
NO. 214	2187
NO. 215	2188
NO. 216	2189
NO. 217	2190
NO. 218	2191
NO. 219	2192
NO. 220	2193
NO. 221	2194
NO. 222	2195
NO. 223	2196
NO. 224	2197
NO. 225	2198
NO. 226	2199
NO. 227	2200
NO. 228	2201
NO. 229	2202
NO. 230	2203
NO. 231	2204
NO. 232	2205
NO. 233	2206
NO. 234	2207
NO. 235	2208
NO. 236	2209
NO. 237	2210
NO. 238	2211
NO. 239	2212
NO. 240	2213
NO. 241	2214
NO. 242	2215
NO. 243	2216
NO. 244	2217
NO. 245	2218
NO. 246	2219
NO. 247	2220
NO. 248	2221
NO. 249	2222
NO. 250	2223
NO. 251	2224
NO. 252	2225
NO. 253	2226
NO. 254	2227
NO. 255	2228
NO. 256	2229
NO. 257	2230
NO. 258	2231
NO. 259	2232
NO. 260	2233
NO. 261	2234
NO. 262	2235
NO. 263	2236
NO. 264	2237
NO. 265	2238
NO. 266	2239
NO. 267	2240
NO. 268	2241
NO. 269	2242
NO. 270	2243
NO. 271	2244
NO. 272	2245
NO. 273	2246
NO. 274	2247
NO. 275	2248
NO. 276	2249
NO. 277	2250
NO. 278	2251
NO. 279	2252
NO. 280	2253
NO. 281	2254
NO. 282	2255
NO. 283	2256
NO. 284	2257
NO. 285	2258
NO. 286	2259
NO. 287	2260
NO. 288	2261
NO. 289	2262
NO. 290	2263
NO. 291	2264
NO. 292	2265
NO. 293	2266
NO. 294	2267
NO. 295	2268
NO. 296	2269
NO. 297	2270
NO. 298	2271
NO. 299	2272
NO. 300	2273
NO. 301	2274
NO. 302	2275
NO. 303	2276
NO. 304	2277
NO. 305	2278
NO. 306	2279
NO. 307	2280
NO. 308	2281
NO. 309	2282
NO. 310	2283
NO. 311	2284
NO. 312	2285
NO. 313	2286
NO. 314	2287
NO. 315	2288
NO. 316	2289
NO. 317	2290
NO. 318	2291
NO. 319	2292
NO. 320	2293
NO. 321	2294
NO. 322	2295
NO. 323	2296
NO. 324	2297
NO. 325	2298
NO. 326	2299
NO. 327	2300
NO. 328	2301
NO. 329	2302
NO. 330	2303
NO. 331	2304
NO. 332	2305
NO. 333	2306
NO. 334	2307
NO. 335	2308
NO. 336	2309
NO. 337	2310
NO. 338	2311
NO. 339	2312
NO. 340	2313
NO. 341	2314
NO. 342	2315
NO. 343	2316
NO. 344	2317
NO. 345	2318
NO. 346	2319
NO. 347	2320
NO. 348	2321
NO. 349	2322
NO. 350	2323
NO. 351	2324
NO. 352	2325
NO. 353	2326
NO. 354	2327
NO. 355	2328
NO. 356	2329
NO. 357	2330
NO. 358	2331
NO. 359	2332
NO. 360	2333
NO. 361	2334
NO. 362	2335
NO. 363	2336
NO. 364	2337
NO. 365	2338
NO. 366	2339
NO. 367	2340
NO. 368	2341
NO. 369	2342
NO. 370	2343
NO. 371	2344
NO. 372	2345
NO. 373	2346
NO. 374	2347
NO. 375	2348
NO. 376	2349
NO. 377	2350
NO. 378	2351
NO. 379	2352
NO. 380	2353
NO. 381	2354
NO. 382	2355
NO. 383	2356
NO. 384	2357
NO. 385	2358
NO. 386	2359
NO. 387	2360
NO. 388	2361
NO. 389	2362
NO. 390	2363
NO. 391	2364
NO. 392	2365
NO. 393	2366
NO. 394	2367
NO. 395	2368
NO. 396	2369
NO. 397	2370
NO. 398	2371
NO. 399	2372
NO. 400	2373
NO. 401	2374
NO. 402	2375
NO. 403	2376
NO. 404	2377
NO. 405	2378
NO. 406	2379
NO. 407	2380
NO. 408	2381
NO. 409	2382
NO. 410	2383
NO. 411	2384
NO. 412	2385
NO. 413	2386
NO. 414	2387
NO. 415	2388
NO. 416	2389
NO. 417	2390
NO. 418	2391
NO. 419	2392
NO. 420	2393
NO. 421	2394
NO. 422	2395
NO. 423	2396
NO. 424	2397
NO. 425	2398
NO. 426	2399
NO. 427	2400
NO. 428	2401
NO. 429	2402
NO. 430	2403
NO. 431	2404
NO. 432	2405
NO. 433	2406
NO. 434	2407
NO. 435	2408
NO. 436	2409
NO. 437	2410
NO. 438	2411
NO. 439	2412
NO. 440	2413
NO. 441	2414
NO. 442	2415
NO. 443	2416
NO. 444	2417
NO. 445	2418
NO. 446	2419
NO. 447	2420
NO. 448	2421
NO. 449	2422
NO. 450	2423
NO. 451	2424
NO. 452	2425
NO. 453	2426
NO. 454	2427
NO. 455	2428
NO. 456	2429
NO. 457	2430
NO. 458	2431
NO. 459	2432
NO. 460	2433
NO. 461	2434
NO. 462	2435
NO. 463	2436
NO. 464	2437
NO. 465	2438
NO. 466	2439
NO. 467	2440
NO. 468	2441
NO. 469	2442
NO. 470	2443
NO. 471	2444
NO. 472	2445
NO. 473	2446
NO. 474	2447
NO. 475	2448
NO. 476	2449
NO. 477	2450
NO. 478	2451
NO. 479	2452
NO. 480	2453
NO. 481	2454
NO. 482	2455
NO. 483	2456
NO. 484	2457
NO. 485	2458
NO. 486	2459
NO. 487	2460
NO. 488	2461
NO. 489	2462
NO. 490	2463
NO. 491	2464
NO. 492	2465

RECEIVED

SEP 21 1990

Department of Water Resources
Southern Region Office

SOUTH IDAHO PRESS
BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia, }
STATE OF IDAHO } ss.

Trone Sanchez being first
duly sworn, deposes and says that he
is the owner of the South
Idaho Press, a daily newspaper published
at Burley, Idaho, in the county aforesaid
and that the paper is of general circulation
therein. Deponent further states that the
printed notice attached hereto was duly
published according to law in the regular
editions of The South Idaho Press for
consecutive weeks, commencing with the
issue dated August 23, 1990, and
ending with the issue dated September 1, 1990.

*Not published on
requested dates
MB
9/24/90*

STATE OF IDAHO }
COUNTY OF Cassia }

On this 20th day of September in the year of 1990, before me,
a Notary Public, personally appeared Trone Sanchez,
known or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared that the
statements therein are true, and acknowledged to me that he executed
the same.

Notary Mabe
Notary Public for Idaho
Residing at Burley ID
My commission expires: 2/4/93

Cost of Publication: _____
Notary Fee: _____
Total Cost: _____

MICROFILMED

JAN 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 13, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF HEYBURN
941 18TH ST
HEYBURN ID 83336

RE: WATER RIGHT NO. 36-08550

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED
APR 15 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 36-08550

CITY OF HEYBURN
941 18TH ST
HEYBURN ID 83336


Kari Lynn Townsend
Secretary

APR 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 31, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF HEYBURN
941 18TH ST
HEYBURN ID 83336

RE: WATER RIGHT NO. 36-08550

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion developed is in a location other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

APR 15 1998

B/U FIELD EXAM REVIEW

by *Cindy Lou*

Permit #: 36-8550 Name: City of Houston Date: 3/30/98 ✓ Lots ✓

NAME Chng Same Or Address Change?

SOURCE _____ ✓ Clarify source _____
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? Same 1/4? Overlap(s)

P/U _____ ✓ Amendment Needed? _____ P41
Overlap(s) 36-8738(permit)
(Gov't use special T's) *P/D & P/U Amend? P37

RATE

✓	Permit/proof fee limits	8.70	/	N/A used C.E
✓	Measured Quantity =	6.67	cfs	Theoretical Quantity = NA cfs
	measured 2.37 cfs + 3.30 = 6.67 cfs			
	(HP)	$\frac{8.8 \times 0.70 \times (50 \times 2)}{252 + (2.31 \times 10)} = 6.71$ cfs		
✓	Recommended capacity	6.67	cfs	
✓	Recommended rate	6.67	cfs	

VOLUME _____ Season: (_____) ____ / ____ - ____ / ____ = ____ days
Calculations: _____
NA

Flow limit: cfs x days/yr. x 1.9835 = _____ AF
Recommended volume $\sim$ A _____ AF

USES _____ ☒ Same Nature of Use? _____ P46
 _____ ☐ Amendment Needed? _____

REMARKS ✓ Multiple p/d's in same 1/4? Use W32 Don't know

CONDITIONS

_____ Measuring Device (R43) or Lockable Controlling Works (R02)

_____ Watermaster Control (R04) - WD # _____

_____ Irrigation rate/annual volume overlap

_____ GW irrigation replaces surface water (050)

_____ GW irrigation supplements surface water (065)

_____ Water Quality

✓ Other ~~022~~ ~~055~~ R55, R56

PRIORITY App Rcd 5/29/90 Due 11/92 Rcd 11/8/91
Receipt# NA Fee OK? (Yes/No)
Order to Reinstate Needed? Yes/No Done? _____ Advanced to: _____
Priority 5/29/90 Examined 10/24/91

COMMENTS: Exam by Gerald Martens, C.E.; limited by measured capacity.

USE	CFS	VOLUME
Municipal	6.67	—
TOTAL	6.67	—

SRBA Overlap None
Adjustment Memo _____
LICENSE
#1 AMEND: P39 /P38
#2 AMEND: (R)P42/(C)P47

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources
Southern Region Office

NOV 08 1991

Permit No. 36-08550

A. GENERAL INFORMATION

1. Owner: City of Heyburn Phone No. _____
Current Address: 941 18th Atreet Heyburn Idaho
2. Accompanied by: Gerald Martens EXAM. DATE: 10/24/91
Address: 1139 Falls Ave E Twin Falls ID Phone No. 734-4888
Relationship to Permit Holder: None
3. Source: Well tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: City of Heyburn has two wells covered by
Permit No 36-08550 ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Water diverted by well into 25 foot diameter storage tank

Well Depth = 445 Feet

Well Diameter = 24 inch Reduced to 14 Inch

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED
DEC 10 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pumps directly into a 25 foot diameter storage tank.

Pump was pumped for 10 minutes and tank depths were recorded

each minute. The average computed rate of discharge was 1514 G.P.M.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well No 2		150			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	15	10 S	23	MINIDOKA	CITY MAP

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	23E	9																	
10S	23E	10																	
10S	23E	16																	
10S	23E	22																	

Pump provides water to City of Heyburn Service Area

DEC 10 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Tank measured for a 10 minute pumping period.
Total Inflow = 15,140 gallons
Rate of Flow = 1514 gallons per minute

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See attached measurements and calculations

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DEC 10 1963

H. REMARKS AND OVERL. REVIEW ANALYSIS

Pump No 1 included in Permit No 36-08550 on separate
Beneficial Use Field Report.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Municipal	1/1	12/31	3.37	2440
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name GERALD MARTENS

Signature [Signature]

Certification Date 10/31/91

Field Report Preparation Date 10/24/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

10/31/91

HEYBURN WATER RIGHTS

Well Test Conditions - Well No 1

- 1) Empty and Isolate Reservoirs
- 2) Isolate Well Pump
- 3) Time and Record Reservoir Depth Increases
- 4) Compute Pump Output

Well at 18th Street 10-24-91

Reservoir Circumference 78.8' 25' Dia Inside
Volume per inch of depth = 305.8 gal

Test

Time Minutes	Reservoir Level	Differential Increase	Flow Computed
0	4' 5.5"	5"	1529
1	4' 10.5"	4.75"	1453
2	5' 3.25"	5"	1529
3	5' 8.25"	5"	1529
4	6' 1.25"	4.75"	1453
5	6' 6"	4.75"	1453
6	6' 10.75"	4.75"	1453
7	7' 3.5"	5"	1529
8	7' 8.25"	4.75"	1453
9	8' 1.25"	4.75"	1453
10	8' 6"		

Average Flow/10 Min
 $(8' - 6") - (4' - 5.5") \frac{305.8}{\text{inch}} - 10 \text{ min} = 1,483.13 \text{ gpm}$

RECORDED

DEC 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 08 1991

Department of Water Resources
Southern Region Office

Permit No. 36-08550

Phone No. _____

A. GENERAL INFORMATION

1. Owner: City of Heyburn

Current Address: 941 18th Street Heyburn Idaho

2. Accompanied by: Gerald Marten, P.E. EXAM. DATE: 10/24/91

Address: 1139 Falls Ave E Suite B Twin Falls ID Phone No. 734-4888

Relationship to Permit Holder: None

3. Source: Well tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: City of Heyburn has two wells
covered by permit No. 36-08550 ☐ Copies Attached

2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Well diverted by well into 25 foot diameter storage tank.

Well Depth = 460 Feet

Well Diameter = 20 Inch Reduced to 16 Inch

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
DEC 10 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water diverted from groundwater source by Turbine pump
into a 25' diameter storage tank. Pump was pumped for
10 minutes and tank depths were recorded for each minute
and flow calculated. Average computed rate of discharge =
1483 G.P.M.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1		150			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	NW	15	10S	23E	MINNAPKA	CITY MAP

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	23 E	9																	
10S	23 E	10																	
10S	23 E	16																	
10S	23 E	22																	

DEC 10 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Tank measured for 10 minute pumping period.

Total inflow = 14,831 gallons

$14,831 \div 10 = 1483 \text{ G.P.M.}$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See attached measurements and calculation

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{N/A}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

RECEIVED

DEC 10 1991

H. REMARKS AND OVERL. REVIEW ANALYSIS

Pump #2 included in permit No 36-08550 on separate
Beneficial Use Field Report.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Municipal	1/1	12/31	3,304	2389
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Gerald Maertens
Signature [Signature]
Certification Date 10/31/91
Field Report Preparation Date 10/24/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 10 1991

Well Test 17th & D - Well #2

Reservoir 78.8' Circumference 305.8 gal/inch

Time Minutes	Reservoir Level	Differential Increase	Flow Computed
0	1' 11.75"	4.25"	1299.7
1	2' 4"	5"	1529
2	2' 9"	5.5"	1682
3	3' 2.5"	5"	1529
4	3' 7.5"	4.75"	1453
5	4' 0.25"	5"	1529
6	4' 5.25"	5.25"	1605
7	4' 10.5"	5"	1529
8	5' 3.5"	4.75	1453
9	5' 8.25"	5"	1529
10	6' 1.25"		

Average Flow/10 min

(6' 1.25")-(1' 11.75") 305.8 - 10 = 1,514 gpm

RECEIVED

DEC 1 1961

November 22, 1991

CITY OF HEYBURN
941 18TH ST.
HEYBURN ID 83336

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08550

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 10 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 31, 1991

CITY OF HEYBURN
941 18TH ST.
HEYBURN ID 83336

RECEIVED

NOV 08 1991

PROOF DUE NOTICE

RE: PERMIT NO. 36-08550

Department of Water Resources
Southern Region Office

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,


Nina Shields
Secretary/Records Manager

Enclosures

11-6-91

To: Department of Water Resources
Twin Falls, Idaho

Regarding the above Proof Due Notice. Please find attached a Proof of Beneficial Use and Beneficial Use Field Report for the Two City of Heyburn Wells.

Thank You,
Ruth Davis,
City Clerk

MAILED
DEC 10 1991

DEC 10 1991



Edwards, Howard & Martens, Inc.

ENGINEERS / PLANNERS / SURVEYORS

1139 Falls Ave. E., Suite B
Twin Falls, Idaho 83301
Phone 734-4888

IN THE FIELDS OF:

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

November 1, 1991

RECEIVED

NOV 08 1991

Department of Water Resources
Southern Region Office

Al Hodge
City of Heyburn
Heyburn City Hall
Heyburn ID 83336

Dear Mr. Hodge,

Transmitted within is a Proof of Beneficial Use and
Beneficial Use Field Report for the two City wells.


Please sign the Proof of Beneficial Use form where noted
and mail the entire package to the Department of Water
Resources in Twin Falls.

It should be noted that the total proof volume is 6.67
CFS.

Please call me if there are any questions.

Respectfully yours,

EHM ENGINEERS, INC.


Gerald L. Martens, P.E.

GLM:dw
Enclosures

DEC 10 1991

138156
October 31, 1991

CITY OF HEYBURN
941 18TH ST.
HEYBURN ID 83336

PROOF DUE NOTICE

RE: PERMIT NO. 36-08550

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

177-101-11
DEC 10 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

East 1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 10, 1991

CITY OF HEYBURN
941 18TH ST.
HEYBURN, ID 83336

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08550

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

MICROFILMED

JAN 15 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JAN 15 1991

36-08550

CITY OF HEYBURN
941 18TH STREET
HEYBURN, ID 83336

Source: GROUNDWATER

Diversion Pt: NESWNE Sec 15 T 10S R 23E
 NWSENW Sec 15 T 10S R 23E

Use: MUNICIPAL (8.700 CFS)
 Total Diversion: (8.700 CFS)

Date Filed: 5/29/ 1990

In: Within city limits of Heyburn.

MICROFILMED

JAN 15 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted base on the criteria of Sec. 42 .03A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before SEPTEMBER 24, 1990.

R. Keith Higginson, Director

Published 9/ 6/1990 & 9/13/1990

*Incorrectly published 8/28 + 9/4/90.
mB
9/24/90*

MICROFILMED

JAN 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

AUGUST 20, 1990

SOUTH IDAHO PRESS
BOX 190
BURLEY, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 24, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure



20-Aug-1990

CITY OF HEYBURN
941 18TH STREET
HEYBURN ID 83336

Re: Application for Permit No. 36-08550

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the South Idaho Press on 9/6 & 9/13/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

JAN 15 1991

20-Aug-1990

Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Application(s) for Permit

Gentlemen:

Please find enclosed copy(ies) of an Application(s) for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

Enclosure(s)

MICROFILMED

JAN 15 1991

Jim - 5/31/90

I had some discussion
with Tim Luke - Boise office.

We felt that when our
well bowls are reworked
807 CFS would be a
better application rate,

Thanks

Al Hodge

Lois

5-25-90

I LEFT A MAP AND
SOME OTHER INFORMATION
THE DAY WITH JIM STANTON
BUT IF YOU NEED ANY
THING JUST LET ME KNOW

THANKS
Al Hodge

MICROFILMED

JAN 15 1991