




son

DITCH

Canyonside School

DITCH

IRRIGATION

MICROFILMED

SEP 05 1990

T95
RITE

P/D
+ P/U

Cinder Pits

BM 3553

BM

18572

Golf Course

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 24 1995
Department of Water Resources
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Wayne A. & Louise McFadden Permit No. 36-08536
Current Address: 118 E. , 530 S., Jerome, ID 83338 Phone No. (208) 324-5924
2. Accompanied by: Louise McFadden EXAM. DATE: 8/07/95
Address: Same Phone No. Same
Relationship to Permit Holder: Co-owner
3. Source: Groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
SEP 14 1995



PERMIT 36-08536 INIT
T. R. S. Q/Q
P/D 09S 17E 17 SWNW
SCALE _____
PHOTO ID. _____

SEP 14 1996

PERMIT 36-836 INIT _____

T. R. S. Q/Q

P/D 9S 17E 17 SWNW

SCALE

PHOTO ID. 8B22 + 23

Yonkside School

DITCH

18

Cinder Pits

decome
Golf Course

er Falls

19

20

SEP 14 1995

Produced by the Geological Survey

IR#36-08536



P/D
(well head, on
south side
of well house.)



P/U
(Grove of
trees on
west side
& entrance
of property.)

SEP 14 1995

W# 36-08536



P/U
(Trees &
lawn,
west side)



P/U
(grove of
trees & lawn,
west side by
footbridge
over the
drainage
ditch)

SEP 14 1995

WR# 36-0853



P/U
(Main yard
& trees, on
north side
of property)



P/U
(Grove of
trees on
east side
& entrance
of property)

SEP 14 1995

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

RECEIVED

JUN 19 1990

Patty Nance being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of June 19 90, and the date of the last publication was on the 13th day of June, 19 90.

Subscribed and sworn to before me this 15 day of June, 19 90.
(SEAL)

Vince J. Jandaga
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2 X

MICROFILMED

SEP 05 1990

Lines tabular at _____ 6¢/Pica
365.6 Lines straight at 18.28 5¢/Pica
Subsequent lines at 14.63 4¢/Pica
TOTAL COST 32.91

COPY OF NOTICE

(Paste Here)

App. for Water Rt.
TITLE OF NOTICE
Spencer
36-08536
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
36-08536
SPENCER, GLEN D.
118 EAST 530 SOUTH
JEROME, ID 83338
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 17 T09S R17E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/12/1990
In: T09S R17E S17 SWNW
1.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JUNE 25, 1990.
R. KEITH HIGGINSON,
Director
N00007
Pub: 6-6, 13

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3822

00007

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08536

Priority: April 12, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.6 AF

This is to certify, that GLEN D SPENCER

PO BOX 525

WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 12, 1990; and has submitted Proof of Beneficial Use on July 17, 1991. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.03 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION

SWNW , Sec. 17, Township 09S, Range 17E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	17	SWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

SEP 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 36-08536

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of SEPTEMBER, 1995.


Acting for KARL J. DREHER, Director



SEP 14 1995

RECEIVED
JUL 17 1991

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources:

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08536 Telephone No. 536-5145

Name(s) of Permit Holder(s): GLEN D. SPENCER

Post Office Address: P.O. Box 525 WENDELL, IDAHO 83355

Source of Water: DOMESTIC WELL

If ground water, well driller's name: _____ Date drilled: 1975

Extent of Use:
Domestic 1 (No. of households) Irrigation 1 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: APPROX 1975

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

GLEN D. SPENCER 536-5145
Name Telephone No.
P.O. Box 525 WENDELL, IDAHO 83355
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I hereby relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
AUG 01 1991

7-16-91 Glen D. Spencer
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08536

Proposed Priority: April 12, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **GLEN D. SPENCER**
118 E. 530 S.
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWN Sec. 17, Township 09S, Range 17E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	17	SWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991**.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of August, 19 90

MICROFILMED

SEP 05 1990

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant GLEN D. SPENLER Phone ⁽²⁰⁸⁾ 324 3756
Post office address 118 East 530 South, Jerome, ID 83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 17 Township 9S Range 17E B.M. Jerome County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 8" inches; ~~proposed~~ depth of well is 126' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for construction of works and application of the water to the proposed beneficial use is

MICROFILMED

1 years (minimum 1 year).
SEP 05 1990

Well has been used since 1975 (Approx.)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. D/1 House
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
95	17E	17							1										1
									D										

Total number of acres to be irrigated 1


10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Water used for irrigation of a large yard and Garden area

MICROFILMED

SEP 05 1990



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
SEP 05 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ellen R. Spencer
(Applicant)

Received by R. U. J. Date 4/12/90 Time 10:15 am Preliminary check by DRJ
Fee \$ 30.00 Received by R. U. J. # 5012014 Date 4/12/90
Publication prepared by MB Date 5/15/90 Published in North Side News
Publication approved M. Baldwin Date 6/19/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Plans of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other.

MICROFILMED

SEP 05 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 7, 1995

GLEN D SPENCER
PO BOX 525
WENDELL ID 83355

RE: WATER RIGHT NO. 36-08536

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

SEP 14 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 36-08536 DATE 8-30-95



Change OK

NAME Or Address Change? NO ASSIGNMENT
 WITH EXAM, KEEP ORIGINAL OWNER

PRIORITY DATE Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NA

SOURCE Changes or just clarification of originally
 intended source?
 Notice of Intent to Void necessary?

POINT OF DIV Amendment needed?
 Overlaps?

PLACE OF USE Amendment needed?
 Overlaps?

DIV RATE Permit/fee limits: .04 CFS IRR @ .03
 Meas Q = .03 Theo Q = .03 DOM @ .04
 SPRINKLER 1 acre @ .03 Recommend: .03
 INT/DOM @ .02
 Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: NEW Season: 4.0 (4-1 to 10-31)
 Calculations: INT DOM @ .6
 IRR 1 acre @ 4.0
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater NO PPU Scenario NO
Irr/Dom Combination YES Shared G/W System NO

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
WBS Other

NEW CONDITIONS Watermaster control - District
 Measuring/Locking Devices
RSI Irrigation Overlap
 Other (KEEP 041)
 Water Quality Heat/Cool/Fish verified

COMMENTS: Reduced rate

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.03</u>	<u>4.0</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	LICENSE	<u> </u>
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u>Total</u>	<u>.03</u>	<u>4.6</u>	2ND AMEND LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 24 1995
Department of Water Resources
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Wayne A. & Louise McFadden Permit No. 36-08536
Current Address: 118 E. , 530 S., Jerome, ID 83338 Phone No. (208) 324-5924
2. Accompanied by: Louise McFadden EXAM. DATE: 8/07/95
Address: Same Phone No. Same
Relationship to Permit Holder: Co-owner
3. Source: Groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more.)

RECEIVED
SEP 14 1995
Department of Water Resources

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" dia. well, with a 1.0 hp. submersible pump & motor, diverts water to 3 home & to 1.1 acres of trees, lawns, & an orchard for domestic use and for irrigation. Since .5 acres can be covered by domestic use, .6 acres (1.1 - .5) has been allocated for irrigation. The pump & motor, at capacity, can supply .03 cfs, which is the recommended rate of flow.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-tite	1.0	A816	Sta-tite	2CP4E026-39

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	NW	17	09S	17E	Jerome	Photo Quad

6. **Place(s) of Use:**

Indicate Method of Determination On-site Exsm

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
09S	17E	17							D										.6
11	11	11							.6										

* See adjustment memo. *BC*

RECEIVED

SEP 14 1985

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $4(\text{sprinklers, } \frac{7}{8}" \text{ nozzles}) \times 3.26(\text{gpm @ 30 psi}) = .03 \text{ cfs}$

2. Alternate Method for Checking Purposes: $Q = \frac{(1.0)(8.8)(0.7)}{2(2.31 \times 40) + 115} = .03 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.6(4.0) = 2.4 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.03)(214)(1.9835) = 12.7 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.4 \text{ afa}$

2. Volume Calculations for Other Uses:

RECEIVED

SEP 14 1995

* See adjustment memo. BC

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The lawns & trees are irrigated by a combination of underground pop-up sprinklers & by above-ground Rainbird sprinklers with $\frac{9}{16}$ " nozzles. The system at capacity can supply 4 sprinklers at a rate of .03 cfs.

No overlaps were found.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.03	1.2
* Irrigation	4-1	10-31	.03	2.4
Totals:			.03	3.6

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Bruce Campbell

Signature

Bruce Campbell

Certification Date

Field Report Preparation Date

8/23/95

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See adjustment memo. LC

RECORDED

SEP 14 1995

MEMORANDUM

TO: File 36-08536 / Glen Spencer (Wayne McFadden on the
exam)
FROM: Brenda Chapman
DATE: August 30, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. SYSTEM DESCRIPTION


6. Place of Use: This permit is for 1 acre of irrigation and a single domestic use. Just because $\frac{1}{2}$ acre could be covered under the domestic umbrella does not justify reducing the irrigation recommendation. The current guideline is to recommend the domestic rate at .02 cfs for internal use only. All lawn, ect. is to be under the irrigation portion.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.03	4.0
Domestic	1-01 to 12-31	.02	.6

RECEIVED
SEP 14 1995



PERMIT 36-08536 INIT
T. R. S. Q/Q
P/D QPS 17E 17 SWNW
SCALE _____
PHOTO ID. _____

PERMIT 36-855 INIT
T. R. S. Q/Q
P/D 95 12 17 SUNW
SCALE
PHOTO ID. 8822 + 23



SEP 14 1995

IR#36-08536



P/D
(well head, on
south side
of well house.)



P/U
(Grove of
trees on
west side
& entrance
of property.)

SEP 14 1995

WLF 36-08536



P/U
(Trees &
lawn,
west side)



P/U
(grove of
trees & lawn,
west side by
footbridge
over the
drainage
ditch)

SEP 14 1995

July 25, 1991

GLEN D. SPENCER
P.O. BOX 525
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08536

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

NOT RECORDED
AUG 01 1991

GLEN D. SPENCER
118 E. 530 S.
JEROME, ID 83338

138787
June 30, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 36-08536

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 01 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 13, 1990

GLEN D. SPENCER
118 E. 530 S.
JEROME, ID 83338

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 36-08536

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 05 1990

17-May-1990

GLEN D SPENCER
118 EAST 530 SOUTH
JEROME ID 83338

Re: Application for Permit No. 36-08536

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 6/6 & 6/13/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

SEP 05 1990

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

JUN 19 1990

Department of Water Resources

Patty Nance ^{Continuing First} duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of June, 1990, and the date of the last publication was on the 13th day of June, 1990.

Patty Nance

Subscribed and sworn to before me this 15

day of June, 1990.
(SEAL)

Walter J. Anderson
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line

Number of Lines in Notice

Number of Insertions 2 X

REPRODUCED

SEP 05 1990

Lines tabular at 365.6 6¢/Pica
Lines straight at 18.28 5¢/Pica
Subsequent lines at 14.63 4¢/Pica
TOTAL COST 32.91

COPY OF NOTICE

(Paste Here)

App. to H. R. 145
TITLE OF NOTICE

Spencer


36-885-34

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

W. J. Anderson
BILL TO



7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3822

00007

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

MAY 15, 1990

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 25, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

SEP 05 1990

36-08536

SPENCER, GLEN D.
118 EAST 530 SOUTH
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWSWNW Sec 17 T 09S R 17E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 4/12/ 1990

In: T09S R17E S17 SWNW

1.0 ACRES TOTAL

MICROFILMED

SEP 05 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted base on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JUNE 25, 1990.

R. Keith Higginson, Director

Published 6/ 6/1990 & 6/13/1990

MICROFILMED

SEP 05 1990