

4721

36-8534

4720

4719

4717

4716

4715



S

SS


T10S

R19E^{35'}

Sec. 4

SENE


LOT 1



MICROFILMED
APR 08 1992



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10+ acres) ☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi DUAL VOLTAGE	30	-Submersible-		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: PolysoniZ^o AVERAGE 0.20 CFS OVER 20 MIN
See separate sheet

OCT 27 1995



36-8584

6011



P.O.U.

House + Lawn



P.O.U.

LAWN

RECEIVED

OCT 27 1995

36-8534

GOTT



P/D

WELL IN SHACK

(See 36-8516
for BETTER PICTURE)



POU

PASTURE
(GREEN AREA)

RECEIVED
OCT 27 1995

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Jerome } ss.

RECEIVED

DEC 20 1991

Department of Water Resources

Patty Vance Southern Region, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

11th day of December, 1991.

and the date of the last publication was on the 18th day of

December, 1991.

Patty Vance

Subscribed and sworn to before me this 18th day of

December, 1991.

(SEAL)

Norma De Voe

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2x

Lines tabular at _____ 6¢/Pica

309.3 Lines straight at 15.47 5¢/Pica

Subsequent lines at 12.37 4¢/Pica

TOTAL COST 27.84

COPY OF NOTICE

(Paste Here)

Notice of App for trust water rights
TITLE OF NOTICE rights
36-08534

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

S.D.W.R.
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 36-08534

GOTT, MIKE

915 SKELETON BUTTE

EDEN, ID 83325

Source: GROUNDWATER

Diversion Pt: SENE Sec 4 T 10S R 19E in JEROME County.

Use: IRRIGATION (.300 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.340 CFS)

Date Filed: 4/12/1990

In: JEROME County

T10S R19 E S04 SENE

6.0 ACRES TOTAL

The Permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before DECEMBER 23, 1991.

-By: R. Keith Higginson, Director
PUB: 12-11 and 18 N11940

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line successive
insertions.....4¢/Pica

APR 08 1992

No

5279

11940

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08534

Priority: April 27, 1990

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

10.6 AF

This is to certify, that MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 12, 1990; and has submitted Proof of Beneficial Use on April 16, 1993. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	10.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.10 CFS	10.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 4, Township 10S, Range 19E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	19E	4	SENE	2.5		2.5

Total number of acres irrigated: 2.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

OCT 27 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 36-08534

CONDITIONS OF APPROVAL AND REMARKS

6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
9. Right 36-08516 is also diverted through the point of diversion described above.
10. Place of use is located within Lot 9, Skeleton Butte Estates Subdivision.
11. Domestic use is for 1 home.
12. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of OCTOBER, 1995.

Acting for

KARL J. DREHER,

Director

OCT 27 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-08534)
IN THE NAME OF MIKE GOTT) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 16, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-08534 be REINSTATED with an advance in priority to April 27, 1990.

Dated this 22nd day of April, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
MAY 20 1993

Frank McDornd 36-08516
Both on same well.

RECEIVED

APR 16 1993

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 4-16-93
Receipt No. 0027243
Department of Water Resources Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08534 Telephone No. 208-825-5203
2. Name(s) of Permit Holder(s): Mike Gott
3. Mailing Address: 915 Skeleton Butte Rd Eden, Idaho 83325
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: prior to 7-1-87

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 6 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.34 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes X No Installed? ____ Yes ____ No

OR

* Flow Measurement Port: Required? X Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Permit holder

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAY 20 1993

4-13-93
Date

Mike Gott
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08534

Proposed Priority: April 12, 1990 Maximum Diversion Rate: 0.34 CFS
This is to certify, that **MIKE GOTT**

915 SKELETON BUTTE
EDEN ID 83325

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.30 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.34 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 4, Township 10S, Range 19E
JEROME County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	19E	4	SENE	6		6

Total number of acres irrigated: 6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.

MICROFILMED

APR 08 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08534

9. The Department retains jurisdiction of the permit and any license subsequently issued to reduce the rate of diversion in case of injury to prior and existing rights.
10. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

26th day of March, 1992.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED & FILMED

APR 08 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 36-08534

To appropriate the public waters of the State of Idaho

1. Name of applicant Mike GOTT Phone 825-5203
Post office address 915 Skeleton Butte Eden Idaho 83325
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 1
Sec. 4 Township 10S Range 19E B.M. Jerome County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .30 for IRR. purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .34 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing Well & Pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ well diameter is 8" inches; ~~proposed~~ depth of well is 490' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year). Existing Well since 1970

MICROFILMED
APR 08 1992

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. 7 head

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 1

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	19E	4	~~E~~			6													6
			~~E~~			D													

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well runs 30 3/4" Rainbirds at 60 psi = 0.30 cfs. This reduces the labor needed for proper irrigation. Normal annual volume of 4.0 AFA/acre is not exceeded.

MICROFILMED

APR 08 1992

4720

4719

T105

R19E³⁵

Sec. 4

SE NE

LET/

36-8539

71

72


32

Source

Substation

APR 08

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
APR 08 1992

MICROFILMED
APR 08 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mike Scott
(Applicant)

Received by R.V. W Date 4/12/90 Time 11:45 am Preliminary check by J.F. Hutton
Fee \$ 45.00 Receipted by R.V. W # 5012021 Date 4/12/90
Publication prepared by MB Date 11-15-91 Published in North Side News
Publication ^{checked} approved Mr Baldwin Date 12-23-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 16, 1995

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

RE: WATER RIGHT NO. 36-08534

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

OCT 27 1995

BRENDA

NAME Change OK Or Address Change?

SOURCE _____ ✓ Changes or just clarification of originally intended source? _____
Notice of Intent to Void necessary? _____

PLACE OF USE _____

Amendment needed? _____
Overlaps? _____

ANNUAL VOLUME _____ ☒ Volume Limit: _____ ^{new} Season: 4.0 (4-1 to 10-31)
Calculations: $2.5 \times 4 = 10 \text{ af}$
 $DOM = .6 \text{ af}$
Flow limit: _____ cfs x _____ x 1.9835 = _____
Combined volumes exceed capacity/allowable NO

ADDITIONAL INFO Supplemental Groundwater NO PPU Scenario —
Irr/Dom Combination YES Shared G/W System YES

NEW CONDITIONS

_____	Watermaster control - District _____
_____	Measuring/Locking Devices _____
<u>RS1</u>	Irrigation Overlap _____
<u>YES</u>	Other <u>RS5/RS6/RS7</u> (TRUOT) (Apply because ^{permit} exceeds 3 acres)
_____	Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: ① Reduce acres & rate
② Sprinklers on other right gave a capacity of .22 CFS
③ Keep trust conditions even though under limit - they have been counted as being part of the yearly allotment for Trust water Acres.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
Irrigation	.08	10.0		NO
Domestic	.02	.6		YES
			LICENSE	✓
			1ST AMEND LETTER	
TOTAL	.10	10.6	2ND AMEND LETTER	

SD-4104 Idaho Department of Water Resources Date: 10/11/95
INQUIRY ONLY Well Log Location Data Screen Time: 13:57:18
Drilling Permit Number: 36-95-S-0168-000

3. Well Location:

Public Land Survey:
TWP RNG Sect 1/4 1/4 1/4 Lot County County Acc
10S 19E 04 SE NE 53 JEROME Name Flag
P

Water Right Point of Diversion:

Well Site Location Description:

Address: TOP OF SKELETON BUTTE - 908 S SKELETON BUTTE RD
City: EDEN State: ID

Legal Description:

Lot: 021
Block
Subdivision Name SKELETON BUTTE ESTATES

GPS Site ID: Latitude Longitude Accuracy
Geographic Location: : : N : : W
(GOLD2=Update) (Enter=Exit)
(GOLD8=Cancel)

SD-4110 Idaho Department of Water Resources Date: 10/11/95
INQUIRY ONLY Well Log Screen 1 Time: 13:56:25

Drilling Permit Number: 36-95-S-0168-000

5. Well Construction Information:

B. Construction Method: AIR ROTARY

Surface Casing Diameter: 6 In. Depth of Casing: 718 Ft.
Screen Installed? (Y/N) N Static Water Level: 665 Ft.
Closed-In Pressure: PSI. Temperature:
Production Rate: G.P.M. Total Depth: 800 Ft.

(Enter=Exit)
(GOLD8=Cancel)

RECORDED
OCT 27 1995

Example of Static Water Level For

36-08534

and

36-08516

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 02 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-8534

1. Owner: MIKE GOTT

Phone No. 825-5203

Current Address: 915 SKELETON BUTTE RD, EOEV, ID 83325

2. Accompanied by: Dee Dee GOTT

EXAM DATE: 8-11-94

Address: _____

Phone No. _____

Relationship to Permit Holder: Wife

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 36-8516 (FRANK McDONALD)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NE	4	10S	19E	JEROME	ORTHO QUAD


2. Place(s) of Use:

Indicate Method of Determination ORTHOQUAD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	19E	4				2.5													2.5

MAINTAINED
OCT 7 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi DUAL VOLTAGE	30	-Submersible-		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: PolysoniZ: AVERAGE 0.20 CFS OVER 20 MIN
See separate sheets

OCT 27 1995

E. NARRATIVE/REMARKS/COMMENTS

A LARGE WELL WITH 30 HP PUMP LIFTS WATER FROM 590 FEET TO A BANK OF 5 - 85GAL P-TANKS. WATER IS USED TO IRRIGATE 2.5 ACRES OF LAWN AND PASTURE, AND SUPPLIES DOMESTIC WATER TO ONE HOUSE. THIS P/D ALSO SUPPLIES WATER FOR 36-8516 (FRANK WARD)

IRRIGATION WORKS INCLUDED A BURIED HANDLINE CONNECTED TO TWO 10-HEAD HANDLINES AND TWO 4-HEAD HANDLINES. ONLY 20 HEADS WERE IN USE AT TIME OF MEASUREMENT

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
OCT 27 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated})^{\overset{2.5}{}} \times (\text{Irrigation Requirement})^{\overset{4.0}{}} = \underline{10.0}$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}]^{\overset{0.20}{}} \times (\text{Days in Irrigation Season})^{\overset{215}{}} \times 1.9835 = \underline{85.3}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{10.0}$$

2. Volume Calculations for Other Uses:

DOMESTIC, INTERNAL = 0.6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* DOMESTIC	1/1	12/31	0.04	0.6
IRRIGATION	4/1	11/1	0.05	10.0
Totals:			0.09	10.6

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Michael Hurrellarger Date 8-17-94

Reviewer _____ Date _____

SEAL

* See adjustment memo. *RE*

OCT 27 1995

MEMORANDUM

TO: File 36-08534 / Mike Gott
FROM: Brenda Chapman
DATE: October 11, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 36-08534 are based on the information below:

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.09	12.0
Domestic	1-01 to 12-31	.02	.6

The system can provide the recommended .03 cfs per acre.
(the permit was issued for .05 cfs per acre)

The domestic rate has been adjusted. With the current guidelines of including domestic lawns, gardens, etc. in the irrigated acre total, the domestic recommendation is reduced to an internal use rate of .02 cfs.

36-8534
6011

AVERAGE: 92.16 GPM
= 0.205 CFS

0000000000000000

0000000000000000

0000000000000000

0000000000000000

0000000000000000

0000000000000000

SPACING
2.872 IN U

ZERO MODE
CLEAR

ZERO MODE
OUT ZERO

ZERO MODE
ZERO OUT

08-11 09:1700 *R
+951.200E-16PM

08-11 09:1600 *R
+002.60 X R17 OK

MODE SELECT
10 CHECK

0118.1 (P158)
101.91 X 10 OK

08-11 09:1400 *R
+813.914E-16PM

08-11 09:1200 *R
+873.300E-16PM

08-11 09:1400 *R
+909.544E-16PM

08-11 09:1600 *R
+927.300E-16PM

08-11 09:1610 *R
+930.414E-16PM


08-11 09:1700 *R
+934.076E-16PM

08-11 09:1520 *R
+955.070E-16PM

08-11 09:1530 *R
+977.700E-16PM

RECEIVED

TWIN FALLS (VIA US 93) 17 MI.
2.3 MI. TO IDAHO 50




10 07 27 1995

BR 4091

36-8534

6011



POU

House + LAWN



POU


LAWN

RECEIVED
FBI

OCT 27 1995

36-8534


GOTT



P/D

WELL IN SHACK

(See 36-8516
for BETTER PICTURE)



POU

PASTURE
(GREEN AREA)

RECEIVED
OCT 27 1995

April 23, 1993

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08534

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

MICROFILMED

MAY 20 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-08534

Reviewed by Klg

Date 4/20/93

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic - 1
irrigate - 6
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

prior
to
7/1/87
NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received 4/16/93 106
Date proof due 4/1/93 - 91
No. of days late = 15
Priority Date 4/12/90 + 102
New Priority Date 4/27/90 117

DEFICIENCIES OR ACTION ITEMS

proof acceptable

*needs a flow
needs an order
4/16/93
4/23/93 Klg*

DATA ENTRY

New Address

Proof Made

April 6, 1993

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

LAPSE NOTICE

RE: PERMIT NO. 36-08534

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated January 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 4/6/93
~~a copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

MAY 20 1993

January 31, 1993

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

PROOF DUE NOTICE

RE: PERMIT NO. 36-08534

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED

MAY 20 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 30, 1992

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08534

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by

RECEIVED

APR 08 1992

state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosure

MICROFILMED
APR 08 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 36-8534/Trust Water Processing

DATE: 3-25-92

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

Since the application contains no remarks or reference concerning prior rights or other sources of water for the same use, I recommend counting all of the acreage under the filing as a new development and as trust acreage. All trust conditions are applicable.

MICROFILMED
APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

26-Dec-1991

R. KEITH HIGGINSON
Director

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

RE: Application for Permit No. 36-08534

Dear Mr. Gott:

The legal notice for the above referenced application for permit appeared in the North Side News on 12/11 & 12/18/91 instead of the requested dates mentioned in our correspondence of 11/15/91.

As of this date, no protests against the application have been received by this office; therefore, we anticipate that the application can be sent to our State Office for approval as soon as regional review is completed.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

MICROFILMED

APR 08 1992

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Jerome } ss.

RECEIVED

DEC 20 1991

Patty Vance Department of Water Resources
Southern Region, Office
sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 11th day of December, 1991, and the date of the last publication was on the 18th day of December, 1991.

Patty Vance
Subscribed and sworn to before me this 18th day of December, 1991.
(SEAL)

Norma DeVoe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 28

Lines tabular at _____ 6¢/Pica
3493 Lines straight at 1547 5¢/Pica
Subsequent lines at 1257 4¢/Pica
TOTAL COST 27.84

COPY OF NOTICE

(Paste Here)


Notice of loss per trust water rights
TITLE OF NOTICE rights
36-08534

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

S.D.W.R.
BILL TO



PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

APR 08 1992
FILMED

No 5279

11940



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

26-Dec-1991

R. KEITH HIGGINSON
Director

BECCI LYON OFFICE MGR
MAGIC VALLEY PUBLISHING CO
PO BOX 468
JEROME ID 83338

Dear Ms. Lyon:

Recently we sent a legal notice to be published in the North Side News on 12/4 & 12/11/91; however, it was published on 12/11 & 12/18/91.

The publishing policy of our department is restricted by the Idaho Code and it is important that prior approval from this office be obtained before changes in publishing dates are made.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

APR 08 1992

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08534

GOTT, MIKE
915 SKELETON BUTTE
EDEN, ID 83325

Source: GROUNDWATER

Diversion Pt: SENE Sec 4 T 10S R 19E in JEROME County.

Use: IRRIGATION (.30 0 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.34 0 CFS)

Date Filed: 4/12/1990

In: JEROME County
T10S R19E S04 SENE

6.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before DECEMBER 23, 1991..

R. Keith Higginson, Director

Published: 12/ 4/1991 & 12/11/1991

RECEIVED

APR 08 1992

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)736-3033

NOVEMBER 15, 1991

NORTH SIDE NEWS
PO BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 23, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

15-Nov-1991

R. KEITH HIGGINSON
Director

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

Re: Application for Permit No. 36-08534

Dear Mr. Gott:

On March 25, 1988 the Federal Energy Regulatory Commission (FERC) issued an order satisfying the last condition to make the Swan Falls Agreement effective. The Department is now prepared to proceed with the normal processing of your application.

This office will be advertising the application in the North Side News on 12/4 & 12/11/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

NOTED

APR 08 1992

11-May-1990

MIKE GOTT
915 SKELETON BUTTE
EDEN ID 83325

Re: Application for permit No. 36-08534

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

APR 08 1992