


13.

Map of proposed project show clearly the proposed point of diversion, point of use, and point of return, and the township and range number.

number, JE



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Randall G. Dill

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 23 1995
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Randall & Sylvia Dill Permit No. 36-08525
Current Address: 144 W. 25 S. Jerome, ID 83338 Phone No. 208-324-8125
2. Accompanied by: _____ EXAM. DATE: 6-2-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 75'

RECEIVED
JUL 19 1995

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



Jerome Sta

JEROME

Hydra

JUL 19 1925

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

JUN 18 1990

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of June, 1990, and the date of the last publication was on the 13th day of June, 1990.

Patty Nance

Subscribed and sworn to before me this 15 day of June, 1990.
(SEAL)

Vivian Sandberg
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
393.75 Lines straight at 19.69 5¢/Pica
Subsequent lines at 15.75 4¢/Pica
TOTAL COST 35.44

COPY OF NOTICE

(Paste Here)

App. to Div. 23
TITLE OF NOTICE
36-08525 R. Dill

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

App. to Div. 23
BILL TO R.D.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08525

DILL, RANDALL G.
DILL, SYLVIA
144 WEST 25 SOUTH
JEROME, ID 83338
Source: GROUNDWATER
Diversification Pt: SWNNW Sec 23 T08S R16E

Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3/2/1990
In: T08S R16E S23 NWNE
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JUNE 25, 1990.

R. KEITH HIGGINSON,
Director
N14402

Pub: 6-6, 13

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 4029

FEB 06 1991

14402

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08525

Priority: March 2, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

4.6 AF

This is to certify, that RANDALL G DILL
SYLVIA DILL

144 W 25 S

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 2, 1990; and has submitted Proof of Beneficial Use on December 31, 1991. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
Totals		0.06 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE, Sec. 23, Township 08S, Range 16E
JEROME County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
08S 16E 23	NWNE	1			1
Total number of acres irrigated:					1

PLACE OF USE:
DOMESTIC, same as IRRIGATION use.

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.

RECORDED

JUL 19 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 36-08525

CONDITIONS/REMARKS:


7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of JUNE, 1995.


Acting for KARL J. DREHER, Director



RECORDED
JUL 19 1995



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 5.00
Date 12/31/91
Receipt No. 2023915
Received by mlb

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08525 Telephone No. 203-324-8125

2. Name(s) of Permit Holder(s): Randall G. Dill & Sylvia Dill

3. Post Office Address: 144 W. 25 S., Jerome Id. 83338

4. Source of Water: Groundwater

a. If ground water, well driller's name: Smith Drilling Date drilled: 7/6/77

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 1 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .10 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Randy Dill 734-5000 Ext. 301
Name Telephone No.

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-28-91
Date

Randall G. Dill
Signature (and title if on behalf of a company or organization)

RECEIVED
JAN 21 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08525

Proposed Priority: March 2, 1990 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **RANDALL G. DILL**
SYLVIA DILL
144 W. 25 S.
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNWNE Sec. 23, Township 08S, Range 16E
JEROME County

PLACE OF USE: IRRIGATION
TWN RGE SEC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	16E	23	NWNE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.06 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of January, 1991.

RECORDED

FEB 06 1991

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 36-08525

To appropriate the public waters of the State of Idaho

1. Name of applicant Randall G. &/or Sylvia Dill Phone 324-8125

Post office address 144 W. 25 S., Jerome, ID 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 23 Township 8S Range 16E B.M. Jerome County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 235 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water for the proposed beneficial use is

One years (minimum 1 year).

RECEIVED

FEB 18 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. one home & a few stock
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	16E	23		D.]															1


Total number of acres to be irrigated 1

- Describe any other water rights used for the same purposes as described above. application for permit for waste water
- Who owns the property at the point of diversion? Applicants
 - Who owns the land to be irrigated or place of use? "
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: System was developed in 1977 by previous owner. System uses about 0.06 cfs thru a large number of sprinklers in order to save labor. Annual diversion volume is within normal limits for the area.

13.

umber,
JE



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Randall G. Dill
(Applicant)

Received by J. E. Stanton Date 3-2-90 Time 10:53 am Preliminary check by JS
Fee \$ 30.00 Received by J # 5011375 Date 3-2-90
Publication prepared by MB Date 5/11/90 Published in North Side News
Publication approved M. Baldwin Date 6/19/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MAILED
FEB 06 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 30, 1995

RANDALL G DILL
SYLVIA DILL
144 W 25 S
JEROME ID 83338

RE: WATER RIGHT NO. 36-08525

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUL 19 1995

LICENS. REVIEW CHECKLIST

PERMIT NO. 36-08525 DATE 6-27-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE Changes or just clarification of originally ☒
 intended source?
 Notice of Intent to Void necessary?

POINT OF DIV Amendment needed? ☒
Overlaps? ☒

PLACE OF USE Amendment needed? ☒
Overlaps? ☒

DIV RATE Permit/fee limits: .10 CFS ☒
 Meas Q = Theo Q = .06 Recommend: .06
8.8 x .7 x 3 HP 100m @ .02
203' + (2.31 x 40) = .06 1 acre @ .04
 Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: (NEW) Season, C/4 (4-1 to 10-31) ☒
Calculations: 1 acre @ 4.0
1 home / internal @ .6
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? ☒
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater NONE MENTIONED PU Scenario
Irr/Dom Combination YES Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
UBS Other

NEW CONDITIONS Watermaster control - District
Measuring/Locking Devices
R26 Irrigation Overlap
Other KEEP 041
Water Quality Heat/Cool/Fish verified

COMMENTS: Total sq footage is right at an acre not 1.5 acres as
stated in the exam. also no deduction for area of home
REDUCE RATE TO CAPACITY.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.06</u>	<u>4.0</u>	<u>NO</u>	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	<u>LICENSE</u>	<u> </u>
<u>Total</u>	<u>.06</u>	<u>4.6</u>	<u>1ST AMEND LETTER</u>	<u> </u>
			<u>2ND AMEND LETTER</u>	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 23 1995
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Randall & Sylvia Dill Permit No. 36-08525
Current Address: 144 W. 25 S. Jerome, ID 83338 Phone No. 208-324-8125
2. Accompanied by: _____ EXAM. DATE: 6-2-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: none

☐ Copies Attached
2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 75'

RECEIVED
JUL 19 1995

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well supplied water for one home and 1.5 acres of pasture and yard. 50 gal. pressure tank at well was set to 30-60 psi. 18-20 sprinklers are used at a time on pasture area.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Elec.	3.0	282-3021-20		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	NE	23	8S	16E	Jerome	Inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Place(s) of Use.

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	16E	23		1.0														1.0	

NOT RECORDED

Do not use this space

JUL 19 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0 (4.0) = 4.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 (246) (1.98) = 29.3$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.0$

2. Volume Calculations for Other Uses:

~~Domestic = 200 gpd (365 days) (1 a.f.) = 73,000 gal~~
~~325,850 gal~~
JUL 19 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Capacity of system ~~exceeds~~ meets
permit rate of 0.06 cfs.

Total rate determined by system
capacity is 0.06 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* domestic	1/01	12/31	0.04	0.6
irrigation	3/15	11/15	0.06	4.0
Totals:			0.06	4.6

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

BRIAN BLOCK

Signature

Brian Block

Certification Date

Field Report Preparation Date

6-18-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* SEE adjustment explanation memo. ~~BE~~

NOT RECORDED

JUL 19 1995

MEMORANDUM

TO: File 36-08525 / Randall Dill
FROM: Brenda Chapman
DATE: June 27, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. SYSTEM DESCRIPTION

2. Place of Use: The listed dimensions for the place of use total 43500 square feet, or 1 acre.
3. However, in the Narrative portion, the place of use is described as having 1½ of lawn and pasture.

The recommendation to stay with the dimensional measurement is being made.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.06	4.0
Domestic	1-01 to 12-31	.02	.6

The irrigation season dates have been changed to the current standards.

Reducing the domestic rate to .02 cfs conforms the recommendation to the current guidelines for processing combination domestic and irrigation rights.

RECEIVED
JUL 19 1995

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-08525
DATE: 12-18-92
BY: fb

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (3.0) \times (0.70)}{[(193) + (40 \times 2.31)]} = 0.06$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement (X)	Motor Make, Serial or ID
owner ()	owner (X)	<u>Franklin Electric</u>
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs (X)	owner gage (X)	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL =

POTENTIAL =


REQUIRED Acre Feet/Acre/Annum = 4.0
(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

RECORDED
JUL 19 1995



January 8, 1992

RANDALL G. DILL
SYLVIA DILL
144 W. 25 S.
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08525

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 21 1992

138214
November 30, 1991

RANDALL G. DILL
SYLVIA DILL
144 W. 25 S.
JEROME ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08525

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECORDED

JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 29, 1991

RANDALL G. DILL
SYLVIA DILL
144 W. 25 S.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08525

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.


Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Bob Lee</u> Address: <u>Jerome</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>193</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																							
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA None ☐ Pump ☐ Bailer ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Notes																																																																																																																																																																				
Discharge G.P.M.	Draw Down	Notes																																																																																																																																																																						
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Notes</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>6</td><td>Top Soil</td><td>X</td></tr> <tr><td> </td><td>6</td><td>14</td><td>Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>14</td><td>17</td><td>Hard Gray Basalt</td><td> </td></tr> <tr><td> </td><td>17</td><td>18</td><td>Broken Gray Basalt</td><td> </td></tr> <tr><td>8/6</td><td>18</td><td>28</td><td>Hard Gray Basalt</td><td> </td></tr> <tr><td>6</td><td>28</td><td>33</td><td>Hard Brown Basalt</td><td> </td></tr> <tr><td> </td><td>33</td><td>36</td><td>Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>36</td><td>77</td><td>Hard Gray Basalt</td><td> </td></tr> <tr><td> </td><td>77</td><td>85</td><td>Hard Gray Basalt w/lg. breaks</td><td> </td></tr> <tr><td> </td><td>85</td><td>88</td><td>Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>88</td><td>94</td><td>Hard Gray-Brown Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>94</td><td>96</td><td>Hard Brown Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>96</td><td>97</td><td>Soft Brown Basalt</td><td> </td></tr> <tr><td> </td><td>97</td><td>101</td><td>Hard Brown Basalt</td><td> </td></tr> <tr><td> </td><td>101</td><td>107</td><td>Hard Brown Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>107</td><td>111</td><td>Hard Gray-Brown Basalt</td><td> </td></tr> <tr><td> </td><td>111</td><td>115</td><td>Hard Gray Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>115</td><td>123</td><td>Hard Gray Basalt</td><td> </td></tr> <tr><td> </td><td>123</td><td>126</td><td>Med Hard Gray Basalt w/large breaks</td><td> </td></tr> <tr><td> </td><td>126</td><td>130</td><td>Hard Brown Basalt w/sm. breaks</td><td> </td></tr> <tr><td> </td><td>130</td><td>140</td><td>Med Hard Brown Basalt w/lg. breaks</td><td> </td></tr> <tr><td> </td><td>140</td><td>151</td><td>Hard w/lg. breaks. local pebbles</td><td> </td></tr> <tr><td> </td><td>151</td><td>155</td><td>Med Hard w/large breaks</td><td> </td></tr> <tr><td> </td><td>155</td><td>161</td><td>Hard</td><td> </td></tr> <tr><td> </td><td>161</td><td>167</td><td>Hard w/large breaks</td><td> </td></tr> <tr><td> </td><td>167</td><td>177</td><td>Hard w/small breaks</td><td> </td></tr> <tr><td> </td><td>177</td><td>187</td><td>Hard w/large breaks</td><td> </td></tr> <tr><td> </td><td>187</td><td>196</td><td>Hard</td><td> </td></tr> <tr><td> </td><td>196</td><td>199</td><td>Med Hard w/large breaks</td><td>X</td></tr> <tr><td> </td><td>199</td><td>219</td><td>Hard w/large breaks</td><td> </td></tr> <tr><td> </td><td>219</td><td>225</td><td>Med Hard w/large breaks</td><td> </td></tr> <tr><td> </td><td>225</td><td>235</td><td>Hard w/large breaks</td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Notes	From	To	8	0	6	Top Soil	X		6	14	Hard Gray Basalt w/sm. breaks			14	17	Hard Gray Basalt			17	18	Broken Gray Basalt		8/6	18	28	Hard Gray Basalt		6	28	33	Hard Brown Basalt			33	36	Hard Gray Basalt w/sm. breaks			36	77	Hard Gray Basalt			77	85	Hard Gray Basalt w/lg. breaks			85	88	Hard Gray Basalt w/sm. breaks			88	94	Hard Gray-Brown Basalt w/sm. breaks			94	96	Hard Brown Basalt w/sm. breaks			96	97	Soft Brown Basalt			97	101	Hard Brown Basalt			101	107	Hard Brown Basalt w/sm. breaks			107	111	Hard Gray-Brown Basalt			111	115	Hard Gray Basalt w/sm. breaks			115	123	Hard Gray Basalt			123	126	Med Hard Gray Basalt w/large breaks			126	130	Hard Brown Basalt w/sm. breaks			130	140	Med Hard Brown Basalt w/lg. breaks			140	151	Hard w/lg. breaks. local pebbles			151	155	Med Hard w/large breaks			155	161	Hard			161	167	Hard w/large breaks			167	177	Hard w/small breaks			177	187	Hard w/large breaks			187	196	Hard			196	199	Med Hard w/large breaks	X		199	219	Hard w/large breaks			219	225	Med Hard w/large breaks			225	235	Hard w/large breaks	
Hole Diam.	Depth		Material	Notes																																																																																																																																																																				
	From	To																																																																																																																																																																						
8	0	6	Top Soil	X																																																																																																																																																																				
	6	14	Hard Gray Basalt w/sm. breaks																																																																																																																																																																					
	14	17	Hard Gray Basalt																																																																																																																																																																					
	17	18	Broken Gray Basalt																																																																																																																																																																					
8/6	18	28	Hard Gray Basalt																																																																																																																																																																					
6	28	33	Hard Brown Basalt																																																																																																																																																																					
	33	36	Hard Gray Basalt w/sm. breaks																																																																																																																																																																					
	36	77	Hard Gray Basalt																																																																																																																																																																					
	77	85	Hard Gray Basalt w/lg. breaks																																																																																																																																																																					
	85	88	Hard Gray Basalt w/sm. breaks																																																																																																																																																																					
	88	94	Hard Gray-Brown Basalt w/sm. breaks																																																																																																																																																																					
	94	96	Hard Brown Basalt w/sm. breaks																																																																																																																																																																					
	96	97	Soft Brown Basalt																																																																																																																																																																					
	97	101	Hard Brown Basalt																																																																																																																																																																					
	101	107	Hard Brown Basalt w/sm. breaks																																																																																																																																																																					
	107	111	Hard Gray-Brown Basalt																																																																																																																																																																					
	111	115	Hard Gray Basalt w/sm. breaks																																																																																																																																																																					
	115	123	Hard Gray Basalt																																																																																																																																																																					
	123	126	Med Hard Gray Basalt w/large breaks																																																																																																																																																																					
	126	130	Hard Brown Basalt w/sm. breaks																																																																																																																																																																					
	130	140	Med Hard Brown Basalt w/lg. breaks																																																																																																																																																																					
	140	151	Hard w/lg. breaks. local pebbles																																																																																																																																																																					
	151	155	Med Hard w/large breaks																																																																																																																																																																					
	155	161	Hard																																																																																																																																																																					
	161	167	Hard w/large breaks																																																																																																																																																																					
	167	177	Hard w/small breaks																																																																																																																																																																					
	177	187	Hard w/large breaks																																																																																																																																																																					
	187	196	Hard																																																																																																																																																																					
	196	199	Med Hard w/large breaks	X																																																																																																																																																																				
	199	219	Hard w/large breaks																																																																																																																																																																					
	219	225	Med Hard w/large breaks																																																																																																																																																																					
	225	235	Hard w/large breaks																																																																																																																																																																					
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																																																																																																																																								
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>235</u> feet Casing scheduled: ☒ Steel ☐ Concrete <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6 5/8</u> inches</td> <td><u>1</u> feet</td> <td><u>19</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No Perforation: ☐ Factory ☐ Knife ☐ Torch <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Cased pipe? ☐ Yes ☒ No Size of gravel _____ Set from _____ feet to _____ feet Material used in seal ☐ Common gravel ☒ Pudding clay ☐ Well cuttings ☐ Shiny pit ☐ Temporary surface casing ☒ Overbore to seal drill	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6 5/8</u> inches	<u>1</u> feet	<u>19</u> feet																					Number	From	To																																																																																																																																									
Thickness	Diameter	From	To																																																																																																																																																																					
<u>.250</u> inches	<u>6 5/8</u> inches	<u>1</u> feet	<u>19</u> feet																																																																																																																																																																					
Number	From	To																																																																																																																																																																						
6. LOCATION OF WELL Location must agree with written location Subdivision Name _____ Lot No. _____ Block No. _____ City _____ State _____	10. Work started <u>7/6/77</u> finished _____ 11. DRILLER'S CERTIFICATION SMITH DRILLING & PUMP CO., INC. Firm Name _____ Address <u>328 West Avenue A, Jerome, ID 83402</u> Signed by (Firm Official) _____ and _____ (Operator) _____																																																																																																																																																																							

RECEIVED

FEB 06 1991

30



14-May-1990

RANDALL &/OR SYLVIA DILL
114 WEST 25 SOUTH
JEROME ID 83338

Re: Applications for Permit Nos. 36-08525 & 36-08526

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above referenced identification numbers. Please refer to these numbers in all further correspondence.

This office will be advertising the applications in the North Side News on 6/6 & 6/13/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the applications are not protested, they will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the applications and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED

FEB 06 1991

RECEIVED

JUN 10 1960

_____ Lines tabular at _____ 6¢/Pica
 _____ Lines straight at _____ 5¢/Pica
 _____ Subsequent lines at _____ 4¢/Pica
 TOTAL COST _____

BIL. 100

(Fees Code, Rev. Statutes 1984)

7-8 pt. per line straight.....	5¢/Pica
7-8 pt. per line tabular.....	6¢/Pica
7-8 pt. per line successive insertions.....	4¢/Pica

№ 4029

FEB 06 1951
102

14402

STATE OF IDAHO -
DEPARTMENT OF WATER RESOURCE
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

MAY 11, 1990

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 25, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

FILED

FEB 06 1991

36-08525

DILL, RANDALL G.
DILL, SYLVIA
144 WEST 25 SOUTH
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SWNWNE Sec 23 T 08S R 16E

```

Use: IRRIGATION      ( .060 CFS)
    DOMESTIC          ( .040 CFS)
      Total Diversion: ( .100 CFS)

```

Date Filed: 3/ 2/ 1990

In: T08S R16E S23 NWNE

1.0 ACRES TOTAL

SECRET

SEP 16 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42- 3A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JUNE 25, 1990.

R. Keith Higginson, Director

Published 6/ 6/1990 & 6/13/1990