

AFFIDAVIT of PUBLICATION

MAR 19 1990

State of Idaho,
County of Jerome

SS.

Department of Water Resources
Southern Region Office
C. Manager.

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2x consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 7th day of March

19 90, and the date of the last publication was on the 14th

day of March, 19 90.

Patty Spance

Subscribed and sworn to before me this 15

day of March, 19 90.

(SEAL)

Norma De Voe

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line

Number of Lines in Notice

Number of Insertions 2x

Lines tabular at 380.25 6¢/Pica

Lines straight at 19.02 5¢/Pica

Subsequent lines at 15.21 4¢/Pica

TOTAL COST 34.23

COPY OF NOTICE

(Paste Here)

Appl. for Wat. Right
TITLE OF NOTICE
36-08504 Church of Life Trust

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. of Water Res.
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08504

CHURCH OF LIFE TRUST
152 W. 200 N.

JEROME, ID 83338

Source: GROUNDWATER

Diverson Pt: SESESW Sec 2 T 08S R 16E

Use: DOMESTIC (.040 CFS)

STOCKWATER (.020 CFS)

Total Diverson: (.040 CFS)

Date Filed: 2/20/1990

In: T08S R16E S02 SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 26, 1990.

R. Keith Higginson

Director

N13886

Pub: 3-7, 14

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

No 3954

13886

OK
APR 2 1990
MICROFILMED

MAY 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-08504

1. Owner: E.D. BARNHILL Church of Life Phone No. 324-7963

Current Address: 152 W 200 N JEROME, ID 83338

2. Accompanied by: C. M. WORTHEN EXAM. DATE: 5-29-91

Address: SAME AS ABOVE Phone No. 324-7963

Relationship to Permit Holder: Business Assoc. TRUSTEE

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE


☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 40'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUL 24 1992





5-29-91

— View of BARNHILL YARD LOOKING
TOWARD POINT OF DIVERSION.

MICROFILMED

JUL 24 1992



CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL

36 - 8504 8s-16E-S2

ROAD CLASSIFICATION

- | | |
|------------------------------------|--|
| Primary highway,
hard surface | Light-duty road, hard or
improved surface |
| Secondary highway,
hard surface | Unimproved road |
| ○ Interstate Route | ○ U. S. Route ○ State Route |



GOODING SE, IDAHO

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 36-08504

Priority: February 20, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.01 CFS
2.5 AF

This is to certify, that CHURCH OF LIFE
152 W 200 N
JEROME ID 83338

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 20, 1990; and
has submitted Proof of Beneficial Use on April 3, 1991. An examination indicates
that the works have a diversion capacity of .010 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	2.4 AF
	Totals	0.01 CFS	2.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 2, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER
TWN RGE SEC

08S 16E 2 SESW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.
6. Stockwater use is for 11 mixed goats and sheep.


MICROFILMED

JUL 24 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 36-08504

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of June, 1992.

Acting for 
R. Keith Higginson, Director

RECEIVED

JUL 24 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08504

Proposed Priority: February 20, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that CHURCH OF LIFE
E. D. BARNHILL
C. M. WORTHEN
152 W. 200 N.
JEROME, ID 83338

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESW Sec. 2, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 16E 2 SESW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Stockwater use is for 15 goats and sheep & 1 cow; domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990

[Signature]
for R. Keith Higginson, Director

MICROFILMED

MAY 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Church of Life Trustee: Rev. E. D. Bayless II
And Trustee Rev. C. M. Worthen Phone 324-7963
Post office address 152 W 200 N Jerome Idaho 83338
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. # 2 Township 8 S Range 16 E B.M. Jerome County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 cfs for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount .02 cfs for stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated is (a) .04 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 6 inch X 285 feet
with $\frac{3}{4}$ horse pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is MAY 29 1990 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year). Pump has been operation
or sooner
for at least 9 years.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2 trailer homes
- e. Other; describe fully. stock - 15 goats + sheep + calves.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
85	16E	2												D					0
														5					0

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. canal water use to irrigate pasture
11. a. Who owns the property at the point of diversion? Church of Life
- b. Who owns the land to be irrigated or place of use? Same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

MAY 29 1999



700

701 32' 00"

702


703

704

1:24,000

T-85, R-16E

JEROME 1.8 MI.



MICROFILMED
MAY 29 1990

MICROFILMED
MAY 29 1990

Designated hereby makes application for permit to appropriate the public waters of
 n set forth.

1st Trustee: Church of Life
Rev. Elaine Barnhill
 (Applicant)

Received by P.V. 24 Date 2/20/1990 Time 3:30pm Preliminary check by J. E. Stanton
Fee \$ 30.00 Received by J. E. Stanton # 5011301 Date 2-21-90
Publication prepared by M. Baldwin Date 2/26/90 Published in North Side News
Publication approved I. Parker Date 4-12-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAY 29 1990

AFFIDAVIT OF PUBLICATION

MAR 19 1990

State of Idaho,
County of Jerome

SS.

Department of Water Resources
Southern Region Office
C. Manning

Patty Stance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7th day of March, 1990, and the date of the last publication was on the 14th day of March, 1990.

Patty Stance

Subscribed and sworn to before me this 15 day of March, 1990.
(SEAL)

Norma DeJae

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

MAY 29 1990

Lines tabular at _____ 6¢/Pica
Lines straight at 380.25 5¢/Pica
Subsequent lines at 15.21 4¢/Pica
TOTAL COST 34.23

COPY OF NOTICE

(Paste Here)

Applicant: Water Right
TITLE OF NOTICE
34-08504 Church of Life Trust

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Mr. Dept. Water Res.
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

34-08504

CHURCH OF LIFE TRUST
152 W. 200 N.

JEROME, ID 83336

Source: GROUNDWATER

Diversion Pt: SESESW Sec 2 T 08S R 16E

Use: DOMESTIC (.040 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.040 CFS)

Date Filed: 2/20/1990

In: T08S R16E S02 SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-209C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 28, 1990.

R. Keith Higginson

Director

N13886

Pub: 3-7, 14

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3954

1.3886

July 9, 1992

CHURCH OF LIFE
152 W 200 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08504

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 24 1992

May 27, 1992

CHURCH OF LIFE
152 W 200 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08504

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RETURNED
JUL 24 1992

LICENSE REVIEW CHECKLIST

Permit # 36-08504

Date 05-13-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? <u>.01 cfs (STOCK)</u>
	☐	☒	Disagree with Actual Measurement? <u>Allow .01 cfs (DOM)</u>
	☐	☒	<u>$2.66 \text{ gpm} + 6.0 \text{ gpm} + 2.0 \text{ gpm} = 10.66 / 3 = 3.55 \text{ gpm} \approx .0079$</u>
	☐	☒	Disagree with Theoretical? <u>$.75 \times 8.8 \times .7 = 0.026$</u>
	☐	☒	Limited by Capacity? <u>.01 cfs</u> <u>$250' \times 2.3' \times 50$</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☐	☒	<u>$2 \times 1.2 = 2.4 \text{ AFA (DOM)}$</u> <u>$2 \times 11 \times 365 / 325850 = 0.02$</u> <u>Allow Min. 1 AFA (STOCK)</u>
	☐	☒	Limited by Flow? <u>$.01 \times 365 \times 1.9835 = 7.2 > 2.4$</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM / 2 Homes</u> <u>STOCK / 11 Sheep + Goats</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
	☐	☒	Water Dist.
	☐	☒	App Rec'd
	☐	☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate
Domestic w/gard < 1/2 Acre

License 10-Day ☒ 15-Day Special Correspondence

WR0749NP
No. L36-08504

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/13/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHURCH OF LIFE	02/20/1990	STOCKWATER	01-01 12-31	0.01 CFS	0.1 AFA
T	E D BARNHILL		DOMESTIC	01-01 12-31	0.01 CFS	2.4 AFA
T	C M WORTHEN					
	152 W 200 N			TOTAL DIVERSION:	0.01 CFS	2.5 AFA
	JEROME ID 83338					
	(208) 324-7963					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T08S R16E S02 SE SW

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
08S	16E	2	:					:					:					:					:

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

Pou County: JEROME

Remarks: Domestic use is for 2 homes.
Stockwater use is for 11 mixed goats and sheep.

Dates: App. Received: 02/20/1990 Priority Date: 02/20/1990
Proof Due Date: 06/01/1991 Proof Made Date: 04/03/1991
Exam Made Date: 05/29/1991 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/13/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

Permit No.

JUL 22 1991

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index B.B. 5/29/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 5-30-91 Justin Sullivan (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent DP 5/31/91 (Initial and date)

Exam Reviewed by Manager of Regional Office DP 7/15/91 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE EXAMINATION
CHECKLIST

WATER RIGHT 36-8504

REVIEWER DRJ

DATE 5/30/91

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>N/A</u>	1,3. <u>/</u>	1,4. <u>N/A</u>	1,5. <u>N/A</u>
1,6. <u>/</u>	1,7. <u>N/A</u>	1,8. <u>N/A</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>/</u>	1,13. <u>/</u>
1,14. <u>/</u>	1,15. <u>/</u>	1,16. <u>N/A</u>	1,17. <u>N/A</u>

RULE 6 MEASUREMENT TERMINOLOGY;

1,1. <u>/</u>	1,2. <u>/</u>	2. <u>/</u>	3. <u>/</u>
4. <u>N/A</u>	5. <u>/</u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>/</u>	1,2. <u>/</u>	1,3. <u>/</u>	1,4. <u>/</u>
1,5. <u>/</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u> </u>	2,2. <u> </u>	2,3. <u> </u>	2,4. <u> </u>
--------------------	--------------------	--------------------	--------------------

Reviewer

Date

N/A = NOT APPLICABLE

** = SEE ATTACHMENT NO.

* = SEE ITEM IN BENEFICIAL USE RPT

*** = SEE REMARKS ATTACHED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: E.D. BARNHILL CHURCH OF LIFE Permit No. 36-08504
 Current Address: 152 W 200N JEROME, ID 83338 Phone No. 324-7963
 2. Accompanied by: C.M. WORTHEN EXAM. DATE: 5-29-91
 Address: SAME AS ABOVE Phone No. 324-7963
 Relationship to Permit Holder: BUSINESS ASSOC. TRUSTEE
 3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
 2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 40'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more). **JUL 24 1992**
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

- Submersible pump (3/4 hp), operating at 50 p.s.i. Serves two trailer homes and a hydrant for stockwater.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4	V124 P0206		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	2	8S	16E	SEROME	Topographic map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	16E	2												D					0
														S					0

MICROFILMED

JUL 24 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
bucket	Plastic				4 gal	
Watch		Jules Jirgensen				

2. Measurements:

Measured Q , from three hydrants, with pump running.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

bucket method

2. Alternate Method for Checking Purposes:

horsepower equation

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: $\frac{50}{\text{psi}} \times 2.31 = \frac{115.5}{\text{ft (1)}}$; Dynamic pumping level: $\frac{235}{\text{ft (2)}}$

Total Head: $(1) + (2) = \frac{350.5}{\text{(3)}}$; Flow rate: $\frac{.013}{\text{cfs (4)}}$

Water HP: $(3) \times (4) \div 8.8 = \text{_____ (5)}$

Meter Input KW: $3.6 \times \text{_____ KH} \times \text{_____ CTR or MULT} \times \text{_____ PTR} \times \text{_____ N/} \times \text{_____ T} = \text{_____ (6)}$

Meter Input HP: $(6) \times 1.34 = \text{_____ (7)}$

Panel Input KW: $\text{_____ Ave PF} \times \text{_____ Ave Volts} \times \text{_____ Ave Amps} \times .001732 = \text{_____ (6)}$

Panel Input HP: $(6) \times 1.34 = \text{_____ (7)}$ Efficiency: $(5)/(7) \times 100 = \text{_____ \%}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{_____}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{_____}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \text{_____}$

2. Volume Calculations for Other Uses:

Annual Volume - SEE ADDITIONAL Computation sheet.

MICROFILMED

JUL 24 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- Although owner claims use is Domestic, does use small amount of water for stock. (11 animals)
- After measuring discharge, by use of the bucket method, would recommend licensing at .02 c.f.s.
- Assignment of Application For Permit Given to Elaine Barnhill. 5-30-91

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa) acre-feet/year
	From	To		
Domestic	1/1	ANNUAL 12/31	.02 c.f.s.	1.2 ~~76~~ acre-feet/year
Stock	1/1	ANNUAL 12/31	.02 c.f.s.	.02 acre-feet/year
Totals:			.04 c.f.s.	1.22 acre-feet/year


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name JUSTIN BOLLES
Signature *Justin Bolles*
Certification Date 4/10/91
Field Report Preparation Date 5/30/91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 24 1992

Computation Sheet

bucket Method

$$Q_1 = \frac{4.0 \text{ gal}}{90 \text{ s}} = .04 \frac{\text{gal}}{\text{s}}$$

$$Q_2 = \frac{4.0 \text{ gal}}{40 \text{ s}} = .10 \frac{\text{gal}}{\text{s}}$$

$$Q_3 = \frac{4.0 \text{ gal}}{120 \text{ s}} = .03 \frac{\text{gal}}{\text{s}}$$

$$\text{Total} \quad .17 \frac{\text{gal}}{\text{s}}$$

$$2 \frac{\text{ft}^3}{\text{s}} = .17 \frac{\text{gal}}{\text{s}} \left| \frac{1 \text{ ft}^3}{7.48 \text{ gal}} \right| \left| \frac{.02 \text{ ft}^3}{\text{s}} \right| \leftarrow \text{CFS}$$

MICROFILMED

horsepower equation

JUL 24 1992

$$Q = \frac{(8.8)(.7)(.75 \text{ hp})}{(235) + [(2.31)(50 \text{ ft})]} = \frac{4.62}{350.5} = \boxed{.013 \text{ cfs}}$$

Annual Volume

without irrigation allowance 0.6 Acre-foot
2 person

$$2 \times 0.6 = \boxed{1.2 \text{ acre foot}}$$

$$6 \text{ sheep} + 5 \text{ goats} = (2 \text{ gal} \times 11) = 22 \frac{\text{gal}}{\text{day}}$$

$$\left(22 \frac{\text{gal}}{\text{day}} \right) (7 \text{ day}) = 154 \frac{\text{gal}}{\text{week}}$$

$$\left(154 \frac{\text{gal}}{\text{week}} \right) (52 \text{ week}) = 8,008 \frac{\text{gal}}{\text{year}}$$

$$\text{Acre-foot} = 8,008 \frac{\text{gal}}{\text{year}} \left| \frac{1 \text{ acre-foot}}{3.259 \times 10^5 \text{ gal}} \right| \boxed{.02 \frac{\text{acre-foot}}{\text{year}}}$$

RECEIVED

JUL 24 1992



5-29-91

— View of BARNHILL YARD LOOKING
TOWARD POINT OF DIVERSION.

MICROFILMED

JUL 24 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PENRECEIVED
JUL 1 1981

1. WELL OWNER Name <u>I.L. (Barney) Barnhill</u> Address <u>P.O. Box 6787</u> Owner's Permit No <u>Burbank, Calif 91570</u>		7. WATER LEVEL Static water level <u>235</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artisan closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning: _____)		8. WELL TEST DATA ☒ Pump ☐ Baker ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>2</u></td><td><u>235</u></td><td><u>1</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>2</u>	<u>235</u>	<u>1</u>																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																															
<u>2</u>	<u>235</u>	<u>1</u>																																																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th>From To</th><th></th><th>Yes No</th></tr></thead><tbody><tr><td>8 0 10</td><td>Surface dirt</td><td></td></tr><tr><td>10 14</td><td>Grey basalt</td><td></td></tr><tr><td>14 17</td><td>Cinders</td><td></td></tr><tr><td>17 19</td><td>Black basalt</td><td></td></tr><tr><td>19 21</td><td>Black basalt</td><td></td></tr><tr><td>21 45</td><td>Grey basalt</td><td></td></tr><tr><td>45 55</td><td>Black basalt</td><td></td></tr><tr><td>55 65</td><td>Black & brown basalt</td><td></td></tr><tr><td>65 68</td><td>Red cinder ash</td><td></td></tr><tr><td>68 71</td><td>Brown & black basalt</td><td></td></tr><tr><td>71 73</td><td>Black basalt</td><td></td></tr><tr><td>73 74</td><td>Black & brown basalt</td><td></td></tr><tr><td>74 75</td><td>Black basalt</td><td></td></tr><tr><td>75 79</td><td>Brown & black basalt</td><td></td></tr><tr><td>79 82</td><td>Black basalt</td><td></td></tr><tr><td>82 86</td><td>Brown basalt</td><td></td></tr><tr><td>86 105</td><td>Black basalt</td><td></td></tr><tr><td>105 106</td><td>Lost circulation</td><td></td></tr><tr><td>106 115</td><td>Brown & black basalt</td><td></td></tr><tr><td>115 124</td><td>Black basalt</td><td></td></tr><tr><td>124 149</td><td>Brown & black basalt</td><td></td></tr><tr><td>149 157</td><td>Broken cinders</td><td></td></tr><tr><td>157 282</td><td>No returns</td><td></td></tr><tr><td>282</td><td>Cinders--Stopped us</td><td><u>XX</u></td></tr></tbody></table>		Depth	Material	Water	From To		Yes No	8 0 10	Surface dirt		10 14	Grey basalt		14 17	Cinders		17 19	Black basalt		19 21	Black basalt		21 45	Grey basalt		45 55	Black basalt		55 65	Black & brown basalt		65 68	Red cinder ash		68 71	Brown & black basalt		71 73	Black basalt		73 74	Black & brown basalt		74 75	Black basalt		75 79	Brown & black basalt		79 82	Black basalt		82 86	Brown basalt		86 105	Black basalt		105 106	Lost circulation		106 115	Brown & black basalt		115 124	Black basalt		124 149	Brown & black basalt		149 157	Broken cinders		157 282	No returns		282	Cinders--Stopped us	<u>XX</u>
Depth	Material	Water																																																																															
From To		Yes No																																																																															
8 0 10	Surface dirt																																																																																
10 14	Grey basalt																																																																																
14 17	Cinders																																																																																
17 19	Black basalt																																																																																
19 21	Black basalt																																																																																
21 45	Grey basalt																																																																																
45 55	Black basalt																																																																																
55 65	Black & brown basalt																																																																																
65 68	Red cinder ash																																																																																
68 71	Brown & black basalt																																																																																
71 73	Black basalt																																																																																
73 74	Black & brown basalt																																																																																
74 75	Black basalt																																																																																
75 79	Brown & black basalt																																																																																
79 82	Black basalt																																																																																
82 86	Brown basalt																																																																																
86 105	Black basalt																																																																																
105 106	Lost circulation																																																																																
106 115	Brown & black basalt																																																																																
115 124	Black basalt																																																																																
124 149	Brown & black basalt																																																																																
149 157	Broken cinders																																																																																
157 282	No returns																																																																																
282	Cinders--Stopped us	<u>XX</u>																																																																															
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. Work started <u>6-15-81</u> finished <u>6-15-81</u>																																																																															
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><th>Inches</th><th>Inches</th><th>feet</th><th>feet</th></tr></thead><tbody><tr><td><u>.250</u></td><td><u>6 5/8</u></td><td><u>1</u></td><td><u>19</u></td></tr><tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr><tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr><tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr><tr><th>perforations</th><th>feet</th><th>feet</th></tr></thead><tbody><tr><td>_____</td><td>_____</td><td>_____</td></tr><tr><td>_____</td><td>_____</td><td>_____</td></tr><tr><td>_____</td><td>_____</td><td>_____</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packer? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld _____ ☐ Cemented between struts Describe access port		Thickness	Diameter	From	To	Inches	Inches	feet	feet	<u>.250</u>	<u>6 5/8</u>	<u>1</u>	<u>19</u>	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	Number	From	To	perforations	feet	feet	_____	_____	_____	_____	_____	_____	_____	_____	_____	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>W. B. Smith, Inc.</u> Firm No. <u>15</u> Address <u>624 Pierce Street</u> <u>Twin Falls, Idaho 83401</u> Signed by (Firm Official) <u>Frederick B. Smith</u> Date <u>6/22/81</u> and <u>Frederick B. Smith</u> (Operator)																																								
Thickness	Diameter	From	To																																																																														
Inches	Inches	feet	feet																																																																														
<u>.250</u>	<u>6 5/8</u>	<u>1</u>	<u>19</u>																																																																														
_____	_____	_____	_____																																																																														
_____	_____	_____	_____																																																																														
_____	_____	_____	_____																																																																														
Number	From	To																																																																															
perforations	feet	feet																																																																															
_____	_____	_____																																																																															
_____	_____	_____																																																																															
_____	_____	_____																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Jerome</u> SE <u>X</u> SW <u>X</u> Sec. <u>2</u> T. <u>8</u> N. S. <u>16</u> E. N. <u>4</u>		N																									12. FILMED JUL 24 1992																																																						
N																																																																																	

April 12, 1991

E. D. BARNHILL
CHURCH OF LIFE
C. M. WORTHEN
152 W. 200 N.
JEROME, ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08504

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 22 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8504

Date: 4-10-91

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
y Waiver or modification of measuring device requested

Remarks:

- Well drilled in 1982
Proof acceptable

y

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

07/90

RECEIVED

APR 03 1991

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08504 Telephone No. 324-7963
2. Name(s) of Permit Holder(s): E. D. Barnhill + C. M. Worthen
3. Post Office Address: 152 W 200 N Jerome Id 83338
4. Source of Water: Underground well - domestic
- a. If ground water, well driller's name: _____ Date drilled: 1982
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic 2 (No. of households)

Irrigation _____ (No. of acres)

Stockwater 8 sheep
6 goats (No. and type of stock)Other lawn + little garden6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Elaine Barnhill
Name324 7963
Telephone No.152 W 200 NJerome Id
Address83338

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

April 2, 1991
DateElaine Barnhill
Signature (and title if on behalf of a company or organization)

APR 22 1991

138361

March 31, 1991

E. D. BARNHILL
CHURCH OF LIFE
C. M. WORTHEN
152 W. 200 N.
JEROME, ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08504

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

APR 16 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

E. D. BARNHILL
CHURCH OF LIFE
C. M. WORTHEN
152 W. 200 N.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08504

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

MICROFILMED

MAY 29 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
MAY 29 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. F. Stanton DATE 2-26-90 APPLICATION NUMBER 36-08504REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 2-20-90

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information
- SWAN FALLS HOLD? No

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested MAY 27 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 3/26/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 2/20/90
By L. Allen O'Halloran Date 4/30/90

STATE OFFICE REVIEW P23 P16 46

See below for additional information
By kw Date 5-18-90

ADDITIONAL INFORMATION

App. in TRUST area - DCM I

26-Feb-1990

Church of Life Trust
c/o Rev. E.D. Barnhill, First Trustee
152 W. 200 N.
JEROME ID 83338

Re: Application for Permit No. 36-08504

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 3/7 & 3/14/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

MICROFILMED

MAY 29 1990

JS:MB

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 26, 1990

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 26, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MAY 29 1990

36-08504

CHURCH OF LIFE TRUST
152 W. 200 N.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SESESW Sec 2 T 08S R 16E

Use: DOMESTIC (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/20/1990

In: T08S R16E S02 SESW

RECORDED

MAY 29 1990

NSM LEGAL

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

36-08504

CHURCH OF LIFE TRUST

152 W. 200 N.

JEROME, ID 83338

Source: GROUNDWATER

Diverslon Pt: SESESW Sec 2 T 08S R
16E

Use: DOMESTIC (.040 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.040 CFS)

Date Filed: 2/20/1990

In: T08S R16E S02 SESW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before MARCH 26, 1990.

R. Keith Higginson

Director

N13886

Pub: 3-7, 14

OK
MB
3/6/90

FILED
MAY 23 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 26, 1990.

R. Keith Higginson, Director

Published 3/07/1990 & 3/14/1990

MICROFILMED

1990