

J-25633A

WARRANTY DEED

For Value Received

D.B. FARMS, an Idaho General Partnership, ARIE VAN RYN and ROBERT DeBIE,
partners

Hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto

NORTHSIDE DAIRY, an Idaho General Partnership,
Frans Aardema and Paul Ciocea, as general partners
Whose address is: 243 West 200 North Jerome, Id 83338

Hereinafter called the Grantee, the following described premises situated in Jerome County, Idaho, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO.

TOGETHER WITH 120.00 SHARES OF NORTHSIDE CANAL CO. LTD WATER STOCK

SUBJECT TO:

All reservations in patents or deeds in the chain of title.

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the successors heirs and assigns of the Grantee forever. The Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: October 30, 1997

D.B. Farms by
D.B. FARMS, an Idaho General Partnership
ARIE VAN RYN, general partner:

STATE OF California

COUNTY OF Riverside

On this 31st day of October, 1997, before me, the undersigned, a Notary Public in and for said State, personally appeared Arie Van Ryn, as general partner of D.B. Farms, an Idaho General Partnership, known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he executed the same, as one of the general partners of D.B. FARMS, an Idaho General Partnership.

Deanna Campbell
Notary Public

Residing at:

My Commission expires: July 2, 2001



MICROFILMED

AUG 06 1999

REC-2
Land Title & Farming, Inc.
JUL 3 4 26 PM '97
JEROME, IDAHO
FEE \$9.00
DEP 12

975017

Robert DeBie
ROBERT DeBIE, partner
D.B. FARMS, an Idaho General Partnership

STATE OF IDAHO)

County of Jerome)

On this 3rd day of October, 1997, before me, the undersigned, a Notary Public in and for said County and State, personally appeared ROBERT DeBIE, a Partner in D.B. Farms, an Idaho General Partnership, known to me to be the person whose name is subscribed to the within and foregoing instrument, and who acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal, this day and year in this certificate first above written.

NOTARY PUBLIC for Idaho

Residing at: [illegible]
Commission Expires: [illegible]RICK BERNSEN
NOTARY PUBLIC
STATE OF IDAHO

MICROFILMED

AUG 06 1999

EXHIBIT "A"

Order Number: J-25653

TRACT I

PARCEL NO. 1

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHOSection 10: NW $\frac{1}{4}$ NE $\frac{1}{4}$, EXCEPTING THEREFROM that part of the NW $\frac{1}{4}$ NE $\frac{1}{4}$, described as follows:

Commencing at the North quarter section corner of Section 10, being THE TRUE POINT OF BEGINNING;

Thence South 0°07'55" East along the West boundary of said NW $\frac{1}{4}$ NE $\frac{1}{4}$, 511.29 feet;

Thence North 74°13'55" East, 87.18 feet;

Thence North 89°03'20" East, 138.42 feet;

Thence South 48°35'00" East, 80.77 feet;

Thence North 55°56'25" East, 141.18 feet;

Thence North 32°26'25" East, 155.89 feet;

Thence North 4°24'30" East, 326.90 feet to a point on the North boundary of the NW $\frac{1}{4}$ NE $\frac{1}{4}$;Thence North 89°45'15" West, 509.76 feet along the North boundary of the NW $\frac{1}{4}$ NE $\frac{1}{4}$ to THE TRUE POINT OF BEGINNING.

PARCEL NO. 2

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHOSection 10: That part of the NW $\frac{1}{4}$ NE $\frac{1}{4}$, described as follows:

Commencing at the North quarter section corner of Section 10, being THE TRUE POINT OF BEGINNING;

Thence South 0°07'55" East along the West boundary of said NW $\frac{1}{4}$ NE $\frac{1}{4}$, 511.29 feet;

Thence North 74°13'55" East, 87.18 feet;

Thence North 89°03'20" East, 138.42 feet;

Thence South 48°35'00" East, 80.77 feet;

Thence North 55°56'25" East, 141.18 feet;

Thence North 32°26'25" East, 155.89 feet;

Thence North 4°24'30" East, 326.90 feet to a point on the North boundary of the NW $\frac{1}{4}$ NE $\frac{1}{4}$;Thence North 89°45'15" West, 509.76 feet along the North boundary of the NW $\frac{1}{4}$ NE $\frac{1}{4}$ to THE TRUE POINT OF BEGINNING.

PARCEL NO. 3

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHOSection 10: S $\frac{1}{2}$ NE $\frac{1}{4}$;

MICROFILMED

AUG 06 1999

Form FLB 433A (Rev. 7/73)

FHA RV.


UC

Appraiser's Initials _____

PLAT OF FARM

No. _____

Use Standard Legend. Indicate roads and show direction and distance to nearest town. Indicate points of compass - show scale of map. Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.



MICROFILMED

AUG 06 1999

JUN 11 1999 MON 08:43 AM

FHA NO.

F. 03

TP. 85	RGE 16E
J. ROME COUNTY	
N IDAHO STATE	
SCALE 1" = 660'	
PLATTED BY	VERIFIED BY
SW	
TITLE REPORT DESCRIPTION	
VERIFIED BY	



4 3

9 10

County Road

D.M.N.

MICROFILMED
AUG 06 1999

RECEIVED

AFFIDAVIT of PUBLICATION

JAN 11 1990

Department of State of Idaho, Resources }
Southern Region Office } SS.

Patty Nance, G. Manager, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of Jan 1990, and the date of the last publication was on the 10th day of Jan, 1990.

Patty Nance

Subscribed and sworn to before me this 10 day of Jan, 1990.
(SEAL)

Norma De Voe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica a
380.25 Lines straight at 19.02 5¢/Pica a
Subsequent lines at 15.21 4¢/Pica a
TOTAL COST 340.23

COPY OF NOTICE

(Paste Here)

Applicable Water Right
TITLE OF NOTICE
Robert De Bie Farms

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. of Water Res.
BILLED TO TIF.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
36-08490

DE BIE FARMS
C/O ROBERT DE BIE
243 W. 200 N.
JEROME, ID 83338
Source: GROUNDWATER
Diversion Pt: NENE Sec 10 T 08S R 16E
Use: COMMERCIAL (.340 CFS)
STOCKWATER (.340 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.340 CFS)
Date Filed: 11/07/1989
In: T08S R16E S10 NENE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 22, 1990.

R. Keith Higginson
Director
N44130

Pub: 1-3 & 10, 1990

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

MICROFILMED

MAR 22 1990 No 3632

44130

Use Standard Legend. Indicate road _____ show direction and distance to nearest town. Indicate _____ of compass - show scale of map.
Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.

TP. 8 S	RGE. 16 E
JEROME COUNTY	
IDAHO STATE	
SCALE 660'	PLATTED BY <i>AW</i>
TITLE	SECTION
VERIFIED BY	

JEROME
2 1/2 MILES

Department of Water Resources

MAY 19 1999

RECEIVED

County Road

County Road

County Road

Waste
Water
Applied

Waste
Water
Applied

MICROFILMED
AUG 06 1999

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

RECEIVED

FEB 16 1999

Department of Water Resources
Southern RegionTHIS IS YOUR **1998** WATER MEASUREMENT ANNUAL REPORTFor the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District %
Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID
on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	—	DE BIE FARMS (NORTHSIDE DAIRY)	—
Water Right No:	—	36-08490	—
Legal Description:	T	OBS 16E 10 NENE	—
Site Tag No:	—	A0002995	6
	—	3 HO WELL	41140
Diversion Name:	—		

Date	1/17/99	id pages	4
From	R. N. W.		
To	Southern		
Phone #	—		
Fax #	—		

SECTION I Appropriator information

Name and Address of Water Right Holder

Current Owner

Name Ciaca Paul E

Last, First, MI

Phone 324-7008Address 243 W 200 N

Fax _____

City JeromeState & Zip ID 83338

Original Owner (if sold within last year)

Name DE BIE Paul

Last, First, MI

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Last, First, MI

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED
AUG 06 1999

RECEIVED

FEB 16 1999

Department of Water Resources
Southern Region

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

THIS IS YOUR **1998** WATER MEASUREMENT ANNUAL REPORTFor the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District % Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID 83301, on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	DE EIE FARMS (NORTHSIDE DISTRICT)
Water Right No:	06-08490
Legal Description:	08S 16E 10 NENE A0002994
Sue Tag No:	15 HD WELL 41140
Diversion Name:	

SECTION I Appropriator information

Name and Address of Water Right Holder

Current Owner

Name CIOCCA Paul EPhone 208-324-7008Address 243 W 200 N

Fax _____

City MOOREState & Zip ID 83338

Original Owner (if sold within last year)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED

AUG 06 1999

RECEIVED

FEB 16 1999

Department of Water Resources
Southern Region

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

THIS IS YOUR 1998 WATER MEASUREMENT ANNUAL REPORTFor the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District % Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID 83301, on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	DE BIE FARMS (NORTHSIDE DAIRY)
Water Right No:	36-08490
Legal Description:	T 08S 16E 10 NE NE 9 A0002993
Site Tag No:	7.5 Hp WELL 41140
Diversion Name:	

SECTION I Appropriator information

Name and Address of Water Right Holder

Current Owner

Name Elwood Paul EPhone (208) 324-7008Address 243 W 200 N

Fax _____

City JOHNSONState & Zip ID 83338

Original Owner (if sold within last year)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED
AUG 06 1999

SECTION II Meter Readings

Describe type or brand of the meter: MICRO Meter

Record flow meter volume and flow rate at least once per month, indicating date of reading. Take year-end reading near December 31. Record units (gallons, acre-feet, gpm, cfs) and any multipliers. Please explain when two or more diversions are measured with one meter, or when two or more meters are used for one diversion (indicate each meter's readings).

Date (enter date of reading)	Total Volume Reading Units: <u>3</u> (gal or af) Multiplier: X <u>10</u>	Flow Rate Units: <u>5</u> (gpm or cfs) Multiplier: X <u>MH</u>	Discharge pressure (psi)
January - 31	142 787	100 - 120	60 - 70
February - 28	492 982	100 - 120	60 - 70
March - 30	982 752	100 - 120	60 - 70
April - 30	377 450	100 - 120	60 - 70
May - 30	812 370	100 - 120	60 - 70
June - 30	307 420	100 - 120	60 - 70
July - 30	796 752	100 - 120	60 - 70
August - 30	312 912	100 - 120	60 - 70
September - 30	768 212	100 - 120	60 - 70
October - 30	208 158	100 - 120	60 - 70
November - 30	688 066	100 - 120	60 - 70
December - 31	128 776	100 - 120	60 - 70

* Please make year-end reading on or near December 31, 1998

120 gpm = 0.27 cfs

Do the totalizer readings above include the meter multiplier? ☒ Yes ☐ NoTotal Gallons 3128776 X 10 AWA Eastern 2/12/99Total Acre-ft 96.0 (325,850 gallons per acre-foot)

SECTION III Well Information (Optional)

Idaho code measurement statute § 42-701 requires water users to measure water levels in their wells. However, IDWR recognizes that measuring water levels in some wells is very difficult, especially wells with submersible-type pumps installed. If the water level cannot be measured, please give a brief explanation in the comments section. If measured in 1998 please report on next page:

total from above
 ① 1,500,000
 ② 1,000,000
 ③ 1,600,000
 ④ 128,776
 3128776

2

MICROFILMED


AUG 06 1999

250 W

36-08490

200 N


#2 7.5HP 15HP #1




LAGOONS

Irr. by canal shares

D. B.
Farms
160
Irrigated by
canal shares



200 W



Northside
Dairy
2
67

36-15220
Northside Dairy
Dom/Stock
1 house / 370 head

ARELLANO

74
36-14717
Joe M. Arellano
Dom/Stock
2 homes / 50 head

Mitchell
28



Backman

80

150 W


Paul Ciocca ZNorth Side Milk
Sec 10, T08S, R16E NE1/4 NE1/4
36-08490



Paul Ciocca ZNorth Side Milk
Sec 10, T08S, R16E NE $\frac{1}{4}$ NE $\frac{1}{4}$

36-08490

MICROFILM
AUG 06 1993



R102715A #1 GPS A0002994
R102715B #2 A0002993
R102715C #3 A0002995

Paul Ciocca, North Side Milk
Sec 10, T08S, R16E NE 1/4 NE 1/4

REC'D
AUG 06 1999

36-08490

GPS Tag A0002993 7.5 HP 9" diameter

3 wells are pumped here, relifted into pressurized tanks

P/D #2 SWNENE $\frac{1}{4}$ Sec 10, T08S, R16E

Wells are 30' Apart

10 27 '97

both photos are looking S'ly

GPS Tag A0002994 15HP 8" diameter

P/D #1 NWNENE $\frac{1}{4}$ Sec 10, T08S, R16E

10 27 '97

MICROFILMED
AUG 0 6 1999



6" diameter

3 HP

P/D #3 SENENE4 Sec 10,T08S,R16E



GPS Tag
A0002995

MICROFILMED
AUG 06 1999
AUG 06 1999

Northside Dairy
27 Oct 1997

Paul Ciocca
36-08490



looking W'ly




MICROFILMED
AUG 06 1999

Northside Dairy Paul Ciocca
27Oct1997

36-08490

4/5



Electrical Panel

REPROFILMED
AUG 06 1999

Northside Dairy Paul Ciocca
27Oct1997 36-08490




Lagoons
looking SW'ly



Dairy Barn →
NSCC-Canal Shares from here for irr. →

10/27/97



Stockyard-Looking NE'ly

RECEIVED
OCT 6 1999

Northside Dairy
270ct 1997

Paul Ciocca
36-08490

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

* GPS A0002994 (15HP PUMP)

1 of 2 WELLS 30' APART, BEHIND MILKING BARN

3rd WELL NEAR EXISTING HOMES (1 TRAILER, 1 HOME)

G. Satterlee

Signature of Dept. Representative & Title

27 Oct 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



SECOND WELL →

PHOTO LOOKING S'LY

MICROFILMED

AUG 06 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

3HP DUMP


[Signature]

Signature of Dept. Representative & Title

27 Oct 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

AUG 06 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

GPS A0002993* (7.5 HP PUMP)

1 of 2 wells 30' apart, behind milking barn
3rd well near existing homes (trailer, 1 home)

G. Satterlee

Signature of Dept. Representative & Title

2701+97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



PHOTO LOOKING SW'LY

MICROFILMED

AUG 06 1999

GRUNDFOS


135 GPM

MODEL 135S

PERFORMANCE CURVES

FLOW RANGE
75 to 200 GPM

PUMP OUTLET
3" NPT



DIMENSIONS AND WEIGHTS


MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
135S20-1	2①	6	27 1/4	5 1/2	35
135S50-2	5①	6	42 1/2	5 1/2	84
135S50-3	5①	6	47	5 1/2	88
135S75-4	7 1/2	6	51 1/2	5 3/4	146
135S100-6	10	6	59 7/8	5 3/4	167
135S150-9	15	6	73	5 3/4	186
135S200-12	20	6	86 1/4	5 3/4	225
135S250-15	25	6	99 1/4	5 3/4	243
135S300-18	30	6	112 3/8	5 3/4	268

NOTE 3:

① 4-inch motor.

Specifications are subject to change without notice.

See Deep Set models for higher head.



RECEIVED

JUN 21 1999

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources

NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right No(s): 36-08490
Adjudication Claim No(s): _____
2. The following REQUIRED information must be submitted with this form:
 - A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.
AND
 - B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)
OR
 - C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.
3. Name and Address of Former Owner/Claimant DE BIE FARMS
4. New Owner/Claimant(s) NORTH SIDE DAIRY % PAUL CIOCCA
Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
New Mailing Address 243 W 200 N
City, State and ZIP Code Jerome ID 83338
New Telephone Number 208) 324-8090 FAX 208-324-4018
5. Date you acquired the property 7-5-95
6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.
Number of acres you irrigate _____ Number and type of stock _____
Diversion rate in CFS _____ Number of homes _____ Other uses _____
If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.
7. Signature of New Owner or Claimant(s) [Signature] Date 6/16/99
Date _____
(Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign form.)
8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims..

MICROFILMED
AUG 06 1999

INSTRUCTIONS

This form has been prepared to assist new owners of property to comply with the requirements of Sections 42-248 and 42-1409(6), Idaho Code. Section 42-248 requires certain property holders to notify the Department of Water Resources (IDWR) of any change in mailing address or ownership of all or part of a water right record on file with IDWR. Section 42-1409(6) provides that new property owners must notify IDWR of any change in ownership of a water right during an adjudication of water rights. Required claims may be filed by a new owner.

Separate brochures are available from IDWR describing the adjudication of water rights and the requirement to notify IDWR of changes in ownership. Please contact your nearest IDWR office, or call 1-800-451-4129, if you would like more information or need help completing this form. Please attach additional sheets to the form if you require additional space to describe or explain any of the items on the form.

1. If there are water rights associated with the property, the seller should be able to provide you with the water right or adjudication claim number(s). Please enter these number(s) at **Item 1**. If you or the seller believes there are water rights for the property but the numbers are unknown, you may wish to contact IDWR for assistance in identifying the water rights for the property in question. If claims for the rights are required, and have not been filed, IDWR will so advise you.
2. The information described at **Item 2** is required, since IDWR cannot process the requested change without documentation of ownership. The preferred types of documentation are shown; contact IDWR if you have difficulty obtaining this information. Do not obtain a new survey for purposes of this form before contacting IDWR.
3. Please provide the name and address of the former owner of the water right and/or adjudication claim at **Item 3**.
4. The name, mailing address, and telephone number of the new owner(s) is entered at **Item 4**. Please indicate the relationship between multiple owners by using the connector 'and', 'or', or 'and/or'. If an 'and' is used, all parties must sign this form. If an 'and/or' or 'or' is used, all parties may sign. However, only one of the named parties is required to sign.
5. At **Item 5**, please provide the date the property in question was acquired. This may be the date of "closing" in the case of a real estate transaction or the date of court order for other types of ownership changes.
6. You may be purchasing only a portion of the total water right held by the seller. This means the water right held by the seller may be "split" to provide your share of the right in question. Be sure to include a description of the portion of the water right you have purchased at **Item 6**.

Please provide as much detail as possible concerning your water right: include the number of homes, irrigated acreage if more than 1/2 acre is irrigated, type and number of stock if your right is for stockwater, etc. In the absence of information to the contrary, IDWR will assume the intent is to split the rights *proportionately*.

7. The new owner(s) must sign the form in the space(s) provided at **Item 7**. Corporations and other organizations must submit a list of directors or officers demonstrating the authority of the director or officer to sign the form.
8. There is no filing fee. When complete, you should retain a copy and return the original of the form to the IDWR office nearest you:

IDWR Western Region
2735 Airport Way
Boise, ID 83705-5082
(208) 334-2190

IDWR Southern Region
1341 Fillmore St., Suite 200
Twin Falls, ID 83301-3380
(208) 736-3033

IDWR Northern Region
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814-2615
(208) 769-1450

IDWR Eastern Region
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718
(208) 525-7161

MICROFILMED

AUG 06 1999

WARRANTY DEED

For Value Received

D.B. FARMS, an Idaho General Partnership, ARIE VAN RYN and ROBERT DeBIE,
partners

Hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto

NORTHSIDE DAIRY, an Idaho General Partnership,
Frans Aardema and Paul Cioeca, as general partners
Whose address is 243 West 200 North Jerome, Id 83338

Hereinafter called the Grantee, the following described premises situated in Jerome County, Idaho, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO

TOGETHER WITH 120.00 SHARES OF NORTHSIDE CANAL CO. LTD WATER STOCK

SUBJECT TO:

All reservations in patents or deeds in the chain of title.

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the successors heirs and assigns of the Grantee forever. The Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: October 30, 1997


D.B. Farms
D.B. FARMS, an Idaho General Partnership
ARIE VAN RYN, general partner*Arie Van Ryn*

STATE OF California

COUNTY OF *Riverside*On this *31st* day of October, 1997, before me, the undersigned, a Notary Public in and for said State, personally appeared Arie Van Ryn, as general partner of D.B. Farms, an Idaho General Partnership, known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he executed the same, as one of the general partners of D.B. FARMS, an Idaho General Partnership.*Deanna Campbell*
Notary Public

Residing at:

My Commission expires:

July 2, 2001

MICROFILMED

AUG 06 1999

JEROME COUNTY CLERK
FEE \$27.00
SEP 11 11:30AM
JUL 23 4 26 PM '97
Long Title & Return, Inc.

975017

Robert DeBie
ROBERT DeBIE, partner
D.B. FARMS, an Idaho General Partnership

STATE OF IDAHO)

County of Jerome)

On this 3rd day of October, 1997, before me, the undersigned, a Notary Public in and for said County and State, personally appeared ROBERT DeBIE, a Partner in D.B. Farms, an Idaho General Partnership, known to me to be the person whose name is subscribed to the within and foregoing instrument, and who acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal, the day and year in this certificate first above written.

NOTARY PUBLIC, Idaho

Residing at: _____
Commission Expires: _____RICK BERGEN
NOTARY PUBLIC
STATE OF IDAHO

MICROFILMED

AUG 08 1999

EXHIBIT "A"

Order Number: J-25653

TRACT 1

PARCEL NO. 1

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: NW¼NE¼, EXCEPTING THEREFROM that part of the NW¼NE¼, described as follows:

Commencing at the North quarter section corner of Section 10, being THE
TRUE POINT OF BEGINNING;Thence South 0°07'55" East along the West boundary of said NW¼NE¼,
511.29 feet;

Thence North 74°13'55" East, 87.18 feet;

Thence North 89°03'20" East, 138.42 feet;

Thence South 48°35'00" East, 80.77 feet;

Thence North 55°56'25" East, 141.18 feet;

Thence North 32°26'25" East, 155.89 feet;

Thence North 4°24'30" East, 326.90 feet to a point on the North boundary of
the NW¼NE¼;Thence North 89°45'15" West, 509.76 feet along the North boundary of the
NW¼NE¼ to THE TRUE POINT OF BEGINNING.

PARCEL NO. 2

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: That part of the NW¼NE¼, described as follows:

Commencing at the North quarter section corner of Section 10, being THE
TRUE POINT OF BEGINNING;Thence South 0°07'55" East along the West boundary of said NW¼NE¼,
511.29 feet;

Thence North 74°13'55" East, 87.18 feet;

Thence North 89°03'20" East, 138.42 feet;

Thence South 48°35'00" East, 80.77 feet;

Thence North 55°56'25" East, 141.18 feet;

Thence North 32°26'25" East, 155.89 feet;

Thence North 4°24'30" East, 326.90 feet to a point on the North boundary of
the NW¼NE¼;Thence North 89°45'15" West, 509.76 feet along the North boundary of the
NW¼NE¼ to THE TRUE POINT OF BEGINNING.

PARCEL NO. 3

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: S¼NE¼;

MICROFILMED

AUG 0 8 1999

Jun 29 99 08:58a

Northside Dairy

208-324-4018

p. 11

1275-11-38 JAN 60-42 P11
Form FLB 433A (Rev-775)

ע"א 100.


44

Appelizer's Inklets

PLAT OF FARM

No

Use Standard Legend, indicate roads and show direction and distance to nearest town. Indicate points of compass - show scale of map. Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.



MICROFILMED

Page 36


AUG 16 1969

JUN 11 1999 08:43 AM

FHA NO.

P. 03

TP. 85	RGE 16E
J. 20 ME COUNTY	
N IDAHO STATE	
SCALE 1" = 660'	
PLATTED BY	VERIFIED BY
SW	
TITLE REPORT DESCRIPTION	
VERIFIED BY	



4. 3
9 10 County Road

DAMN

MICROFILMED
AUG 8 6 1995

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 36-08490

Priority: November 7, 1989

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:

96.4 AF

This is to certify, that DE BIE FARMS
ROBERT DE BIE

243 W 200 N

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 7, 1989; and has submitted Proof of Beneficial Use on February 13, 1991. An examination indicates that the works have a diversion capacity of 0.270 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.27 CFS	55.2 AF
COMMERCIAL	01/01 to 12/31	0.27 CFS	40.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF
	Totals	0.27 CFS	96.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 10, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 16E 10 NENE

PLACE OF USE: COMMERCIAL

TWN RGE SEC

08S 16E 10 NENE NWNE SWNE
SENE NESE NWSE

PLACE OF USE: DOMESTIC

TWN RGE SEC

08S 16E 10 NENE

CONDITIONS OF APPROVAL AND REMARKS

1. Three points of diversion are located within NENE, S10, T08S, R16E.
2. Commercial use is for a dairy.
3. Domestic use is for 2 homes.
4. The water used for commercial purposes under this approval is applied to and irrigates land listed in the place of use to satisfy water quality requirements. Water shall not irrigate growing plants unless the water is first beneficially used in the dairy as authorized by this water right.


MICROFILMED

AUG 6 6 1991

State of Idaho
Department of Water Resources**Water Right License**

WATER RIGHT NO. 36-08490

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 20TH day of MAY, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

MAY 26 1999

RECEIVED

MAY 26 1999

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-08490

Date of Priority: November 7, 1989

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:

96.4 AF

Comes now

DE BIE FARMS
ROBERT DE BIE

243 W 200 N
JEROME ID 83338

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 36-08490, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.27 CFS	55.2 AF
COMMERCIAL	01/01 to 12/31	0.27 CFS	40.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF
	Totals	0.27 CFS	96.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 10, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATERTWN RGE SEC

08S 16E 10 NENE

PLACE OF USE: COMMERCIALTWN RGE SEC

08S 16E 10	NENE	NWNE	SWNE
	SENE	NESE	NWSE

PLACE OF USE: DOMESTICTWN RGE SEC

08S 16E 10 NENE

MICROFILMED

MAY 26 1999

State of Idaho
Department of Water Resources


APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-08490

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Northern Dairy, this 24th day of May, 19 99



(Signature)

MICROFILMED

AUG 06 1999

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08490

FOR DEPARTMENT USE ONLY

Preliminary check by SN Fee = 50⁰⁰ Received by # C045179 Date 4/19/99


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08490 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Three points of diversion are located within NENE, S10, T08S, R16E.
2. Commercial use is for a dairy.
3. Domestic use is for 2 homes.
4. The water used for commercial purposes under this approval is applied to and irrigates land listed in the place of use to satisfy water quality requirements. Water shall not irrigate growing plants unless the water is first beneficially used in the dairy as authorized by this water right.

Witness my hand this 20TH day of MAY, 1999.

Acting for 
KARL J. DREHER, Director

MICROFILMED
AUG 06 1999

RECEIVED

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 2/13/91
Receipt No. 5013008
Received by AD

FEB 13 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08490 Telephone No. 324-2697
2. Name(s) of Permit Holder(s): De Bie Farms % Robert De Bie
3. Post Office Address: 224 W. 200 N. , Jerome , Ida. 83338
4. Source of Water: Groundwater
 - a. If ground water, well driller's name: Smith Drilling Date drilled: Aug, 1989
 - b. Pump horsepower: 15 Pressure (psi): 65 Dynamic pumping level (ft.):
5. Extent of Use:

Domestic <u>1</u> (No. of households)	Irrigation <u> </u> (No. of acres)
Stockwater <u>1000</u> (No. and type of stock) <u>Dairy</u>	Other <u>Commercial Use in Dairy Barn</u>

6. Total rate and/or volume for which proof is submitted 0.34 cfs acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes No
OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes No

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Robert De Bie 324-2697
Name Telephone No.

224 W. 200 N. , Jerome , Ida.
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/13/91
Date

Robert De Bie
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08490

Proposed Priority: November 7, 1989 Maximum Diversion Rate: 0.34 CFS
This is to certify, that DE BIE FARMS

ROBERT DE BIE
243 W. 200 N.
JEROME, ID 83338

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.34 CFS
COMMERCIAL	01/01 to 12/31	0.34 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.34 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 10, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 16E 10 NENE

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for a dairy.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DeBie Farms - Robert DeBie Phone _____

Post office address 243 West 200 North Jerome, Idaho 83338

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of _____ NE 1/4 of _____ NE 1/4, Govt. Lot _____

Sec. 10 Township 8S Range 16E B.M. Jerome County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.34 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.34 cfs for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.34 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump - drilled this
summer under Permit 36-89-S-049

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 8" inches; ~~proposed~~ depth of well is 311' feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr. years (minimum 1 year).

MAR 22 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 1000 head Dairy
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 house
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	16E	10	X																

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? D & B

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

MAR 22 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Dec 10 T 8 S R 16 E

N
S E

X

RECEIVED
MAR 22 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert R. Bee

(Applicant)

Received by J. Stanton Date 11-7-89 Time 11:05 am Preliminary check by AS
Fee \$ 45.00 Receipted by J. Stanton # 5010384 Date 11-7-89
Publication prepared by M. Baldwin Date 12-26-89 Published in North Side News
Publication approved M. Baldwin Date 1/16/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



RECEIVED

AFFIDAVIT of PUBLICATION

JAN 11 1990

Department of State of Idaho
Southern District Office

SS.

Patty Mance *G. Manager.*
being first duly sworn,
deposes and says that he is the printer (~~publisher~~) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 3rd day of Jan
1990, and the date of the last publication was on the 10th
day of Jan, 1990.

Subscribed and sworn to before me this 10
day of Jan, 1990
(SEAL)

Norma De Voe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho
COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica a
30 lines Lines straight at 19.02 5¢/Pica a
Subsequent lines at 15.21 4¢/Pica a
TOTAL COST 34.23

COPY OF NOTICE

(Paste Here)

Apples Water Right
TITLE OF NOTICE
Robert De Bie Farms

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. of Water Res.
BILLED TO T.F.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

36-08490

DE BIE FARMS
C/O ROBERT DE BIE
243 W. 200 N.
JEROME, ID 83338
Source: GROUNDWATER
Diversión Pt: NENE Sec 10 T 08S R 16E
Use: COMMERCIAL (.340 CFS)
STOCKWATER (.340 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.340 CFS)

Date Filed: 11/07/1989

In: T08S R16E S10 NENE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before JANUARY 22, 1990.

R. Keith Higginson
Director
N44130

Pub: 1-3 & 10, 1990

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

MICROFILMED

MAR 22 1990 N°

3632

44130



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 7, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHSIDE DAIRY
C/O PAUL CIOCCA
243 W 200 N
JEROME ID 83338

RE: Water Right 36-08490

Dear Mr. Ciocca:

The department acknowledges receipt of correspondence changing ownership of the above referenced water right to you. The department has modified its records to reflect the change in ownership and has enclosed a computer-generated report for your records.

Please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address of the owner of a water right to the department. Notice of the change must be provided to the department within 120 days of the change. Change reporting forms are available from any office of the department.

Please feel free to contact the department if you have questions.

Sincerely,

for L. GLEN SAXTON, Chief
Water Allocations Bureau

LGS:klt

Enclosure

MICROFILMED

AUG 06 1999

MEMORANDUM

DATE: June 21, 1999

TO: File 36-08490

FROM: Kari Lynn Townsend

RE: Telephone conversation

=====

We received the completed Notice of Change of Water Right Ownership form today but there was no support documentation included with it.

I called the phone number on the form and talked to Teresa (secretary) and tried to explain to her that we still needed information. She seemed to be confused by the various letters and forms that have been sent to them this year. I finally told her I would FAX her a copy of the ownership change form that she had sent to us so that she could readily see what else was needed to accomplish the ownership change. She gave me the FAX number (which I added to the ownership change form) and I sent the FAX.

MICROFILMED

AUG 06 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 10, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHSIDE DAIRY
PAUL CIOCCA
243 W 200 N
JEROME ID 83338

RE: Water Right 36-08490

Dear Mr. Ciocca:

The copy of the approved Water Right License in the name of De Bie Farms for the above referenced water right has been returned to us by the post office. I am enclosing this license and a copy of the signed Application for Amendment for your records.

Also enclosed is a Notice of Change of Water Right Ownership form. Please complete this form and return it to my attention along with the required support documentation so that we may update our records to show you as the current owner.

There is no fee required for this process.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Kari Lynn Townsend'.

Kari Lynn Townsend
Secretary

/k

Enclosures

MICROFILMED

AUG 06 1999

VTF

RECEIVED
JUN 08 1999

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

TO

L36-08490
DE BIE FARMS
243 W 200 N
JEROME

ID 83208

NOT DELIVERABLE
RETURNED TO SENDER
FORWARD

RETURNED TO SENDER
REASON CHECKED
Unclaimed _____
Attempted Not known _____
Insufficient Address _____
No such street _____
No such office in state _____
Do not remain in this envelope

MICROFILMED
JUN 06 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 1, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DE BIE FARMS
ROBERT DE BIE
243 W 200 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08490

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


AUG 9 8 1999

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of June, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 36-08490

DE BIE FARMS
ROBERT DE BIE
243 W 200 N
JEROME ID 83338


Kari Lynn Townsend
Secretary

MAILED
AUG 11 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

AUG 06 1999

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08490

Date of Priority: November 7, 1989

Maximum Diversion Rate: 0.27 CFS
Maximum Diversion Volume: 96.4 AF

Comes now DE BIE FARMS
ROBERT DE BIE

243 W 200 N
JEROME ID 83338

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 36-08490, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.27 CFS	55.2 AF
COMMERCIAL	01/01 to 12/31	0.27 CFS	40.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF
	Totals	0.27 CFS	96.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 10, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 16E 10

NENE

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 12:00 P.M., this 16th day of April, 1999.

MICROFILMED

AUG 06 1999

Paul Ogden

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08490

FOR DEPARTMENT USE ONLY

Preliminary check by 10W Fee = 50- Receipted by 10W # C045179 Date 4/19/99

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08490 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Three points of diversion are located within NENE, S10, T08S, R16E.
2. Commercial use is for a dairy.
3. Domestic use is for 2 homes.

Witness my hand this _____ day of _____, 19____.

KARL J. DREHER, Director

MICROFILMED

AUG 26 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 19, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

PAUL CIOCCA
NORTHSIDE DAIRY
243 W 200 N
JEROME ID 83338

RE: Water Right 36-08490

Dear Mr. Ciocca:

I just received your map showing where your dairy wastewater is applied under water right 36-08490. Based on your map, I have prepared a new application for amendment form, which is enclosed. Please sign the form and return it to me within fourteen days. The fee you paid under receipt C045179 will be applied to the new application for amendment. Once I have received the amendment form from you, I will forward your permit for licensing.

I have also enclosed your previous application for amendment form. Because it will be replaced with the new amendment form, it has not been processed.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3608490	T08S R16E S10 GROUNDWATER	:	?X	X	X	X	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
0100005	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
0100016	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
0100212	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
A010021222	LARGE CLAI :	05	35	40	40	:	33	40	40	33	:	38	36	40	33	:	40	40	37	40	:	570	:	:	:	:	:	:	:	:	:	:	:	:
0100213	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
0100215	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
0100220	SNAKE RIVE :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

MICROFILMED
AUG 0 8 1998

Use Standard Legend. Indicate road _____ show direction and distance to nearest town. Indicate _____ of compass - show scale of map.
Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.

TP	B S	RGE	16 E
JEROME COUNTY			
IDAHO STATE			
SCALE 660'			
PLATTED BY	JBY		
TITLE	SECTION		
VERIFIED BY			

JEROME
2 1/2 MILES

Department of Water Resources

MAY 19 1999

RECEIVED

County Record

County Record

2

3

County Record

Waste
Water
Applied

Waste
Water
Applied

AUG 06 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 4, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

PAUL CIOCCA
NORTHSIDE DAIRY
243 W 200 N
JEROME ID 83338

RE: Water Right 36-08490

Dear Mr. Ciocca:

I recently received your application to amend permit 36-08490 so that the water right license can identify three points of diversion when it is issued. Thank you for responding so quickly to my request.

When I submitted your license for signature, I was asked to include the tracts on which your lagoon water is applied in the place of use description. I do not have that information in the water right file, so I am writing to ask you to supply me a map or a list of 40-acre tracts where your lagoon water is applied. Also, if you apply your lagoon water on lands owned by someone else, please identify which lands and who owns them.

Please respond within thirty days. When I have your response, I will prepare a revised amendment form and send it to you for your signature.

I am enclosing receipt C045179 for your amendment fee. This fee will be applied to the revised amendment form when it is completed.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

AUG 6 6 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 8, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHSIDE DAIRY
PAUL CIOCCA
243 W 200 N
JEROME ID 83338

RE: WATER RIGHT 36-08490

Dear Mr. Ciocca:

I am writing to you about Water Right Permit 36-08490, which was originally issued to DeBie Farms. The permit is being reviewed for licensing. Before a water right license can be issued, however, the permit must be amended to depict the water right as it has actually been developed. I have sent an Application for Amendment form to De Bie Farms, but the postoffice has returned the mail as undeliverable. Because our field examiner indicated that you may now own the property on which the water development occurred, I am writing to give you the opportunity to complete the process necessary to obtain a water right license.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, sign the form and return it with the \$50.00 filing fee as soon as possible.

Because water appropriation permits are considered personal property, in order for the department to issue the water right license in your name DeBie Farms must assign the permit to you. I have enclosed an Assignment of Permit form to help you obtain the required information and signatures. The fee for filing an assignment is \$25.00.

If you do not obtain an assignment from DeBie Farms, the department may still issue a license if you submit the Application for Amendment and fee. The license will be issued in DeBie Farms name. However, once the license is issued, the water right becomes appurtenant to the land regardless of the name listed on the document.

If you have any questions about this information, please contact me at (208) 327-7946 in Boise.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".


Shelley Walter Keen
Water Rights Supervisor

Enclosures

MICROFILMED
AUG 06 1999


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

Return Service Requested



DE BIE FARMS
ROBERT DE BIE
224 W 200 N
JEROME ID 83338

POSTER
FIRST CLASS



RECEIVED
APR 06 1999
Department of Water Resources
MICROFILMED
AUG 06 1999

AUTO 55000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 25, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DE BIE FARMS
ROBERT DE BIE
243 W 200 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08490

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor


SK:klt

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

RETURN SERVICE
REQUESTED

PRESORTED
FIRST CLASS



Unclaimed
Addressed
Insufficient
Postage
Paid

*4-1-99 - Sent mail to
address on Photo of B/L*

RECEIVED
MAR 31 1999
Department of Water Resources
MICROFILMED
AUG 06 1999

AUTO 83338



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 25, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DE BIE FARMS
ROBERT DE BIE
243 W 200 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08490

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

AUG 06 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 19, 1999

De Bie Farms
Northside Dairy
243 W 200 N
Jerome ID 83338

RE: Water Right 36-08490

Dear Water Right Holder:

Water Right 36-08490 is in the process of being licensed. Before it can be licensed, however, the permit must be amended to describe the use of three points of diversion instead of one, as was originally proposed. The enclosed Application for Amendment form contains information that will be included on the license when it is issued. The information on the Application for Amendment form is based on the report filed by the IDWR examiners who verified your development in October of 1997. The reference to three points of diversion is found in Remark No. 1 on the second page.

Please review the amendment form carefully. If you concur with the information presented, sign the forms and return them with the \$50.00 filing fee within fourteen days.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in black ink that reads 'Shelley Walter Keen'. The signature is written in a cursive, flowing style.

Shelley Walter Keen
Water Rights Supervisor

Enclosures

MICROFILMED
AUG 06 1999

B/U FIELD EXAM REVIEW

by Cindy LouPermit #: 36-8490 Name: DeBie Farms Date: 2/17/99 ✓ Lots ✓

NAME	Chng ☒ Same ☐	Or Address Change? <u>NO ASSIGNMENT</u>
SOURCE	☐ ☒	Clarify source _____ Prelim. Order to Void - Source change.
P/D	☒ ☐	Amendment Needed? Addn'l 1/4? _____ Legal _____ Same 1/4? <u>W32 3 pld in NENE</u> P36 Overlap(s) <u>None for this doing</u>
P/U	☐ ☒	Amendment Needed? _____ P41 Overlap(s) <u>None</u> (Gov't use special ¶'s) _____ *P/D & P/U Amend? P37
RATE	☐ ☒	Permit/proof fee limits <u>0.34</u> / <u>1.00</u> ☒ Measured Quantity = <u>0.27</u> cfs Theoretical Quantity = _____ cfs <u>Measured by polysonic, Tyner filter, & (micrometer)</u> (HP) $8.8 \times 0.70 \times$ _____ + (2.31 x _____) = _____ cfs <u>120 gpm = 0.27 cfs.</u> ☒ Recommended capacity <u>0.27</u> cfs ☒ Recommended rate <u>0.27</u> cfs
VOLUME	☐ ☒	Season: (____/____) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>(See Georgia Satterlee's spreadsheet in exam)</u> Flow limit: <u>0.27</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>195.5</u> AF ☒ Recommended volume <u>96.4</u> AF
USES	☐ ☒	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS	☒ ☒	Multiple p/d's in same 1/4? Use W32 <u>3 in NENE</u> <u>① W01/2</u>
CONDITIONS	☐ ☐	Measuring Device (R43) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) GW irrigation supplements surface water (065) Water Quality _____ Other _____

PRIORITY App Rod 11/7/89 Due 4/1/91 Rcd 2/13/91
 Receipt# 5013000 Fee OK? (Yes/No)
 Order to Reinstate Needed? Yes No Done? _____ Advanced to: _____
 Priority 11/7/89 Examined 10/27/87

COMMENTS: amend to add 2 more wells same 1/4/4.
diversion volume verified in 1998 Water Measurement Report.

USE	CFS	VOLUME
<u>Stock</u>	<u>0.27</u>	<u>55.2</u>
<u>Comm</u>	<u>0.27</u>	<u>40.0</u>
<u>Dom</u>	<u>0.06</u>	<u>1.2</u>
TOTAL	0.27	96.4

SRBA Overlap _____
 Adjustment Memo ☒
 LICENSE
 #1 AMEND: **P36/P38**
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: February 18, 1999
TO: File No. 36-08490
FROM: Cindy Lou Zimmermann
SUBJECT: Review of Beneficial Use Field Report

Use of water under this right is limited to a) the use and amounts identified on the application and permit; and, b) the implied annual volume of those uses. Although the right holder developed a larger dairy than proposed on the application, the maximum rate of diversion and total annual volume as identified on the 1998 Water Measurement Annual Report are within the implied annual volume of the application and permit.

The location of the measurement of the rate of diversion was at a point on the system where water from the three wells is focused into a single pipe prior to distribution. Apparently, measurements for each specific use were not taken. Therefore, commercial and stockwater use, and maximum rate of diversion rates should be limited to the capacity of the system.

Maximum rate of flow and volume as identified on the examiner's "Dairies: Water Use Worksheet" are confirmed by the 1998 Water Measurement Annual Report.

The following adjustments¹ were made on the field report to reflect department standards and licensing practices for uses developed under this permit:

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Stockwater	1/1-12/31	<u>0.27</u> cfs	40.0 AF
Commercial	1/1-12/31	<u>0.27</u> cfs	55.2 AF
Domestic	1/1-12/31	0.06 cfs	1.2 AF
	Totals:	0.27 cfs	96.4 AF

Examiner: Georgia Satterlee
Examined: October 27, 1997

¹ Adjustments are **bolded and underlined**.

MICROFILMED
AUG 06 1999

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

RECEIVED

FEB 16 1999

Department of Water Resources
Southern Region**THIS IS YOUR 1998 WATER MEASUREMENT ANNUAL REPORT**For the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District %
Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID
on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	DE BIE FARMS (NORTHSIDE DAIRY)
Water Right No.	36-08490
Legal Description:	08S 16E 10 NENE A0002995
Site Tag No.	3 HP WELL 41140
Diversion Name:	

Date	1/17/99	# of pages	4
From	Arnie W		
Post-it Fax Note	7671		
	W. Zimmerman		
	Co. Dept. State off		
	to Southern		
	Phone #		

SECTION I Appropriator information

Name and Address of Water Right Holder

*Current Owner*Name Ciocca Paul EPhone 324-7008Address 243 W 200 N

Fax _____

City JeromeState & Zip ID 83338*Original Owner (if sold within last year)*Name DE BIE Paul

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED
AUG 06 1999

RECEIVED

FEB 16 1999

Department of Water Resources
Southern Region

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

THIS IS YOUR 1998 WATER MEASUREMENT ANNUAL REPORTFor the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District % Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID 83301, on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	DE BIE FARMS (NORTHERN DISTRICT)
Water Right No:	06-08480
Legal Description:	08S 14E 10 NONE A0002994 B
Site Tag No:	15 HP WELL 41140
Diversion Name:	

SECTION I Appropriator information

Name and Address of Water Right Holder

Current Owner

Name CIOCCA Paul EPhone 208-324-7008Address 243 W 200 N

Fax _____

City BOONVILLEState & Zip ID 83338

Original Owner (if sold within last year)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED

AUG 06 1999

RECEIVED

FEB 16 1999

Department of Water Resources
Southern Region

WMD11.6.97

WEST ESPA MEASUREMENT DISTRICT

THIS IS YOUR 1998 WATER MEASUREMENT ANNUAL REPORTFor the Water Measurement Using - MEASURING DEVICE METHOD

ATTENTION: Year end data must be submitted the West ESPA Measurement District % Idaho Department of Water Resources, 1341 Fillmore St. Suite 200, Twin Falls ID 83301, on or before January 15, 1999.

NOTE: A separate reporting form must be submitted for each well.

Name:	DEBIE FARMS (NORTHSIDE DAIRY)
Water Right No:	36-08490
Legal Description:	T. 98S 16E 10 W. 10E A0002995 41140
Site Tag No:	7.5 Hd WELL
Diversion Name:	

SECTION I Appropriator information

Name and Address of Water Right Holder

Current Owner

Name ELCORA PAUL EPhone (208) 324-7008Address 243 W 200 N

Fax _____

City JEOPACState & Zip ID 83338

Original Owner (if sold within last year)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

Operator (if leased or operated by someone else)

Name _____

Phone _____

Address _____

Fax _____

City _____

State & Zip _____

MICROFILMED

AUG 06 1999

SECTION II Meter Readings

Describe type or brand of the meter: Micro Meter

Record flow meter volume and flow rate at least once per month, indicating date of reading. Take year-end reading near December 31. Record units (gallons, acre-feet, gpm, cfs) and any multipliers. Please explain when two or more diversions are measured with one meter, or when two or more meters are used for one diversion (indicate each meter's readings).

Date (enter date of reading)	Total Volume Reading Units: <u>2</u> (gal or af) Multiplier: X <u>10</u>	Flow Rate Units: <u>1</u> (gpm or cfs) Multiplier: X <u>M/H</u>	Discharge pressure (psi)
January - 31	142 787	100 - 120	60 - 70
February - 28	492 982	100 - 120	60 - 70
March - 30	982 552	100 - 120	60 - 70
April - 30	377 450	100 - 120	60 - 70
May - 30	812 370	100 - 120	60 - 70
June - 30	307 420	100 - 120	60 - 70
July - 30	796 252	100 - 120	60 - 70
August - 30	312 912	100 - 120	60 - 70
September - 30	768 212	100 - 120	60 - 70
October - 30	208 158	100 - 120	60 - 70
November - 30	688 066	100 - 120	60 - 70
December - 31	128 776	100 - 120	60 - 70

* Please make year-end reading on or near December 31, 1998

Do the totalizer readings above include the meter multiplier? ☒ Yes ☐ No

120 gpm = 0.27 cfs

Total Gallons 3128776 X10 Adjusted 2/12/99Total Acre-ft 96.0 (325,850 gallons per acre-foot)

SECTION III Well Information (Optional)

Idaho code measurement statute § 42-701 requires water users to measure water levels in their wells. However, IDWR recognizes that measuring water levels in some wells is very difficult, especially wells with submersible-type pumps installed. If the water level cannot be measured, please give a brief explanation in the comments section. If measured in 1998 please report on next page:

total from above
 ① 1,500,000
 ② 4,000,000
 ③ 1,600,000
 ④ 128,776
3128776

2

MICROFILMED

AUG 06 1999

WELL DRILLER'S REPORT

State law requires that this report be filed with the Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name D B Farms

Address Jerome

Owner's Permit No. 36-89-S-0491

Department of Water Resources
Southern Region Office

RECEIVED

FEB 12 1990

WATER LEVEL

Static water level 215 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ OF. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Dairy (specify type)

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8 5/8</u> inches	<u>0</u> feet	<u>-19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

8. WELL TEST DATA

☐ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	10 1/2	Top Soil		X
	10 1/2	18 1/2	Gray Basalt		
10 1/8	18 1/2	24	Brown Basalt Broken		
8	24	31	Gray Basalt		
	31	40	Brown Basalt broken		
	40	50	Gray Basalt		
	50	53	Gray Basalt w/small breaks		
	53	54 1/2	Crevise		
	54 1/2	57	Brown-Pink Basalt		
	57	61	Crevise		
	61	70	Gray Basalt w/small breaks		
	70	74	Brown basalt broken		
	74	84	Gray basalt		
	84	87 1/2	Crevise		
	87 1/2	91	Med Hard Gray basalt		
	91	106	Med Hard Gray basalt w/sm. breaks		
	106	140	Med Hard gray Basalt		
	140	143	Crevise		
	143	154	Med Hard small breaks		
	156	167	Med Hard large breaks		
	167	169	Med Hard		
	169	170	Soft		
	172	185	Med Hard large breaks		
	185	191	Broken		
	191	231	Med Hard w/small breaks		
	231	244	Med Hard		
	244	251	Med Hard w/small breaks		X
	251	253 1/2	Med Hard w/large breaks		
	253 1/2	257	Med Hard		
	257	271	Med Hard Large Breaks		
	271	276	Med Hard		
	276	285	Med Hard loose and broken		
	285	302	Med Hard		
	302	307	Med Hard Broken large breaks		
	307	311	Loose rock		

10.

Work started 6/19/89 finished 6/22/89

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. 16

County Jerome

NE 1/4 NE 10 Sec. 10 T. 8S N ☐ S ☒ R. 16E BM ☐ W ☐

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name SMITH DRILLING & PUMPING CO., INC.

Address Jerome Date 6/89

Signed by (Firm Official) P. D. Smith

and

(Operator) Melvin Rulhime

WD0731NP
(00-0731)

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 10/21/97
PAGE: 1

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY	ACC FLG
36-89-S-0049-000	0	DE BIE FARMS 243 W 200 N JEROME, ID 83338	08S	16E	10	NE NE		JEROME	L

Subdivision Well Site Location and Description:

Subdivision Name:
Well Site Address:
City, State:

Lot(s):
Block(s):

Geographic Location:

GPS Site ID:
Lat: : : N
Long: : : W
Accuracy Code:

Proposed Use of Well: Domestic Proposed Casing Diameter: 8 In.
Anticipated Bottom Hole Temperature: 85F or Less

Proposed Depth: 312 Ft.

Well Use Comments: PERMIT STATES: DOMESTIC, STOCKWATER FOR 200 LIVESTOCK
LOG STATES: DAIRY

Driller License No: 0011

Firm Name: SMITH DRILLING & PUMP CO INC
Official: R DARRYL SMITH

Permit Status: Filed

Verbal Issue Date:
Date Received: 06/28/1989
Date Approved: 06/28/1989
Proposed Start Date: 06/26/1989
Extension Date:
Extension Expiration:

Receipt No.	Receipt Date	Fee
S008405	06/28/1989	\$ 130.00
	NOT ON FILE	
	NOT ON FILE	
	NOT ON FILE	
	NOT ON FILE	

Permit Remarks: CORRECT SPELLING OF OWNER IS DE BIE FARMS.
Permit Remarks:

Comments: No Comments Found

----- WELL DRILLER'S LOG REPORT -----

Drilling Permit No: 36-89-S-0049-000
Log Status: Sent To/Microfilmed

Water Right No: 36-08490
Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter: 8 In. Static Water Level: 215 Ft.
Depth of Casing: 19 Ft. Temperature: F.
Total Depth: 311 Ft. Production Rate: GPM
Screen Installed? No

Actual Start Date: 06/19/1989
Well Finish Date: 06/22/1989
Log Received Date: 02/12/1990
Certification Date: 06/00/1989
Field Inspection Date:

Inspector:

Violation Flag:

Well Log Remarks: SURFACE SEAL 18 FT.
WELL LOG DOES NOT REFLECT WATER RIGHT.

MICROFILMED
AUG 0 6 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 10 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08490

1. Owner: NORTHSIDE DAIRY 7. PAUL CIOCCA Phone No. 324-8090

Current Address: 243 W. 200 N., JEROME, ID. 83338

2. Accompanied by: PAUL CIOCCA EXAM DATE: 27 Oct 97

Address: SAME Phone No. _____

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: " "

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		NW	NE	NE	10	T08S	16E	JEROME	FIELD EXAM / GPS A0002993
#2		SW	NE	NE	↓	↓	↓	↓	↓ " " 4
#3		SE	NE	NE	↓	↓	↓	↓	↓ " " 5


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
08S	16E	10	S																
			C																
			D																

MICROFILMED
JUL 6 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		15			
#2		7.5			
#3		3			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
FUJI, TYPE FLYTE						
PEEK & MICROMETER						

2. Measurements:

PLEASE ATTACHED SHEETS

MICROFILMED

AUG 06 1999

FILE NUMBER _____ 36-08490
 REVIEWER _____ Satterlee

AS PERMIT STATES

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE _____ 1000
 NUMBER OF NONMILKING CATTLE _____ 0
 IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
 IF ANAEROBIC, ENTER ZERO _____ 1.0
 EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) _____ 4
 ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
 SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS _____ 3
 NUMBER OF MILKINGS PER DAY _____ 3

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD _____ 0.65
 MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.65
 NONMILKING CATTLE @12 GPD/HD _____ 0.00
 NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.00
 TOTAL (BASED UPON ROUNDED NUMBERS) _____ 0.65

DIVERSION VOLUME (AFA):

STOCKWATER
 MILKING CATTLE @35 GPD/HD _____ 39.2
 MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 40.0
 NONMILKING CATTLE @12 GPD/HD _____ 0.0
 NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.0
 TOTAL (BASED UPON ROUNDED NUMBERS) _____ 40.0

COMMERCIAL
 WASHING OF BULK TANK AND RELATED EQUIPMENT _____ 0.5
 PARLOR FLOOR AND MILKHOUSE FLOOR _____ 0.1
 CATTLE WASHING BASED UPON METHOD OF WASHING _____ 54.6
 TOTAL _____ 55.2

TOTAL DIVERSION VOLUME _____ 95.2

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
 MILKING _____ 5.8
 NONMILKING _____ 0.0
 TOTAL _____ 5.8

COMMERCIAL _____ 4.0

TOTAL CONSUMPTIVE USE _____ 9.8

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) _____	15.00	7.50	3.00
LIFT (FT) _____	215	215	215
DISCHARGE PRESSURE (PSI) _____	50	50	50
FRICTION LOSSES (FT) _____	10.0	10.0	10.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) * _____	0.28	0.14	0.06
DIVERSION VOLUME (AFA) ** _____	202.4	98.2	40.5

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.
 * DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
 THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
 DAY OF THE YEAR.

DAIRY SPREADSHEET

$$\frac{9 \text{ gpm}}{0.02 \text{ cfs}} = \frac{120 \text{ gpm}}{0.27 \text{ cfs}}$$

MICROFILMED
 JUN 12 1981

FILE NUMBER _____ 36-08490
REVIEWER _____ Satterlee

EXISTING CONDITIONS

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE 1200
NUMBER OF NONMILKING CATTLE 180
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO 1.0
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS 3
NUMBER OF MILKINGS PER DAY 3

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD 0.78
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * ... 0.78
NONMILKING CATTLE @12 GPD/HD 0.04
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 0.04
TOTAL (BASED UPON ROUNDED NUMBERS) 0.82

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD 47.0
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * ... 48.0
NONMILKING CATTLE @12 GPD/HD 2.4
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 2.7
TOTAL (BASED UPON ROUNDED NUMBERS) 50.7

COMMERCIAL
WASHING OF BULK TANK AND RELATED EQUIPMENT 0.5
PARLOR FLOOR AND MILKHOUSE FLOOR 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING 65.1
TOTAL 65.7

TOTAL DIVERSION VOLUME 116.4 = 0.58 cfs

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING 7.0
NONMILKING 0.0
TOTAL 7.0

COMMERCIAL 4.0

TOTAL CONSUMPTIVE USE 11.0

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP)	15.00	7.50	3.00
LIFT (FT)	215	215	215
DISCHARGE PRESSURE (PSI)	50	50	50
FRICTION LOSSES (FT)	10.0	10.0	10.0

CALCULATIONS

$\Sigma = 0.48 \text{ cfs}$

THEORETICAL FLOW RATE (CFS) *	0.28	0.14	0.06
DIVERSION VOLUME (AFA) **	202.4	98.2	40.5

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

* DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY DAY OF THE YEAR.


9 gpm = 120 gpm MEASURED RATE
0.02 cfs 0.27 cfs

MICROFILMED
JUN 06 1998

250 W

36-08490


200 N
#2 7.5HP 15HP #1




LAGOONS

Irr. by canal shares

D. B.
Farms
160
Irrigated by
canal shares



200 W



Northside
Dairy
2
67

36-15220
Northside Dairy
Dom/Stock
1 house / 370 head

ARELLANO

74
36-14717
Joe M. Arellano
Dom/Stock
2 homes / 50 head

Mitchell
28

Barkman


80

Paul Ciocca North Side Milk
Sec 10, T08S, R16E NE1 NE1

36-08490


Mitchell 10

150 W



Paul Ciocca ZNorth Side Milk
Sec 10, T08S, R16E NE $\frac{1}{4}$ NE $\frac{1}{4}$

36-08490



Subdivision

R102715A #1 GPS A0002994
R102715B #2 A0002993
R102715C #3 A0002995

#1
#2
#3

Paul Ciocca ZNorth Side Milk
Sec 10, T08S, R16E NE1/4 NE1/4
36-08490

GPS Tag A0002993

7.5 HP

9" diameter

3 wells are pumped here, relifted
into pressurized tanks

P/D #2

SWNE $\frac{1}{4}$

Sec 10, T08S, R16E

Wells are
30' Apart

10/27/97

both photos are looking S'ly

GPS Tag A0002994

15HP

8" diameter

P/D #1

NWNE $\frac{1}{4}$

Sec 10, T08S, R16E

10/27/97

MICROFILMED

AUG 9 6 1998

Northside Dairy Paul Ciocca
27Oct1997

36-08490




P/D #3 SENENE Sec 10.T08S.R16E




GPS Tag
A0002995

MICROFILMED
Northside Dairy Paul Ciocca
27 Oct 1997 36-08490
AUG 8 1999

3/5



looking W'ly



IDWR Pressure Gage


Untypical Stock Tank

IMPROVED
SUS J. E. 1997

Northside Dairy Paul Ciocca
27Oct1997

36-08490

5/5



Lagoons
looking SW'ly

Dairy Barn

NSCC-Canal Shares from here for irr.



Dairy Barn



Stockyard-Looking NE'ly

Northside Dairy
27Oct 1997

Paul Ciocca
36-08490

From: DWR06::"sking@idwr.state.id.us" "Scott King" -SEP-1997 14:16:18.98
To: dnelson@idwr.state.id.us ('dnelson@idwr.state.id.us'),
jstanton@idwr.state.id.us ('smtp:jstanton@idwr.state.id.us')
CC:
Subj: Paul Ciocca, licensing exam for 36-08490

Paul called today. He said Dan and Burke visited dairy last week. He was told he needed to contact IDWR when he was ready for a field exam. I took his call, and told him I would refer to the correct party.

Paul Ciocca (pronounced choka) can be reached at 324-8090, 324-7008.

GEORGIA or JIM, please coordinate with Dan to verify water right number = above. The dairy was owned by De Bie, but Ciocca is purchasing within a = year. He would like to have the licensing exam completed, probably for = financing. I suppose you'll be contacting him for an appointment.

He has a flowmeter installed that measures diversions from all three wells. =

However, he said the stockwater was not getting enough water from the 3-hp = (smallest pump) due to the backflow preventer he was told to put in (so the = flowmeter received all the water from every pump??). He was going to remove = the backflow preventer for now, and would like any other recommendations on = the matter.

He said the flowmeter read near 150 gpm when they first fired up the system = after installing the meter (down for 6 hours). However, it usually doesn't = operate that high, and the highest he's seen since was near 100 gpm. This = makes sense, as he'd calculated using near 1,000,000 or 100,000 gallons per = day (he wasn't sure of the multiplier). 1 mil is absurd, and 100,000 is an = average of 69 gpm. 11210 AF

DAN-Possibly you can coordinate with licensing to check flowmeter accuracy. =

Please send Ciocca a reporting form, and possibly whoever goes out there = next to visit with him can make sure he's reading it correctly. It has 7 = digits, and there is a 1 in the 6th digit place already, so it's likely this = meter may roll over during the year. This doesn't bother me a whole lot = along as the guy reads frequently enough.

Thank you,
Scott King

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 36-89-S-0049-000 OTHER APPLICABLE NO: 36-08490
2. OWNER: NORTHSIDE DAIRY % PAUL CULICA Phone: 324-8090
Address: 243 WEST 200 NORTH, JEROME, ID; 83338
3. WELL LOCATION: Twp 08S, Rge. 16E, Sec. 10, NE 1/4 NE 1/4
County JEROME (Provide sketch map and photo on reverse.)
4. DRILLER: SMITH DRILLING Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 8" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe 9" o.g.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☒ Stock **MICROFILMED**
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL DAIRY
→ HOMES TO BE DEMOLISHED 1998, WELLS STRICTLY FOR DAIRY/STOCK

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

* GPS A0002994 (15HP PUMP)

1 of 2 WELLS 30' APART, BEHIND MILKING BARN

3rd WELL NEAR EXISTING HOMES (TRAILER, 1 HOME)

LSatterlee

Signature of Dept. Representative & Title

27 Oct 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



SECOND WELL →

PHOTO LOOKING S'LY

MICROFILMED

AUG 06 1999

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 36-08490
2. OWNER: NORTHSIDE DAIRY % PAUL CIOCCA Phone: 324-8090
Address: 243 WEST 200 NORTH JEROME, ID 83338
3. WELL LOCATION: Twp 08S, Rge. 16E, Sec. 10, NE 1/4 NE 1/4
County JEROME (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe FLUSH w/ o.g.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No 50 PSI
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL
2 HOMES SCHEDULED DEMOLISHED 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

3 HP PUMP

[Signature]

Signature of Dept. Representative & Title

27 Oct 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

AUG 06 1999

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 36-08490
2. OWNER: NORTHSIDE DAIRY & PAUL CIOCCA Phone: 324-08490
Address: 243 W 200 N, JEROME, ID 83338
3. WELL LOCATION: Twp 05S, Rge. 16E, Sec. 10, NE 1/4 NE 1/4
County _____ (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 9 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe 11" o.g.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL/DAIRY

406 B 6 1992

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

GPS A0002993* (7.5 HP PUMP)

1 of 2 wells 30' apart, behind milking barn
3rd well near existing homes (trailer, 1 home)

J. Satterlee

Signature of Dept. Representative & Title

2701-97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

AUG 06 1999

PHOTO LOOKING SW'LY

May 14, 1996

Paul Ciocca
243 W 200 N
Jerome, ID 83338

Dear Mr. Ciocca:

The following is my evaluation of the waste system on the dairy you operate in Jerome County at 200 N 200 W. In addition, it is my understanding you are purchasing and plan to operate an adjoining dairy located across the county road at 150 N 200 W in Jerome County. This evaluation is based on my visit with you and observing the site on May 6, 1996. It is my understanding you are requesting this evaluation because you have recently expanded the waste system of your existing facility by constructing a new earthen storage lagoon. In addition, you plan on using the expanded liquid storage lagoon to store the milking center waste and a portion of the corral runoff from the purchased dairy. The existing milking center waste storage system on this site will be abandoned.

The following proposal is based on the herd being milked in a double 18 herringbone parlor on the existing dairy and a double 7 herringbone parlor on the purchased dairy. Herd size is based on 1,200 and 400 cows being milked in the double 18 and double 7, respectively. This evaluation is based on 1,600 cows in milk and milked three times a day. Typical literature values were used to estimate milking center cleanup volumes.

Corral runoff from a 25 year storm and the 1 in 5 year winter also needs to be contained on the property. During our visit we discussed the options you are using to store corral runoff. Currently, part of the main facility corral runoff is stored with the milking center waste in the existing storage lagoon and the remainder is stored separately. It is my understanding that a portion of the purchased facility runoff will be stored in the new storage lagoon and the remainder in separate storage. (See enclosed material for details). Precipitation runoff often cannot be anticipated, but storage of both the 25 year, 24 hour storm event and the 1 in 5 year winter precipitation is required and appropriate capacity needs to be maintained if the corral runoff is stored with the milking center waste.

Corral runoff estimates are based on a 25 year, 24 hour storm event of 1.8 inches. On earthen lots less than 2 percent slope NRCS runoff curve number of 91 can be used which equals .99 inches of runoff. The 1 in 5 year winter runoff is 1.0 inches based on Jerome weather data. Therefore, total runoff is 1.99 inches.

The enclosed computer printout estimates the milking center waste generated daily from both facilities is 12,550 cubic feet ($9,257 + 3,293 = 12,550$). The evaluation assumes a solid separator will be used on the smaller facility and not on the larger facility.

University of Idaho Cooperative Extension System

Animal and Veterinary Science Department

Twin Falls Research and Extension Center
PO Box 1827

Twin Falls, ID 83303-1827

Telephone: (208) 734-3600

FAX: (208) 736-0843

Animal and
Veterinary
Science
Locations:

Moscow, Ag Sci Bldg. 885-6345
Moscow, Holm Center 885-7081
Caldwell R&E Center 459-6365
Caldwell Cane Center 454-8657

Twin Falls R&E Center 734-3600
Idaho Falls R&E Center 529-8376
Soda Springs 547-4354

MICROFILMED
AUG 06 1999

College of Agriculture

Currently, milking center waste and a portion of the corral runoff is stored in the existing storage lagoon from the existing dairy. The capacity of the existing storage was estimated by you to provide approximately 60 days of capacity for the milking center and applicable corral runoff from the existing dairy. A new earthen storage lagoon has recently been constructed to accommodate the additional milking center waste and a portion of the corral runoff from the purchased dairy facility and to increase and enhance the current storage length. The capacity of the new storage is estimated to be 598,833 cubic feet.

The existing facility is estimated to generate 9,257 cubic feet of milking center waste daily. The existing storage lagoon is estimated to have a capacity of about 60 days storage plus corral runoff (estimates based on recent winter plus applicable winter corral runoff). However, since last year's winter runoff is not known, it is therefore not accounted for, and the storage capacity is estimated to be approximately 555,420 cubic feet (9,257 cubic feet per day X 60 days = 555,420 cubic feet).

The new lagoon is estimated to provide an additional 598,833 cubic feet of storage capacity. The total milking center waste and applicable corral runoff from both facilities is estimated as follows:

<u>Facility</u>	<u>Daily milking center waste (cubic feet)</u>	<u>Runoff (cubic feet)</u>
Main	9,257	97,014
New	<u>3,293</u>	<u>22,682</u>
Total	12,550	119,696

Total storage capacity is estimated as follows:

<u>Lagoon</u>	<u>Capacity (cubic feet)</u>
Existing	555,420
New	<u>598,833</u>
Total	1,154,253

The estimated storage volume available for milking center waste after accounting for the corral runoff is 1,034,557 cubic feet (1,154,253 cubic feet capacity - 119,696 cubic feet runoff = 1,034,557 cubic feet).

The estimated daily volume of milking center waste is 12,550 cubic feet. Therefore, the estimated storage length of your expansion proposal is 83 days (1,034,557 cubic feet storage ÷ 12,550 cubic feet per day = 83 days).

MICROFILMED
AUG 06 1999

Several options exist to extend the storage length of your system:

- By not installing a wash pen in the purchased milking center and assuming all other conditions remain the same, the storage length increases to 108 days.
- Reducing wash pen use to 4 minutes per string per wash in both facilities and assuming all other conditions remain the same, storage length increases to 118 days.
- Reducing wash pen use to 4 minutes per string per wash in the existing dairy and not installing a wash pen in the purchased dairy, the storage length increases to 154 days.

The enclosed computer printouts and material provide additional details and illustrate the storage requirements for the milking center waste. My recommendations are based on the "Idaho Waste Management Guidelines for Confined Feeding Operations". I hope this information is useful, and please contact me if you have any questions or concerns.

Sincerely,

Dean E. Falk
Extension Dairy Specialist

cc. Marv Patten
Mike Wiggs

DEF/dm

MICROFILMED
AUG 06 1999

New Lagoon ~ 190 ft X 420 ft X 12 ft Deep

LGNCALC.XLS

volume		598833.3		calc-vol	598833.3
width at water level		180			
depth at water level		10			
slope		2.5			
length at water level		410			
calculated length		410			
		Est. Dimensions			
		Slope =		2.5	
		Volume =		598833.3	
		Depth at water level		10	
		Dim at water level		269.7107	
		Dim w/ 2 ft freeboard		279.7107	

Paul Crocca Dairy

200 N 200 W

Jerome ID.

2.5 to 1 slope

capacity at 10 ft depth to allow for

2 feet of freeboard is 598,833.3 cubic feet.

MICROFILMED


JUN 06 1999

Page 1

Paul Crocca

Purchased dairy from C. Wallis

150 N 200 W Jerome Co.



Runoff Area
10/30/72
needed
Collection Area

North
↓

NOT TO SCALE

MICROFILMED

AUG 9 6 1993

Home place (DeBie dairy)

WASTE SYSTEM DESIGN FOR....Ciocca Dairy 1

DESIGNED BY DEAN FALK UNIVERSITY OF IDAHO EXT. DAIRY SPEC.

May-96

1386 Total with 1200 in milk

Number of Cows in the Herd.....	1200 Head
Average Weight of Cows in the Herd.....	1400 Pounds
Manure Volume per Day in Cu. Ft.	2302 Cu. Ft. / Day
Number of Milkings per Day.....	<u>3 Times</u>
Number of Sprinklers in the Holding Pen.....	80 Birds
<i>Double nozzels (3/32 & 5/32 @ 40 psi)</i> Sprinkler Output in Gallons Per Minute.....	6.27 G.P.M.
<i>> strings @ 6 minutes per string per milking</i> Minutes per Day Sprinklers are Used.....	126 Minutes
<i>High pressure hose (20 gpm @ 15 min per milking)</i> Gallons of Water Used to Flush Holding Pen...	900 Gallons
Percent of Total Manure being Stored.....	15%
<i>900 ft x 650 ft</i> Total Runoff Area in Acres.....	13.43 Acres
<i>1.8 in with NRCS RCN 91 used = .99 in.</i> Runoff From 25 Year, 24 Hour Storm.....	48263 cu.ft.
<i>1.0 in from Jerome weather data</i> Runoff From Winter Precipitation.....	48751 cu.ft.
Milkhouse and Parlor Volumes.....Gallons.....Cu.ft.	
Bulk Tank.....	116 15
Pipeline.....	420 56
Misc. Equipment.....	50 7
Wash Parlor Floor.....	300 40
Wash Milkhouse Floor.....	50 7
Total Water.....	936 Gallons 125 Cu. Ft.
Number of Days Storage is Required.....	180 Days
Holding Pen Volume per Day.....	8547 Feet
<i>assumes 0.5 gal/cow/milking</i> Total Water Required for Cow Prep per Day....	240 Feet
Manure Stored per Day.....	345 Cu. Ft.
Total Daily Estimated Volume in Cu.Ft....	9257 Cu. Ft.

MICROFILM

APR 26 1997

NORTHSIDE
DAIRY #2

NOT PART OF
THIS PERMIT.

C.S.

2/17/99.

2nd Dairy (Wallis dairy)

WASTE SYSTEM DESIGN FOR....Ciocca-2

DESIGNED BY DEAN FALK UNIVERSITY OF IDAHO EXT. DAIRY SPEC.

May-96

Dry Cows to keep at home place

Number of Cows in the Herd.....	400 Head
Average Weight of Cows in the Herd.....	1400 Pounds
Manure Volume per Day in Cu. Ft.	767 Cu. Ft. / Day
Number of Milkings per Day.....	3 Times
Number of Sprinklers in the Holding Pen.....	40 Birds
<i>3/32 & 1/32 Nozzle at 40 psi</i> Sprinkler Output in Gallons Per Minute.....	6.27 G.P.M.
<i>6 min per string per milking - 5 strings</i> Minutes per Day Sprinklers are Used.....	90 Minutes
<i>20 gpm high pressure hose @ 10 min per milking</i> Gallons of Water Used to Flush Holding Pen...	600 Gallons
<i>solid separator used</i> Percent of Total Manure being Stored.....	5%
<i>480 ft x 285 feet</i> Total Runoff Area in Acres.....	3.14 Acres
<i>1.8 in with NRCS RCN 91 or 0.99 inches</i> Runoff From 25 Year, 24 Hour Storm.....	11284 cu.ft.
<i>1.0 from Jerome weather data</i> Runoff From Winter Precipitation.....	11398 cu.ft.
Milkhouse and Parlor Volumes.....Gallons.....Cu.ft.	
Bulk Tank.....	78 10
Pipeline.....	180 24
Misc. Equipment.....	30 4
Wash Parlor Floor.....	300 40
Wash Milkhouse Floor.....	50 7
Total Water.....	638 Gallons 85 Cu. Ft.
Number of Days Storage is Required.....	180 Days
Holding Pen Volume per Day.....	3090 Feet
<i>assumes 0.5 gal / cow / milking</i> Total Water Required for Cow Prep per Day....	80 Feet
Manure Stored per Day.....	38 Cu. Ft.
Total Daily Estimated Volume in Cu.Ft.....	3293 Cu. Ft.

MICROFILMED

JUN 9 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Water Measurement Program

1997 WATER MEASURING DEVICE CERTIFICATION

Date of Testing 10-27-97Person performing test Daniel A. Nelson

Name:	<u>Debie Farms</u>
Water Right No:	
Legal Description:	T <u> </u> R <u> </u> Sec <u> </u> <u> </u> / <u> </u> <u> </u> / <u> </u>
Site Tag No:	
Diversion Name:	<u>3 wells 1 POD</u>

Current Owner

Name Debie Farms Phone Address 243 W. 200 N City Tetona State Id. Zip 83338

Operator (if leased or operated by someone else)

Name NORTH VALLEY MILK Phone

SECTION I WELL SITE IDENTIFICATION

Global Positioning System Data:

Data Collection Filename Offset IDWR Site Tag Identification No. Site Tag location description: PLS/USGS Locator

For Department/District Use Only

Received by Date Reviewed by Date Data Entry by Date

Water Does the

SECTION II INSTALLED METER INFORMATION

METER AND MOUNTING PIPE INFORMATION			
Date of meter Installation	1997	Multiplier - Flow rate	1
Manufacturer	McChrometer	Multiplier - Totalizer	X 10
Meter Type	Propeller	Location (good, fair, poor)	Fair
Model		Pipe information	galvanized steel
Serial Number	973113 2.5	Pipe material	galvanized steel
Size (nominal)		Outside Diameter	3.51
Measure Flow Rate?	(circle one) Yes No	Wall Thickness	.228
Measurement Units	(circle one) CFS GPM Other(specify)	Inside Diameter	3.054
Measure Cumulative Volume?	(circle one) Yes No	Dist. of straight pipe upstream from meter	8 inches
Volume Units	Acre-Feet Yes No Other(specify) gallons	Dist. of Straight pipe downstream from meter	12 inches

SECTION III CERTIFICATION FOR CALIBRATION OF A WATER MEASUREMENT METER

See back page for instructions.

Measurement No. 1 (M_1) is the measured rate of flow from the permanently installed flow meter.

120 gpm

Measurement No. 2 (M_2) is the measured rate of flow from the measuring device being used to check the flow for the calibration. This method or device must be accurate to within $\pm 5\%$ error. Describe below the method and equipment used to perform this measurement.

Used a Fuji and a Tyme Flow Flow meter. The Fuji averaged 114 gpm and the Tyme Flow was 117 gpm

$$\text{Percent Difference} = (M_1 - M_2) \div M_2 \times 100 = \pm \% \quad (\text{Acceptable is within } \pm 10\%) \quad (\text{equation 1})$$

$$\text{Calibration Multiplier} = M_2 \div M_1 \quad (\text{equation 2})$$

Is flowmeter installed according to manufacturer's specifications? Yes (No) / Unsure

Describe any apparent problems with installation or operation The Flow meter did not have adequate pipe length in front of meter.

Flowmeter accuracy prior to any adjustments: 2.56% Totalizer reading 6951350
 $(120 - 117) \div 117 \times 100 = 2.56\%$

Flowmeter accuracy after final adjustment: no adjustment made Totalizer reading

Flowmeter calibration multiplier: .975

$$117 \div 120 = .975$$

MICROBELL
APR 16 1998

Water Level Data

Does the well have access to measure water levels? Yes / (No)

Static Water Level _____ ft
Date _____Pumping Water Level _____ ft (at condition # _____)
Date _____**FLOWMETER ACCURACY CALIBRATION TABLE**

Owners meter (totalizer reading)	Time	Total Gallons	Ave. Flow Rate - GPM (M.)	Standard total gallons	Average flow rate (M.)	Percent diff. (±)	Comments and adjustments
695130	000						
695140	1:50	100	120	117	120	2.56%	.98
695150	1:40	200	120				
695160	2:29	300	121				
695170	3:20	400	120				
695180	4:08	500	121				
695180	4:59	600	120				

Notes, Comments or Calculations: There are 3 wells
that are all plumbed through a common
meter.

Sketch and or photograph of installation:

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature _____
(person performing measurements)

Date _____

MICROFILM
AUG 06 1993


97-10-27 11:33 >>>-----

SITE SETUP

SITE SETUP	
PIPE PARAMETER	
SITE NAME	
OUTER DIAMETER	3.5100in
PIPE MATERIAL	DUCTILE IRON
WALL THICKNESS	0.2030in
LINING MATERIAL	NO LINING
LINING THICKNESS	0.0000in
KIND OF FLUID	WATER
SENSOR MOUNTING	V
SENSOR TYPE	FLD12
TRANS. VOLTAGE	STANDARD

97-10-27 11:38 >>>■■■■■

SYSTEM CHECK

SOUND SPEED 4927 ft/s	
	
SOURCE	UP STREAM WAVE
WAVEFORM	10
DATA/DIV	10000
COURS	600

97-10-27 11:46:50
+4.674E+0 ft/s
+1.102E+2 gal/m
+TOTAL 0001065 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:47:49
+4.700E+0 ft/s
+1.108E+2 gal/m
+TOTAL 0001174 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:48:49
+4.652E+0 ft/s
+1.097E+2 gal/m
+TOTAL 0001285 gal
-TOTAL 0000000 gal
ABNORMAL

97-10-27 11:49:49
+4.819E+0 ft/s
+1.136E+2 gal/m
+TOTAL 0001396 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:50:49
+4.789E+0 ft/s
+1.129E+2 gal/m
+TOTAL 0001508 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:51:49
+5.513E+0 ft/s
+1.300E+2 gal/m
+TOTAL 0001633 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:52:49
+5.231E+0 ft/s
+1.233E+2 gal/m
+TOTAL 0001756 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:53:49
+4.734E+0 ft/s
+1.116E+2 gal/m
+TOTAL 0001871 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:54:49
+4.802E+0 ft/s
+1.132E+2 gal/m
+TOTAL 0001983 gal
-TOTAL 0000000 gal
NORMAL

97-10-27 11:55:49
+4.719E+0 ft/s
+1.113E+2 gal/m
+TOTAL 0002095 gal
-TOTAL 0000000 gal
ABNORMAL

ave
114 gal/m.

Fuji POLYSONIC

OUTER DIAMETER
3.51000 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2280 IN

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

0117.0 MMSEC
102.57 % T0

10-27 12:1400 *R
+003.00 % AI2

12:20+ 1.218E 26PM 00R
+00000 *10 G 00R
-00000 *10 G 00R

12:21+ 1.255E 26PM 00R
+00011 *10 G 00R
-00000 *10 G 00R

12:22+ 1.277E 26PM 00R
+00024 *10 G 00R
-00000 *10 G 00R

12:23+ 1.264E 26PM 00R
+00036 *10 G 00R
-00000 *10 G 00R

12:24+ 1.158E 26PM 00R
+00048 *10 G 00R
-00000 *10 G 00R

12:25+ 1.100E 26PM 00R
+00059 *10 G 00R
-00000 *10 G 00R

12:26+ 1.210E 26PM 00R
+00071 *10 G 00R
-00000 *10 G 00R

12:27+ 1.251E 26PM 00R
+00083 *10 G 00R
-00000 *10 G 00R

12:28+ 1.169E 26PM 00R
+00095 *10 G 00R
-00000 *10 G 00R

12:29+ 1.082E 26PM 00R
+00106 *10 G 00R
-00000 *10 G 00R

12:30+ 1.148E 26PM 00R
+00117 *10 G 00R
-00000 *10 G 00R

SPACING
2.124 IN U

TYPE-FLIGHT
POLYSONIC

MICROFILMED

AUG 06 1969

GRUNDFOS


135 GPM

MODEL 135S

PERFORMANCE CURVES

FLOW RANGE
75 to 200 GPM

PUMP OUTLET
3" NPT



DIMENSIONS AND WEIGHTS

MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
135S20-1	2⓪	6	27 1/4	5 1/2	35
135S50-2	5⓪	6	42 1/2	5 1/2	84
135S50-3	5⓪	6	47	5 1/2	88
135S75-4	7 1/2	6	51 1/2	5 3/4	146
135S100-6	10	6	59 7/8	5 3/4	167
135S150-9	15	6	73	5 3/4	186
135S200-12	20	6	86 1/4	5 3/4	225
135S250-15	25	6	99 1/4	5 3/4	243
135S300-18	30	6	112 3/8	5 3/4	268

NOTES:

⓪ 4-inch motor.

Specifications are subject to change without notice.

See Deep Set models for higher head.


MODEL
75S

75 GPM


GRUNDFOS

FLOW RANGE
45 to 95 GPM

PUMP OUTLET
2" NPT



PERFORMANCE CURVES



DIMENSIONS AND WEIGHTS

MODEL NO.	HP	LENGTH (INCHES)	WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
75S20-3	2	28 5/8	3 15/16	38
75S30-5	3	40 3/4	3 15/16	64
75S50-8	5	51 1/4	3 15/16	78
75S75-12	7 1/2*	67 1/2	3 15/16	100
75S100-16	10*	92 1/8	3 15/16	155

Specifications subject to change without notice.
* 6" inch motor is available.

MICROFILMED
AUG 6 1973

Pump Performance

30 GPM (Capacity in Gallons Per Minute)

Pumping Depth in Feet																												Shutoff Head	
HP	PSI	20	40	60	80	100	125	150	175	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	Feet	PSI	
1	0	44.0	42.5	40.9	39.1	36.8	32.5	26.0	8.0																			175	76
	20	40.4	38.8	36.0	32.4	27.7	13.3																						
	30	38.0	35.3	31.7	26.3	14.3																							
	40	35.0	31.4	25.9	12.1																								
	50	30.2	24.0	3.0																									
	60	21.9																											
1-1/2	0	44.2	43.1	41.9	39.9	37.5	34.1	30.9	26.9	17.0																		210	91
	20	41.2	39.1	36.5	34.0	31.5	27.8	21.5																					
	30	38.9	36.1	33.8	31.0	27.9	21.8																						
	40	36.0	33.5	30.8	27.7	20.2																							
	50	32.9	30.1	28.8	21.5																								
	60	29.5	25.9	18.1																									
2	0	44.9	43.9	43.0	41.8	40.5	38.8	36.8	34.7	31.6	23.7																	280	121
	20	42.7	41.3	40.1	38.7	37.1	34.9	32.1	29.0	24.8																			
	30	41.2	40.0	38.5	37.0	35.0	32.2	29.1	24.9	15.2																			
	40	39.9	38.3	36.6	34.8	32.7	29.8	25.1	16.1																				
	50	38.0	36.3	34.5	32.1	30.0	25.3	17.5																					
	60	36.0	34.0	31.9	29.1	26.0	18.0																						
3	0	45.0	44.5	44.0	43.2	42.7	41.6	40.1	39.6	38.2	35.5	32.0	27.3															420	182
	20	43.8	43.0	42.4	41.5	41.0	39.8	38.5	37.1	35.7	32.1	28.0	18.5																
	30	42.9	42.2	41.3	40.6	39.9	38.7	37.2	35.8	34.2	30.3	24.9	6.0																
	40	42.1	41.2	40.4	39.7	38.8	37.3	35.9	34.5	32.6	28.6	19.5																	
	50	41.1	40.3	39.5	38.5	37.4	36.0	34.6	32.7	31.0	27.2	9.5																	
	60	40.2	39.3	38.3	37.2	36.1	34.7	32.8	31.0	28.5	20.5																		
5	0	—	44.9	44.6	44.3	44.0	43.5	43.0	42.6	42.0	40.7	39.2	37.5	33.9	29.1	20.3	6.8											700	303
	20	44.5	44.2	44.0	43.4	43.1	42.7	42.0	41.3	40.8	39.3	37.8	36.0	32.0	26.1	8.5													
	30	44.1	43.9	43.4	43.0	42.8	42.1	41.4	40.8	40.1	38.7	37.0	35.1	30.8	24.0														
	40	43.8	43.4	43.0	42.7	42.1	41.5	40.9	40.2	39.4	37.9	36.1	34.1	29.4	21.3														
	50	43.3	43.0	42.6	42.0	41.5	41.0	40.2	39.5	38.8	37.1	35.2	33.2	28.1	17.7														
	60	42.9	42.5	42.0	41.4	41.1	40.3	39.7	38.9	38.0	36.2	34.2	32.1	26.5	11.0														

CAUTION: DO NOT use pump at flow rates indicated by the symbol "—".

To do so can cause premature failure of unit. Pump warranty void when failure occurs under these conditions.

Tested and rated in accordance with Water Systems Council Standards.

NOTE: Pumps installed with a CON-AIRE® tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.

SITING PERMIT

CONFINED ANIMAL FEEDING OPERATION SITING PERMIT APPLICATION

DATE 9/2/97 NAME Northside Dairy #2
TELEPHONE 324-8090 ADDRESS 175 N. 200th
GENERAL LOCATION same LEGAL DESCRIPTION T8S R16E SEC 11
ACRES OF LAND HELD 67 EXISTING USE Dairy
ZONING DISTRICT A1

INDICATE ANIMAL UNITS OF THE FOLLOWING FOR AN LCO.

540 MATURE COW/BULL/STEER ___ HOGS ___ POULTRY ___ HEAD OF SHEEP
___ HORSES ___ OTHER ANIMALS OR BIRDS ___ CALVES 0-3 MONTHS
___ CALVES 3 MONTHS - 1 YEAR 100 CALVES 1 - 2 YEARS
60 NON LACTATING HEIFERS 2 YEARS AND UP

This permission is granted under Jerome County Zoning Ordinance Chapter 13. The application must be submitted with the following: A full written description of the operation and facilities used including the maximum capacities of the facilities in regards to the number of animals. The numbers and type of livestock currently located on the parcel. Notarized letter attesting to the number of animal units of the LCO operation.

A Complete Site Plan: The Site Plan shall include the dimensions, size and location of existing buildings on the lot, if any, and the location and dimensions of feed storage areas, animal confinement areas, waste storage areas, water wells, canals, ditches, injection wells, traffic access, public thoroughfares and building heights. Submit a topographical map of the parcel.

Transfer of Siting Permit: A Confined Animal Feeding Operation Siting Permit may be transferred to a new owner or operator upon written notification to the Administrator by the holder of the existing permit.

Amendment to Jerome County Zoning Ordinance Chapter 13 approved August 12, 1996.

Paul Ciotta
Signature of Owner and/or Applicant

JEROME COUNTY PLANNING AND ZONING ADMINISTRATOR
811, EXTENSION 144

MICROFILMED
AUG 06 1999
Chapter 13-8

SITING PERMIT

CONFINED ANIMAL FEEDING OPERATION SITING PERMIT APPLICATION

DATE 9/8/97 NAME Northside Dairy
TELEPHONE 724-8090 ADDRESS 243 W 200 N
GENERAL LOCATION 191 N 200 W LEGAL DESCRIPTION XC 10 BS 21E 91201
ACRES OF LAND HELD 160 EXISTING USE Dairy
ZONING DISTRICT A1

INDICATE ANIMAL UNITS OF THE FOLLOWING FOR AN LCO.

1300 MATURE COW/BULL/STEER ___ HOGS ___ POULTRY ___ HEAD OF SHEEP
___ HORSES ___ OTHER ANIMALS OR BIRDS ___ CALVES 0-3 MONTHS
500 CALVES 3 MONTHS - 1 YEAR ___ CALVES 1 - 2 YEARS
125 NON LACTATING HEIFERS 2 YEARS AND UP

This permission is granted under Jerome County Zoning Ordinance Chapter 13. The application must be submitted with the following: A full written description of the operation and facilities used including the maximum capacities of the facilities in regards to the number of animals. The numbers and type of livestock currently located on the parcel. Notarized letter attesting to the number of animal units of the LCO operation.

A Complete Site Plan: The Site Plan shall include the dimensions, size and location of existing buildings on the lot, if any, and the location and dimensions of feed storage areas, animal confinement areas, waste storage areas, water wells, canals, ditches, injection wells, traffic access, public thoroughfares and building heights. Submit a topographical map of the parcel.

Transfer of Siting Permit: A Confined Animal Feeding Operation Siting Permit may be transferred to a new owner or operator upon written notification to the Administrator by the holder of the existing permit.

Amendment to Jerome County Zoning Ordinance Chapter 13 approved August 12, 1996.

Paul C. [Signature]
Signature of Owner and/or Applicant

ART BROWN, JEROME COUNTY PLANNING AND ZONING ADMINISTRATOR
(208) 324-8811, EXTENSION 144

Chapter 13-8

MICROFILMED
AUG 06 1998

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee

DATE: 13 November 1997

RE: 36-08490

At 0845 hrs. on 27 October 1997, Dan Nelson and I met with Paul Ciocca. Dan Nelson did the meter calibration per the West East Snake Plane Aquifer and I performed a field examination regarding the above permit number.

The permit is for a dairy that has three wells interconnected.

The first well is located in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 10, T08S, R16E. The second well is located in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 10, T08S, R16E. These two wells are behind the milking barn and are approximately 30 feet apart.

The third well is located in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 10, T08S, R16E. Initially the well served as a domestic use for two homes. Now that all three wells are tied together for the commercial and stockwater use, Paul Ciocca said the two homes would be demolished in 1998.

The place of use is in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 10, T08S, R16E. The uses are for commercial and stockwater for approximately 1400 dairy cows. Northside Dairy has a dairy operation under 36-15220 plus there are replacement heifers at the location south of the canal. See the hand drawn schematic of the entire operation.

The recommended diversion volume is calculated by using the number of cattle from the application for permit (1000). The recommended measured rate is from the results from the field examination. All documents are included in this file.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 06 1999

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\text{N/A}}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\text{"}}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\text{"}}$

2. Volume Calculations for Other Uses:

PERMIT RATE 0.34 cfs
EXAM FEE LIMIT 1.00 "
MEASURED RATE 0.27 "

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
COMMERCIAL	1/1	12/31	0.12 *	55.2
STOCK WATER	1/1	12/31	0.09 *	40.0
(2 HOMES) DOMESTIC (IN HOUSE)	1/1	12/31	0.06	1.2
Totals:			0.27	96.4

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Georgia Satterlee Date 13 Nov 97

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this right for license approval.
See Memo for additional information. 2/18/99 cfs.

MICROFILMED
AUG 06 1999

NOV 05 1997

For Value Received

D.B. FARMS, an Idaho General Partnership, ARIE VAN RYN and ROBERT DARRIE,
partners

Hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto

NORTHSIDE DAIRY, an Idaho General Partnership,
Frans Aardema and Paul Ciocca, as general partners
Whose address is: 243 West 200 North Jerome, Id 83338

Hereinafter called the Grantee, the following described premises situated in Jerome County, Idaho, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO:

TOGETHER WITH 120.00 SHARES OF NORTHSIDE CANAL CO. LTD WATER STOCK

COPY

SUBJECT TO:

All reservations in patents or deeds in the chain of title.

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the successors heirs and assigns of the Grantee forever. The Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: October 30, 1997

D. B. Farms by
D.B. FARMS, an Idaho General Partnership
ARIE VAN RYN, general partner

Arie Van Ryn

RECORDED
Long Title & Form, Inc.
NOV 3 4 26 PM '97
JEROME COUNTY, IDAHO
FEES \$2.00 DEP. \$5

975017

STATE OF California

COUNTY OF Riverside ss.


On this 31st day of October, 1997, before me, the undersigned, a Notary Public in and for said State, personally appeared Arie Van Ryn, as general partner of D.B Farms, an Idaho General Partnership, known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he executed the same, as one of the general partners of D.B. FARMS, an Idaho General Partnership.

Deanna Campbell
Notary Public

Residing at:

My Commission expires:

July 2, 2001



MICROFILMED
AUG 06 1999


Robert DeBie
ROBERT DeBIE, partner
D.B. FARMS, an Idaho General Partnership

STATE OF IDAHO)
 ss:
County of Jerome)

On this 31st day of October, 1997, before me, the undersigned, a Notary Public in and for said County and State, personally appeared ROBERT DeBIE, a Partner in D.B. Farms, an Idaho General Partnership, known to me to be the person whose name is subscribed to the within and foregoing instrument, and who acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal, the day and year in this certificate first above written.

Rick Bernsen
NOTARY PUBLIC for Idaho
Residing at: _____
Commission Expires: _____



MICROFILMED
AUG 8 6 1999
MIC-

EXHIBIT "A"

Order Number: J-25653

TRACT I

PARCEL NO. 1

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: $N\frac{1}{4}NE\frac{1}{4}$, EXCEPTING THEREFROM that part of the $NW\frac{1}{4}NE\frac{1}{4}$, described as follows:

Commencing at the North quarter section corner of Section 10, being THE TRUE POINT OF BEGINNING;

Thence South $0^{\circ}07'55''$ East along the West boundary of said $NW\frac{1}{4}NE\frac{1}{4}$, 511.29 feet;

Thence North $74^{\circ}13'55''$ East, 87.18 feet;

Thence North $89^{\circ}03'20''$ East, 138.42 feet;

Thence South $48^{\circ}35'00''$ East, 80.77 feet;

Thence North $55^{\circ}56'25''$ East, 141.18 feet;

Thence North $32^{\circ}26'25''$ East, 155.89 feet;

Thence North $4^{\circ}24'30''$ East, 326.90 feet to a point on the North boundary of the $NW\frac{1}{4}NE\frac{1}{4}$;

Thence North $89^{\circ}45'15''$ West, 509.76 feet along the North boundary of the $NW\frac{1}{4}NE\frac{1}{4}$ to THE TRUE POINT OF BEGINNING.

PARCEL NO. 2

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: That part of the $NW\frac{1}{4}NE\frac{1}{4}$, described as follows:

Commencing at the North quarter section corner of Section 10, being THE TRUE POINT OF BEGINNING;

Thence South $0^{\circ}07'55''$ East along the West boundary of said $NW\frac{1}{4}NE\frac{1}{4}$, 511.29 feet;

Thence North $74^{\circ}13'55''$ East, 87.18 feet;

Thence North $89^{\circ}03'20''$ East, 138.42 feet;

Thence South $48^{\circ}35'00''$ East, 80.77 feet;

Thence North $55^{\circ}56'25''$ East, 141.18 feet;

Thence North $32^{\circ}26'25''$ East, 155.89 feet;

Thence North $4^{\circ}24'30''$ East, 326.90 feet to a point on the North boundary of the $NW\frac{1}{4}NE\frac{1}{4}$;

Thence North $89^{\circ}45'15''$ West, 509.76 feet along the North boundary of the $NW\frac{1}{4}NE\frac{1}{4}$ to THE TRUE POINT OF BEGINNING

PARCEL NO. 3

TOWNSHIP 8 SOUTH, RANGE 16, EAST OF THE BOISE MERIDIAN,
JEROME COUNTY, IDAHO

Section 10: $S\frac{1}{4}NE\frac{1}{4}$;

FILED
AUG 06 1989

April 16, 1991

ROBERT DE BIE
DE BIE FARMS
243 W. 200 N.
JEROME, ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08490

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUL 15 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>D. B. Farms</u> Address <u>Jerome</u> Owner's Permit No. <u>36-89-S-0490</u>	7. WATER LEVEL Static water level <u>215</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow Artesian closed-in pressure <u> </u> p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u> </u> °F. Quality <u> </u> <i>Describe extension of temperature zones below</i>																																																																																																																																																																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement <i>Well diameter increase</i> Abandoned (describe abandonment procedure: such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level -</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level -	Hours Pumped																																																																																																																																																																																																																									
Discharge G.P.M.	Pumping Level -	Hours Pumped																																																																																																																																																																																																																											
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☒ Other <u>Dairy</u> (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>10</td><td>0</td><td>10</td><td>Top Soil</td><td></td><td>X</td></tr> <tr><td></td><td>10</td><td>18</td><td>Gray Basalt</td><td></td><td></td></tr> <tr><td>10 1/8</td><td>18</td><td>24</td><td>Brown Basalt Broken</td><td></td><td></td></tr> <tr><td>8</td><td>24</td><td>31</td><td>Gray Basalt</td><td></td><td></td></tr> <tr><td></td><td>31</td><td>40</td><td>Brown Basalt broken</td><td></td><td></td></tr> <tr><td></td><td>40</td><td>50</td><td>Gray Basalt</td><td></td><td></td></tr> <tr><td></td><td>50</td><td>53</td><td>Gray Basalt w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>53</td><td>54</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>54</td><td>57</td><td>Brown-Pink Basalt</td><td></td><td></td></tr> <tr><td></td><td>57</td><td>61</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>61</td><td>70</td><td>Gray Basalt w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>70</td><td>74</td><td>Brown basalt broken</td><td></td><td></td></tr> <tr><td></td><td>74</td><td>84</td><td>Gray basalt</td><td></td><td></td></tr> <tr><td></td><td>84</td><td>87</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>87</td><td>91</td><td>Med Hard Gray basalt</td><td></td><td></td></tr> <tr><td></td><td>91</td><td>106</td><td>Med Hard Gray basalt w/sm. breaks</td><td></td><td></td></tr> <tr><td></td><td>106</td><td>140</td><td>Med Hard gray Basalt</td><td></td><td></td></tr> <tr><td></td><td>140</td><td>143</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>143</td><td>158</td><td>Med Hard small breaks</td><td></td><td></td></tr> <tr><td></td><td>158</td><td>162</td><td>Med Hard large breaks</td><td></td><td></td></tr> <tr><td></td><td>162</td><td>169</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>169</td><td>178</td><td>Soft</td><td></td><td></td></tr> <tr><td></td><td>178</td><td>185</td><td>Med Hard large breaks</td><td></td><td></td></tr> <tr><td></td><td>185</td><td>191</td><td>Broken</td><td></td><td></td></tr> <tr><td></td><td>191</td><td>231</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>231</td><td>244</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>244</td><td>251</td><td>Med Hard w/small breaks</td><td></td><td>X</td></tr> <tr><td></td><td>251</td><td>253</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>253</td><td>257</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>257</td><td>271</td><td>Med Hard Large Breaks</td><td></td><td></td></tr> <tr><td></td><td>271</td><td>276</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>276</td><td>285</td><td>Med Hard loose and broken</td><td></td><td></td></tr> <tr><td></td><td>285</td><td>302</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>302</td><td>307</td><td>Med Hard Broken large breaks</td><td></td><td></td></tr> <tr><td></td><td>307</td><td>311</td><td>Loose rock</td><td></td><td></td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10	0	10	Top Soil		X		10	18	Gray Basalt			10 1/8	18	24	Brown Basalt Broken			8	24	31	Gray Basalt				31	40	Brown Basalt broken				40	50	Gray Basalt				50	53	Gray Basalt w/small breaks				53	54	Crevice				54	57	Brown-Pink Basalt				57	61	Crevice				61	70	Gray Basalt w/small breaks				70	74	Brown basalt broken				74	84	Gray basalt				84	87	Crevice				87	91	Med Hard Gray basalt				91	106	Med Hard Gray basalt w/sm. breaks				106	140	Med Hard gray Basalt				140	143	Crevice				143	158	Med Hard small breaks				158	162	Med Hard large breaks				162	169	Med Hard				169	178	Soft				178	185	Med Hard large breaks				185	191	Broken				191	231	Med Hard w/small breaks				231	244	Med Hard				244	251	Med Hard w/small breaks		X		251	253	Med Hard w/large breaks				253	257	Med Hard				257	271	Med Hard Large Breaks				271	276	Med Hard				276	285	Med Hard loose and broken				285	302	Med Hard				302	307	Med Hard Broken large breaks				307	311	Loose rock		
Bore Diam.	Depth		Material	Water																																																																																																																																																																																																																									
	From	To		Yes	No																																																																																																																																																																																																																								
10	0	10	Top Soil		X																																																																																																																																																																																																																								
	10	18	Gray Basalt																																																																																																																																																																																																																										
10 1/8	18	24	Brown Basalt Broken																																																																																																																																																																																																																										
8	24	31	Gray Basalt																																																																																																																																																																																																																										
	31	40	Brown Basalt broken																																																																																																																																																																																																																										
	40	50	Gray Basalt																																																																																																																																																																																																																										
	50	53	Gray Basalt w/small breaks																																																																																																																																																																																																																										
	53	54	Crevice																																																																																																																																																																																																																										
	54	57	Brown-Pink Basalt																																																																																																																																																																																																																										
	57	61	Crevice																																																																																																																																																																																																																										
	61	70	Gray Basalt w/small breaks																																																																																																																																																																																																																										
	70	74	Brown basalt broken																																																																																																																																																																																																																										
	74	84	Gray basalt																																																																																																																																																																																																																										
	84	87	Crevice																																																																																																																																																																																																																										
	87	91	Med Hard Gray basalt																																																																																																																																																																																																																										
	91	106	Med Hard Gray basalt w/sm. breaks																																																																																																																																																																																																																										
	106	140	Med Hard gray Basalt																																																																																																																																																																																																																										
	140	143	Crevice																																																																																																																																																																																																																										
	143	158	Med Hard small breaks																																																																																																																																																																																																																										
	158	162	Med Hard large breaks																																																																																																																																																																																																																										
	162	169	Med Hard																																																																																																																																																																																																																										
	169	178	Soft																																																																																																																																																																																																																										
	178	185	Med Hard large breaks																																																																																																																																																																																																																										
	185	191	Broken																																																																																																																																																																																																																										
	191	231	Med Hard w/small breaks																																																																																																																																																																																																																										
	231	244	Med Hard																																																																																																																																																																																																																										
	244	251	Med Hard w/small breaks		X																																																																																																																																																																																																																								
	251	253	Med Hard w/large breaks																																																																																																																																																																																																																										
	253	257	Med Hard																																																																																																																																																																																																																										
	257	271	Med Hard Large Breaks																																																																																																																																																																																																																										
	271	276	Med Hard																																																																																																																																																																																																																										
	276	285	Med Hard loose and broken																																																																																																																																																																																																																										
	285	302	Med Hard																																																																																																																																																																																																																										
	302	307	Med Hard Broken large breaks																																																																																																																																																																																																																										
	307	311	Loose rock																																																																																																																																																																																																																										
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other																																																																																																																																																																																																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>8 5/8" O.D.</td> <td>inches + 3</td> <td>feet - 19</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation <u> </u> inches by <u> </u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name <u> </u> Type <u> </u> Model No. <u> </u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter</th> <th>Slot size</th> <th>Set from</th> <th>feet to</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Gravel packed? ☐ Yes ☐ No ☐ Size of gravel <u> </u> Placed from <u> </u> feet to <u> </u> feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ Slurry pit Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u> </u>	Thickness	Diameter	From	To	.250 inches	8 5/8" O.D.	inches + 3	feet - 19																	Number	From	To										Diameter	Slot size	Set from	feet to																																																																																																																																																																																					
Thickness	Diameter	From	To																																																																																																																																																																																																																										
.250 inches	8 5/8" O.D.	inches + 3	feet - 19																																																																																																																																																																																																																										
Number	From	To																																																																																																																																																																																																																											
Diameter	Slot size	Set from	feet to																																																																																																																																																																																																																										
6. LOCATION OF WELL Sketch map location must agree with <u> </u> location. Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u> County <u>Jerome</u> NE NE Sec. 10 T. 8S N. 16E W	10. Work started <u>6/19/89</u> finished <u>6/22/89</u>																																																																																																																																																																																																																												
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMPING Co., INC.</u> Address <u>Jerome</u> Date <u>6/89</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Melvin Rollins</u>																																																																																																																																																																																																																													

3/89

RECEIVED
JUN 29 1989Drilling Permit No. 36-89-S-049

Water Permit No. _____

Injection Permit No. _____

Department of Water Resources

RECEIVED

JUN 28 1989

State of Idaho
Department of Water ResourcesDepartment of Water Resources
Southern Region Office**DRILLING PERMIT**1. Applicant DB FARMS2. Address 243 W 200NJerome, ID 83338 Telephone _____☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,Sec. 10, Twp. 8S, Rge. 16E, County Jerome,

Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic No. of households 1 ☒ Stockwater No. of livestock 200 ☐ Monitoring☐ Irrigation ☐ Industrial ☐ Municipal☐ Injection ☐ Other, Specify _____

5. Well construction information:

☒ New well ☐ Deepen ☐ ReplaceProposed surface diameter 8" Maximum depth 312'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☒ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)6. Anticipated construction start date 6-26-897. Well Driller (if known) Smith Drilling & Pumping IncAddress Jerome8. Applicant's signature DB by Smith DrillingTitle Owner's Smith PresDate 6-28-89**RECEIVED**

JUL 15 1991

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 28th day of June, 19 89

Signed [Signature] FOR LOREN HOLMES

Title SOUTHERN REGION MANAGER

Receipt No. 5008405 Received by [Signature] Fee \$10, Date 6-28-89

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

RECEIVED
JUL 15 1991

138004
January 31, 1991

ROBERT DE BIE
DE BIE FARMS
243 W. 200 N.
JEROME, ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08490

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

138004
JAN 31 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

ROBERT DE BIE
DE BIE FARMS
243 W. 200 N.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08490

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

MICROFILMED

MAR 22 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

MAR 22 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RS DATE 12/22/89 APPLICATION NUMBER 36-08490

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

FEB 09 1990

Department of Water Resources

De Bie Farms 98

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☒ No ~~Publication dates & paper~~, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 1/22/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist.
☐ Yes ☒ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 11/7/89
By James O. Hulme Date 2/7/90

STATE OFFICE REVIEW P23 P/K 46

See below for additional information
By KW Date 2-22-90

ADDITIONAL INFORMATION

App. in TRUST area-DCMI



STATE OF IDAHO

DEPARTMENT OF HEALTH
AND WELFARE

DIVISION OF ENVIRONMENTAL QUALITY
Twin Falls Field Office
Post Office Box 1626
Twin Falls, Idaho 83303-1626

January 5, 1990

RECEIVED

JAN 8 1990

Gary Funderburg
Sr. Water Resource Agent
2148 4th Avenue East
Twin Falls, Idaho 83301

Department of Water Resources
Southern Region Office

Re: Water Appropriation Permit #36-08490,, Debie Farms, Jerome
County

Dear Mr. Funderburg:

We have reviewed the above referenced application and submit
the following:

The application specifies commercial and stock water use
in dairy operations. The combined use totals 440,000
gpd. If the use results in generation of wastewaters,
the dairy must submit to DEQ plans and specifications for
the wastewater management facilities to insure compliance
with Idaho Water Quality Standards and Wastewater
Treatment Requirements.

Should any questions arise, please contact me.

Sincerely,

M. J. McMaster

Michael J. McMasters
Water Quality Field Supervisor

MJM/ta
cc: Susan Martin
Robert DeBie

MICROFILMED

MAR 22 1990

26-Dec-1989

Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Applications for Permit

Gentlemen:

Please find enclosed copies of several Applications for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

Enclosures

MICROFILMED

MAR 22 1990

26-Dec-1989

DeBie Farms
c/o Robert DeBie
243 W. 200 N.
JEROME ID 83338

Re: Application for Permit No. 36-08490

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 1/3 & 1/10/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

DECEMBER 26, 1989

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 22, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAR 22 1990

36-08490

DE BIE FARMS
C/O ROBERT DE BIE
243 W. 200 N.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NENE Sec 10 T 08S R 16E

Use: COMMERCIAL	(.340 CFS)
STOCKWATER	(.340 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.340 CFS)

Date Filed: 11/07/1989

In: T08S R16E S10 NENE

RECORDED

MAR 22 1990

NSN LEGAL

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

36-08490

DE BIE FARMS

C/O ROBERT DE BIE

243 W. 200 N.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NENE Sec 10 T 08S R 16E

Use: COMMERCIAL (.340 CFS)

STOCKWATER (.340 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.340 CFS)

Date Filed: 11/07/1989

In: T08S R16E S10 NENE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before JANUARY 22, 1990.

R. Keith Higginson
Director

Pub: 1-3 & 10, 1990

N44130

OK
1/3/90

RECEIVED

JAN 2 1990

Department of Water Resources
Southern Region Office

MICROFILMED

MAR 22 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 22, 1990.

R. Keith Higginson, Director

Published 1/03/1990 & 1/10/1990

MAR 22 1990

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: S010384

Date: 11/07/89
Time: 11:02:01

Received
From:

SMITH DRILLING & PUMP CO.

Type of Payment

Program Acct Class

Amount

APP. FOR PERMIT - DE BIE FARMS
ADDITIONAL FEE, 36-89-S-049
APP. FOR PERMIT - ZIPPORA STAHL
DRILLING PERMIT - ZIPPORA STAHL

0640199	1238	6390	\$45.00
0640350	1238	6390	\$90.00
0640199	1238	6390	\$30.00
0640350	1238	6390	\$10.00

Total \$175.00

CHECK 5006

Idaho Department of Water Resources

Region: SOUTHERN

Signature: J.F. Stanton

MICROFILMED

MAR 22 1990