

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO. 36-08481

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (☒) Blank Field Report & Notice of Completed Exam
- (☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
- (☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- (☒) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- (☒) Copy of Orthophotoquad Map
- () 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
- () Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 10/27/11 Time _____ Place phone

Contact Person & Phone Mark DeKruyf 280-7365

D. Post-Exam Review & Processing

Exam Completed 11/17/11 Notice of Completion Turned In _____
Field Report Completed 11/17/11 Sara Reeder
Signature of Examiner & Date
Field Report Reviewed by Sr. Agent _____ (Initial & Date)
Field Report Reviewed by Region Mgr. AD 11/21/11 (Initial & Date)
Field Report Sent to S.O. 12/12/2011 Region Card File Updated _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name DeKruyf Dairy FEB 12 1990
Address Jerome
Owner's Permit No. 36-89-S-089

7. WATER LEVEL

Static water level 183 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____

3. PROPOSED USE

- ☐
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☒
- Other
- Dairy
- (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>5/8OD</u> inches	<u>0</u> feet	<u>-248</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

022929

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	4	Top of well		
	4	10	Gray Basalt		X
	10	20	Gray Basalt porous w/breaks		
	20	30	Pink Basalt		
	30	35	Pink Basalt		
	35	40	Gray Basalt		
	40	50	Gray Basalt w/large breaks		
	50	60	Gray Basalt w/small breaks		
	60	70	Broken Basalt		
	70	80	Pink Basalt		
	80	90	Pink Basalt		
	90	100	Cr.vice		
	100	110	Med Hard w/large breaks		
	110	120	Med Hard w/small breaks		
	120	130	Pink Basalt		
	130	140	Gray Basalt		
	140	150	Med Hard Gray Basalt		
	150	160	Gray Basalt broken - Clay		
	160	170	Tan Clay - Sand-gravel		
	170	180	Gravel - sand - clay		
	180	190	Gray sand & Clay		
	190	200	Brown Clay		
	200	210	Brown Clay & Gravel		
	210	220	Brown clay		
	220	230	Gray Basalt		
	230	240	Gray Basalt w/small breaks	X	
	240	250	Gray Basalt w/large breaks		
	250	260	Pink Basalt		
	260	270	Gray Basalt		
	270	280	Gray Basalt Broken - Red Clay		
	280	290	Gray Basalt		
	290	300	Gray Basalt Med Hard w/lg. breaks		
	300	310	Gray Basalt - lg. breaks & Small talc		
	310	320	Gray Basalt		
	320	330	Brown Basalt broken		
	330	340	Gray Basalt small breaks		
	340	350	Brown Basalt large breaks		
	350	360	Gray Basalt broken	X	

11. DRILLERS CERTIFICATION


I/we certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name SMITH DRILLING & PUMPING CO. INC.Address Jerome Date 12/30/89Signed by (Firm Official) Ad Darryl Smith

and

(Operator) Melton Rullman

6. LOCATION OF WELL

Sketch map location must agree with written location.




Subdivision Name _____

Lot No. _____ Block No. _____

County Jerome

SE 1/4 SE 1/4 Sec. 33, T. 8S, R. 16E, S. 16E



SECTION II INSTALLED METER INFORMATION

METER AND MOUNTING PIPE INFORMATION			
Motor HP	15	Volume Units	Acre-Feet ☒ Gallons ☐ Other(specify)
Meter Install Date	Jun 17, 2003	Volume Multiplier	1
Manufacturer	Danfoss	Installation location	☒ Exc ☐ Good ☐ Fair ☐ Poor
Meter Type	Mag	Pipe material	GALV
Meter Model	3100	Outside Diameter	3.54
Serial Number	235930T292	Wall Thickness	.23
Size (nominal)	3	Inside Diameter	8.75
Measure Flow Rate?	(circle one) Yes ☒ No ☐	Dist. of straight pipe upstream from meter	8"
Measurement Units	(circle one) CFS ☐ GPM ☒ Other(specify)	Dist. of Straight pipe downstream from meter	8"
Flow rate Multiplier	1	Std Meter Type	☒ Sonot Pyg Collins Hall ☐ Anub Dye/chem ☐ Other
Measure Cumulative Volume?	(circle one) Yes ☒ No ☐	Std. Meter Confidence	Exc ☐ Good ☒ Fair ☐ Poor ☐ 2% 5% 10% >10% X

Are multiple flowmeters used to measure diversions from this well? Yes / No

If so, how many? _____ (Attach separate form for each meter checked and/or calibrated)

If this meter measures diversions from multiple wells, names and locations of other wells: _____

SECTION III CERTIFICATION FOR CALIBRATION OF A WATER MEASUREMENT METER

See back page for instructions.

Measurement No. 1 (M_1) is the measured rate of flow from the permanently installed flow meter.

Measurement No. 2 (M_2) is the measured rate of flow from the measuring device being used to check the flow for the calibration. This method or device must be accurate to within $\pm 5\%$ error. Describe below the method and equipment used to perform this measurement.

$$\text{Percent Difference} = (M_1 - M_2) \div M_2 \times 100 = \pm \% \quad (\text{Acceptable is within } \pm 10\%) \quad (\text{equation 1})$$

$$\text{Calibration Multiplier} = M_2 \div M_1 \quad (\text{equation 2})$$

Is flowmeter installed according to manufacturer's specifications? Yes / No / Unsure

Describe any apparent problems with installation or operation _____

Flowmeter accuracy prior to any adjustments: _____ Totalizer reading _____

Flowmeter accuracy after final adjustment: _____ Totalizer reading _____

Flowmeter calibration multiplier: _____

Water Level DataDoes the well have access to measure water levels? Yes / No:Is this well part of USGS, IDWR, or another network of water level monitoring wells? Yes / No:

Static Water Level _____ ft Pumping Water Level _____ ft (at condition _____)

Date _____

Date _____

FLOWMETER ACCURACY CALIBRATION TABLE

Owners meter (totalizer reading)	Time	Total Gallons	Ave. Flow Rate - GPM (M ₁)	Standard total gallons	Average flow rate (M ₂)	Percent diff. (±)	Comments and adjustments
2988480	Q						
2989755	10.0	~~12755~~ 1275	127.5	1311	131.1	-2.7%	

Notes, Comments or Calculations:

Signal 3 bars Speed 4753 1.01%

meas taken with tank valve open

Sketch and or photograph of installation:

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature _____

C. J. Yenter
(person performing measurements)Date 3-19-03

DeKruyf Dairy, Main Well

LOG NAME:A0003632
START :03-19 15:00
END :03-19 15:10
INTERVAL:00:01:00

3/19/2003 15:00
+5.689E+0 ft/s
+1.321E+2 gal/m
+TOTAL 0000000 gal
NORMAL

3/19/2003 15:06
+5.675E+0 ft/s
+1.317E+2 gal/m
+TOTAL 0000778 gal
NORMAL

3/19/2003 15:01
+5.697E+0 ft/s
+1.323E+2 gal/m
+TOTAL 0000130 gal
NORMAL

3/19/2003 15:07
+5.682E+0 ft/s
+1.319E+2 gal/m
+TOTAL 0000910 gal
NORMAL

3/19/2003 15:02
+5.646E+0 ft/s
+1.311E+2 gal/m
+TOTAL 0000262 gal
NORMAL

3/19/2003 15:08
+5.725E+0 ft/s
+1.329E+2 gal/m
+TOTAL 0001043 gal
NORMAL

3/19/2003 15:03
+5.755E+0 ft/s
+1.336E+2 gal/m
+TOTAL 0000381 gal
NORMAL

3/19/2003 15:09
+5.689E+0 ft/s
+1.321E+2 gal/m
+TOTAL 0001176 gal
NORMAL

3/19/2003 15:04
+5.763E+0 ft/s
+1.338E+2 gal/m
+TOTAL 0000514 gal
NORMAL

3/19/2003 15:10
+5.639E+0 ft/s
+1.309E+2 gal/m
+TOTAL 0001307 gal
NORMAL

3/19/2003 15:05
+5.694E+0 ft/s
+1.322E+2 gal/m
+TOTAL 0000646 gal
NORMAL

avg flow

**130.7 gpm
0.29 cfs**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Water Measurement Program

1998 WATER MEASURING DEVICE CERTIFICATION

District WMD Inventory Date _____ Inventory Examiner _____ PCC ok? Yes no
Date of test 11-14-01 Person performing test C. Knowles Exam complete? Yes / no

Name:	<u>DEKROYF DAIRY</u>
Water Right No:	_____
Legal Description:	<u>T 09S R 16E Sec. 04</u> <u>1/4 NE 1/4 NE 1/4</u>
Site Tag No:	<u>HO003633</u>
Diversion Name:	<u>BACK-UP well</u>

Current Owner

Name DEKROYF MARK Phone _____
Last, First, MI
Address _____ City _____ State _____ Zip _____

Operator (if leased or operated by someone else)

Name _____ Phone _____
Last, First, MI

SECTION I WELL SITE IDENTIFICATION

Global Positioning System Data:

Data Collection Filename _____ Offset _____

IDWR Site Tag Identification No. _____

Site Tag location description: _____

PLS/USGS Locator _____

Diversion Name: _____

For Department/District Use Only

Received by _____ Date _____

Reviewed by _____ Date _____

Data Entry by C. Knowles Date 11-15-01

SECTION II INSTALLED METER INFORMATION

METER AND MOUNTING PIPE INFORMATION			
Motor HP	10 H.P.	Volume Units	Acre-Feet ☒ Gallons ☐ Other(specify)
Meter Install Date		Volume Multiplier	X 100
Manufacturer	PWM	Installation location	Excl Good Fair Poor
Meter Type	Impeller	Pipe material	PVC
Meter Model	9	Outside Diameter	1.90"
Serial Number	956418	Wall Thickness	.145"
Size (nominal)	1 1/2"	Inside Diameter	
Measure Flow Rate?	(circle one) Yes ☒ No ☐	Dist. of straight pipe upstream from meter	3'
Measurement Units	(circle one) CFS ☒ GPM ☐ Other(specify)	Dist. of Straight pipe downstream from meter	3'
Flow rate Multiplier		Std Meter Type	Sonic Pyg Collins Hall Anub Dye/chem Other
Measure Cumulative Volume?	(circle one) Yes ☒ No ☐	Std. Meter Confidence	Excl ☒ Good ☐ Fair ☐ Poor ☐ 2% 5% 10% >10% X

Are multiple flowmeters used to measure diversions from this well? Yes / No

If so, how many? _____ (Attach separate form for each meter checked and/or calibrated)

If this meter measures diversions from multiple wells, names and locations of other wells: _____

SECTION III CERTIFICATION FOR CALIBRATION OF A WATER MEASUREMENT METER

See back page for instructions.

Measurement No. 1 (M_1) is the measured rate of flow from the permanently installed flow meter.

Measurement No. 2 (M_2) is the measured rate of flow from the measuring device being used to check the flow for the calibration. This method or device must be accurate to within $\pm 5\%$ error. Describe below the method and equipment used to perform this measurement.

$$\text{Percent Difference} = (M_1 - M_2) \div M_2 \times 100 = \pm \% \quad (\text{Acceptable is within } \pm 10\%) \quad (\text{equation 1})$$

$$\text{Calibration Multiplier} = M_2 \div M_1 \quad (\text{equation 2})$$

Is flowmeter installed according to manufacturer's specifications? Yes / No / Unsure

Describe any apparent problems with installation or operation _____

Flowmeter accuracy prior to any adjustments: _____ Totalizer reading _____

Flowmeter accuracy after final adjustment: _____ Totalizer reading _____

Flowmeter calibration multiplier: _____

Water Level Data

Does the well have access to measure water levels? Yes / No

Is this well part of USGS, IDWR, or another network of water level monitoring wells? Yes / No

Static Water Level _____ ft Pumping Water Level _____ ft (at condition _____)


Date _____ Date _____

FLOWMETER ACCURACY CALIBRATION TABLE

Owners meter (totalizer reading)	Time	Total Gallons	Ave. Flow Rate - GPM (M ₁)	Standard total gallons	Average flow rate (M ₂)	Percent diff. (±)	Comments and adjustments
84442.8	5:20	470	46.25	470	47.0	-1.57%	
84447.5	10:16						

Notes, Comments or Calculations: meter & well were initially
Not included in the district but well now has 10 HP
pump in it. measured and found well meter to be
working great.

Sketch and or photograph of installation:



I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature Cue R Kh
(person performing measurements)

Date 11-15-01

DEKRUYF BACKUP WELL 10 HP
START :11-14 12:58
END :11-14 13:08
INTERVAL:00:01:00

11/14/2001 12:58

+7.711E+0 ft/s
+4.832E+1 gal/m
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 12:59

+7.830E+0 ft/s
+4.907E+1 gal/m
+TOTAL 0000048 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:00

+7.728E+0 ft/s
+4.843E+1 gal/m
+TOTAL 0000097 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:01

+7.563E+0 ft/s
+4.739E+1 gal/m
+TOTAL 0000145 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:02

+7.431E+0 ft/s
+4.657E+1 gal/m
+TOTAL 0000192 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:03

+7.327E+0 ft/s
+4.591E+1 gal/m
+TOTAL 0000238 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:04

+7.463E+0 ft/s
+4.676E+1 gal/m
+TOTAL 0000284 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:05

+7.384E+0 ft/s
+4.627E+1 gal/m
+TOTAL 0000331 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:06

+7.254E+0 ft/s
+4.546E+1 gal/m
+TOTAL 0000377 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:07

+7.284E+0 ft/s
+4.565E+1 gal/m
+TOTAL 0000423 gal
-TOTAL 0000000 gal
NORMAL

11/14/2001 13:08

+7.250E+0 ft/s
+4.543E+1 gal/m
+TOTAL 0000469 gal
-TOTAL 0000000 gal
NORMAL

47.0 GPM STANDARD
46.25 GPM OWNERS METER
-1.57% OFF OF STANDARD

.11 cfs

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Water Measurement Program

1998 WATER MEASURING DEVICE CERTIFICATION

District WPD Inventory Date 11/1/2019 Inventory Examiner WPD PCC ok? Yes/No Yes

Date of test 11-17-01 Person performing test C. Knowles Exam complete? Yes / no

Name: DeKruyf

Water Right No: _____

Legal Description: T _____ R _____ Sec. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ $\frac{1}{4}$

Site Tag No: 0003634

Diversion Name: Heifer Creek

Current Owner

Name Debra M. M. M. Phone _____
Last, First, MI
Address _____ City _____ State _____ Zip _____

Operator (if leased or operated by someone else)

Name _____ Phone _____
Last First MI

SECTION I WELL SITE IDENTIFICATION

Global Positioning System Data:

<i>Data Collection Filename</i>	<i>Offset</i>
...	...

IDWR Site Tag Identification No. _____

Site Tag location description:

PLS/USGS Locator _____

Diversion Name: _____

For Department/District Use Only

Received by _____ Date _____

Reviewed by _____ Date _____

Data Entry by C Knowles Date 11-15-01

SECTION II INSTALLED METER INFORMATION

METER AND MOUNTING PIPE INFORMATION			
Motor HP	10 HP	Volume Units	Acre-Feet ☒ Gallons ☐ Other(specify)
Meter Install Date		Volume Multiplier	X 10
Manufacturer	McCrometer	Installation location	Excl ☒ Good ☐ Fair ☐ Poor ☐
Meter Type	Propeller	Pipe material	CS
Meter Model		Outside Diameter	2.45"
Serial Number	952918-2	Wall Thickness	1/50
Size (nominal)	2"	Inside Diameter	
Measure Flow Rate?	(circle one) Yes ☒ No ☐	Dist. of straight pipe upstream from meter	5'
Measurement Units	(circle one) CFS ☐ GPM ☒ Other(specify)	Dist. of Straight pipe downstream from meter	10' +
Flow rate Multiplier		Std Meter Type	Sonic ☒ Pyg ☐ Collins ☐ Hall ☐ Anub ☐ Dye/chem ☐ Other ☐
Measure Cumulative Volume?	(circle one) Yes ☒ No ☐	Std. Meter Confidence	Excl ☒ Good ☐ Fair ☐ Poor ☐ 2% 5% 10% >10% X

Are multiple flowmeters used to measure diversions from this well? Yes / No

If so, how many? _____ (Attach separate form for each meter checked and/or calibrated)

If this meter measures diversions from multiple wells, names and locations of other wells: _____

SECTION III CERTIFICATION FOR CALIBRATION OF A WATER MEASUREMENT METER

See back page for instructions.

Measurement No. 1 (M_1) is the measured rate of flow from the permanently installed flow meter.

Measurement No. 2 (M_2) is the measured rate of flow from the measuring device being used to check the flow for the calibration. This method or device must be accurate to within $\pm 5\%$ error. Describe below the method and equipment used to perform this measurement.

$$\text{Percent Difference} = (M_1 - M_2) \div M_2 \times 100 = \pm \% \quad (\text{Acceptable is within } \pm 10\%) \quad (\text{equation 1})$$

$$\text{Calibration Multiplier} = M_2 \div M_1 \quad (\text{equation 2})$$

Is flowmeter installed according to manufacturer's specifications? Yes / No / Unsure

Describe any apparent problems with installation or operation _____

Flowmeter accuracy prior to any adjustments: _____ Totalizer reading _____

Flowmeter accuracy after final adjustment: _____ Totalizer reading _____

Flowmeter calibration multiplier: _____

Water Level DataDoes the well have access to measure water levels? Yes / NoIs this well part of USGS, IDWR, or another network of water level monitoring wells? Yes / No

Static Water Level _____ ft Pumping Water Level _____ ft (at condition _____)

Date _____ Date _____

FLOWMETER ACCURACY CALIBRATION TABLE

Owners meter (totalizer reading)	Time	Total Gallons	Ave. Flow Rate - GPM (M ₁)	Standard total gallons	Average flow rate (M ₂)	Percent diff. (±)	Comments and adjustments
153640	start	590	58.35	623	62.3	-6.3	
153699	10.11 min						

Notes, Comments or Calculations: _____

Sketch and or photograph of installation:

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature _____
(person performing measurements)

Date _____

DEKRUYF HEIFER FAC WELL

START :11-14 12:11

END :11-14 12:21

INTERVAL:00:01:00

11/14/2001 12:11

+5.477E+0 ft/s

+6.198E+1 gal/m

+TOTAL 0000000 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:12

+5.552E+0 ft/s

+6.283E+1 gal/m

+TOTAL 0000061 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:13

+5.502E+0 ft/s

+6.226E+1 gal/m

+TOTAL 0000123 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:14

+5.523E+0 ft/s

+6.249E+1 gal/m

+TOTAL 0000185 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:15

+5.528E+0 ft/s

+6.255E+1 gal/m

+TOTAL 0000248 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:16

+5.594E+0 ft/s

+6.330E+1 gal/m

+TOTAL 0000311 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:17

+5.566E+0 ft/s

+6.298E+1 gal/m

+TOTAL 0000374 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:18

+5.453E+0 ft/s

+6.171E+1 gal/m

+TOTAL 0000436 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:19

+5.433E+0 ft/s

+6.148E+1 gal/m

+TOTAL 0000497 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:20

+5.503E+0 ft/s

+6.227E+1 gal/m

+TOTAL 0000559 gal

-TOTAL 0000000 gal

NORMAL

11/14/2001 12:21

+5.478E+0 ft/s

+6.199E+1 gal/m

+TOTAL 0000621 gal

-TOTAL 0000000 gal

NORMAL

62.3 GPM

-6.3% OFF OF STANDARD

62.3 gpm
.14 cfs

Mark 280-7365
Dekruyf

Heifer Facility

Proof Filed 4/29/1993

1500 Heifers / dry cows

$$\frac{1500 \times 12 \text{ gpm} \times 365 \text{ days}}{325,850} = 20.2 \text{ AF}$$

A0003634

183'

7.5 HP

$$\frac{7.5 \times .7 \times 8.8}{183 + (45 \times 2.31)} = \frac{46.2}{92.4} = .5 \text{ cfs}$$

~~285.95~~
~~72.3~~

* WM15 11/14/2001 Corbin Knowles
62.3 gpm or .14 cfs

* Dairy + heifer wells tied together
per conversation w/mark 10/21/11
(Add 2 wells in 9516E sec 4 NENE)

* 36-8481 limited to .34

A0003632 .29

A0003633 .11

A0003634 .14

.54 cfs

HP EQUATION For
3 WELLS =

.57 cfs

Dairy Sec 4



A0003632

A0003633

192' 15 HP

190' 5 HP

$$\frac{15 \times .7 \times 8.8}{192 + (45 \times 2.31)} = \frac{92.4}{103.95} = .31 \text{ cfs}$$

$$\frac{5 \times .7 \times 8.8}{190 + (45 \times 2.31)} = \frac{30.8}{294} = .10 \text{ cfs}$$

Proof 4/29/93

1200 Dairy Cows $\frac{1200 \times 35 \times 365}{325,850} = 47 \text{ AF}$

Add all
three
wells to
permits

Mark DeKruyf 10/21/11

PSI 45

Sprinklers 60

5-7 gpm

~~100 min~~

40 min x 2 day = 80 min

milking 2 per day

80 lbs

Recycled water yes

plate cooler yes

misters yes

$\frac{3 \text{ gpm}}{60} = .05 \text{ gpm}$

Nozzles 8' apart 600' fence = 75 Nozzles

11-6 daily 100 days per year

7 hrs x 60 = 420 MIN.



Measured = 0.54 cfs



theoretical = 0.58 cfs

AFFIDAVIT of PUBLICATION

RECEIVED

COPY OF NOTICE

(Paste Here)

State of Idaho, }
County of Jerome } SS.

JAN 3 1990

Department of Water Resources
Southern Region Office
G. Manager

Appl. for Water Right
TITLE OF NOTICE
Mark DeKruyf

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept Water Res.
BILL TO
T.F.

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 20th day of Dec

1989, and the date of the last publication was on the 27th

day of Dec, 1989.

Patty Nance

Subscribed and sworn to before me this 2

day of Jan, 1990
(SEAL)

Norma DeVoe

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line

Number of Lines in Notice

Number of Insertions 2X

Lines tabular at 351 6¢/Pica

Lines straight at 17.55 5¢/Pica

Subsequent lines at 14.04 4¢/Pica

TOTAL COST 31.59

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08481

DE KRUYF, MARK A.

DE KRUYF, CALVIN

303 W. 300 S.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt.: SESE Sec 33 T 08S R 16E

Use: STOCKWATER (.340 CFS)

Total Diversion: (.340 CFS)

Date Filed: 11-06-1989

In: T08S R16E S33 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.

R. Keith Higginson

Director

N44071

Pub: 12-20, 27

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

No 3620

MAR 12 1990

44071

OK 1-5-90

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	36-08481	Mark A DeKruyf Calvin DeKruyf	0.34
Full Assignment	36-08481	Calvin DeKruyf Northwest Farm Credit Services ACA	0.34

RECEIVED
MAY 10 1995

RGV 07 1995

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

RECEIVED

OCT 16 1995

Department of Water Resources
Southern Region

I, Calvin DeKruyf, hereby assign to Calvin DeKruyf and Northwest Farm Credit Services, ACA, whose address is 129 Eastland Drive, PO Box 288, Twin Falls, ID 83303-0288

X All my right, title, and interest in and to Permit No. 36-8481 to appropriate the public waters of the State of Idaho.

— The following described portion of my right, title, and interest in and to Permit No. to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within each 40 acre subdivision, the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage).

RECEIVED

OCT 20 1995

Made this October 12, 1995

Department of Water Resources

Calvin DeKruyf
Calvin DeKruyf, Permit Holder

Alice R. DeKruyf
Alice R. DeKruyf, Spouse of Permit Holder

STATE OF IDAHO)
)ss.
County of Jerome)

On this 12th day of October, 1995, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that they executed the same.

SEAL

W. D. O'Connell
Notary Public State of Idaho
Residing at Twin Falls, ID
My commission expires 5-20-2000

NOV 07 1995

Receipt # 5018588
10/18/95
CS

RECEIVED

APR 19 1993

Department of Water Resources

RECEIVED

APR 29 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 100.00 ^{ju} 50.00Date 4-29-93Receipt No. C027358Receipt by juSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08481 Telephone No. 324-73602. Name(s) of Permit Holder(s): CALVIN / ALICE R DeKruyf3. Mailing Address: 303 WEST 300 S. JEROME ID 833384. Source of Water: GROUND WATERIf GROUNDWATER, Well Driller's Name: SMITH Date Drilled: 1990

OPTIONAL:

Pump horsepower: 7 1/2 Horse Pressure (psi): _____ Dynamic pumping level (ft.): 199

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 1500 head (No. and type of stock)Irrigation 12 ^{NA} (No. of acres) Other _____6. Total rate and/or volume for which proof is submitted .08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

MARK / CALVIN DeKruyf 324-7360
Name Telephone No.303 WEST 300 S. JEROME ID 83338
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-14-93
DateAlvin DeKruyf
Signature (and title, if on behalf of a company or organization)

MAY 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-08481)
IN THE NAME OF MARK AND CALVIN DEKRUYF) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,


WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 29, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-08481 be REINSTATED with an advance in priority to December 4, 1989.

Dated this 3rd day of May, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau


MAY 20 1993

RECEIVED

STATE OF IDAHO

For Office Use Only

\$15 FEE Received by *Q. J. Clinton*Date 2-28-91Receipt # 5013062

FEB 28 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

Southern Region **TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 36-09481Name(s) of Permit Holder: Calvin De KruyfPost Office Address: 303 W. 300 S., Jerome, ID 83338Telephone No. 324-7360Date Proof Is Due: 4-1-1991

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Well is drilled & in use for 700 cattleCosting \$ 200,000.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Herd is being built thru natural reproduction rather than thru direct purchase of additional stock. This is taking longer than anticipated.Permit holder(s) request an extension to 4-1, 19 93.
(1 yr. minimum)*Calvin DeKruyf*
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1993.

Signed this 17 day of April, 19 91.*J. Shaw Saylor*
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08481

Proposed Priority: November 6, 1989 Maximum Diversion Rate: 0.34 CFS

This is to certify, that **MARK A. DE KRUYF**
CALVIN DE KRUYF
303 W. 300 S.
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.34 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE Sec. 33, Township 08S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 16E 33

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of March, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 12 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Mark A. &/or Calvin DeKruyf (DeKruyf Dairy) Phone 324-7360

Post office address 303 West 300 south, Jerome, Idaho 83338

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____

Sec. 33 Township 8S Range 16EBM B.M. Jerome County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

CO. 34 Stockwater
Amount 34 for Hay/Feed and Dry/Calves purposes from 1/1/ to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for CO. 34 purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 350 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

one years (minimum 1 year).

MICROFILMED

MAR 12 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. Heifers & Dry cows 1500
- c. Municipal; show name of municipality. 0
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	16E	33																X	

X is P/U for livestock

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: These are the non-milking stock for the dairy located in the NE¼ NE¼ Sec. 4 T. 9S R. 16E.


MICROFILMED

MAR 12 1990

N
W | E
S

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 33 T 8 S, R 16 E B M Jerome



MICROFILMED

MAR 12 1960

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark A. Anthony

Received by JF Stanton Date 11-6-89 Time 4:45 pm Preliminary check by DRJ
Fee \$ 45.00 Received by JF Stanton # SO10383 Date 11-6-89
Publication prepared by M. Ba Hwin Date 12-11-89 Published in North Side News
Publication approved I. Jasper Date 1-5-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 12 1990

AFFIDAVIT of PUBLICATION

RECEIVED

JAN 3 1990

State of Idaho, }
County of Jerome } SS.

Department of Water Resources
Southern Region Office
B. Moring

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 28 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 20th day of Dec

1989, and the date of the last publication was on the 27th

day of Dec, 1989

Patty Nance

Subscribed and sworn to before me this 2

day of Jan, 1990
(SEAL)

Norma DeVoe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 28

Lines tabular at _____ 6¢/Pica
351 Lines straight at 17.53 5¢/Pica
Subsequent lines at 14.04 4¢/Pica
TOTAL COST 31.57

COPY OF NOTICE

(Paste Here)

Appl. for Water Right
TITLE OF NOTICE

Mark DeKruyf
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08481

DE KRUYF, MARK A.
DE KRUYF, CALVIN
303 W. 300 S.
JEROME, ID 83338
Source: GROUNDWATER
Diversion Pt.: SESE Sec 33 T 08S R 16E
Use: STOCKWATER (.340 CFS)
Total Diversion: (.340 CFS)
Date Filed: 11-08-1989
In: T08S R16E S33 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.

R. Keith Higginson
Director
N44071

Pub: 12-20, 27

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3620

MICROFILMED

MAR 12 1990

44071



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 31, 1995

NORTHWEST FARM CREDIT SERVICES ACA
129 EASTLAND DR
PO BOX 288
TWIN FALLS ID 83303-0288


RE: PERMIT NOS. 36-08530 & 36-08481

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water rights to you, along with Calvin De Kruffy. We have modified our computer records to reflect these changes in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

RECEIVED
NOV 07 1995

WR0749NP
No. 36-08481

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/30/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	NORTHWEST FARM CREDIT SERVICES ACA 129 EASTLAND DR PO BOX 288 TWIN FALLS ID 83303-0288 (208) 733-2577	12/04/1989	STOCKWATER	01-01 12-31	0.340 CFS	
				TOTAL DIVERSION:	0.340 CFS	
C	CALVIN DE KRUYF 303 W 300 S JEROME ID 83338 (208) 324-7360					

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion:

T08S R16E S33

SESE

JEROME County

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE																	
				NENE	NWNE	SWNE	SENE					NENW	NWNW	SWNW	SENW					NESW	NWSW	SWSW	SESW					NESE	NWSE	SWSE	SESE		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:
08S	16E	33	:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:						:	
			:									:							:							:							



Farm Credit Services

RECEIVED

OCT 20 1995

Department of Water Resources

1363 Fillmore Street
P.O. Box 288
Twin Falls, Idaho 83303-0288
208/733-2577

October 13, 1995

RECEIVED

OCT 16 1995

Department of Water Resources
222 Shoshone Street East
Twin Falls ID 83301

Department of Water Resources
Southern Region

RE: Water Permit 36-8530 and 36-8481
Calvin DeKruyf and Alice R. DeKruyf

Gentlemen:

This letter will serve as notice to the Department of Water Resources that Northwest Farm Credit Services, ACA, has a security interest in Permit No. 36-8530 and 36-8481 and a real estate mortgage has been filed on property where the wells are located. Enclosed are Assignments from Calvin DeKruyf and Alice R. DeKruyf and Northwest Farm Credit Services, ACA.

We request copies of all notices and correspondence mailed to Calvin DeKruyf and Alice R. DeKruyf, regarding the above-described permit number be sent to our office address.

Please acknowledge below and return this letter to our office. We appreciate your cooperation in this matter.

Sincerely,

Larie Hash
Credit Specialist

ACKNOWLEDGED this _____ day of October, 1995.

DEPARTMENT OF WATER RESOURCES

By _____

NOV 07 1995

May 7, 1993

MARK A. DE KRUYF
CALVIN DE KRUYF
303 W. 300 S.
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08481

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

MAY 20 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-08481

Reviewed by Klg

Date 4/19/93

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

stock-1500
yes Correct Uses?

SOURCE OF WATER

✓ Surface water source
✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 36-89-S-0089-000

100 Amount paid for permit 100 Correct?

data Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received 4/29/93 119
Date proof due 4/1/93 - 91
No. of days late = 28
Priority Date 11/6/89 + 310
New Priority Date 12/4/89 338

DEFICIENCIES OR ACTION ITEMS

needs am order

proof acceptable

DATA ENTRY

New Address _____

Proof Made 4/29/93

5/7/93 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 19, 1993

Calvin and Alice DeKruyf
303 W 300 S
Jerome, ID 83338

Re: Permit No. 36-08530 and 36-08481

Dear Permit Holder:


Returned are the Proofs of Beneficial Use form submitted to this office in connection with the above referenced permits. Unfortunately, they are unacceptable as filed. They indicate the total rate of diversion of water to be 0.08 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.08 cfs is \$50. Note the back of the enclosed instruction sheet/fee schedule.

Since permit no 36-08481 has lapsed and is of no further force nor effect, you will need to return the original proof and the \$50 license exam fee as soon as possible. Since proof is not due on permit no. 36-08530 until September 1, 1993, you will need to return the original proof and \$50 license exam fee on or before that date.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 20 1993

9/89

Drilling Permit No. 36-89-S-089Water Right Permit 36-08481

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

NOV 13 1989

Department of Water Resources

1. Applicant Calvin DeKrug
2. Mailing Address 303 West 300 S Jerome Idaho
Telephone 324-7360
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 33, Twp. 8S, Rge. 16 EBM, County Nez Perce,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
(☒) Single family or stockwater use (less than 13,000 gallons per day)
() Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
(☒) Other (describe fully) stockwater over 13,000 gpd
5. Well construction information:
A. (☒) New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 8" Maximum depth 350
C. Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date 11-7-89
7. Anticipated Well Driller Shull & Sons
NOTE: The actual well driller must be identified prior to drilling:
8. Applicant's signature Calvin DeKrug Date 11-6-89
Title Owner
(Owner, Firm Representative, Other)

MICROFILMED

MAY 20 1993

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

11/8/89

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment, and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

By accepting this permit and commencing construction, Applicant acknowledges that he accepts all risk that the well may not ultimately be approved for use.

Signature of Authorized Department Representative

FOR LOREN HOLMES

SOUTHERN REGION MANAGER
TitleReceipt No. 5010983Received by JS

Fee

\$10.00Date 11-6-89

EXTENSION OF DRILLING PERMIT

Extension approved by _____

Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MAY 20 1993

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
36-89-S-0089-000	O	DEKRUUF DAIRY C/O CALVIN DEKRUUF 303 W 300 S JEROME, ID 83338 (208) 324-7360	08S	16E	33	SE SE		JEROME

Subdivision Location and Description:

Subdivision Name:

Well Site Address:

City, State:

Lot(s):

Block(s):

Geographic Location:

Accuracy Code:

Lat: : : N

Long: : : W

Proposed Use of Well: Other

Proposed Casing Diameter: 3 In.

Proposed Depth: 350 Ft.

Well Use Comments: DAIRY

Driller License No: 0011

Firm Name: SMITH DRILLING & PUMP CO INC

Official: R DARRYL SMITH

Permit Status: Permit

Verbal Issue Date:

Date Received: 11/13/1989

Date Approved: 11/06/1989

Proposed Start Date: 11/07/1989

Extension Date:

Extension Expiration:

Receipt No.

S010383

Receipt Date

11/06/1989

Fee

\$ 145.00

Specific Conditions:

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 36-89-S-0089-000

Water Right No: 36-08481

Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter: 10 In.

Static Water Level: 183 Ft.

Actual Start Date: 11/06/1989

Depth of Casing: 248 Ft.

Temperature: F.

Well Finish Date: 12/13/1989

Total Depth: 365 Ft.

Production Rate: GPM

Log Received Date: 02/12/1990

Screen Installed? No

Certification Date: 12/30/1989

Field Inspection Date:

Inspector:

Well Log Remarks: SURFACE SEAL 18 FT.

MAY 20 1993

April 6, 1993

MARK A. DE KRUYF
CALVIN DE KRUYF
303 W. 300 S.
JEROME ID 83338

LAPSE NOTICE

RE: PERMIT NO. 36-08481

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated January 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

RECEIVED

MAY 20 1993

CERTIFICATION OF MAILING

I hereby certify that on 4/6/93
a ~~copy~~an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

January 31, 1993

MARK A. DE KRUYF
CALVIN DE KRUYF
303 W. 300 S.
JEROME ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08481

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

MAY 20 1993

April 17, 1991

CALVIN DeKRUyf
303 W 300 S
JEROME ID 83338

Dear Mr. DeKruyf:

Re: Permit No. 36-8481

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1993.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

APR 22 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 36-8481

Reviewed by [Signature]

Date 4-16-91

BASIC INFORMATION

- 3 Date stamp received
- 3 Extension received timely (not too early not too late)
- 3 Fee received and receipted
- 3 Name and signature same as permit
- 2 Address change

BASIS FOR EXTENSION REQUEST

- 3 Has adequate work been completed to demonstrate due diligence?
- 3 Has the cost incurred been adequate to demonstrate an intent to complete the project?
- 3 Has the permit been involved in litigation?
 - a. Swan Falls _____ Dismissed from Swan Falls _____
 - Other _____ Identify _____
 - b. Is supporting documentation needed to complete the file? _____
 - Requested _____
 - c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____ - _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- 3 Is delay by a government agency?
- 3 Is supporting documentation needed to complete the file? _____
- Requested? _____

ACTION TAKEN

~~Reinstate~~ *Recommend approval*
based on due diligence for 2 years

rf Reinstate Date extension received _____ = _____

Proof due date _____ = _____

No. of days late _____ = _____

Priority date _____ = + _____

ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

[Signature] Change proof due date _____ Address change _____

Priority date change _____

138986
January 31, 1991

MARK A. DE KRUYF
CALVIN DE KRUYF
303 W. 300 S.
JEROME, ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08481

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

APR 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 6, 1990

MARK A. DE KRUYF
CALVIN DE KRUYF
303 W. 300 S.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08481

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS:sc
Enclosures

RECEIVED

MAR 12 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DRJ DATE 12/6/89 APPLICATION NUMBER 36-08481

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested FEB 06 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper, recorded on application~~
☐ Yes ☒ No Protests received
Final date for protest 1/8/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 11/6/89
By Lance D. Halpern Date 2/7/90

STATE OFFICE REVIEW P23 P16 46

See below for additional information
By KW Date 2/22/90

ADDITIONAL INFORMATION

App. in TRUST area - DCM I

11-Dec-1989

Mark &/or Calvin DeKruyf
303 W. 300 S.
JEROME ID 83338

Re: Application for Permit No. 36-08481

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 12/20 & 12/27/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

RECEIVED

MAR 12 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

DECEMBER 11, 1989

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 8, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
MAR 12 1990

36-08481

DE KRUYF, MARK A.
DE KRUYF, CALVIN
303 W. 300 S.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: SESE Sec 33 T 08S R 16E

Use: STOCKWATER (.340 CFS)
Total Diversion: (.340 CFS)

Date Filed: 11/06/1989

In: T08S R16E S33 SESE

MICROFILMED

MAR 12 1990

NSN LEGAL
SEND PROOF

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

36-08481

DE KRUYF, MARK A.

DE KRUYF, CALVIN

303 W. 300 S.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt.: SESE Sec 33 T 08S R 16E

Use: STOCKWATER (.340 CFS)

Total Diversion: (.340 CFS)

Date Filed: 11-06-1988

In: T08S R16E S33 SESE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before JANUARY 8, 1990.

R. Keith Higginson

Director

N44071

Pub: 12-20, 27

OK 12-19-89
TQ

RECORDED

MAR 12 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.

R. Keith Higginson, Director

Published 12/20/1989 & 12/27/1989

REPRODUCTION PROHIBITED

MAR 12 1990

9/89

Drilling Permit No. 36-89-S-089Water Right Permit No. 36-08481

Injection Permit No. _____

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

1. Applicant Calvin DeKruyf
2. Mailing Address 303 West 300 S Jerome Idaho Telephone 324-7360

(☒) Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
 Sec. 33, Twp. 8S, Rge. 16 EBM, County Blaine,
 Street Address of Well Site _____,
 Lot, block and subdivision _____

4. Proposed use of well:

- (☒) Single family or stockwater use (less than 13,000 gallons per day)
- () Irrigation (more than 1/2 acre)
- () Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____
- (☒) Other (describe fully) stockwater over 13,000 gpd

5. Well construction information:

- A. (☒) New well () Deepen () Replace - See Condition 9.
- B. Proposed surface diameter 8" Maximum depth 350
- C. Anticipated bottom hole temperature:
 (☒) 85°F or less (Cold water well)
 () 85°F to 212°F (Low temp. geothermal well)
 () 212°F or more (Geothermal well)

MICROFILMED

MAR 12 1990

6. Construction Start Date 11-7-89
7. Anticipated Well Driller Smith Quarry & Sons Co
 NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Calvin DeKruyf Date 11-6-89
 Title Owner
 (Owner, Firm Representative, Other)

SECTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

11/8/89

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment, and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

By accepting this permit and commencing construction, Applicant acknowledges that he accepts all risk that the well may not ultimately be approved for use.

[Signature] LOREN HOLMES
Signature of Authorized Department Representative

SOUTHERN REGION MANAGER
Title

Receipt No. 5010383 Received by [Signature] Fee \$100.00 Date 11-6-89

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date MAR 14 1990

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED

Drilling permit No. 36-89--5-089

Water right No. 36-08481

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Calvin DeKruyf, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

We have not been able to get a driller until recently, and are now in a rush
to get the well drilled before winter sets. The water will be needed before
Spring.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date 11/8/89

Signature *Calvin DeKruyf*

Applicant

MAR 12 1990

IDENT. NO. 36-08481

WATER RIGHT
DATA ENTRY LOG

Item

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Signed

Transfer Approved

Keypunched by State Office

[The page contains several horizontal black bars obscuring the original document.]