


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Black
 (Applicant) Manager

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

NOV 13 1989

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 1st day of Nov.

1989, and the date of the last publication was on the 8th

day of Nov., 1989.

Patty Nance

Subscribed and sworn to before me this 10

day of Nov, 1989
(SEAL)

Norma De Voe
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line

Number of Lines in Notice

Number of Insertions 2X

Lines tabular at 351 6¢/Pica
Lines straight at 17.55 5¢/Pica
Subsequent lines at 14.04 4¢/Pica
TOTAL COST 31.59

MICROFILMED

FEB 21 1990

COPY OF NOTICE

(Paste Here)

Appl. for Water Right
Reservoir Land Co.
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO T.F.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08466

RESERVOIR LAND CO.

RT. 4

JEROME, IDAHO 83338

Source: GROUNDWATER

Diversion Pt.: NWSWSE Sec 26 T 07S R

17E

Use: COMMERCIAL (.040 CFS)

Date Filed: 10/04/1989

In: T07S R17E S26 - SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Proter must be filed with the Director, De, Water Resources, 2148 4th Avenue Ea., Twin Falls, Idaho 83301 on or before NOVEMBER 20, 1989.

R. Keith Higginson

Director

N10158

Pub: 11-1, 8

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3524

10158

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-8466

1. Owner: Reservoir Land Co. Phone No. 324-4196

Current Address: 6220-A Hwy. 93, Jerome, ID 83338

2. Accompanied by: Dan Black EXAM. DATE: 5-11-90

Address: Same Phone No. _____

Relationship to Permit Holder: Manager

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



36-8466

P/u



P/D & P/u



MICROFILMED
JUL 24 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08466

Priority: October 4, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that RESERVOIR LAND CO
6220A HWY 93

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 4, 1989; and has submitted Proof of Beneficial Use on March 14, 1990. An examination indicates that the works have a diversion capacity of .030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.03 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 26, Township 07S, Range 17E
JEROME County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

07S 17E 26 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a potato cellar.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of JULY, 1992.

Acting for  R. Keith Higginson, Director

MICROFILMED

JUL 24 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08466

Proposed Priority: October 4, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **RESERVOIR LAND CO.**
6220-A HWY. 93
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSWSE

Sec. 26, Township 07S, Range 17E
JEROME County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

07S 17E 26

SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for potato cellar.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of February, 1990.

for R. Keith Higginson, Director

MICROFILMED

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Reservoir Land Co. Phone 324-4196
(6220-A US93) DRS 11/24 per telecon
Post office address Rt. 4, Jerome, ID 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 26 Township 7S Range 17E B.M. Jerome County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump, pipeline to humidifier in
potato cellar

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 440 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
two years (minimum 1 year).

FEB 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. commercial use in potato cellar

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	17E	26															C		

C is commercial use

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? "
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

FEB 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sam Black
 (Applicant) *Reservoir Manager*

Received by J.F. Stanton Date 10-4-89 Time 10:48 am Preliminary check by DRJ
Fee \$ 30.00 Receipted by J.F. Stanton # 5009603 Date 10-4-89
Publication prepared by M. Baldwin Date 10/24/89 Published in North Side News
Publication approved M. Baldwin Date 11-13-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

FEB 21 1990

RESERVOIR LAND COMPANY

INCORPORATED

244 CALIFORNIA STREET • SAN FRANCISCO, CALIFORNIA 94104

TELEPHONE
415/981-3046
FAX 415/981-4130

JEROME, IDAHO
IRONSIDE, OREGON

RECEIVED

27 December 1989

JAN 2 1990

Department of Water Resources
Southern Region Office

Mr. Douglas Jones, E.I.T.
Water Resources Engineer
State of Idaho
Department of Water Resources
Southern Region
2148 4th Ave. East
Twin Falls, ID 83301

Re.: Application for Permit No. 36-08466

Dear Mr. Jones:


In response to your letter received December 26, 1989, (dated 24 October 1989) please be advised of the following officers and directors of Reservoir Land Company, Inc. of Jerome, Idaho.

Name	Address	City/State/Zip Code
D. L. Berger President	1050 Sansome St., Ste 300,	San Francisco, CA 94111
T. Tsuchitani Secretary	1050 Sansome St., Ste 300,	San Francisco, CA 94111
Dan Black, Vice President,	6220-A U.S. 93,	Jerome, Idaho 83338
Directors:		
D. L. Berger	1050 Sansome St., Ste 300,	San Francisco, CA 94111
J. C. Hawley	1050 Sansome St., Ste 300,	San Francisco, CA 94111
T. Tsuchitani	1050 Sansome St., Ste 300,	San Francisco, CA 94111
J. F. Murphy	604 Douglas Drive,	Mill Valley, CA 94941
B. G. LaZansky	691 Mills Road	Sacramento, CA 95864

We trust this is the information you required; however, if you have need of additional information, please do not hesitate to contact us.

Yours very truly,

RESERVOIR LAND COMPANY, INC.


D. L. Berger

MICROFILMED
FEB 21 1990

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

NOV 13 1989

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 28 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 1st day of Nov, 1989, and the date of the last publication was on the 8th day of Nov, 1989.

Patty Nance

Subscribed and sworn to before me this 10

day of Nov, 1989
(SEAL)

Norma De Voe
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line

Number of Lines in Notice

Number of Insertions 28

Lines tabular at 351 6¢/Pica
Lines straight at 17.55 5¢/Pica
Subsequent lines at 14.24 4¢/Pica
TOTAL COST 31.59

MICROFILMED

FEB 21 1990

COPY OF NOTICE

(Paste Here)

Applying for Water Right
TITLE OF NOTICE
Reservoir Land Co.

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO F.R.O.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

38-08458

RESERVOIR LAND CO.

RT. 4

JEROME, IDAHO 83338

Source: GROUNDWATER

Diversion Pt.: NWSWSE Sec 26 T 07S R 17E

Use: COMMERCIAL (.040 CFS)

Date Filed: 10/04/1989

In: T07S R17E S26 - SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue E., Twin Falls, Idaho 83301 on or before NOVEMBER 20, 1989.

R. Keith Higginson

Director

Pub: 11-1, 8

N18158

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive insertions.....4¢/Pica

No 3524

101-58

UNITED STATES POSTAL SERVICE

Official Business

RECEIVED

OCT 19 1992

Department of Water Resources



PENALTY FOR PRIVATE
USE, \$300

Print your name, address and ZIP Code here

CZ

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

LAKE CREEK MEADOWS
HOMEOWNERS ASSN INC
PO BOX 3144
KETCHUM ID 83340-3144

4a. Article Number

35010

4b. Service Type

- ☐ Registered ☐ Insured
- ☒ Certified ☐ COD
- ☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery**5. Signature (Addressee)**

Richard D. Good

6. Signature (Agent)**8. Addressee's Address (Only if requested and fee is paid)**

37-08466

July 9, 1992

RESERVOIR LAND CO
6220A HWY 93
JEROME ID 83338

RE: WATER RIGHT NO. 36-08466

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

[Faint handwritten notes and a circular stamp are visible in the bottom right corner of the page.]

May 27, 1992

RESERVOIR LAND CO
6220A HWY 93
JEROME ID 83338

RE: WATER RIGHT NO. 36-08466

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

[Faint, illegible handwritten notes and stamps in the bottom right corner]

LICENSE REVIEW CHECKLIST

Permit # 36-8466

Date 05-14-92
 Q8

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			Rated 10gpm = .022 cfs / Theoretical .027 / Allow .03 cfs
	☒	☐	Disagree with Theoretical? $2 \times 8.8 \times .7 = .0278$
	☐	☒	Limited by Capacity? .03 cfs $350 + 2.31 \times 40$
TOTAL VOLUME			Rate/ac ☐ AFA Irr. Season ☐
			Standard Irr. Season ☐
			Season Recommended ☐
	☒	☐	Disagree with Examiner's Calculations?
			.03 cfs = $13.5 \text{ gpm} \times 60 \text{ min} \times 10 \text{ hrs} \times 167 \text{ days} / 325850 = 4.15 \times 4.2 \text{ AFA}$
	☐	☒	Limited by Flow? $.03 \times 167 \times 1.9835 = 9.9 > 4.2$
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>COMM / Potato Celler</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			☐ Water Dist.
			☐ App Rec'd
			☒ Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate
Used 350' per FE / Well log shows 330' static level

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence ☐

WR0749NP
No. L36-08466

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RESERVOIR LAND CO 6220A HWY 93 JEROME ID 83338 (208) 324-4196	10/04/1989	COMMERCIAL	01-01 12-31	0.03 CFS	4.2 AFA
TOTAL DIVERSION:					0.03 CFS	4.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T07S R17E S26 SW SE

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
07S	17E	26	:					:					:					:					:
			:					:					:					:					:

Pou County: JEROME

Other Water Rights Listing Overlapping Place(s) of use:
36-07097

Remarks: Commercial use is for a potato cellar.

Dates:	App. Received:	10/04/1989	Priority Date:	10/04/1989
	Proof Due Date:	03/01/1991	Proof Made Date:	03/14/1990
	Exam Made Date:	05/11/1990	Exam Sent to S.O.:	01/03/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/14/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER		7. WATER LEVEL	
Name <u>Reservoir Land</u>		Static water level <u>330</u> feet below land surface.	
Address <u>Jerome</u>		Flowing? ☐ Yes ☒ No G.P.M. flow _____	
Owner's Permit No <u>36-89-S-0768</u>		Artesian closed-in pressure _____ p.s.i.	
		Controlled by: ☐ Valve ☐ Cap ☐ Plug	
		Temperature _____ °F. Quality _____	
		Describe artesian or temperature zones below.	
2. NATURE OF WORK		8. WELL TEST DATA	
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☐ Bailer ☐ Air ☐ Other _____	
☐ Well diameter increase		Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____	
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)			
3. PROPOSED USE		9. LITHOLOGIC LOG	
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal		Bore Diam. _____ Depth _____ Material _____ Water _____	
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		From _____ To _____	
☐ Other _____ (specify type)			
4. METHOD DRILLED			
☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary			
☐ Cable ☐ Dug ☐ Other _____			
5. WELL CONSTRUCTION			
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____			
Thickness _____ Diameter _____ From _____ To _____			
<u>250</u> inches <u>6 5/8</u> inches <u>2</u> feet <u>20</u> feet			
Inches _____ inches _____ feet _____ feet			
Inches _____ inches _____ feet _____ feet			
Inches _____ inches _____ feet _____ feet			
Was casing drive shoe used? ☐ Yes ☒ No			
Was a packer or seal used? ☐ Yes ☒ No			
Perforated? ☐ Yes ☒ No			
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun			
Size of perforation _____ inches by _____ inches			
Number _____ From _____ To _____			
perforations _____ feet _____ feet			
perforations _____ feet _____ feet			
perforations _____ feet _____ feet			
Well screen installed? ☐ Yes ☒ No			
Manufacturer's name _____			
Type _____ Model No. _____			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____			
Placed from _____ feet to _____ feet			
Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout			
☐ Bentonite ☒ Puddling clay ☐ _____			
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing			
☒ Overbore to seal depth			
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent			
Weld _____			
☐ Cemented between strata			
Describe access port _____			
6. LOCATION OF WELL		10. CONTINUED	
Sketch map location must agree with written location.		Work started <u>9/18/88</u> finished <u>9/21/89</u>	
N W E S X			
Subdivision Name _____			
Lot No. _____ Block No. _____			
County <u>Jerome</u>			
<u>SW 1/4</u> <u>SE 1/4</u> Sec. <u>26</u> T. <u>7S</u> N ☐ S ☒ R. <u>17E</u> B ☐ W ☒			
11. DRILLERS CERTIFICATION			
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.			
Firm Name <u>SMITH DRILLING & PUMP CO. INC.</u> No. <u>11</u>			
Address <u>Jerome</u> Date <u>10/20/89</u>			
Signed by (Firm Official) <u>Melton Robbins</u>			
and			
(Operator) <u>Melton Robbins</u>			

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER CONTINUED Name <u>Reservoir Land</u> continued Address _____ Owner's Permit No. _____	7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																																																																
2. NATURE OF WORK New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6</td><td>236</td><td>244</td><td>Med Hard w/Large Breaks</td><td></td><td>X</td></tr> <tr><td></td><td>244</td><td>245</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>245</td><td>249</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>249</td><td>252</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>252</td><td>253</td><td>Crevice Broken</td><td></td><td></td></tr> <tr><td></td><td>253</td><td>259</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>259</td><td>264</td><td>Soft</td><td></td><td></td></tr> <tr><td></td><td>264</td><td>274</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>274</td><td>276</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>276</td><td>285</td><td>Soft</td><td></td><td></td></tr> <tr><td></td><td>285</td><td>298</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>298</td><td>311</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>311</td><td>317</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>317</td><td>324</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>324</td><td>325</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>325</td><td>333</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>333</td><td>339</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>339</td><td>344</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>344</td><td>349</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>349</td><td>359</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>359</td><td>374</td><td>Med Hard</td><td></td><td>X</td></tr> <tr><td></td><td>374</td><td>381</td><td>Crevice & Broken</td><td></td><td>X</td></tr> <tr><td></td><td>381</td><td>390</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>390</td><td>397</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>397</td><td>411</td><td>Med Hard Broken</td><td></td><td></td></tr> <tr><td></td><td>411</td><td>411</td><td>Crevice</td><td></td><td></td></tr> <tr><td></td><td>411</td><td>415</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>415</td><td>418</td><td>Med Hard w/small breaks</td><td></td><td></td></tr> <tr><td></td><td>418</td><td>423</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>423</td><td>432</td><td>Med Hard w/small & large Breaks</td><td></td><td></td></tr> <tr><td></td><td>432</td><td>434</td><td>Med Hard</td><td></td><td></td></tr> <tr><td></td><td>434</td><td>436</td><td>Med Hard w/large breaks</td><td></td><td></td></tr> <tr><td></td><td>436</td><td>440</td><td>Med Hard</td><td></td><td></td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	6	236	244	Med Hard w/Large Breaks		X		244	245	Crevice				245	249	Med Hard w/small breaks				249	252	Med Hard				252	253	Crevice Broken				253	259	Med Hard w/small breaks				259	264	Soft				264	274	Med Hard w/small breaks				274	276	Med Hard w/large breaks				276	285	Soft				285	298	Med Hard w/large breaks				298	311	Med Hard w/small breaks				311	317	Med Hard				317	324	Med Hard w/large breaks				324	325	Crevice				325	333	Med Hard w/small breaks				333	339	Med Hard				339	344	Med Hard w/small breaks				344	349	Med Hard				349	359	Med Hard w/large breaks				359	374	Med Hard		X		374	381	Crevice & Broken		X		381	390	Med Hard w/small breaks				390	397	Med Hard				397	411	Med Hard Broken				411	411	Crevice				411	415	Med Hard w/large breaks				415	418	Med Hard w/small breaks				418	423	Med Hard w/large breaks				423	432	Med Hard w/small & large Breaks				432	434	Med Hard				434	436	Med Hard w/large breaks				436	440	Med Hard		
Bore Diam.	Depth		Material	Water																																																																																																																																																																																																													
	From	To		Yes	No																																																																																																																																																																																																												
6	236	244	Med Hard w/Large Breaks		X																																																																																																																																																																																																												
	244	245	Crevice																																																																																																																																																																																																														
	245	249	Med Hard w/small breaks																																																																																																																																																																																																														
	249	252	Med Hard																																																																																																																																																																																																														
	252	253	Crevice Broken																																																																																																																																																																																																														
	253	259	Med Hard w/small breaks																																																																																																																																																																																																														
	259	264	Soft																																																																																																																																																																																																														
	264	274	Med Hard w/small breaks																																																																																																																																																																																																														
	274	276	Med Hard w/large breaks																																																																																																																																																																																																														
	276	285	Soft																																																																																																																																																																																																														
	285	298	Med Hard w/large breaks																																																																																																																																																																																																														
	298	311	Med Hard w/small breaks																																																																																																																																																																																																														
	311	317	Med Hard																																																																																																																																																																																																														
	317	324	Med Hard w/large breaks																																																																																																																																																																																																														
	324	325	Crevice																																																																																																																																																																																																														
	325	333	Med Hard w/small breaks																																																																																																																																																																																																														
	333	339	Med Hard																																																																																																																																																																																																														
	339	344	Med Hard w/small breaks																																																																																																																																																																																																														
	344	349	Med Hard																																																																																																																																																																																																														
	349	359	Med Hard w/large breaks																																																																																																																																																																																																														
	359	374	Med Hard		X																																																																																																																																																																																																												
	374	381	Crevice & Broken		X																																																																																																																																																																																																												
	381	390	Med Hard w/small breaks																																																																																																																																																																																																														
	390	397	Med Hard																																																																																																																																																																																																														
	397	411	Med Hard Broken																																																																																																																																																																																																														
	411	411	Crevice																																																																																																																																																																																																														
	411	415	Med Hard w/large breaks																																																																																																																																																																																																														
	415	418	Med Hard w/small breaks																																																																																																																																																																																																														
	418	423	Med Hard w/large breaks																																																																																																																																																																																																														
	423	432	Med Hard w/small & large Breaks																																																																																																																																																																																																														
	432	434	Med Hard																																																																																																																																																																																																														
	434	436	Med Hard w/large breaks																																																																																																																																																																																																														
	436	440	Med Hard																																																																																																																																																																																																														
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>9/18/89</u> finished <u>9/21/89</u>																																																																																																																																																																																																																
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches + _____</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches + _____	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH-DRILLING & PUMP CO., INC.</u> No. <u>11</u> Address _____ Date _____ Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Melton Robbins</u>																																																																																																																																																																																
Thickness	Diameter	From	To																																																																																																																																																																																																														
_____ inches	_____ inches + _____	_____ feet	_____ feet																																																																																																																																																																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																														
Number	From	To																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. <u>JUL 64 1982</u> Block No. _____ County _____ _____ % _____ % Sec. _____, T. _____ S ☐ R. _____ E ☐ W ☐	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH-DRILLING & PUMP CO., INC.</u> No. <u>11</u> Address _____ Date _____ Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Melton Robbins</u>																																																																																																																																																																																																																

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Reservoir Land Co. Permit No. 36-8466
Current Address: 6220-A Hwy. 93, Jerome, ID 83338 Phone No. 324-4196
2. Accompanied by: Don Black EXAM. DATE: 5-11-90
Address: Same Phone No. _____
Relationship to Permit Holder: Manager
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 24 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, submersible pump, line to potato cellar.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	2		Grundfos	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	26	7S	17E	Jerome	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	17E	26															C		

Do not use this space

JUL 24 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None, Rated 10 gpm at 40 psi & 250' head. per Smith Drilling & Pump, Jerome, ID.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

60 min/hr 10 hrs/day x 167 days/yr x 10 gpm x 3.1 AFA
22585 gpm/AF x 1.9835 = 2.76 AFA, Allow 2.8 AFA

MICROFILMED

JUL 24 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Commercial use in potato cellar.
Average use 10 hrs/day x 167 days/yr.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	10-15	4-1	0.02	~~2.8~~ 3.1
Totals:			0.02	3.1

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date 4/10/91
Field Report Preparation Date 6-25-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 24 1992




T 75 R 17
Sec 26 36-8466

MICROFILMED
JUL 24 1992

36-8466

P/u



P/D : P/u



MICROFILMED

JUL 24 1992

April 18, 1990

RESERVOIR LAND CO.
6220-A HWY. 93
JEROME, ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08466

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8466

Date: 4-18-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
y 2. drilling permit
y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

W Is a measuring device or access port required?
W Has one been installed?
W Waiver or modification of measuring device requested

Remarks: Proof acceptable

W

Priority Calculation:

Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAR 14 1990

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE of Water Resources

For Office Use Only

Amt. of Fee \$

Date 3-14-90

Receipt No.

Received by JT

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-8466

Telephone No. 324-4196

Name(s) of Permit Holder(s): Reservoir Land Co

Post Office Address: 6220-A Hwy 93 Jerome Idaho 83338

Source of Water: ground water

If ground water, well driller's name: Smith & Pulley & Payne Date drilled: 10-4-89

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other potato cellar

Total rate and/or volume for which proof is submitted 124 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-4-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? ___ Yes ___ No Installed? ___ Yes ___ No

OR

Flow Measurement Port: Required? ___ Yes ___ No Installed? ___ Yes ___ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Dan Black

Name

324-4196

Telephone No.

6220-A Hwy 93 Jerome, Ida 83338

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 19 1990

3-7-90

Date

Reservoir Land Co Dan Black Manager

Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
February 13, 1990

RESERVOIR LAND CO.
6220-A HWY. 93
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08466

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 21 1990

Form No. 202a

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESNot SE
DCH

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DR DATE 10/24/89 APPLICATION NUMBER 36-08466REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Officers & addresses

Date Requested

Recd
11/17/90
50

PROCESSING ☒ Yes ☐ No Form for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest 11/20/89
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

26A, 43

See below for additional information

Date of priority recommended 10/4/89
By Loren D. Johnson Date 1/15/90

STATE OFFICE REVIEW P83 P16 46

See below for additional information

By Kew Date 1-29-90

ADDITIONAL INFORMATION

App. in TRUST area - DCM.T
Allow 1 yr. to develop -

24-Oct-1989

Reservoir Land Co.
Rt. 4
Jerome, ID 83338

Re: Application for Permit No. 36-08466

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 11/1 & 11/8/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks. Please see attached list for additional information requirement.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

RECEIVED

FEB 21 1990

S. Region
5/89

Application No. 36-08466

ADDITIONAL INFORMATION REQUIREMENTS
FOR APPLICATIONS IN THE NAME OF A CORPORATION,
COMPANY, OR PARTNERSHIP

In reviewing the application for compliance with the requirements of the Department's Rules and Regulations for Water Appropriations, we have determined that the following information is required to make the Application complete for processing.

- 1) If the Application is filed in the name of a corporation, the names and addresses of its directors and officers shall be provided. If the application is filed by or in behalf of a partnership or joint venture, the application shall provide the names and addresses of all partners and shall designate the managing partner, if any. (Rule 3,3,2,1)

Because the required information does not appear in the legal notice, we are proceeding with advertising of your Application. If the required information is received within ten days of the second publication date, no additional delay should be incurred in processing.

RECEIVED

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

OCTOBER 24, 1989

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

FEB 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

FEB 21 1990

36-08466

RESERVOIR LAND CO.
RT. 4
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWSWSE Sec 26 T 07S R 17E

Use: COMMERCIAL (.040 CFS)

Date Filed: 10/04/1989

In: T07S R17E S26 SWSE

MICROFILMED

FEB 21 1990

[Handwritten signature]

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before NOVEMBER 20, 1989.

R. Keith Higginson, Director

Published 11/01/1989 & 11/08/1989

RECEIVED

FEB 21 1990

SEP 25 1989

Department of Water Resources
Southern Region Office

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant Reservoir Land Co.
2. Address #641/4 N/ RT. 4, Jerome, ID Telephone 324-4196
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 26, Twp. 7S, Rge. 17E, County Jerome,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
No. of households _____ No. of livestock _____
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify Potato Cellar
Commercial
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 450
Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date Sept 25 1989
7. Well Driller (if known) Smith Valley & Sons
Address Jerome
8. Applicant's signature [Signature] Title Pres. Date 9-25-89

INDEXED

~~FEB 21 1990~~

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 4 day of October, 1989.

Signed

Loren O'Halloran

Title

Southern Region Mgr

Receipt No. S009603

Received by J

Fee \$100. Date 10-4-89

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED

FEB 21 1990

Drilling permit No. 36-89-S* 076

Water right No. 36-08466

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Greenland Co, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Because they need water for
potato cellar RSP potato
are being put in. To get the well in before winter

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date 9-30-89

Signature

Applicant

Don Black
Greenland Co

RECEIVED

FEB 21 1990

36-08466