




421

420

340 000
FEET

419

← P/D
35

417

WILSON

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: John W. Reynolds Permit No. 36-8419
Current Address: RT, 1 Box 1311, Heyburn, ID 83336 Phone No. 678-9342
2. Accompanied by: Mr. Reynolds EXAM. DATE: 7-18-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-11215
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 36-11215
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

NOV 07 1994



NOV 07 1994

36-8419

Diversion
Works



Roller Rink



Rental Business

NOV 07 1994

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

MARGE BARENDREGT being first

duly sworn, deposes and says that she is the

Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two (2) consecutive weeks, commencing with the issue

dated May 18 1989, and ending

with the issue dated May 25 1989

Marge Barendregt

89-244

NOTICE OF APPLICATION FOR WATER RIGHT

The following application (s) have been filed to appropriate the public waters of the State of Idaho:

36-08419
ROLLER KING TRUST
C/O JOHN W. REYNOLDS, TRUSTEE
RT. 1 BOX 1311
HEYBURN, ID 83336
Source: GROUNDWATER
Diversion Pt: NENWSW Sec 4 T 10S R 23E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.060 CFS)
STOCKWATER (.020 CFS)
Date Filed: 4/04/1989
In: T10S R23E S04 NWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

/s/R. KEITH HIGGINSON, Director
Published in the South Idaho Press on May 18 and 25, 1989.

STATE OF IDAHO

COUNTY OF

On this 30th day of May in the year of 1989, before me, a Notary Public, personally appeared Marge Barendregt known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Burley, ID

My commission expires: 6/4/92

Cost of Publication 24.96

Notary Fee 50

Total Cost 25.46

RECEIVED

JUN 1 1989

Department of Water Resources
Southern Region Office

MICROFILMED

DEC 15 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08419

Priority: April 4, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.7 AF

This is to certify, that ROLLER KING TRUST
RT 1 BOX 1311

HEYBURN ID 83336 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 4, 1989; and has submitted Proof of Beneficial Use on October 12, 1990. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.7 AF


LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 4, Township 10S, Range 23E
MINIDOKA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
10S 23E 4 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a roller skating rink and rental shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of NOVEMBER, 1994.

Acting for  R. Keith Higginson, Director

RECEIVED
OCT 12 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08419 Telephone No. 678-9342
Name(s) of Permit Holder(s): John and Reynolds Roller King Trust
Post Office Address: R#1 Box 131
Source of Water: Ground well & Sand point
If ground water, well driller's name: _____ Date drilled: 1967
Extent of Use:
Domestic 3 (No. of households) Irrigation _____ (No. of acres)
Stockwater Cattle (No. and type of stock) Other Roller King Shop

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1967

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

John and Reynolds 678 9342
Name Telephone No.
R#1 Box 131 Wayburn, Idaho 83336
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Oct 4 - 90 John and Reynolds
Date Signature (and title if on behalf of a company or organization)

JAN 28 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08419

Proposed Priority: April 4, 1989

Maximum Diversion Rate:

0.12 CFS

This is to certify, that **ROLLER KING TRUST**
RT. 1 BOX 1311
HEYBURN, ID 83336

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
COMMERCIAL	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWSW

Sec. 4, Township 10S, Range 23E
MINIDOKA County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10S 23E 4 NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use


PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. 2 points of diversion within NENWSW, S4, T10S, R23E.
5. Commercial use is for a roller skating rink & shop.
6. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of November, 1989

for 
R. Keith Higginson, Director

RECORDED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ROLLER KING TRUST Phone 678-9542
Post office address Rt. 1 BOX 1311 Heyburn Id 83336

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is 2 points Ne 1/4 of Nw 1/4 of Sw 1/4, Govt. Lot _____
Sec. 04 Township 10N Range 23E B.M. MINIDOKA County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:
Commercial 10 for .04 cfs purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Domestic 43 for .06 cfs purposes from " to " (both dates inclusive)
(cfs or acre-feet per annum)
Stockwater 04 for .02 cfs purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .12 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 100' well, 3 HP
pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 100' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).
(in use)

RECORDED

DEC 15 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 5/25 beef stock
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. D/1 house, 1 trailer
- e. Other; describe fully. C/ roller skating rink + shop

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	23E	04										D							
												C							
												S							

Total number of acres to be irrigated ✓

10. Describe any other water rights used for the same purposes as described above. sandpit well used as backing
11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED
FILMED

DEC 12 1989

A full-page sheet of white graph paper with a black grid. The grid consists of 20 columns and 20 rows of squares. In the bottom right corner, there is a small, faint rectangular stamp containing the text "SEP 15 1986".

~~DEC 15 1989~~

John W. Reynolds
Trustee (Applicant)

Received by LW Date 4/4/89 Time 11:30 AM Preliminary check by J. E. Johnston
Fee \$ 30 Receipted by LW # 5006772 Date 4/4/89
Publication prepared by M. Baldwin Date 5/4/89 Published in So. Id. Press
Publication approved M. Baldwin Date 6/2/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 15 1989

CONVERSATION MEMORANDUM

DATE

11/17/89

FILE

36-8419

NAME OF PARTY

Roller King Trust

EMPLOYEE

J.J.

RE:

Names & Addresses of all Members who Roller King Trust that Can Take Action on Water Right.

All of the following names are on Rt 1,
Shepherd, ID

83336

Roger Reynolds

Becky Bryant

Kelly Reynolds

John Reynolds + Joyce Fay Reynolds

RECORDED & FILMED

DEC 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

IAN - 2 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 21, 2001

ROLLER KING TRUST
256-A SOUTH 600 WEST
HEYBURN ID 83336

*W.A. only
- & adj.*

Re: Snake River Basin Adjudication (SRBA)
Water Right(s) #36-8419
Change of Address

Dear Water Right Holder:

IDWR has been notified the address presently in our records is incorrect. Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records. Future notices related to your water right can be sent only to the address on your water right or as otherwise changed by you.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary **and list any other water rights you may have** before returning this letter by January 11, 2002. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1-800/451-4129 to obtain a form to make this required change to the water right record.

Sincerely,

Sally
Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

#####


The address is correct as shown above or as otherwise changed.

John W. Reynolds
Claimant Signature

208-678-3122 or (677-3554)
Telephone No.

ver Basin Adjudication
the Attorney General
4449
83711-4449

ADDRESS SERVICE
REQUESTED



256A South 600 West

ROLLER KING TRUST
RT 1 BOX 1311
HEYBURN ID 83336

~~address added~~
36-8419 UR

CD 116725



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 3, 1994

ROLLER KING TRUST
RT 1 BOX 1311
HEYBURN ID 83336

RE: WATER RIGHT NO. 36-08419

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure



NOV 07 1994

LICENSE REVIEW CHECKLIST



PERMIT NO. 36-08419 DATE 10-13-94

NAME Yes No ✓ Or Address Change?

PRIORITY DATE ✓ Advance? Advanced to:
Order to reinstate needed?

Note: Proof files for .04 cfs. Incorrect fee for rate recommended? NONE

SOURCE ✓ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed? for .04 cfs
✓ Overlaps? 36-11215 - different well? there are 3 sandpoint wells.

PLACE OF USE ✓ Amendment needed?
✓ Overlaps? 36-11215 - dem + stock

DIV RATE ✓ Permit (fee limits) .04 cfs
Meas Q = Theo Q = .08 Recommend: .04 cfs

Combined rates exceed capacity NO

ANNUAL VOLUME ✓ Season of use: 300 days per yr
Calculations: 800 gpd x 300 = 240,000 = .74 cfs

Flow limit: .04 cfs x 300 x 1.9835 = 23.8
Combined volumes exceed capacity/allowable

USES ✓ Change in Nature of Use or additional uses?
Amendment necessary?

REMARKS ✓ Multiple p/d(s) in 1/4 1/4?
✓ Other

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
 ✓ Irrigation Overlap
 ✓ Water Quality
 ✓ Other Heat/Cool/ Fish verified

COMMENTS: Delete stockwater and domestic uses; they are covered
under 36-11215.
(Rate now no longer limited by proof filed)

RECOMMENDED	CFS	VOL	SRBA Claim Filed	Adjustment Memo Needed
<u>Commercial</u>	<u>.04</u>	<u>.7</u>	<u>YES</u>	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LICENSE ✓
 1ST AMENDMENT LETTER
 FINAL AMENDMENT LETTER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1991

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 36-8419
Phone No. 678-9342
1. Owner: John W. Reynolds
Current Address: RT. 1 Box 1311, Heyburn, ID 83336
2. Accompanied by: Mr. Reynolds EXAM. DATE: 7-18-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-11215
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 36-11215
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

NOV 07 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, submersible pump, 2 pressure tanks, pipelines. Shallow well about 18' deep - water visible at maybe 10' below LSD (replaced original deep well a while back)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor-Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1	5KC390N1002BK	Myers	9860689

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	4	105	23E	Minidoka	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
105	23E	4										X							

Do not use this space

MINIDOKA

NOV 07 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Estimated 0.08 cfs at 30 psi & 79.3' TDH

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 30 psi x 2.31 = 69.3 ft (1); Dynamic pumping level: 10 ft (2)

Total Head: (1) + (2) = 79.3 (3) ; Flow rate: 0.08 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

20 range x 10/34 AFA/ld = 0.27 AFA, Allow 0.3 AFA

Commercial - 800 gpd x 300 days/year = 0.7 AFA

NOV 07 2004

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Used for restrooms in skating rink, 2 swamp coolers, soda fountain.
Also serves mobile home behind rink, owner's home, small lawn ground mobile home & a few trees. Up to 20 cows/calves (4 of each today). Rest of grass is watered.
Also restroom in K&R Rent-A-Vo Sales, also washing equipment here. ^{From congl.}
Use estimated at 800 gal/day average for 200 days/year for commercial use by Mr. Reynolds.

Pumping capacity estimated at 0.08 cfs, but proof only filed for 0.04 cfs (no exam fee paid). System will obviously run at capacity regardless of what license says. ~~Permittee should be contacted for payment of \$50. exam fee - if not paid, only 0.04 cfs can be licensed.~~ I wasn't aware of this problem during the exam.
SRBA claim covers domestic & stock use, so recommend license be issued only for commercial use. This way, no additional exam fee would be due.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~Domestic~~	~~1-1~~	~~12-31~~	~~0.06 *~~	~~1.8~~
~~Stockwater~~	~~1-1~~	~~12-31~~	~~0.02~~	~~0.3~~
Commercial	1-1	12-31	0.04	0.7
Totals:			~~0.08~~ * 0.04	~~2.1~~ 0.7

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 7-19-91


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

NOV 07 1994

36-84
T.10
R.10
S.4



7
5.8

TRACT-HEL

T518
1689

31.2

T52
169

TRACT

35.7

789
112

SEE E 14

2

18.5

3

8.9

T 526

361

TRACT HEL

3

23.7

TRACT-HEL

10S

4

19.9

5

15.2

6

12.5

13.4

4

16.8

3

16.6

T 528

9

18.6

10

10.6

T 408

277

9.1

T 540

370

2

T 541

371

11

6.1

12

12.5

17.9

2

16.8

NOV 07 1999

36-8419

Diversion
Works



Roller Rink

Rental Business

NOV 07 1994

December 27, 1990

ROLLER KING TRUST
RT. 1 BOX 1311
HEYBURN, ID 83336

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08419

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 26 1991

130413

September 30, 1990

ROLLER KING TRUST
RT. 1 BOX 1311
HEYBURN, ID 83336

PROOF DUE NOTICE

RE: PERMIT NO. 36-08419

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JAN 26 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 30, 1989

ROLLER KING TRUST
RT. 1 BOX 1311
HEYBURN, ID 83336

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P36-08419

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED
DEC 15 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 29, 1989

RE: Application for Permit No. 36-8419

Roller King Trust
Attn: John Reynolds, Trustee
Rt. 1 Box 1311
Heyburn, ID 83336

Dear Mr. Reynolds:

We have received your application for permit, for commercial, stockwater and domestic purposes, from our Southern Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names, titles and addresses of all members within Roller King Trust that are entitled to take action on this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker".

KAY WALKER
Technical Records Specialist

KW:at

cc: Southern Region

RECEIVED

DEC 15 1989

09-May-1989

Roller King Trust
c/o John W. Reynolds, Trustee
Rt. 1 Box 1311
Heyburn, ID 83336

Re: Application for Permit No. 36-08419

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the South Idaho Press on 5/18/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

RECORDED

DEC 15 1989

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

MARGE BARENDREGT being first

duly sworn, deposes and says that she is the

Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two (2)

consecutive weeks, commencing with the issue

dated May 18 1989, and ending

with the issue dated May 25 1989

Marge Barendregt

89-244

NOTICE OF APPLICATION FOR WATER RIGHT

The following application (s) have been filed to appropriate the public waters of the State of Idaho:

36-08419
ROLLER KING TRUST
C/O JOHN W. REYNOLDS, TRUSTEE
RT. 1 BOX 1311
HEYBURN, ID 83336
Source: GROUNDWATER
Diversion Pt: NENWSW Sec 4 T 10S R 23E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.060 CFS)
STOCKWATER (.020 CFS)
Date Filed: 4/04/1989
In: T10S R23E S04 NWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

/s/ R. KEITH HIGGINSON, Director
Published in the South Idaho Press on May 18 and 25, 1989.

STATE OF IDAHO

COUNTY OF

On this 30th day of May in the year of 1989, before me, a Notary Public, personally appeared Marge Barendregt known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Burley, ID

My commission expires: 4/7/92

Cost of Publication 24.96
Notary Fee 50
Total Cost 25.46

RECEIVED

JUN 1 1989

Department of Water Resources
Southern Region Office

RECORDED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MAY 4, 1989

SOUTH IDAHO PRESS
BOX 190
BURLEY, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 5, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

DEC 15 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

[Illegible stamp]

DEC 15 1989

36-08419

ROLLER KING TRUST
C/O JOHN W. REYNOLDS, TRUSTEE
RT. 1 BOX 1311
HEYBURN, ID 83336

Source: GROUNDWATER

Diversion Pt: NENWSW Sec 4 T 10S R 23E

Use: COMMERCIAL	(.040 CFS)
DOMESTIC	(.060 CFS)
STOCKWATER	(.020 CFS)

Date Filed: 4/04/1989

In: T10S R23E S04 NWSW

MILWAUKEE

DEC 15 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. Keith Higginson, Director

Published 5/18/1989 & 5/25/1989

RECEIVED

DEC 15 1989