


NW 1/4 Sec 5 T 9 S R 16 E B M

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 16 E B M



Scale: 2 inches equal 1 mile.

NOV 20 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Alvies

George Alvies
(Applicant)
(Partner)

**Idaho Dept. of Water Resources
Place of Use Comparison Report**


Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5										X							0
Right	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5										X							0
Right	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5							X	X	X	X				X			0
Right	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5										X							0
Rec	36 7438	MARGARET MC CAUGHEY, WALTER L MC CAUGHEY,	GROUND WATER	09S16E5											40	40			20		100
Right	1 16	NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 212	TWIN FALLS NORTH SIDE LAND & WATER, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 213	NORTH SIDE CANAL CO, TWIN FALLS NORTH SIDE LAND & WATER CO,	SNAKE RIVER	09S16E5																	0
Right	1 215	TWIN FALLS NORTH SIDE LAND & WATER CO, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 220	TWIN FALLS NORTH SIDE LAND & WATER CO, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 5	NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	36 13985	ALFREDO RIOS, BECKY L RIOS,	GROUND WATER	09S16E5						X											0
Right	36 13985	ALFREDO RIOS, BECKY L RIOS,	GROUND WATER	09S16E5						X											0
Right	36 13990	THOMAS H B SMITH, FLORENCE P SMITH,	GROUND WATER	09S16E5						X											0
Right	36 13990	THOMAS H B SMITH, FLORENCE P SMITH,	GROUND WATER	09S16E5						X											0
Right	36 14302	ALICE IRIGARAY,	GROUND WATER	09S16E5							X										0
Right	36 14498	HELEN MC CLURE,	GROUND WATER	09S16E5					X												0
Right	36 14666	BOX CANYON DAIRY, FRANS AARDEMA, CORNELIA AARDEMA, THOMAS HEIDA, MARY JANE HEIDA,	GROUND WATER	09S16E5						X											0
Right	36 14672	ROBERT J DAY, DOROTHY A DAY,	GROUND WATER	09S16E5					X												0
Right	36 14672	ROBERT J DAY, DOROTHY A DAY,	GROUND WATER	09S16E5					X												0
Right	36 14954	WALTER L MC CAUGHEY,	GROUND WATER	09S16E5					X												0
Right	36 14954	WALTER L MC CAUGHEY,	GROUND WATER	09S16E5					X												0
Right	36 4207	SELMA L SULLIVAN,	GROUND WATER	09S16E5													X				0
Right	36 7438	MARGARET MC CAUGHEY, WALTER L MC CAUGHEY,	GROUND WATER	09S16E5											40	40			20		100
Right	36 7482	ESTHER BLACKWELL, LOUIS BLACKWELL,	GROUND WATER	09S16E5						X											0
Right	36 8579	WALTER L MC CAUGHEY, MARGARET MC CAUGHEY,	GROUND WATER	09S16E5														32	20		52

3069 II NW
(NIAGARA SPRINGS)

T 9 S R 16 E
Sec. 5 36-8418



x Waste Water Application



GOODING CO
TWIN FALLS CO
JEROME CO

— SNAKE —

MICROFILMED
APR 23 2002



wheel-lines

MICROFILMED
APR 23 2002

House

Derry Barn

Combs

privat

T93 R16E

Sec.05

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08418

Priority: March 16, 1989

Maximum Diversion Rate: 0.48 CFS
Maximum Diversion Volume: 106.0 AF

It is hereby certified that DE GROOT DAIRY
C/O GEORGE ALVES
364 S 500 W
JEROME ID 83338

And

NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 5059

TWIN FALLS ID 83303-5059 have complied with the terms and

conditions of the permit, issued pursuant to Application for Permit dated March 16, 1989; and have submitted Proof of Beneficial Use on March 30, 1990. An examination indicates that the works have a diversion capacity of 0.48 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.32 CFS	104.0 AF
STOCKWATER	01/01 to 12/31	0.24 CFS	104.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINTS OF DIVERSION:

GROUND WATER NW¼SW¼ Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County
GROUND WATER NW¼SW¼ Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County
GROUND WATER NW¼SW¼ Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County

PLACE OF USE: COMMERCIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 16E 5							X	X	X	X					X		

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 16E 5										X							

PLACE OF USE: DOMESTIC – Same as Stockwater

WATER RIGHT NO. 36-08418

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08418

CONDITIONS OF APPROVAL

1. Commercial use is for a dairy.
2. The place of commercial use authorized by this approval includes land upon which wastewater may be applied for irrigation purposes to satisfy water quality requirements. Water diverted under this approval shall not be used for irrigation unless the water is first used in the dairy as authorized by this water right.
3. Domestic use is for 2 homes.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 130.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 4TH day of APRIL, 2002.

Acting for


KARL J. DREHER
Director

WICAC. 10-1

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-08418

RECEIVED

MAR 28 2002

Date of Priority: March 16, 1989

Maximum Diversion Rate:

0.48 CFS

Maximum Diversion Volume:

106.0 AF

Comes now DE GROOT DAIRY
C/O GEORGE ALVES
364 S 500 W
JEROME ID 83338

And

NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 5059

TWIN FALLS ID 83303-5059 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 36-08418, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.32 CFS	104.0 AF
STOCKWATER	01/01 to 12/31	0.24 CFS	104.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINTS OF DIVERSION:

GROUND WATER	NW¼SW¼	Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County
GROUND WATER	NW¼SW¼	Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County
GROUND WATER	NW¼SW¼	Sec. 5, Twp 09S, Rge 16E, B.M., JEROME County

PLACE OF USE: COMMERCIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 16E 5							X	X	X	X					X		

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 16E 5											X						

PLACE OF USE: DOMESTIC – Same as Stockwater

MICROFILMED

MAR 29 1988

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08418

* Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 23 day of March, 2002.

Mary Lou Allen
(Signature)

FOR DEPARTMENT USE ONLY
Preliminary check by kw Fee = \$50.00 Received by JM # C060935 Date 3/26/02

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-08418 with the following:

CONDITIONS OF APPROVAL

1. Commercial use is for a dairy.
2. The place of commercial use authorized by this approval includes land upon which wastewater may be applied for irrigation purposes to satisfy water quality requirements. Water diverted under this approval shall not be used for irrigation unless the water is first used in the dairy as authorized by this water right.
3. Domestic use is for 2 homes.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 130.

Witness my hand this 4th day of April, 2002.

Acting for

Karl J. Dreher
KARL J. DREHER
Director

MICROFILMED

APR 23 2002

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original Application	36-08418	DeGroot Dairy	0.50
Full Assignment	36-08418	DeGroot Dairy & Northwest Farm Credit Services	0.50

RECEIVED
11/1/10
WATER RIGHTS DIVISION
SALT LAKE COUNTY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 22 1992

ASSIGNMENT OF PERMIT

Department of Water Resources
Southern Region Office

I, DeGroot Dairy, a partnership
hereby assign to (name and address)

DeGroot Dairy, a partnership, 364 A S 500 W, Jerome ID , and NORTHWEST FARM
CREDIT SERVICES, ACA, 129 Eastland Drive, P. O. Box 288, Twin Falls ID
83303-0288

All my right, title and interest in and to Permit No. 36-08410 to
appropriate the public waters of the State of Idaho.

or (for partial assignments)

The following described portion of my right, title and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres
in each 40 acre subdivision, point of diversion location, and the amount
of water in cubic feet per second.

Made this 11 day of August, 1992.

DeGroot Dairy, a partnership

By: [Signature]
Partner

STATE OF IDAHO)
County of Twin Falls) ss

By: [Signature]
Partner

On this 2nd day of September, 1992, personally appeared
before me the signer of the above instrument, duly acknowledged to me that
he executed the same. (George Alves)

[Signature]
Notary Public for Idaho
Residing at Twin Falls
My Commission Expires 12-24-93

STATE OF CALIFORNIA)
County of Los Angeles) ss

On this 3rd day of SEPTEMBER, 1992, personally appeared
before me the signer of the above instrument, duly acknowledged to me that
he executed the same. (E. J. DeGroot)



[Signature]
Notary Public for California
Residing at Downey
My Commission Expires 3-31-93

RECEIVED

RECEIVED

Form 217
03/86

MAR 30 1990

Department of Water Resources
Southern Region Office

DEC 1 1989

STATE OF IDAHO

no fee encl.
Department of Water ResourcesFor Office Use Only
Fee Received \$100.

Date 3-30-90

Receipt # 5011726

Receipt by J. E. Stinson

Reviewed by J. E. Stinson

Sent to region 7/16/90

RECEIVED

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

APR 3 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08418

Name(s) of Permit Holder:

McGroat Dairy George Alves ✓

Post Office Address:

364 S 500 W

Jerome Td. 83338 ✓

Telephone No.

208-324-7208

Source of water:

Groundwater ✓

Extent of Use:

Domestic

2

(number of households)

Stockwater

X 1000-cows

(number and type of stock)

Irrigation

(acres)

Other/Remark

Commercial Dairy ✓

Well driller was Smith's Drilling ✓

Total rate and/or volume for which proof is submitted

.50

cfs

acre-foot

Show the date water was first diverted and beneficially used under this permit:

June 89 ✓

Measuring Device: Required?

Yes

X No

Installed?

Yes

X No

Fee enclosed \$

100.00

(See License Examination Fee Schedule)

Flow Measurement Port: Required?

Yes

X No

Installed?

Yes

X No

Person to contact to accompany the Department representative during the field examination:

George Alves

(Name)

324-7208

(Telephone Number)

364 S. 500 W

Jerome

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

APR 13 1990

4-29-89

Date

George Alves

Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08418

Proposed Priority: March 16, 1989

Maximum Diversion Rate:

0.50 CFS

This is to certify, that **DE GROOT DAIRY**
C/O GEORGE ALVIES
364 S. 500 W.
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.50 CFS
COMMERCIAL	01/01 to 12/31	0.50 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW Sec. 5, Township 09S, Range 16E
JEROME County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09S 16E 5 NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. Commercial use is for a dairy.
6. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of November, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DeGroot Dairy Phone 324-7208

Post office address 364 South 500 West, Jerome, Idaho 83338

2. Source of water supply Well - groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____

Sec. 5 Township 9S Range 16EBM B.M. Jerome County; additional

points of diversion if any: none

4. Water will be used for the following purposes:

Amount .50 for Dairy (Commercial) purposes from 1/1/ to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .50 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .06 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .50 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump 15HP (new)

Plus 2 existing wells - 1-7.5HP & 1-5HP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 250' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

3 months years (minimum 1 year).

Allow 1 Year

Note: Pen & Ink charges per conversation
with Darrell Smith acting for Applicant

[Signature]

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 1000 dairy herd
- c. Municipal; show name of municipality. none
- d. Domestic; show number of households. 2
- e. Other; describe fully. Commercial - Dairy Servicing

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	16E	5										X							

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? DeGroot Dairy

b. Who owns the land to be irrigated or place of use? Same. id

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: This Filing covers existing uses in place since 1979 and additional capacity to be added.

RECEIVED

NOV 20 1989

NW 1/4 Sec 5 T 9 S R 16 E B M

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. R 16 E B M



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Alvies

George Alvies
(Applicant)
(Partner)

Received by LH Date 01/16/89 Time 11:00 Preliminary check by DRJ

Fee \$ 45.00 Received by LH # 5006572 Date 3/6/89

Publication prepared by M. Baldwin Date 5/4/89 Published in North Side News

Publication approved M. Baldwin Date 6/20/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 20 1989

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

JUN 19 1989

Department of Water Resources
Southern Region Office

Patty Nance, G. manager, being first duly sworn, deposes and says that she is the printer (~~publisher~~) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 17 day of May 19 89, and the date of the last publication was on the 24 day of May, 19 89.

Patty Nance

Subscribed and sworn to before me this 15 day of May, 1989.
(SEAL)

Norma DeJae

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

<u>614.25</u>	Lines tabular at	<u>24.57</u>	5¢/Pica
	Lines straight at	<u>21.50</u>	4¢/Pica
	Subsequent lines at	<u>46.07</u>	3.5¢/Pica
TOTAL COST			<u>46.07</u>

COPY OF NOTICE

(Paste Here)

Water Right
TITLE OF NOTICE

Prof. Investors Life
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF
Dept. of Water Resources
Brian
BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

The Following applications have been filed to appropriate the public waters of the State of Idaho:

36-08414
PROFESSIONAL INVESTORS LIFE INS. CO.

P.O. BOX 2888
TULSA, OK 74101

Source: SUNNYBROOK SPRINGS.

Tributary: ALPHEUS CREEK

Diversion Pt.: LOT 9 (SENEW) Sec 29

T 09S R 17E

Use: FISH PROPAGATION (20.000 CFS)

Date Filed: 3/07/1989

In: T09S R17E S19 Lot 13 (SWSE)

S29 Lot 9 (NENW) Lot 10

NWNW) Lot 11 (SWNW) (SENW)

36-08416

HANEY SEED COMPANY (JEROME)

C/O REX L. LAMMERS, CONTROLLER

P.O. BOX 502

TWIN FALLS, ID 83303-0502

Source: GROUNDWATER

Diversion Pt: SESW Sec 24 T 08S R 16E

Use: COMMERCIAL (.040 CFS)

Date Filed: 3/30/1989

In: T08S R16E S24, SESW

36-08418 ✓

DE GROOT DAIRY

C/O GEORGE ALVIES

364 S, 500 W.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWSW Sec 5 T 09S R 16E

Use: COMMERCIAL (.500 CFS)

STOCKWATER (.500 CFS)

DOMESTIC (.060 CFS)

Date Filed: 3/16/1989

In: T09S R16E S05, NWSW

The permits will be subject to all prior water rights. Protests must be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. Keith Higginson

Director

N15471

Pub: 5-17, 24

15471

3358



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 4, 2002

DE GROOT DAIRY
C/O GEORGE ALVES
364 S 500 W
JEROME ID 83338

NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 5059
TWIN FALLS ID 83303-5059

RE: License No. 36-8418 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

MICROFILMED

APR 23 2002

SWK:klt

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on April 4, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 36-8418

**DE GROOT DAIRY
C/O GEORGE ALVES
364 S 500 W
JEROME ID 83338**

**NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 5059
TWIN FALLS ID 83303-5059**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

Apr 11 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303). MICROFILMED
SEP 2 6 2007

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 12, 2002

DE GROOT DAIRY
C/O GEORGE ALVES
364 S 500 W
JEROME ID 83338

NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 5059
TWIN FALLS ID 83303-5059

RE: Water Right Permit No. 36-08418

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☒ Point(s) of Diversion

☒ Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days. If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

APR 24 2002

3-25-02 con
per phone call -
w/ Mary Hall -
amendment &
fee will be sent
KW
in.

LICENSE REVIEW CHECKLIST

Permit No. 36-8418

Date: 3-11-02

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

Change (P41/P43) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.50 cfs

Fee Limit 1.0 cfs

Measured 0.48 cfs

Theoretical cfs

Recommended Total Diversion Rate 0.48

Water Uses

OK Change (P46)

Season of Use per new Standards

Irrigation cfs af

Stockwater 0.24 cfs 104 af

Domestic 0.06 cfs 2.8 af

Comm 0.32 cfs 104 af

Total 0.48 cfs 106.4 af

~106.

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: R04,

Additional Conditions

130

Watermaster Control ☒

_____ GW Measurement/Measuring Device

Other

~~Trust~~ R55 - remove 051)

~~Non-Trust~~ (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

NO - not req'd

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

P44

S06

MEMORANDUM

TO: File 36-08418

FROM: KAY WALKER *KW*

RE: License Recommendations

Date: March 11, 2002

.....

While preparing a license for this permit, I found the Water Measurement District records did not agree with the volume recommended by examiner. In talking with Cindy Yenter regarding this, she stated that the permit holder is only reporting water from one of the three wells that he is using. She believes that he only uses the well with the 15 hp pump in the summer and uses the other wells when he can. Cindy did not have a problem with the 104-acre feet that we propose to license under this permit.

MICROFILMED

MAR 23 2002

WMD**POD Data****09S 16E 05 NWSW**

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
09S 16E 05 NWSW	A0004645	15 Hp WELL		400841
Latitude 042:40:18.186		Longitude -114:36:44.895	GPS File R121621A	Flowmeter (8)
Comments				

Flowmeter Data

Year	Date	Calibration Factor	Max CFS	Adj Max CFS	Acre-Ft	Adj Acre-Ft	Acre-Ft Qualif	Valid	Prefrd
2001	11/14/2001	1.25			27.33	34.16	NM	☐	☐
Comments Owner states that there is no meter in January, but report form shows same serial number as									
2000	11/14/2001	1.25			31.57	39.46	NM	☐	☐
Comments No report received. End of year odometer from IDWR audit, reflects meter rollover of 1X									
1999	11/14/2001	1.25			21.88	27.35	PM	☐	☐
Comments New meter this year - not all months measured.									
1998	12/16/1997	0.93	0	0	25.1	23.343	FE	☐	☐
Comments VOLUMN USED AND NOT TOTAL VALUES GIVEN ARNIE 2/23/99									
1997	12/16/1997	0.93	0	0	25.2	23.436	FE	☐	☐
Comments QUESTIONABLE READINGS - ACTUAL READING NOT SHOWN DAN 8/19/98									
1996	12/16/1997	0.93	0	0	32.23	29.9739	FE	☐	☐
Comments Still using sum of gallons reported. No odometer readings.									
1995	12/16/1997	0.93	0	0	26.19	24.36	FE	☐	☐
Comments did not read totalizer. Estimate from total gallons diverted.									

Flowmeter CalibrationCalibration Date: **11/14/2001**Calibration Factor: **1.25****400841**

Installed Meter	
Meter Type:	PROPELLER
Manufacturer:	MCCROMETER
Model:	
Serial Number:	9927483
Rate Units:	GPM
Rate Multiplier:	1
Volume Units:	GAL
Volume Multiplier:	10
Location:	GOOD
Indicated Flow:	22.5

Standard Meter	
Pipe Material:	STEEL
Outside Diameter:	3.53
Wall Thickness:	0.201
Upstream Straight:	2.2
Downstream Straight:	2.2
Meter Type:	SONIC
Measured Flow Units:	GPM
Measured Flow:	28.1
Confidence:	POOR

Other well(s):

Other meter(s): ☐

Comments:

Changed: 3/11/2002

Calibration Date: **12/16/1997**Calibration Factor: **0.93****400841**

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
Installed Meter Meter Type: IMPELLER Manufacturer: GRAINLAND AQUAMASTER Model: 400B Serial Number: 17014 Rate Units: GPM Rate Multiplier: 1 Volume Units: AF Volume Multiplier: 0.001 Location: EXCL Indicated Flow: 42		Standard Meter Pipe Material: STEEL Outside Diameter: 3.53 Wall Thickness: 0.201 Upstream Straight: 2.2 Downstream Straight: 2.2 Meter Type: SONIC Measured Flow Units: GPM Measured Flow: 38.9 Confidence: FAIR		Other well(s): Other meter(s): ☐ Comments:
				Changed: 3/11/2002

Site Visits

Site Visit Date	Site Examiner	Reason	Change Date:
12/16/1997	DNELSON	Inventory	
Notes:			

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	36 8416	DE GROOT DAIRY,	GROUND WATER	09S16E5										X							0
Right	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5							X	X	X	X				X			0
Right	36 8418	DE GROOT DAIRY,	GROUND WATER	09S16E5										X							0
Right	1 10	NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5												40	40				100
Right	1 212	TWIN FALLS NORTH SIDE LAND & WATER, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 213	NORTH SIDE CANAL CO, TWIN FALLS NORTH SIDE LAND & WATER CO,	SNAKE RIVER	09S16E5																	0
Right	1 215	TWIN FALLS NORTH SIDE LAND & WATER CO, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 220	TWIN FALLS NORTH SIDE LAND & WATER CO, NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	1 5	NORTH SIDE CANAL CO,	SNAKE RIVER	09S16E5																	0
Right	36 13985	ALFREDO RIOS, BECKY L RIOS,	GROUND WATER	09S16E5						X											0
Right	36 13985	ALFREDO RIOS, BECKY L RIOS,	GROUND WATER	09S16E5						X											0
Right	36 13990	THOMAS H B SMITH, FLORENCE P SMITH,	GROUND WATER	09S16E5						X											0
Right	36 13990	THOMAS H B SMITH, FLORENCE P SMITH,	GROUND WATER	09S16E5						X											0
Right	36 14302	ALICE IRIGARAY,	GROUND WATER	09S16E5							X										0
Right	36 14488	HELEN MC CLURE,	GROUND WATER	09S16E5					X												0
Right	36 14666	BOX CANYON DAIRY, FRANS AARDEMA, CORNELIA AARDEMA, THOMAS HEIDA, MARY JANE HEIDA,	GROUND WATER	09S16E5						X											0
Right	36 14672	ROBERT J DAY, DOROTHY A DAY,	GROUND WATER	09S16E5					X												0
Right	36 14672	ROBERT J DAY, DOROTHY A DAY,	GROUND WATER	09S16E5					X												0
Right	36 14954	WALTER L MC CAUGHEY,	GROUND WATER	09S16E5				X													0
Right	36 14954	WALTER L MC CAUGHEY,	GROUND WATER	09S16E5				X													0
Right	36 4207	SELMA L SULLIVAN,	GROUND WATER	09S16E5													X				0
Right	36 7438	MARGARET MC CAUGHEY, WALTER L MC CAUGHEY,	GROUND WATER	09S16E5												40	40		20		100
Right	36 7482	ESTHER BLACKWELL, LOUIS BLACKWELL,	GROUND WATER	09S16E5					X												0
Right	36 8579	WALTER L MC CAUGHEY, MARGARET MC CAUGHEY,	GROUND WATER	09S16E5														32	20		52

P/D OL per VAX 3/11/02

SD-0605-2 Township: 09S Range: 16E Section: 5 Tract: NWSW Lot:
S L R STATE O S Max # Records 12
E O D Water Name W T Priority Total
L Tract T V Right No. Last, First N G Date Source Diversion

NWSW 36-08418 NORTHWEST FARM L P 03/16/1989 GROUNDWATER 0.50
DE GROOT DAIRY C

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

P/U or per VAX 3/11/02

SD-0604-2 Township: 09S		Range: 16E		Section: 5		Tract: NWSW		Lot:	
S	L	STATE		O	S	Max #	Records	25	
E	O	Water	Name	W	T	Priority	Use		
L Tract	T	Right No.	Last, First	N	AC	G	Date	Code	Desc
---	---	01-00005	NORTH SIDE CANAL CO.	C		D	12/23/1915	01	IRR
---		01-00016	NORTH SIDE CANAL CO.	C		D	12/23/1915	01	IRR
---		01-00212	NORTH SIDE CANAL CO.	C		D	10/07/1905	01	IRR
---			TWIN FALLS NORTH SIDE	C					
---		01-00213	NORTH SIDE CANAL CO.	C		D	06/16/1908	01	IRR
---			TWIN FALLS NORTH SIDE	C					
---		01-00215	NORTH SIDE CANAL CO.	C		D	06/02/1909	01	IRR
---			TWIN FALLS NORTH SIDE	C					
---		01-00220	NORTH SIDE CANAL CO.	C		D	06/29/1910	01	IRR
---			TWIN FALLS NORTH SIDE	C					
---	NWSW	36-08418	NORTHWEST FARM CREDIT	L		P	03/16/1989	10	COMMER
---			DE GROOT DAIRY	C				04	STOCK
---								43	DOMEST

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

MAR 8 2002 K

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-08418

1. Owner: DEGROUT DAIRY

Phone No. 208-324-7208

Current Address: 363 S. 500 W., JEROME, IDAHO 83338

2. Accompanied by: GEO. ALVIES

EXAM DATE: 02/19/2000-

Address: same as above

Phone No.

Relationship to Permit Holder:

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: 3 WELLS


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

#	Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
2	Sub	REDJACKET	5	13FC		
1	"	REDJACKET	7.5	8LB6		
3	"	REDJACKET	15	SST-6CA1C		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SEE ATTACHMENT						

2. Measurements: _____

MICROFILMED

NO 1 2 1982

F. FLOW CALCULATIONS

XXXX Additional Computation Sheets Attached

Measured Method:

- A 1) 5gal/bucket// 6 sec. = 0.11 cfs
2) 5gal/bucket// 6.5 sec.=0.10 cfs
3) 5gal/bucket// 2.5 sec.=0.27 cfs
- B SEE WATER USE WORK SHEET
- C VOLUME CALCULATIONS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

SEE ATTACHMENT WATER USE WORK SHEET *& Dring Speed sheet***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>Jan 1st</u>	<u>Dec. 31</u>	<u>0.06</u>	<u>1.8</u> <u>2.4</u>
<u>LIVESTOCK</u>	<u>Jan 1st</u>	<u>Dec. 31</u>	<u>0.24</u>	<u>25.4</u> *
<u>COMMERCIAL</u>	<u>Jan 1st</u>	<u>Dec. 31</u>	<u>0.32</u>	<u>78.3</u> *
Totals:			<u>0.50 CFS</u>	<u>106.1</u> <u>105.5 AFA</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above XX None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name GARY FUNDERBURG, GARY Date MARCH 7, 2002
FEB. 27, 2002

Reviewer _____ Date _____

SEAL

MICROFILMED
APR 22 2002*from
dring speed
sheet*

C VOLUME CALCULATIONS

Livestock

600 hd (Dairy Milking) 35 gal/day (.000000307 AcFt/ Gal) 365 days
22.99 AcFt/ Ann.

400 hd (Dry Cows) 12 gal/day (.00000307 AcFt/Gal) 365 days
5.25 AcFt/Ann.

Commercial

(215 gal/min)(270 min)(365 days) / (325,850 gal/Acft) 65.14 Acft/Ann.

Domestic


(2) Homes (with lawns) ~~1.8 AcFt/Ann.~~
2A

See also dry spread sheet

(not to scale)

T9S R16E
Sec. 5 NW 1/4 SW 1/4

36-8418



MICRO LEVEL
100' 1/2" 200'

3069 11 NW
(NIAGARA SPRINGS).

T9S R16E
Sec 5 36-8418



T. 8 S.
T. 9 S.

4727


40'

4726

4725

4724

4723



Theoretical
calc.FILE NUMBER _____ Dept. 36-8418
REVIEWER _____ GLF 2/27/2002

DAIRIES: WATER USE WORKSHEET

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE _____ 600
 NUMBER OF DRY CATTLE _____ 400
 NUMBER OF REPLACEMENT CATTLE: 0-2 MONTHS _____ 0
 3-4 MONTHS _____ 0
 5-8 MONTHS _____ 0
 9-12 MONTHS _____ 0
 13-15 MONTHS _____ 0
 16-24 MONTHS _____ 0
 ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
 SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS _____ 3
 IF SPRINKLERS ARE USED: NUMBER OF SPRINKLERS IN HOLDING PEN _____ 55
 NOZZLE DISCHARGE (USE 5.0 GPM IF UNKNOWN) _____ 5.00
 OPERATION TIME OF SPRINKLERS (MIN/DAY) _____ 225
 NUMBER OF MILKINGS PER DAY _____ 3
 AVG. LBS. OF MILK PRODUCED PER DAY PER ANIMAL (IDAHO AVG IS 70 LBS.) _____ 70
 HOURS PER DAY PUMP OPERATES FOR STOCKWATER USE _____ 4.0
 HOURS PER DAY PUMP OPERATES FOR COMMERCIAL USE _____ 8.0
 IS RECYCLED WATER USED TO FLUSH MILKHOUSE AND PARLOR FLOORS? _____ N
 IS RECYCLED WATER USED TO WASH COWS? _____ N
 IS A PLATE COOLER USED? _____ Y
 IS RECYCLED WATER USED FOR PLATE COOLER? (IF NO PLATE COOLER,
 LEAVE BLANK) _____ N
 IF CORRAL MISTERS ARE USED: NUMBER OF MISTERS IN HOLDING PEN _____ 0
 NOZZLE DISCHARGE (GPM) _____ 0.00
 OPERATION TIME OF MISTERS (MIN/DAY) _____ 0
 DAYS PER YEAR MISTERS ARE USED _____ 0

CALCULATIONS

DIVERSION RATE (CFS):

STOCKWATER
 MILKING CATTLE (BASED ON MILK PRODUCTION) _____ 0.18
 DRY CATTLE @ 17.0 GPM/D _____ 0.06
 REPLACEMENT CATTLE _____ 0.00
 TOTAL _____ 0.24

COMMERCIAL
 TOTAL _____ 0.32

TOTAL DIVERSION RATE _____ 0.56

DIVERSION VOLUME (AFA):

STOCKWATER
 MILKING CATTLE _____ 19.4
 DRY CATTLE _____ 8.0
 REPLACEMENT CATTLE _____ 0.0
 TOTAL _____ 25.4

COMMERCIAL
 WASHING OF BULK TANK AND RELATED EQUIPMENT _____ 0.6
 BACKFLUSH _____ 1.0
 PARLOR/MILKHOUSE/HOLDING PEN CLEANUP _____ 3.0
 CATTLE WASHING BASED UPON METHOD OF WASHING _____ 69.3
 PLATE COOLER _____ 5.4
 CORRAL MISTERS _____ 0.0
 TOTAL _____ 78.3

TOTAL DIVERSION VOLUME _____ 103.7

CONSUMPTIVE USE VOLUME (AFA)(assuming 100% consumptive):

STOCKWATER _____ 25.4
 COMMERCIAL _____ 78.3
 TOTAL CONSUMPTIVE USE _____ 103.7

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3	PUMP 4	PUMP 5
PUMP HORSEPOWER (HP) _____	15.00	7.50	5.00	0.00	0.00
LIFT (FT) _____	156	180	160	0	0
DISCHARGE PRESSURE (PSI) _____	40	40	40	0	0
FRICTION LOSSES (FT) _____	20.0	20.0	20.0	0.0	0.0
HOURS PER DAY PUMP OPERATES _____	12.0	12.0	12.0	0.0	0.0

CALCULATIONS

	PUMP 1	PUMP 2	PUMP 3	PUMP 4	PUMP 5
THEORETICAL FLOW RATE (CFS) * _____	0.34	0.16	0.11	0.00	0.00
DIVERSION VOLUME (AFA) ** _____	124.6	57.2	40.9	0.0	0.0

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS EVERY DAY OF THE YEAR.total 0.61
capacity

EVALUATION OF EQUIVALENT IRRIGATED ACREAGE

IRRIGATION RIGHT (BEFORE CHANGE)

	CFS	ACRES	AC-FT/AC	AC-FT/AC
DIVERSION RATE _____				
ACRES OF IRRIGATION _____				
DIVERSION VOLUME _____				
CONSUMPTIVE USE VOLUME _____				
IRRIGATION IS BEING CONVERTED FOR WHICH PORTION OF THE DAIRY OPERATION - STOCKWATER (S), COMMERCIAL (C), OR BOTH (B)? _____				

CALCULATIONS

	#DIV/01	CFS/AC
IRRIGATION DIVERSION RATE PER ACRE _____		
REDUCTION OF IRRIGATION BASED ON DIVERSION RATE _____	0.0	ACRES
REDUCTION OF IRRIGATION BASED ON DIVERSION VOLUME _____	0.0	ACRES
REDUCTION OF IRRIGATION BASED ON CONSUMPTIVE USE _____	0.0	ACRES

MICROFILMED
APR 23 2002

Meas. Attachments

WCM-2 5-7-1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Water Measurement Program

WATER MEASURING DEVICE CERTIFICATION

Date of Testing 11-14-01

Person performing test C. Knowlton

Name:	_____
Water Right No:	_____
Legal Description:	T _____ R _____ Sec _____ 1/4 _____ 1/4 _____ 1/4 _____
Site Tag No:	<u>A0004645</u>
Diversion Name:	<u>Main well</u>

Current Owner

Name _____ Phone _____

Address _____ Last First MI City _____ State _____ Zip _____

Operator (if leased or operated by someone else)

Name _____ Phone _____

Last First MI

SECTION I WELL SITE IDENTIFICATION

Global Positioning System Data:

Data Collection Filename _____ Offset _____

IDWR Site Tag Identification No. _____

Site Tag location description: _____

PLS/USGS Locator _____

For Department/District Use Only

Received by _____ Date _____

Reviewed by MICHAEL _____ Date _____

Data Entry by 2-1-2001 _____ Date _____

SECTION II INSTALLED METER INFORMATION

METER AND MOUNTING PIPE INFORMATION			
Date of meter Installation	2000	Multiplier - Flow rate	X 1
Manufacturer	McCrometer	Multiplier - Totalizer	X 10
Meter Type	Propeller	Location (good, fair, poor)	good
Model		Pipe information	CS
Serial Number	9927463	Pipe material	3.54
Size (nominal)	3"	Outside Diameter	4.215"
Measure Flow Rate?	(circle one) Yes No	Wall Thickness	
Measurement Units	(circle one) CFS GPM Other (specify)	Inside Diameter	
Measure Cumulative Volume?	(circle one) Yes No	Dist. of straight pipe upstream from meter	3'
Volume Units	Acre-Feet Yes (No) Other (specify) GAL	Dist. of Straight pipe downstream from meter	3'

SECTION III CERTIFICATION FOR CALIBRATION OF A WATER MEASUREMENT METER

See back page for instructions.

Measurement No. 1 (M_1) is the measured rate of flow from the permanently installed flow meter.

Measurement No. 2 (M_2) is the measured rate of flow from the measuring device being used to check the flow for the calibration. This method or device must be accurate to within $\pm 5\%$ error. Describe below the method and equipment used to perform this measurement.

$$\text{Percent Difference} = (M_1 - M_2) \div M_2 \times 100 = \pm \% \quad (\text{Acceptable is within } \pm 10\%) \quad (\text{equation 1})$$

$$\text{Calibration Multiplier} = M_2 \div M_1 \quad (\text{equation 2})$$

flowmeter installed according to manufacturer's specifications? Yes / No / Unsure

Describe any apparent problems with installation or operation _____

flowmeter accuracy prior to any adjustments: _____ Totalizer reading _____

flowmeter accuracy after final adjustment: _____ Totalizer reading _____

flowmeter calibration multiplier: _____ MICROFILMED

SEP 23 2002

Water Level Data

Does the well have access to measure water levels? Yes / No

Static Water Level _____ ft Pumping Water Level _____ ft (at condition # _____)
Date _____ Date _____

FLOWMETER ACCURACY CALIBRATION TABLE

Flowmeter (totalizer reading)	Time	Total Gallons	Ave. Flow Rate - GPM (M.)	Standard total gallons	Average flow rate (M.)	Percent diff. (±)	Comments and adjustments
610149	STA-4	230	22.5	281	28.1	-19.67	
610172	10/19						

Notes, Comments or Calculations: Owners meter is fairly new
but oversized pump is valved with regulator valve
to keep it from banging off and on. From this 3" meter
will not work due to low velocity.

Sketch and or photograph of installation:

I certify that the above information is true and correct to the best of my knowledge and ability
and the measurements taken and recorded are in accordance with the standards and
specifications of the equipment used.

Signature _____ Date _____
(person performing measurements)

APR 23 2002

INSTRUCTIONS: Permanently installed flowmeters must be checked at the time of installation and at least once every four years or whenever major repairs or maintenance has been performed. All documentation to support data such as notes, printout tapes, etc., should be attached to this form for submittal.

Meter certification and calibration is necessary to verify the installation and accuracy of permanently installed flowmeters and to enhance the accuracy of flowmeter measurements. The Department's goal for permanent flowmeters is an installed accuracy of ± 10 percent or better. Inaccuracies exceeding ± 10 percent are not acceptable. If a flowmeter is not accurate to within ± 10 percent, a **calibration multiplier** may be used if the inaccuracy is consistent over the normal range of flows measured by the meter. If a meter is not accurate to within ± 10 percent and the inaccuracy is not consistent, the meter should be repaired, replaced, or relocated in order to alleviate the problem.

The **calibration multiplier** is an adjustment applied to flowmeter readings which should result in a more accurate measurement. Calculate the multiplier by dividing the standard meter reading by the permanent meter reading (see equation 2, page 2). The calibration multiplier will be applied by the Department or District to the meter reading submitted by the owner of the meter.

The following items should be documented on this form:

- 1) Flowmeter accuracy prior to any adjustments.
- 2) Any adjustments made to the flowmeter.
- 3) Final flowmeter accuracy when adjustments or repairs are made.
- 4) Flowmeter calibration multiplier when the final accuracy is not within $\pm 10\%$.
- 5) Flowmeter totalizer and rate readings prior to adjustment, and after adjustments are complete.

Use the **flowmeter accuracy calibration table** to record totalizer and rate readings from both the permanent and standard flowmeters. Calculate the percent difference between the two meter readings using equation 1 on page 2. Document any adjustments made to the meter.

Flowmeter accuracy is not always consistent; a meter may be accurate at one flow rate, but not at others. Whenever possible, check the meter's accuracy at two or three different flow rates over the range of flows normally measured by the meter (low, high, moderate).

Wheat Lines
MICROFILM
APR 23 2002

Derry Barn



S1
4/92

RECEIVED

MAR - 8 2002 K

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO.

36-8418

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- () Blank Field Report & Notice of Completed Exam
- () Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
- (☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- () Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- () Copy of Orthophotoquad Map
- () 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
- () Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date _____ Time _____ Place _____

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed GLF Notice of Completion Turned In 3/7/02
Field Report Completed 3/6/02 Dary J. Smith Signature of Examiner & Date
Field Report Reviewed by Sr. Agent _____ (Initial & Date)
Field Report Reviewed by Region Mgr. Dr 3/7/02 (Initial & Date)
Field Report Sent to S.O. _____ Region Card File Updated _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name DeGroot Dairy Department of Water Resources
Address 364 South 500 West Jerome Southern Region Office
Owner's Permit No. 36-89-S-008

7. WATER LEVEL

Static water level 188 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depth, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

Department of Water Resources
☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	5	Top Soil and brown sand		X
	5	18	Gray Basalt		
10/8	18	25	Red Basalt		
8	25	28	Red Basalt w/crevices		
	28	34	Red Basalt		
	34	46	Gray basalt		
	46	47 1/2	Red Basalt Scoria		
	47 1/2	57	Med Hard Gray Basalt		
	57	58	Crevice		
	58	65	Gray Basalt		
	65	71	Gray Basalt crevices		
	71	81	Gray Basalt Broken-small-crevices		
	81	105	Med Hard Gray Basalt		
	105	109	Med Soft Gray Basalt Porous & Broken		
	109	120	Med Hard Gray Basalt		
	120	124	Pink Basalt Broken & Med Soft		
	124	125	Gray Basalt		
	125	135	Corous Gray Basalt w/sm.breaks		
	135	136	Pink Basalt		
	136	136 1/2	Crevice		
	136 1/2	145	Med Hard and Broken		
	145	148	Med Hard Gray Basalt		
	148	150	Crevice and broken		
	150	199	Med Hard Gray Basalt		X
	199	205	Gray Porous Basalt Broken	X	
	205	211	Gray Basalt w/sm.breaks		
	211	225	Gray Basalt		X
	225	252	Gray Basalt Med Hard		X
	252	255	Broken	X	
	255	263	Med Hars w/some sm.breaks		
	263	265	Broken w/crevices	X	

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness .250 inches Diameter 5/8 OD inches + 1 1/2 feet - 19 1/2 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port _____

10.

Work started 3/22/89 finished 3/23/89

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. APR 23 2002

County Jerome

NW 1/4 SW 1/4 Sec. 5, T. 9S N/S, R. 16E B/M E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name SMITH DRILLING & PUMP CO., INC. Firm No. 11

Address Jerome Date 3/25/89

Signed by (Firm Official) [Signature]

and
(Operator) Melton Robbins



Farm Credit Services

129 Eastland Drive
P.O. Box 288
Twin Falls, Idaho 83303-0288
208/733-2577

September 21, 1992

RECEIVED

SEP 22 1992

Department of Water Resources
Southern Region Office

Department of Water Resources
222 Shoshone Street East
Twin Falls ID 83301

RE: Permit 36-08410 *08418 et 9-22-92*
DeGroot Dairy

Gentlemen:

36-08418 This letter will serve as notice to the Department of Water Resources that Northwest Farm Credit Services, ACA has a security interest in Permit No. ~~36-08410~~ and a real estate mortgage has been filed on property where the well is located. Enclosed is an Assignment of Permit which has been signed by DeGroot Dairy, a partnership.

We request copies of all notices and correspondence mailed to DeGroot Dairy regarding the above described permit numbers be sent to our office address.

Please acknowledge below and return this letter to our office. We appreciate your co-operation in this matter.

Sincerely,

Carolyn Hoover
Operations Assistant

ACKNOWLEDGED this *22nd* day of *Sept*, 1992.

DEPARTMENT OF WATER RESOURCES

By *R. Jost*

NOV 17 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 22, 1992

DeGROOT DAIRY
364 A S 500 W
JEROME ID 83338

AND

NORTHWEST FARM CREDIT SERVICES
129 EASTLAND DR
PO BOX 288
TWIN FALLS ID 83303-0288

RE: Water Right No. 36-08418

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

NOV 17 1992

April 18, 1990

DE GROOT DAIRY
C/O GEORGE ALVIES
364 S. 500 W.
JEROME, ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08418

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
APR 19 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8418

Date: 4-18-80

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
y 2. drilling permit
y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

February 7, 1990

George Alves
DeGroot Dairy
364 S 500 W
Jerome, ID 83338

Dear Mr. Alves:

Re: Permit No. 36-8418

Returned is the proof of beneficial use form submitted to this office on December 1, 1989. Before the department can accept the proof form, additional information is requested.

The permit was issued for stockwater, commercial and domestic uses. The proof indicates that water is being used for stockwater only. If the water is being used as commercial (dairy) use, then you will want to include this on the proof form and submit applicable fee. The fee for multiple uses is based on the total diversion rate the well produces or the maximum rate allowed by the permit.

The department needs a copy of the well driller's report. If you have one, please provide us with a copy. If not, please tell me who the well driller was.

Note that proof of beneficial use form is not due until December 1, 1990 and the project, to the extent you wish to establish a water right, should be completed at the time it is submitted.

If you have any questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 13, 1989

DE GROOT DAIRY
C/O GEORGE ALVIES
364 S. 500 W.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08418

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

NOV 20 1989

Form No. 202a
/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DR DATE 4-20 APPLICATION NUMBER 36-08418

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources) - Tric to Magic Res? (See App. Proc Memo #20)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt
- WATER District _____

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

JUL 10 1989

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

COPIES TO

☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☐ U.S. Forest Service, Forest _____
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

NAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received

Final date for protest 6/5/89

☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☒ No Recommendations attached

☐ Yes ☒ No Measuring device required

☐ Yes ☒ No Access port required

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____

☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information

Date of priority recommended 3/16/89

By Karen O. Kalam

Date 7/5/89

STATE OFFICE REVIEW

P23

P16

46 09E

By KW

☐ See below for additional information

Date 10-30-89

ADDITIONAL INFORMATION

App. in TRUST area

Hold for list of people

associated w/dairy KW 8/4/89

See JJ's memo of 10/20/89

CONVERSATION MEMORANDUM

DATE 10/26/89

FILE # 36-8418

NAME OF PARTY De Groot Dairy

EMPLOYEE J.V.

RE: The contacts or partners for the De Groot

Dairy -> The partners are:

George Alver + Amos De Groot,

The addresses are the same as on the
application: 364 South 500 West

Jerome, 83338

MICROFILMED

NOV 20 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 7, 1989

RE: Application for Permit No. 36-8418

DeGroot Dairy
364 S. 500 W.
Jerome, ID. 83338

Gentlemen:

We have received your application for permit, for dairy, stockwater, and domestic purposes, from our Southern Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names, titles and addresses of all persons entitled to take action in regard to this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

A handwritten signature in cursive script that reads 'Kay Walker'.

KAY WALKER
Technical Records Specialist

KW:hm

cc: Southern Region

MICROFILMED

NOV 20 1989

09-May-1989

Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Applications for Permit

Gentlemen:

Please find enclosed copies of Applications for Permit for
your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

Enclosures

MICROFILMED

NOV 20 1989

09-May-1989

De Groot Dairy
c/o George Alvies
364 S. 500 W.
Jerome, ID 83338

Re: Application for Permit No. 36-08418

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 5/17 & 5/24/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

RECEIVED
NOV 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MAY 4, 1989

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 5, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

FILED

MAY 20 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

2

MICROFILMED

NOV 20 1989

36-08418

DE GROOT DAIRY
C/O GEORGE ALVIES
364 S. 500 W.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWSW Sec 5 T 09S R 16E

Use: COMMERCIAL	(.500 CFS)
STOCKWATER	(.500 CFS)
DOMESTIC	(.060 CFS)

Date Filed: 3/16/1989

In: T09S R16E S05 NWSW

FILMED

1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. Keith Higginson, Director

Published 5/17/1989 & 5/24/1989

100-100000-100000
JUN 10 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

16-Mar-1989

George Alvies
DeGroot Dairy
364 S 500W
Jerome, ID 83338

Re: Drilling Permit 36-89-S-008 and Water right application

Dear Mr. Alvies:

Enclosed is receipt No. 006572, your approved drilling permit and a copy of the associated water right application with changes entered pursuant to my conversation with Darrell Smith, who delivered the applications.

The drilling permit has been issued in advance of the water right permit at the request of Mr. Smith on the assumption that it is unlikely the application would be denied. Please note the conditions of approval on the drilling permit.

We will advise you further when we process your water right application. Before the water permit is issued you will have to submit a list of the names and addresses of the partners in DeGroot Dairy.

Very Truly yours,

Loren O. Holmes, P. E.
Southern Region Manager

cc: Smith Drilling w/ drilling permit

36-08418

FROM Loten Holmes

DATE 3/16/84

TO DeGroot Dakt - 36-

SUBJECT Request for Expedited Well Permit

Water right application & Drilling application were delivered by the Driller - Smith Drilling, with the request that the Drilling Permit be expedited.

The Water Permit will be processed as DCMI & there is no indication that a permit will be denied. The well is for additional water for an existing dakt.

MICROFILMED



SIGNATURE

NOV 20 1989

36-08418

Drilling Permit No. 36-89-S-008
Water Permit No. 36-08418
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant DeGroot Dairy
2. Address 364~~50~~ 500W Jerome Idaho
Telephone 321 7208
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 5, Twp. 9S, Rge. 16E, County Jerome,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)..
☐ Domestic ☒ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☒ Other, Specify Dairy 1000 head
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Maximum depth 250
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 3-21-89
7. Well Driller (if known) Smith Drilling Inc
Address _____
8. Applicant's signature George DeGroot
Title Owner
Date 11-20-88

NOV 20 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(4) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

By accepting this permit and commencing construction, Applicant acknowledges that he accepts all risk that the well may not ultimately be approved for use.

Dated this 16 day of March, 1989.

Signed

Loren D. Halmer

Title

Southern Region Mgt.

MICROFILMED

Received by JA Fee \$100.00 Date 3/16/89

Receipt No. 5006672 Construction start extension to

NOV 20 1989

Extension approved by