


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

North Lyn Sammis Water Assoc
(Applicant)
by *Sarah Chapman Sec.*
(Hosman)

Idaho Department of Water Resource Recommendation for 36-8399

North Rim Fairways Owners Assn T09S

R17E



● Points of Diversion

Quarter-quarter Lines

Section Lines


Place of Use

MICROFILM
FEB 25 2002




Point of Diversion
T09S R17E S18 & 19
Data entry on June 20, 2001

Point of Diversion Presentation
1987/1988 NAPP Photography
Data Entry By: Amanda Folsom



7095- R17E-S18
36-08399

RECEIVED
AUG 18 1993
Department of Water Resources
Southern Region Office



MICROFILMED
FEB 25 2002

JEROME, IDAHO
42114-F5-TF-024

1979
REVISED 1992
DMA 3069 II NE-SERIES V893

BB-22



MICROFILMED
FEB 25 2002

Northrim
FE: Amanda Folsom
Date: July 24, 2000



MICROFILMED

SEP 25 2002

Northrim Fairways
FE: Amanda Folsom
Date: July 24, 2000

36-8399




MICROFILMED
FEB 25 2002

Northrim Fairways
FE: Amanda Folsom
Date: July 24, 2000


36-8399

JAN 05 1995

Department of Water Resources



1	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
4	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
5	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
6	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
7	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
8	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
9	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
10	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
11	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
12	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
13	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
14	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
15	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
16	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
17	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
18	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
20	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



37 Hookups - 6/1/92

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08399

Priority: January 5, 1995

Maximum Diversion Rate: 0.41 CFS
Maximum Diversion Volume: 61.2 AF

It is hereby certified that NORTH RIM FAIRWAYS OWNERS ASSN INC
PO BOX 242
JEROME ID 83338 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated November 7, 1988; and has
submitted Proof of Beneficial Use on January 5, 1995. An examination indicates that the works have a
diversion capacity of 0.41 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.41 CFS	61.2 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18, Twp 09S, Rge 17E, B.M. JEROME County

GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18, Twp 09S, Rge 17E, B.M. JEROME County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 17E 18																	X
09S 17E 19	X	X	X	X	X												X

CONDITIONS OF APPROVAL

- Domestic use is for 102 homes and does not include lawn, garden, landscape, or other types of irrigation.
- Place of use is located within North Rim Fairways Planned Unit Development. Two homes are located in T9S, R17E, S18, outside North Rim Fairways.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 8TH day of FEBRUARY, 2002.

MICROFILMED

FEB 25 2002

Acting for

KARL J. DREHER
Director



BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-08399	)	
	)	ORDER OF
IN THE NAME OF NORTH RIM FAIRWAYS OWNERS	)	REINSTATEMENT
ASSOCIATION	)	
	)	

This matter having come before the Idaho Department of Water Resources (Department), the Department makes the following FINDINGS OF FACT, CONCLUSIONS OF LAW and ORDER:

FINDINGS OF FACT

1. On May 30, 1989, the Department issued Permit No. 36-08399 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1992.

2. On March 31, 1992, the Department sent a proof due notice to the permit holder by certified mail stating that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use.

3. On June 5, 1992, the Department sent a lapse notice to the permit holder.

4. Section 42-218a.2., Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

5. On January 1, 1995, the permit holder submitted an acceptable proof, an affidavit and power records confirming that water had been put to beneficial use during the authorized development period. The permit holder further explained that the

JAN 19 1995

proof was not filed timely due to an oversight.

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used within the authorized development period.

2. The permit holder has shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.

3. The department should reinstate the permit with the date of priority advanced to the date proof of beneficial use and supporting information was received by the Department.

ORDER


IT IS HEREBY ORDERED that Permit No. 36-08399 is REINSTATED and the priority is advanced to January 5, 1995.

Dated this 13th day of January, 1995.



L. GLEN SAXTON

Chief, Water Allocation Bureau



RECEIVED

JAN 05 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36 - 08399 Telephone No. 324-4546
2. Name(s) of Permit Holder(s): NORTH RIM FAIRWAYS OWNERS' ASSOCIATION, INC.
3. Mailing Address: P. O. BOX 242 JEROME, IDAHO 83338
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 7 / yr. 91 ^(Second well)
a. Well Driller: EATON DRILLING Drilling Permit Number: 36 . 91S . 0024 000
b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 240 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.7 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No _____
Has the measuring device been installed? Yes _____ or No _____
Flow Measurement Port: Is a flow measurement port required? Yes X or No _____
Has the measurement port been installed? Yes _____ or No _____
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: BARBARA HOSMAN Telephone Number: 324-4546 OR 324-2711
Address: 385 WEST ROAD JEROME, IDAHO 83338 (WORK PM)

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Barbara Hosman ^{Microfilmed} ^{President} Date: 1/4/95
(include your title, if on behalf of company or organization)

* first well was drilled in 1978 by Smith Drilling.

STATE OF ARIZONA
DEPARTMENT OF WATER RESOURCES

PERMIT TO CHANGE THE POINT OF DIVERSION

TO CHANGE THE POINT OF DIVERSION FROM _____

TO _____

APPROVED BY THE DEPARTMENT OF WATER RESOURCES

ON _____

AT THE OFFICE OF THE DEPARTMENT OF WATER RESOURCES

AND REQUEST THAT THE PERMIT AND PERMIT MAP BE

RECORDED IN THE OFFICE OF THE DEPARTMENT OF WATER RESOURCES

SECTION 18

OTHER POINTS OF DIVERSION: _____

PERMIT TO CHANGE THE POINT OF DIVERSION

FOR THE PURPOSES OF: _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____


FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

FOR _____ PURPOSES FROM _____

...ing right by showing land and point of diversion as proposed for the ...
... changes, crops and other...



... will be injured by such change, and that such change will be made as...

... this 10th day of ...

FOR DEPARTMENT USE ONLY
Fee - \$25.00
Received by ...
Date 7-25-91
Paid in full ...

... OF THE BUREAU, DEPARTMENT OF ...
...
...
...
...

AFFIDAVIT OF PUBLICATION

RECEIVED

State of Idaho } ss.
County of Jerome }

DEC 12 1991

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the enclosed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the enclosed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4th day of December, 1991, and the date of the last publication was on the 11th day of December, 1991.

Patty Nance

Subscribed and sworn to before me this 11th day of Dec, 1991.

(REAL)

Norma D. Lee
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Pages per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pic
3105.10 Lines straight at 18.29 3¢/Pic
Subsequent lines at 14.13 4¢/Pic
TOTAL COST 32.92

COPY OF NOTICE

Page Three

Id. of Jerome, Idaho
TOLSON'S
34-01598

PLAINTIFF'S ATTORNEY

DEFENDANT

PLAINTIFF

Id. of Jerome, Idaho

Other Code, Sec. 1000

7-8 pt. per line tabular _____
7-8 pt. per line straight _____
7-8 pt. per line subsequent _____
Insertion _____

No

Form 500
6/70

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Form No. 500

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant North Rim Fairways Owners' Assoc., Inc. Phone 304-4506

Post office address P.O. Box 242, Jerome, Idaho 83437

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion to NE 1/4 of NE 1/4 of SE 1/4 of NE 1/4 of _____

Sec. 18 Township 9S Range 17E of _____

point of diversion if any: _____

4. Water will be used for the following purposes:

0.7 for Domestic purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

_____ for _____ purposes from _____

8. Description of proposed uses (If irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 240 households
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	SW 1/4	SE 1/4	NE 1/4	SW 1/4	SE 1/4	NE 1/4	SW 1/4	SE 1/4	NE 1/4	SW 1/4	SE 1/4					
9S.	17E	18														D		D	
		19	D	D	D	D	D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None of

Domestic Shares in NSCC of Tring of Lots


11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Members of the Assoc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well was developed in 1978 without permit
and presently serves 21 users.

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permits to appropriate the public waters of the State of Idaho as herein set forth.

Walter L. Lanning
 (Applicant)
 by *Robert Lanning*
 (Witness)

Proposed Priority 11/7/88

Received by ADN Date 11/7/88 Time 13:52 Preliminary check by LD
Fee \$ 45.00 Receipted by ADN # 5003612 Date 11/7/88
Publication prepared by SC Date 11/7/88 Published in Idaho Times
Publication approved M. Baldwin Date 3/12/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8398 and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1 19 92.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right of-way or easement across the land of another.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of May, 1989.

[Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 11, 2002

NORTH RIM FAIRWAYS OWNERS ASSN INC
PO BOX 242
JEROME ID 83338

RE: License No. 36-8399 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
FEB 25 2002

CERTIFICATE OF MAILING

I hereby certify that on February 11, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 36-8399

**NORTH RIM FAIRWAYS OWNERS ASSN INC
PO BOX 242
JEROME ID 83338**



**Kari Lynn Townsend
Secretary**

**MICROFILMED
FEB 25 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

36-8399

1. skeen 02/07/2002 License Review

Comment: License review and data entry by S. Keen on 2/7/2002.

No point of diversion overlaps. This right is for household domestic use. The irrigation component is accomplished under permits 36-8344 and 36-8343 and Northside Canal Company shares.

The examiner recommended 186 gpm, or 0.4 cfs for the licensed diversion rate. I am recommending 0.41 cfs based on a re-calculation. Also, the examiner recommended 289.6 AFY, which is the recommended diversion rate diverted constantly all year. I am recommending 61.2 AFY, or 0.6 af per home.

2. VAULT 01/17/1995 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

MICROFILMED

FEB 23 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 2000

EXAMINER

A. GENERAL INFORMATION

Permit No. 36-8399

1. Owner: North Rim Fairways Owners Assn. Phone No. 324-6726

Current Address: 410 Country Club Dr Jerome ID 83338

2. Accompanied by: Howell Udy EXAM DATE: July 24, 2000

Address: same Phone No. same

Relationship to Permit Holder: Director or president

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 36-2909D

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE SE	18	09S	17E	Jerome	GPS Tag #	10004282
			NE SE	18	09S	17E	Jerome		10004283

2. Place(s) of Use:

Indicate Method of Determination GIS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	17E	18																	
		19	D	D	D	D	D												

MICROFILMED
FEB 25 2002

[illegible]

E. NARRATIVE/REMARKS/COMMENTS

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 25 2002

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

A0004283 → 125 gpm

A0004282 → 61 gpm

186 gpm

$$\frac{186 \text{ gpm}}{448.83} = 0.4 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$0.4 \text{ cfs} (365) (1.9835) = 289.4$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.4	289.4
Totals:			0.4	289.4

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Amanda Tolson Date 6/20/01

Reviewer _____ Date _____

MICROFILM SEAL
FEB 25 2002


Idaho Department of Water Resource Recommendation for 36-8399

North Rim Fairways Owners Assn T09S



Point of Diversion
T09S R17E S18 & 19
Data entry on June 20, 2001

Point of Diversion Presentation
1987/1988 NAPP Photography
Data Entry By: Amanda Folsom



1095 R17E-S18
36-08399

RECEIVED
AUG 18 1993
Department of Water Resources
Southern Region Office

ROAD CLASSIFICATION
 Primary highway, hard surface —————
 Secondary highway, hard surface —————
 Light-duty road, hard or improved surface —————
 Unimproved road. —————
 Interstate Route U. S. Route State Route



MICROFILMED
FEB 25 2002

JEROME, IDAHO
42114-F5-TF-024

1979
REVISED 1992
DMA 3069 II NE-SERIES V893

BB-22

E. NARRATIVE/REMARKS/COMMENTS

PERMIT: 36-8399
FIELD EXAMINER: Amanda Folsom
DATE: June 20, 2001

I met with Mr. Lowell Udy on July 24, 2000. Mr. Udy is the director or president of the North Rim Fairways Assn. Mr. Udy is in charge of the wells and other maintenance/lawn care in the subdivision. Mr. Udy and his wife are also residents of the subdivision.

There are two wells located in the NESE $\frac{1}{4}$ of Sec 18, Twn 9S, Rng 17E. The first well or A0004283 was the first well drilled in 1978. It contains a 15hp pump. The second well or A0004282 was drilled more recently with a 7.5hp pump. Both wells pump into a large pump house, which contains a 5,000gal-storage tank. The well kick on when the level in the storage tank drops to a certain point. With the aid of two booster pumps, the water travels approximately one half mile to the subdivision. There are two domestic uses outside of the subdivision in Sec 18 that tap into the water line as it travels south.

Mr. Udy sent a copy of the plans for the subdivision from JUB Engineering to this office. He also informed me that there are a total of 102 lots ready with water and sewer. Currently, there are approximately 80 homes built and using the water. The rest of the lots are still being sold. There is no private lawn for the homes. Rather it is all connected without fences. Water right 36-2409D should cover the irrigation of the lawns.

Mr. Udy has been working on the wells recently with engineers and has sent me a measurement of the wells. Well A0004283 pumps 125gpm, well A0004282 pumps 61gpm. Based on these measurements my recommendation is 0.4cfs and 289.6afa.




MICROFILMED
FEB 25 2002



MICROFILMED
FEB 15 2002

Northrim
FE: Amanda Folsom
Date: July 24, 2000

36-8399



MICROFILMED

SEP 25 2000


Northrim Fairways
FE: Amanda Folsom
Date: July 24, 2000

MICROFILMED

FEB 22 2001

Northrim Fairways
FE: Amanda Folsom
Date: July 24, 2000

36-8399



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 36-08399 Reviewed by Jy Date 1-12-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 36-91-S-0024-000
200.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100.00 Amount Submitted
yes Correct?
yes Required?
? Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 1-5-95
Date proof due 6-1-92 -
No. of days late =
Priority Date +
New Priority Date

yes over 60 days

DEFICIENCIES OR ACTION ITEMS

Funstate + advance priority to January 5, 1995.
Proof acceptable

DATA ENTRY

New Address X Proof Made 1/5/95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1995

NORTH RIM FAIRWAYS OWNERS ASSN INC
P O BOX 242
JEROME ID 83338

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 36-08399

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to January 5, 1995.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls, at (208) 736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED
JAN 18 1995



FOR ACCOUNT INQUIRIES CALL 324-4348 OR CONTACT YOUR LOCAL OFFICE AT 148 W MAIN, JEROME

CUSTOMER NAME NORTH RIM FAIRWAYS		SERVICE LOCATION 547 S 100 E # DPMP		RECEIVED JAN 05 1995 Department of Water Resources	
CUSTOMER NUMBER 0352-006500-0		TYPE OF SERVICE GENERAL SERVICE			
ACCOUNT INFORMATION AS OF MAY 01, 1992					
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	BALANCE FORWARD ▶
50601844633	330	429			
		METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND
		09443598043		1	28
				BILLING ENERGY KILOWATT HOURS	
				3608	17014
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 133.80CR TOTAL PAYMENTS THANK-YOU					
ACCOUNT BALANCE					17014

#1125
5/1/92

PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON



FOR ACCOUNT INQUIRIES CALL 324-4348 OR CONTACT YOUR LOCAL OFFICE AT 148 W MAIN, JEROME

CUSTOMER NAME NORTH RIM FAIRWAYS		SERVICE LOCATION 547 S 100 E # DPMP			
CUSTOMER NUMBER 0352-006500-0		TYPE OF SERVICE GENERAL SERVICE			
ACCOUNT INFORMATION AS OF JUNE 02, 1992					
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	BALANCE FORWARD ▶
50601844633	429	529			
		METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND
		09804302086		1	21
				BILLING ENERGY KILOWATT HOURS	
				4043	17222
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 170.14CR TOTAL PAYMENTS THANK-YOU					
ACCOUNT BALANCE					17222

#1135
6/5/92

PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON



FOR ACCOUNT INQUIRIES CALL 324-4348 OR CONTACT YOUR LOCAL OFFICE AT 148 W MAIN, JEROME


CUSTOMER NAME NORTH RIM FAIRWAYS		SERVICE LOCATION 547 S 100 E # DPMP		RECEIVED JAN 18 1995	
CUSTOMER NUMBER 0352-006500-0		TYPE OF SERVICE GENERAL SERVICE			
ACCOUNT INFORMATION AS OF JULY 01, 1992					
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	BALANCE FORWARD ▶
50601844633	529	629			
		METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND
		00208605930		1	23
				BILLING ENERGY KILOWATT HOURS	
				3844	17274
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 172.22CR TOTAL PAYMENTS THANK-YOU					
ACCOUNT BALANCE					17274

#1135

RECEIVED

JAN 05 1995

Department of Water Resources



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

SCALE 1"=100'

LEGEND

- PHASE 1 BOUNDARY
- TO WEST UTILITY EASEMENT - TO INCLUDE SOUTHERN AND IMITATION WATER PIPELINES
- CROSS HATCHED AREAS ARE EXISTING FROM THIS PLAT
- 3" WPC ACCESS EASEMENT
- 40' WPC SECONDARY ASSURANCE FIELD EASEMENT
- 3/4" X 30" STEEL, 400'-BT
- 1/2" X 24" STEEL, 400'-BT
- 3/4" STEEL PIPE FIRMING
- POINT ON TANGENT OR END POINT

NOTE: ALL PROPERTY AND ADJACENT TO THIS PLAT IS OWNED BY THE STATE OF CALIFORNIA AND WILL BE OPEN TO THE PUBLIC.

(AMENDED)
**NORTH RIM
FAIRWAYS
PLANNED UNIT
DEVELOPMENT**



JUB ENGINEERS, INC.

37 Nookups - 6/1/92

Sheet 7



**North Rim Fairways
Owners' Association, Inc.**

P.O. Box 242 • Jerome, Idaho 83338

RECEIVED

JAN 05 1995

Department of Water Resources

January 4, 1995

Idaho Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

To Whom It May Concern:

Attached is a proof of beneficial use for the culinary water permit for the North Rim Fairways Owners' Association, Jerome, Idaho.

Through an oversight, the original proof of beneficial use which should have been filed on June 1, 1992, was not done.

Other documents are attached which show the conditions of use and development at that time.

Please consider for a reinstatement of the water permit.

Yours very truly,

Barbara Hosman
Executive Secretary

Encl

RECEIVED

JAN 19 1995



North Rim Fairways
Owners' Association, Inc.

RECEIVED

JAN 05 1995

Department of Water Resources

P.O. Box 242 • Jerome, Idaho 83338

January 3, 1995

This is to certify that there were 37 hookups to the North Rim Fairways Owners' Association culinary water system on June 1, 1992. Supporting documents attached are a financial billing worksheet, a plat showing the physical location of the users, and copies of the May, June and July 1992 Idaho Power bills.

Barbara Hosman
Executive Secretary

STATE OF IDAHO)
) ss.
COUNTY OF JEROME)

On this 3rd day of January, 1995, before me, the undersigned, a Notary Public in and for said County and State, personally appeared Barbara Hosman, the Secretary of North Rim Fairways Owners' Association, Inc., known to me to be such officer of the Corporation whose name is subscribed to the within and foregoing instrument, and who acknowledged to me that she executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal, the day and year in this certificate first above written.

NOTARY PUBLIC for Idaho
Residing at Jerome
Commission Expires 4-8-2000
STATE OF IDAHO

MICROFILMED

JAN 19 1995

NORTH RIM FAIRWAYS ACCOUNTS RECEIVABLE

May, June, July, 1992

TOTALS ONLY

RECEIVED

37 Hookups

PREPARED BY

APPROVED BY

JAN 05 1995

MAY

JUNE

JULY

Department of Water Resources

Billing

Recd

Billing

Recd

Billing

Recd

		1	2	3	4	5	6
		Billing	Recd	Billing	Recd	Billing	Recd
1	ADAMSON, Louise	40	40	40	40	40	40
2	BALIS, Marvin	40	40	40	40	40	40
3	BARR, Richard	20	20	20	20	40	40
4	BEAL, Jim	40	40	40	40	40	40
5	BERGER, Carl	40	40	40	40	40	40
6	BLAMIRE, Jan	40	-	40	X	55	80
7	BRACKETT, Noy	40	-	20	-	20	120
8	BRADFORD, Glen	20	20	20	20	20	20
9	BRINK, Jake	40	40	40	40	40	40
10	BRUCE, Robert	40	40	20	20	20	20
11	BUDD, Dale	40	40	40	40	40	40
12	BURTON, Riley	20	-	20	40	20	-
13	CARR, Rick	40	40	40	40	40	40
14	CEDERSTROM, David	160	160	80	80	80	160
15	CHUGG, Mary (Allen)	45	50	20	20	160	-
16	CRAIG, LeRoy	40	-	20	120	120	20
17	CRANDALL, Lentz	40	40	20	X	40	20
18	CURTIS, Randy	40	40	40	40	40	40
19	DAL SOGLIO, Hugo	80	80	40	40	40	40
20	DAVIDSON, Joe	45	145	15	170	Sold 1/1/92	170
21	DAVIS, Jim	40	40	40	40	40	40
22	DRYDEN, Daryl	40	40	40	40	40	40
23	FERREIRA, Mike	20	X	45	40	20	60
24	GAREY, Ray	40	40	40	40	40	40
25	GILLILAND, Lee	320	-	280	-	240	-
26	GILLIS, Clarence	80	80	40	40	40	40
27	GISLER, Harry	20	-	20	40	20	-
28	GLENN, Mike	60	-	40	-	20	-
29	GREGORY, Mathew	Moiled out	pd by Star	40	see Star	-	-
30	HAGLEY, Raymond	40	40	40	40	40	40
31	HAILSTONE, Steven	50	-	30	-	18	-
32	HALL, James	80	-	40	-	40	40
33	HAMMOND, Dr. Richard	40	4000	40	40	40	40
34	HANSEN, Ace	40	40	40	40	40	40
35	HENDERSON, George	40	40	40	40	40	40
36	HIEB, Al	80	80	40	40	40	40
37	HOSMAN, Barbara	20	20	20	20	20	20
38	HUGHES, Martha	40	40	40	40	40	40
39	KULM, Dr. Jack	20	X	15	20	20	20
40	LEWIS CONSTRUCTION	40	-	20	-	20	60

JAN 10 1995

PREPARED BY
APPROVED BY

INITIALS DATE

	1	2	3	4	5	6
	MAY		JUNE		JULY	
	Billing	Recd	Billing	Recd	Billing	Recd
LEE, Robert	40-		20-	80-	80-	
LOWE, Denny	40-	40-	40-	40-	40-	40-
LUNDGREN, Robert	160-		140-		120-	
MOORE, Jane	20-	20-	20-	20-	20-	20-
MC DONALD, Don	20-	20-	20-	100-	80-	
NIELSON, Joel	80-	+5 X	+5 105-	X	+5 130-	
PATRICK, Phyllis	40-	40-	40-	40-	40-	40-
PETO, David	20-	20-	20-	20-	20-	
REDDICK, Glenn	80-	40-	80-	40-	40-	40-
ROLL, Walter	100-		80-		60-	
ROSE, Lynn	40-	X	80-	X	+5 85-	85-
RYAN, Michael	40-		20-		20-	120-
SILVER, George	20-	20-	20-	20-	20-	20-
SIMMONS, Ralph	40-	40-	40-	40-	40-	40-
SKINNER, Ivan	80-	80-	40-	40-	40-	40-
SLATTER, Larry	40-	40-	40-	40-	40-	40-
SMITH, Keith	20-	20-	20-	20-	20-	20-
STAR QUALITY	180-	180-	40-	40-	140-	
STRAUGHN, Ken	20-	20-	20-	20-	20-	20-
TAYLOR, Lowell	40-	240-	200-		160-	
TAVARES, Ray	40-	40-	40-	40-	40-	40-
TELFORD, Todd	80-		40-		40-	120-
THOMPSON, Dale	40-	40-	40-	40-	40-	40-
THOMPSON, Jim	40-	40-	20-	20-	30 See to Star Jewel	
TINKER, Virgil	40-	40-	40-	40-	40-	40-
TITUS, Frank	160-	160-	80-	80-	80-	80-
VERMILYEA, Sam	20-	20-	20-	20-	20-	20-
VOR, PARTNERSHIP	380-	380-	340-	340-	340-	350-
WAMBOLT, Gerald	60-		40-		20-	
MEYER, Bill			40-	40-	40-	40-
UDY, Lowell	20-	20-	20-	20-	20-	120-
MALONE, Pat	20.00	20-	20-	20-	20	20-
STOKER, Jeff	20.00	20-	20-	20-	20-	
Billed	2773-	2850-	2685-	2700-	2780-	3015-
Received	2850-		2700-		3015-	
+ -	7125-		115-		+ 235-	
Credits		220-		200-		560-
Outstanding		345-		375-		320-
+ -		-125-		25-		240
Late fees billed	10-		15	10	10-	-5
Late fees collected	5-		0	15	5	235

JAN 19 1995

01/11/95 15:50

81 208 327 7868

ID WATER RESOURS

001

*** ACTIVITY REPORT ***

TRANSMISSION OK

TX/RX NO.	1367
CONNECTION TEL	6p912087333772
CONNECTION ID	MELLON MORTGAGE
START TIME	01/11 15:39
USAGE TIME	11'07
PAGES	7
RESULT	OK

JAN 19 1995

has been reviewed and is ready to be
DESTROYED.

1.1 mil.

is the report in the latter right-hand column, dated 1940, and captioned "From the ..."

00000000
000-000

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

09/11/82 14:25:46
Page 1

Water Right Number - 36-08399

Prefix Translation: WATER RIGHT

Old (B) Number -

----- Last Name ----- + First Name ----- + Address -----

non C - CURRENT OWNER

ARROW ROCK FARMERS CHANGES ASSN INC

1 - PO BOX 242

2 -

3 -

City- JEROME

Phone - 208-524-4346

State- ID Zip- 83403

----- Priority Date -----
11/07/1980

----- Region -----
17 SOUTHERN

----- Stage -----
P - PERMIT

----- Status -----

----- Source -----
GROUNDWATER

----- Tributary -----

----- Point of Diversion -----
Tran Ring Sec Tract Lot RPlg County Stream Index (Blank if no Index Code)

000 17E 18 NE NE SE (53) JEROME

----- Water Use -----
Code Description Period From Period To Diversion Rate Diversion Volume
43 - DOMESTIC 01/01 12/31 0.700

----- Total Div. Rate ----- + ----- Total Div. Volume ----- + ----- Total Div. Capacity -----
0.700

----- Place of Use -----
Tran Ring Sec Tract Lot Acres Code Description County
000 17E 18 NE SE 43 DOMESTIC (53) JEROME
000 17E 18 SE SE 43 DOMESTIC (53) JEROME
000 17E 19 NE NE 43 DOMESTIC (53) JEROME
000 17E 19 NW NE 43 DOMESTIC (53) JEROME
000 17E 19 SW NE 43 DOMESTIC (53) JEROME
000 17E 19 SE NE 43 DOMESTIC (53) JEROME
000 17E 19 SE NW 43 DOMESTIC (53) JEROME

----- Diversion Means - WELL, PUMP & PIPELINE

----- Non-Irrigation Use - 0/240 HOURS

----- Other Rights for Same Use -

----- Remarks -----
Two points of diversion located within NESE, S18, T9S, R17E.

----- Old Water Right Numbers -----
No Old Water Right Numbers found.

10/11/92
000-263

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

09/11/92 14:21:44
Page 2

Water right number - 36-08399

Prefix translation: WATER RIGHT

- Conditions of Approval -----
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
 - 026 - Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
 - 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
 - 016 - Prior to the diversion of water under this right a flow measurement point or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

----- Decree Plaintiff -----

----- Decree Defendant -----

----- Decree Date -----
02/07/1992

----- Comments -----
Date: 06/05/1992 User Id: WMLT Subject: Lapse Notice Sent
Lapse Notice Sent

----- Audit Fields -----
02/08/89 GIVENS 02/10/89 GIVENS 06/02/89 CURTIS 06/08/89 CURTIS 06/24/89 CURTIS
02/27/92 MILLER 06/05/92 COMMENTS

----- Water Rights Dates and Flags Area -----

Proof Due Date	- 06/01/1992	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Revised	- 05/30/1989	Protested Date	- 00/00/0000	Swan Falls	- C
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Exam to S.O. Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carney Act	-
Order Show Cause	- 00/00/0000	Receipt Number	- 8003612	Water District	-
Licensed Date	- 00/00/0000	Appl Received	- 11/07/1988	Transfer/Amended	-
Decree Date	- 00/00/0000	Presumption Flag	-		

NORTH RIM FAIRWAYS OWNERS ASSN INC
PO BOX 242
JEROME ID 83338

June 5, 1992

RE: PERMIT NO. 36-08399 LAPSE NOTICE

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

NORTH RIM FAIRWAYS OWNERS ASSN INC
PO BOX 242
JEROME ID 83338

March 31, 1992

CERTIFIED MAIL

NO. 138751

PROOF DUE NOTICE

RE: PERMIT NO. 36-08399

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

March 5, 1992

RE: Permit No. 36-08399

NORTH RIM FAIRWAYS OWNERS' ASSOCIATION
PO BOX 242
JEROME, ID 83338

Dear Water Right Holder:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:clh

Enclosure

25-Nov-1991

NORTHSIDE NEWS
PO BOX 468
JEROME ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 36-08399

Notice is hereby given that NORTH RIM FAIRWAYS OWNERS' ASSOCIATION, INC. is the holder of Approved Permit No. 36-08399 authorizing the diversion of 0.7 cubic feet per second of water from groundwater in the NE1/4NE1/4SE1/4, S18, T9S, R17E; County of Jerome, to be used for domestic use within E1/2SE1/4, S18, T9S, R17E; NE1/4, NE1/4NW1/4, S19, T9S, R17E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to add a Point of Diversion as follows:

Amount: 0.7 cfs

Period of Use: 01/01 to 12/31

Point of Diversion: NE1/4SE1/4, S18, T9S, R17E; Jerome County.

Place of Use: No change.

Any protest against approval of the amending of Permit No. 36-08399 as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before December 23, 1991.

R. Keith Higginson, Director

Published in the North Side News on 12/4 & 12/11/91.

State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Teton Falls, Idaho 83436

25-Nov-1991

SUNSHINE RIM FAIRWAYS OWNERS ASSOCIATION
PO BOX 242
JEROME ID 83338

Re: Application for Amendment, 36-08399

Dear Applicants:

The Department of Water Resources acknowledges receipt of your application for amendment of a permit.

This office will be advertising the application in the Teton News on 12/4 & 12/11/91. A period of ten days following the second publication will be allowed for the submission of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State Office will conduct a complete review prior to final processing of the application and will notify you of the outcome of the review. A typical processing time for an unopposed application is about eight weeks.

Final regional review cannot be completed until we have a list of company officers, including the titles and addresses of ownership of the place of use.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 2, 1989

NORTH RIM FAIRWAYS OWNERS ASSOC.
P.O. BOX 242
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08399

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2145 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-8878

CECIL D. ANDRUS
Governor

L. KEN ROBINSON
Deputy

23-Feb-1989

Idaho Dept. Health & Welfare
Gary R. Burkett
P.O. Box 1626
Twin Falls, ID 83301

Re: Application for Permit No. 36-08399

Dear Mr. Burkett:

Please find enclosed a copy of the above referenced
Application for Permit for your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

Enclosure

17-Feb-1989

North Rim Railways Owners'
Assoc., Inc.
P.O. Box 242
Jerome, ID 83338

Re: Application for Permit No. 36-08399

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the North Side News on 3/1 & 3/8/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LE:MB

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 17, 1989

NORTH SIDE NEWS
P.O. BOX 468
JEROME, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed appropriate the public waters of the State of Idaho:

NON LEGAL

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application has been filed to appropriate the public waters of the State of Idaho:

35-00000
NORTH END FARMWAYS OWNERS
ASSOC., P.O. BOX 242, JEROME, ID
83250

Source: GROUNDWATER
Diversion Ft. MYERS Sec 16 T 60S R
17E

Use: DOMESTIC (700 CFS)
Date Filed: 11/27/1988
In: TWS R17E S16 - N00E 000E
S10 - N00E 000E 000E 000E
N00W

The permit will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 43-200A, Idaho Code and/or the new public interest criteria of Sec. 43-200C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2140 6th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 30, 1989.

R. Keith Hightower
Director
N13073

Pub: 3-1 & 2

OK
AB
2/27/89

36-08399

NORTH RIM FAIRWAYS OWNERS ASSOC.
P.O. BOX 242
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NENESE Sec 18 T 09S R 17E

Use: DOMESTIC (.700 CFS)

Date Filed: 11/07/1988

In: T09S R17E S18
S19

NENE
NENE
NENW

SESE
NWNE

SWNE

SENE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-03A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 20, 1989.

R. Keith Higginson, Director

Published 3/01/1989 & 3/08/1989

AFFIDAVIT of PUBLICATION RECEIVED

State of Idaho,
County of Jerome

SS.

MAR 10 1989

Department of Water Resources
Southern Region Office

Patty Nance being first duly sworn,
deposes and says that she is the printer and publisher of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 24 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 1 day of Mar

19 89 and the date of the last publication was on the 8

day of Mar 19 89

Patty Nance

Subscribed and sworn to before me this 8

day of March 19 89
(SEAL)

Norma Helver
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line

Number of Lines in Notice

Number of Insertions

Lines tabular at	56/Pica
351 Lines straight at	44/Pica
Subsequent lines at	354/Pica
TOTAL COST	22.33

COPY OF NOTICE (Paste Here)

Water Applier
TITLE OF NOTICE

Jack Kim
PLAINTIFF ATTORNEY

DEPENDANT

PLAINTIFF
Dept. of Water Resources
2148 4th Ave W Jerome Idaho
BILL TO Ad 83301



PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1980)	
1-4 pt. per line straight	6/Pica
7-8 pt. per line tabular	7/Pica
7-8 pt. per line successive	8/Pica

No 3262

13613

07-Nov-1988 13:59

MEMO

TO APPLIC. FOR PERMIT IN NAME OF NORTH RIM FAIRWAYS OWNERS' ASSOC.,
INC.

FROM: ALLEN MERRITT

SUBJECT: LIST OF OFFICERS

CHARLES M. CAMPBELL, PRES.
122 PRAIRIE DUNES CIRCLE
JEROME, ID. 83338

DARYL DRYDEN, VICE PRES.
104 SEMINOLE CIRCLE
JEROME, ID. 83338

GLENN REDDECK, MEMBER OF THE BOARD
412 COUNTRY CLUB DRIVE
JEROME, ID. 83338

DENNY PATRICK, MEMBER OF THE BOARD
108 COUNTRY CLUB DRIVE
JEROME, ID. 83338

TIM OBENCHAIN, MEMBER OF THE BOARD
P.O. BOX 269
TWIN FALLS, ID 83301

BARBARA HOSMAN, SEC.
385 WEST ROAD
JEROME, ID. 83338