

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward M. Loeck
(Applicant)

36-2527, -7448, -2279, -8219, -8363, -8672,
-10065, -10067, -10079, -10796

Attached to 12-3-01 address change letter. ss 12-11-01

DEC 11 2001

Department of Water Resources

Our mailing address is different only because we built a new home on the same property we have been located for 27 years. The address on this letter is correct, it should not affect our water rights. We have new street number only.

Thank You

Ann C.

1674 East 2900 South

CIOCCA, ANN
1648 E 2900 S
WENDELL ID 83355

36-2527

7448

10065

10067

10070

10796

2279

8219

8363

8672

NCAP

Surf CE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 36-08863
Phone No. 536-6271
1. Owner: Ed Ciocco
Current Address: 1648 E. 2900 S., Wendell, ID 83355
2. Accompanied by: Permittee EXAM. DATE: 8-17-94
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-10065
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 36-10065
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



RECEIVED
FEB 14 1995

36-08363

RECEIVED
AUG 18 1993
Department of Water Resources
Southern Region Office

36-08363



Corrals



MIDNIGHT

FEB 14 1995

36-08363



Dairy Barn



Milking Stalls

MICROFILMED

FEB 14 1995

36-08363



New Barn & Well Under Construction

MICROFILMED

FEB 14 1995

36-08363



Well A, 5 hp pump



Well B, 3 hp pump

UNCLASSIFIED

FEB 14 1995

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,)
) SS.
County of Gooding)

AUG 25 1988

Department of Water Resources
Southern Region Office

J. L. Fullin

being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 17 day of Aug
19 88, and the date of the last publication was on the 24
day of Aug, 19 88.

J. L. Fullin

Subscribed and sworn to before me this 24
day of Aug, 19 88.
(SEAL)

John J. Henderson
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

MICROFILMED

FEB 14 1989

Number of Lines in Notice 27
Number of Insertions 2

Lines tabular at 27 5°/Pica
Lines straight at 14.04 4°/Pica
Subsequent lines at 10.53 3°/Pica
TOTAL COST 24.57

COPY OF NOTICE
(Paste Here)

Edward M. Ciocca
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
2148 Fourth Ave E.
Twin Falls, ID 83301

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

36-08363
CIOCCA, EDWARD M., 1648 E, 2900 S,
WENDELL, ID 83355

Source: GROUNDWATER
Diversification Pt: SESESW, Sec. 25 T 07S R
14E; 1 mile North and 3 miles West of
Wendell.

Use: STOCKWATER (.650 CFS)
COMMERCIAL (.350 CFS)

Date Filed: 6/07/1988
In: T07S R14E S25 - SESW - SWSE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301 on or before
SEPTEMBER 6, 1988.

R. Keith Higginson
Director
G5539

Publish: August 17 & 24

No 1230

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08363

Priority: July 12, 1988

Maximum Diversion Rate:

0.22 CFS

Maximum Diversion Volume:

52.1 AF

This is to certify, that EDWARD M CIOCCA
ANN A CIOCCA

NORTHWEST FARM CREDIT SERVICES ACA

1648 E 2900 S

WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 7, 1988; and has submitted Proof of Beneficial Use on March 8, 1990. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.15 CFS	32.1 AF
COMMERCIAL	01/01 to 12/31	0.22 CFS	20.0 AF
	Totals	0.22 CFS	52.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 25, Township 07S, Range 14E
GOODING County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 14E 25

SESW

SWSE

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

RECEIVED
FEB 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 36-08363

CONDITIONS/REMARKS:

6. Two points of diversion are located within SESW, S25, T07S, R14E.
7. Right 36-10065 is also diverted through the points of diversion described above and use of this right when combined with 36-10065 shall not exceed a total combined diversion rate of .22 cfs.
8. Stockwater use is for 520 dairy cattle and 600 range cattle.
9. Commercial use is for a dairy operation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 30TH day of JANUARY, 1995.

Acting for


R. Keith Higginson, Director

FEB 14 1995

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	36-08363	Edward M. Ciocca	1.0
Full Assignment	36-08363	Edward M. Ciocca Ann A. Ciocca Northwest Farm Credit Services, ACA	1.0

SEP 21 1994

11 12 13 14 15 16

AUG 16 1994

Department of Water Resources
Northern Region Office

Receipt by JF Stanton
Rec. # 5017245
Date 8-16-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ASSIGNMENT OF PERMIT

We, Edward M. Ciocca and Ann A. Ciocca,
hereby assign to (name and address)
Edward M. Ciocca and Ann A. Ciocca, and NORTHWEST FARM
CREDIT SERVICES, ACA, 129 Eastland Drive, P. O. Box 288, Twin Falls ID
83303-0288

All our right, title and interest in and to Permit No. 36-08672 to
appropriate the public waters of the State of Idaho. A36-10065
A36-10070
A36-11067
or (for partial assignments) 36-08363

The following described portion of my right, title and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres
in each 40 acre subdivision, point of diversion location, and the amount
of water in cubic feet per second.

Made this 31 day of May, 1994

Edward M. Ciocca
Edward M. Ciocca,
Ann A. Ciocca
Ann A Ciocca

RECEIVED

AUG 18 1994

Department of Water Resources

STATE OF IDAHO)
County of Twin Falls) ss

On this 31 day of May, 1994, personally appeared
before me the signers of the above instrument, duly acknowledged to me that
they executed the same.

William V. Dickley
Notary Public for Idaho
Residing at Jerome
My Commission Expires 11-12-97

RECEIVED

SEP 21 1994

database updated 8/31/94 cry.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-8363 IN THE)
NAME OF EDWARD M. CIOCCA) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 8, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-8363 be REINSTATED and the priority advanced to July 12, 1988.

Dated this 2nd day of May, 1990.

MICROFILMED

MAY 23 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

DEC 7 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

note: proof
The ~~Idaho~~ Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08363 Telephone No. 208 536-6271

Name(s) of Permit Holder(s): Edward M. CioCCA

Post Office Address: 1648 E 2900 SO Wendell, Idaho 83355

Source of Water: Well

If ground water, well driller's name: Eatons Date drilled: 1983

Extent of Use:
Domestic X (No. of households) Irrigation _____ (No. of acres)
Stockwater X (No. and type of stock) Other Commercial
1200 Head Holstein

Total rate and/or volume for which proof is submitted 1.0 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 2-13-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No *Much smaller*
OR *than 1.0 CFS*

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name _____ Telephone No. _____

Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and relinquish any undeveloped portion of the permit to the state of Idaho.

12-5-89
Date

Edward M CioCCA
Signature (and title if on behalf of a company or organization)

MICROFILMED

MAY 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 36-08363

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Edward M. CioCCA Phone 208-536-6271
Post office address 1648 East 2900 South Wendell, Idaho 83355
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is SE. $\frac{1}{4}$ of SE. $\frac{1}{4}$ of S.W. $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 07S Range 14 E. B.M. Gooding County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 65 for stock water purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 35 for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 120 FT. Well 7 1/2 Horse pump
(Maybe increased under this application)
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ EXISTING well diameter is 8 inches; ~~proposed~~ EXISTING depth of well is 125 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
EXISTING years (minimum 1 year).
(Allow 1 Year)

MICROFILMED

FEB 14 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 800 Hundred MILK Cows, 800 dry
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Water for cleaning & cooling in dairy

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
07S	14E	25											S	C			S	C	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Claim A36-10065


11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This well is inter connected with well described under A36-10065. This filing was made to cover expansion in the dam.

RECORDED

FEB 24 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward M. Crocker
(Applicant)

Proposed Priority 6/7/88

Received by JTB Date 6/7/88 Time _____ Preliminary check by ALJ

Fee \$ 45.00 Receipted by JTB # 5000355 Date 6/7/88

Publication prepared by M. Baldwin Date 8/11/88 Published in Gooding Co. Leader

Publication approved R. Jasper Date 9/8/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8363, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 3rd day of February, 1989.

J. Glen Saylor

MICROFILMED

FEB 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 3, 2001

ANN CIOCCA
1674 E 2900 S
WENDELL ID 83355

cc: W.A.

RE: Snake River Basin Adjudication (SRBA)
Water Rights #36-2527, 36-7448, 36-2279, 36-8219, 36-8363, 36-8672,
36-10065, 36-10067, 36-10070, 36-10796

W.A.

Dear Water Right Holders:

The Postal Service has advised us your address has changed to the above address.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by December 28, 2001. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally Sherman
Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

#####

The address is correct as shown above or as otherwise changed.

Ann A. Ciocca
Water Right Holder's Signature

(208) 536-6271
Telephone No.

36-2527, -7448, -2279 -8219 -8363, -8672,
-10065, -10067, -10079 -10796

Attached to 12-3-01 address change letter.
12-11-01

DEC 11 2001
Department of Water Resources

Our mailing address is
different only because we
built a new home on the
same property we have
been located for 24 years
the address on this letter
is correct. It should not
affect our water rights.
We have no other
members.

Thank You
Dana

1674 East 2900 South

CIOCCA, ANN
1648 E 2900 S
WENDELL ID 83355

36-2527

7448

10065

10067

10070

10796

2279

8219

8363


8672

IDaho DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUse Typewriter
or
Ball Point Pen1. DRILLING PERMIT NO. 36-94-S-0155-000
Other IDWR No. 36 08363

2. OWNER:

Name Ed Ciocca
Address 1648 E 2900 S
City Wendell State ID Zip 83355

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.T. 7 North ☐ or South ☒
R. 17 East ☒ or West ☐
Sec. 25 1/4 SE 1/4 SW 1/4
Gov't Lot _____ County GoodingAddress of Well Site West of Address Above

(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Daily Comm

5. TYPE OF WORK

☐ New Well ☐ Modify or Repair ☒ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other Drill Core

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
<u>Bentonite</u>	<u>2</u>	<u>18</u>	<u>200</u>		<u>Poured Dry Into Annular</u>

Was drive shoe seal tested? ☐ YES ☐ NO How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
<u>8</u>	<u>2</u>	<u>18</u>	<u>250</u>			☒	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐

Final location of shoes _____

Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☐ Screens Type _____ Material _____

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐

10. WELL TESTS:

☐ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time

Temperature of water -85 Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) Clear / no odor

Bottom Hole Temperature _____

11. STATIC WATER LEVEL:

85 ft. below surface Depth artesian flow found _____

Artesian pressure _____ lb. Describe access port _____

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
<u>10</u>	<u>0</u>	<u>2</u>	<u>Top Soil</u>		
	<u>2</u>	<u>8</u>	<u>Brown Clay</u>		
<u>10 1/8</u>	<u>8</u>	<u>56</u>	<u>Gray loam</u>		
	<u>56</u>	<u>62</u>	<u>Red Sand</u>		
	<u>60</u>	<u>66</u>	<u>Red Clay</u>		
	<u>66</u>	<u>105</u>	<u>Black loam</u>		
	<u>105</u>	<u>109</u>	<u>Black Cinders</u>	<u>X</u>	<u>X</u>
	<u>109</u>	<u>128</u>	<u>Black loam</u>		
	<u>128</u>	<u>130</u>	<u>Black Cinders w/ tangle</u>		
	<u>130</u>	<u>137</u>	<u>Black loam</u>		
	<u>137</u>	<u>140</u>	<u>Black Cinders</u>		
	<u>140</u>	<u>157</u>	<u>Black loam</u>		
	<u>157</u>	<u>165</u>	<u>Black loam</u>		

RECEIVED

JUL 18 1994

Department of Water Resources
Southern Region OfficeDate: Started July 5/94 Completed July 5/94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Eastern Drilling Firm No. 86Firm Official [Signature] Date 7-6-94and
Supervisor or Operator [Signature] Date July 11/94

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 1, 1995

EDWARD M CIOCCA
ANN A CIOCCA
NORTHWEST FARM CREDIT SERVICES ACA
1648 E 2900 S
WENDELL ID 83355

RE: WATER RIGHT NO. 36-08363

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

WIDENED

FEB 14 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 36-08363 DATE 1-13-95

BRENDA

Yes No

NAME ✓ Or Address Change?

PRIORITY DATE ✓ Advance? YES Advanced to: 7-12-1988
Order to reinstate needed? Done
Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed?
✓ Overlaps? 36-10065 for .07 stockwater
 .04 domestic

PLACE OF USE ✓ Amendment needed?
✓ Overlaps? 36-10065

DIV RATE ✓ Permit/fee limits: 1 CFS
Pump Capacities Meas Q = .22 CFS Theo Q = .26 CFS Recommend: .22 CFS
Rate needed for stock = .52 Both are
Permitted commercial needs = .35 Limited by capacity.
Combined rates exceed capacity YES - CONDITION

ANNUAL VOLUME ✓ Season of use: 1-1 to 12-31
✓ Calculations: STOCK PER SHEET = 32.1 > 52.1
 commercial per sheet = 20.0
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES ✓ Change in Nature of Use or additional uses?
 Amendment necessary?

REMARKS W32/W41 ✓ Multiple p/d(s) in 1/4 1/4? SESW-SEC 25-T75-14E
✓ Other Stockwater for 520 milking & 600 dry.
 Commercial use is for a dairy operation.

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
 ✓ Irrigation Overlap
09E Water Quality
 ✓ Other Heat/Cool/ Fish verified

COMMENTS: Reduce rate to capacity.

RECOMMENDED

CFS

VOL

SRBA Claim Filed

Adjustment Memo Needed

NO

Stockwater

22

321

LICENSE

1ST AMENDMENT LETTER

FINAL AMENDMENT LETTER

NO
~~NO~~ (YES)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ed Ciocca Permit No. 36-08863
Current Address: 1648 E. 2900 S., Wendell, ID 83355 Phone No. 536-6271
2. Accompanied by: Permittee EXAM. DATE: 8-17-94
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-10065
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 36-10065
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two connected wells & pumps, 10,000-gallon storage tank, 15 hp booster to Rainbird sprinklers in barn.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
A B		3		Red Jacket	
B B A		5	40P	Sta-Rite	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	25	7S	14E	Gooding	Quad map, 2 wells

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	14E	25												CS			S		

Do not use this space

FEB 14 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured, 100' lift, 5 hp rated 57 gpm at 40 psi, 3 hp rated 40 gpm at 40 psi. Per Eaton Drilling & Pump Co.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Pump capacity = 97 gpm = 0.22 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

See dairy worksheet

FEB 14 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The existing barn will be replaced this fall by a new & slightly larger barn further south on the property. A new well with 10 hp pump will become the main water source, with one of the existing wells as a backup. Both the existing wells are needed at times to run the system. The planned herd increase will probably increase daily water use by less than 13,000 gallons, so it appears that no additional water right is needed. Herd size in 1990 was 560 milkers & 640 dry stock, SRBA claim is for 40 of each, leaving 520 milkers & 600 dry stock to be licensed under this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Stockwater	1-1	12-31	0.22 cfs	32.1
Commercial	"	"	0.22 cfs	20.0
Totals:			0.22 cfs	52.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name J E Stanton

Signature J E Stanton

Certification Date _____

Field Report Preparation Date 8-19-94

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached explanation memo. BC

RECEIVED
FEB 14 1995

FEB 14 1995

MEMORANDUM

TO: File 36-08363 / Edward M. Ciocca
FROM: Brenda Chapman
DATE: January 17, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.15	32.1
Commercial	1-01 to 12-31	.22	20.0

Adjudication Claim 36-10065 also uses the same wells and since the claim already covers stockwater for .07 cfs, the stockwater recommendation for this right is reduced to the available remainder of the capacity.
(.22 cfs minus .07cfs = .15 cfs).

RECEIVED
FEB 14 1995

FILE # or NAME ----- ciocca
REVIEWER ----- js
DATE ----- 19-Aug-94

IDAHO DEPARTMENT OF WATER RESOURCES

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE ----- 520
NUMBER OF NONMILKING CATTLE ----- 600
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO ----- 0.6
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) ----- 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS - 3
NUMBER OF MILKINGS PER DAY ----- 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS): ****

MILKING CATTLE @35 GPD/HD ----- 0.34
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.39
NONMILKING CATTLE @12 GPD/HD ----- 0.13
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.13
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 0.52

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD ----- 20.4
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 24.0
NONMILKING CATTLE @12 GPD/HD ----- 8.1
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 8.1
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 32.1

COMMERCIAL
WASHING OF BULK TANK AND RELATED EQUIPMENT ----- 0.4
PARLOR FLOOR AND MILKHOUSE FLOOR ----- 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING ----- 19.5
TOTAL ----- 20.0

TOTAL DIVERSION VOLUME ----- 52.1

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING ----- 3.5
NONMILKING ----- 0.0
TOTAL ----- 3.5

COMMERCIAL ----- 2.4

TOTAL CONSUMPTIVE USE ----- 5.9

THEORETICAL FLOW ESTIMATION

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) -----	5.00	3.00	
LIFT (FT) -----	100	100	
DISCHARGE PRESSURE (PSI) -----	40	40	
FRICTION LOSSES (FT) -----	0.0	0.0	

CALCULATIONS

THEORETICAL FLOW RATE (CFS) ** ----- 0.16 0.10 0.00

DIVERSION VOLUME (AFA) *** ----- 115.9 69.5 0.0

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.


** PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

*** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON
THE THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY
EVERY DAY OF THE YEAR.

**** BASED ON 2 HOUR DIVERSION TO MEET VOLUME

Dev.: M Sterling
Mod.: ADM & KKC
Mod.: 8/5/94 DRJ

FEB 14 1995



WENDELL EXIT 1.8 MI.
TWIN FALLS 26 MI.

WENDELL 2.4 MI.
TWIN FALLS 25 MI.

RECEIVED

FEB 14 1995

36-08363

RECEIVE

AUG 18 1993
Department of Water Resource
Southern Region Office

Newer 6" well


Form 728 7
1-8

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

1. State for negative that this report is filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER Name <u>Ed R. Coda</u> Address <u>Wendell</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>100</u> Pumping level <u>76</u> Artesian head in pressure container by ☐ Valve ☐ Cap ☐ Plug Temperature <u>67</u> Quality _____																																																																			
2. NATURE OF WORK ☐ New well ☐ Deepen ☐ Replacement ☐ Abandoned & describe method of abandoning: _____		8. WELL TEST DATA ☐ Pump ☐ Baker ☐ Air ☐ Other Discharge G.P.M. _____ Pumping Level _____ Return Pumping _____																																																																			
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or irrigation (specify type) _____ ☐ Other _____		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th>Depth (feet)</th> <th>Material</th> <th>Water Test No.</th> </tr> </thead> <tbody> <tr><td>0</td><td>Top Well</td><td></td></tr> <tr><td>5</td><td>Gravel</td><td></td></tr> <tr><td>10</td><td>Red Sand</td><td></td></tr> <tr><td>15</td><td>Gravel</td><td></td></tr> <tr><td>20</td><td>Red Sand</td><td></td></tr> <tr><td>25</td><td>Gravel</td><td></td></tr> <tr><td>30</td><td>Red Sand</td><td></td></tr> <tr><td>35</td><td>Gravel</td><td></td></tr> <tr><td>40</td><td>Red Sand</td><td></td></tr> <tr><td>45</td><td>Gravel</td><td></td></tr> <tr><td>50</td><td>Red Sand</td><td></td></tr> <tr><td>55</td><td>Gravel</td><td></td></tr> <tr><td>60</td><td>Red Sand</td><td></td></tr> <tr><td>65</td><td>Gravel</td><td></td></tr> <tr><td>70</td><td>Red Sand</td><td></td></tr> <tr><td>75</td><td>Gravel</td><td></td></tr> <tr><td>80</td><td>Red Sand</td><td></td></tr> <tr><td>85</td><td>Gravel</td><td></td></tr> <tr><td>90</td><td>Red Sand</td><td></td></tr> <tr><td>95</td><td>Gravel</td><td></td></tr> <tr><td>100</td><td>Red Sand</td><td></td></tr> </tbody> </table>		Depth (feet)	Material	Water Test No.	0	Top Well		5	Gravel		10	Red Sand		15	Gravel		20	Red Sand		25	Gravel		30	Red Sand		35	Gravel		40	Red Sand		45	Gravel		50	Red Sand		55	Gravel		60	Red Sand		65	Gravel		70	Red Sand		75	Gravel		80	Red Sand		85	Gravel		90	Red Sand		95	Gravel		100	Red Sand	
Depth (feet)	Material	Water Test No.																																																																			
0	Top Well																																																																				
5	Gravel																																																																				
10	Red Sand																																																																				
15	Gravel																																																																				
20	Red Sand																																																																				
25	Gravel																																																																				
30	Red Sand																																																																				
35	Gravel																																																																				
40	Red Sand																																																																				
45	Gravel																																																																				
50	Red Sand																																																																				
55	Gravel																																																																				
60	Red Sand																																																																				
65	Gravel																																																																				
70	Red Sand																																																																				
75	Gravel																																																																				
80	Red Sand																																																																				
85	Gravel																																																																				
90	Red Sand																																																																				
95	Gravel																																																																				
100	Red Sand																																																																				
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. WELL CONSTRUCTION Casing schedule ☐ Steel ☐ Concrete ☐ Other Thickness _____ Diameter _____ From _____ To _____ Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inch x by _____ inch Number of perforations _____ From _____ To _____ Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Material used in seal: ☐ Cement grout ☐ Pudding clay ☐ Well capping Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port: _____																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Section Name _____ Lot No. _____ Block No. _____ County <u>BOUNDING</u> SE SW Sec 25 T 7S R 14E		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were observed with the time the rig was removed. Firm Name <u>J. D. Eaden</u> Firm No. <u>26</u> Address <u>Wendell Idaho 83446-96</u> Signed by (Firm Official) <u>J. D. Eaden</u> and (Operator) <u>[Signature]</u>																																																																			

SE SW Sec 25
T 7S R 14E

RECORDED

FEB 14 1995

36-08363



Corra/s



36-08363



Dairy Barn



Milking Stalls

RECEIVED
FEB 11 1961
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C.

36-08363



New Barn & Well Under Construction

5-1-68
100-1000

86-08363



Well A, 5 hp pump



Well B, 3 hp pump



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 8, 1994

EDWARD CIOCCA
ANN A CIOCCA
NORTHWEST FARM CREDIT SERVICES ACA
129 EASTLAND DR
PO BOX 288
TWIN FALLS ID 83303-0288

Re: Permit Nos. 36-08363 and 36-08672

Dear Water Right Holders:

We acknowledge receipt of the correspondence assigning the ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

cc: Edward and Ann Ciocca

SEP 8 1994

Receipt by JF Stanton
Rec. # 5017245
Date 8-16-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REC'D
AUG 16 1994
Department of Water Resources
Northern Region Office

ASSIGNMENT OF PERMIT

We, Edward M. Ciocca and Ann A. Ciocca,
hereby assign to (name and address)
Edward M. Ciocca and Ann A. Ciocca, and NORTHWEST FARM
CREDIT SERVICES, ACA, 129 Eastland Drive, P. O. Box 288, Twin Falls ID
83303-0288

All our right, title and interest in and to Permit No. 36-08672
A36-10065 to
appropriate the public waters of the State of Idaho. A36-10070
A36-11067
or (for partial assignments) 36-08363

The following described portion of my right, title and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres
in each 40 acre subdivision, point of diversion location, and the amount
of water in cubic feet per second.

Made this 31 day of May, 1994

Edward M. Ciocca
Edward M. Ciocca
Ann A. Ciocca
Ann A. Ciocca

STATE OF IDAHO)
County of Twin Falls) ss

On this 31 day of May, 1994, personally appeared
before me the signers of the above instrument, duly acknowledged to me that
they executed the same.

William V. Buckley
Notary Public for Idaho
Residing at Jerome
My Commission Expires 11-12-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

11-Aug-1994

ATTN ELLEN FISCHER
FARM CREDIT SERVICES
PO BOX 288
TWIN FALLS 83303-0288

Re: Assignment of Permits Nos. # 36-08363 & 36-08762
Edward M. Ciocca and Ann A Ciocca

Dear Ellen:

This office acknowledge receipt of the executed Assignments
of Permit as referenced above.

Effective 7/1/94, a filing fee of \$25.00 per permit is
required. This office will hold these Assignments without
any action until we receive the filing fee.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Sincerely


Dallas Tryon
Water Rights
File Clerk

11-AUG-1994
11-2-1994

May 15, 1990

EDWARD M. CIOCCA
1648 E. 2900 S.
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08363

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

RECORDED

MAY 23 1990

February 28, 1990

Edward M. Ciocca
1648 E. 2900 S.
Wendell, ID 83355

Dear Mr. Ciocca:

Re: Permit No. 36-8363

On December 7, 1989, the department received the proof of beneficial use form.

The permit, when issued, proposed the development of stockwater and commercial (cleaning and cooling in dairy). The proof indicates the water is being used for stockwater and domestic. You also indicate that the use is smaller than 1 cfs.

If the water is used for domestic and stockwater for 1200 head of holstein, then I will reduce the amount of diversion to 0.65 cfs for stock water and 0.04 cfs for domestic. There will be no fee for the department to conduct the field inspection, but an amendment will be needed at the time of licensing to show a change in nature of use.

If, however, if the use is for stockwater and commercial (dairy use), then there is a fee for the department to conduct the field inspection. If your well produces from 19 gpm to 45 gpm, the fee will be \$50; from 46 to 450 gpm, the fee will be \$100. One place to look for this type of information is on your copy of the well driller's report.

Does the well have a measuring device on it? If the diversion rate is smaller, you may wish to request the department to remove the requirement to install a flow measurement port.

Please advise me by April 1, 1990, how you wish to proceed on this matter.

Sincerely,

MAILED
FEB 28 1990

MAY 21 1990

RITA I. FLECK
Secretary/Records Manager

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8363

Date: 2-21-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely 2
☒ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
NO 1. well log in file 1983
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- 2 Rate of diversion appropriate for uses
NO Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device: Flow Measurement

- NO Is a measuring device or access port required?
NO Has one been installed?
NA Waiver or modification of measuring device requested

Remarks:

Proof acceptable
Reinstate

9 Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

Mar 8, 1990
Feb 1, 1990
June 7, 1988
July 12, 1988

167
- 32
= 35
+ 158
= 193

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138911

November 30, 1989

EDWARD M. CIOCCA
1648 E. 2900 S.
WENDELL, ID 83355

PROOF DUE NOTICE

RE: PERMIT NO. 36-08363

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
MAY 23 1990

MAY 23 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 7, 1989

EDWARD M. CIOCCA
1648 E. 2900 S.
WENDELL, ID 83355

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 36-08363

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

[Faint handwritten notes and stamps]



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

12-Aug-1988

Gary R. Burkett
Idaho Dept. Health & Welfare
Box 1626
Twin Falls, ID 83301

Re: Application for Permit No. 36-08363

Dear Mr. Burkett:

Please find enclosed a copy of the above referenced
Application for Permit for your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

11-Aug-1988

Edward M. Ciocca
1648 E, 2900 S
Wendell, ID 83355

Re: Application for Permit No. 36-08363

Dear Mr. Ciocca:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 36-08363. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 8/17 & 8/24/88. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,)
) SS.
County of Gooding)

AUG 25 1988

Department of Water Resources
Southern Region Office

J. L. Fullen

being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 17 day of Aug
19 88, and the date of the last publication was on the 24
day of Aug, 19 88.

J. L. Fullen

Subscribed and sworn to before me this 24
day of Aug, 19 88
(SEAL)

John J. Henderson
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 27
Number of Insertions 2

Lines tabular at 27 5"/Pica
Lines straight at 14.04 4"/Pica
Subsequent lines at 27 10.53 3"/Pica
TOTAL COST 24.57

COPY OF NOTICE
(Paste Here)

Edward M. Ciocca
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
2148 South Ave. E.
Twin Falls, ID 83301

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

36-08363
CIOCCA, EDWARD M., 1648 E, 2900 S,
WENDELL, ID 83355

Source: GROUNDWATER
Diversion Pt: SESESW, Sec. 25 T 07S R
14E: 1 mile North and 3 miles West of
Wendell.

Use: STOCKWATER (.650 CFS)
COMMERCIAL (.350 CFS)

Date Filed: 6/07/1988
In: T07S R14E S25 - SESW - SWSE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301 on or before
SEPTEMBER 6, 1988.

R. Keith Higginson
Director
G5539

Publish: August 17 & 24

No 1230

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 11, 1988

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 6, 1988.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

36-08363

CIOCCA, EDWARD M.
1648 E, 2900 S
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SESESW Sec 25 T 07S R 14E; 1 mile North & 3 miles West of Wendell.

Use: STOCKWATER (.650 CFS)
COMMERCIAL (.350 CFS)

Date Filed: 6/07/1988

In: T07S R14E S25 SESW SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 6, 1988.

R. Keith Higginson, Director

Published 8/17/1988 & 8/24/1988

MICROFILMED

FEB 14 1989

GOODING LEGAL

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

36-08363

CIOCCA, EDWARD M., 1648 E, 2900 S,
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SESESW Sec. 25 T 07S R
14E; 1 mile North and 3 miles West of
Wendell.

Use: STOCKWATER (.650 CFS)

COMMERCIAL (.350 CFS)

Date Filed: 6/07/1988

In: T07S R14E S25 - SESW - SWSE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301 on or before
SEPTEMBER 6, 1988.

R. Keith Higginson

Director

Publish: August 17 & 24

G5539

MICROFILMED

FEB 14 1989