


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Tom Heida
(Applicant)

Tom Heida, Partner

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08362
1. Owner: Aardema & Heidi Dairy Phone No. 536-2189
Current Address: 1646 Bob Barton Rd.; Wendell, Ida 83355
2. Accompanied by: Mark Mark. Tom Heidi EXAM. DATE: 6-6-90
Address: _____ Phone No. 98-9-94
Relationship to Permit Holder: Employee. Owner
3. Source: groundwater tributary to ✓

B. OVERLAP REVIEW


1. Other water rights with same place of use: No

☐ Copies Attached
2. Other water rights with same point of diversion: No

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 14 1995




MICROFILMED
FEB 14 1995



T85 R14E
S25 36-08362
Aardema
890 000
FEET

1
2

RECORDED
FEB 14 1995



Microfilm
FEB 1

FEB 14 1995

36-8362



A & B Wells

REPRODUCTION
FEB 14 1995



D

Well C

Well D



Corrals

FEB 14 1995

36-8362



West Dairy
Barn



UNRECORDED
FEB 14 1995

36-8362



East Dairy Building

MICROFILMED
FEB 14 1995

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,)
) SS.
County of Gooding)

AUG 25 1988

Department of Water Resources
Southern Region Office

SLH. Fullen

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 17 day of Aug 19 88, and the date of the last publication was on the 24 day of Aug, 19 88.

SLH. Fullen

Subscribed and sworn to before me this 24 day of Aug, 19 88.
(SEAL)

John Schumacher
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 27
Number of Insertions 2

Lines tabular at 27 5¢/Pica
Lines straight at 14.04 4¢/Pica
Subsequent lines at 10.53 3¢/Pica
TOTAL COST 34.57

COPY OF NOTICE
(Paste Here)

Aardema & Heidi Dairy
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO
2148 Fourth Ave East
Twin Falls, ID 83301

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08362
AARDEMA & HEIDA DAIRY
1646 BOB BARTON ROAD
WENDELL, ID 83355
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 25 T 08S R 14E; 4 miles South & 3 miles West of Wendell.
Use: STOCKWATER (1,000 CFS)
COMMERCIAL (220 CFS)
Date Filed: 6/03/1988
In: T08S R14E S25 SWSW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 6, 1988.

R. Keith Higginson, Director
PUBLISH: 8/17 & 24, G5531

OK
Ty 9/8/88

No

1225

MICROFILMED

FEB 14 1989

5.0.

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES

NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

RECEIVED
FEB 23 1998

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right No(s).: 36-08362; X36-04151B; X36-04151A; 36-08021; 36-08305; 36-08517
Adjudication Claim No(s).: _____

2. The following REQUIRED information must be submitted with this form:

- A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.
AND
B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)
OR
C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.

3. Name and Address of Former Owner/Claimant Frans and Cornelia Aardema and Thomas and Mary Jane
Heida dba Aardema-Heida Dairy

4. New Owner/Claimant(s) Frans and Cornelia Aardema and Thomas and Mary Jane
Heida dba Box Canyon Dairy
Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
New Mailing Address P.O. Box 140

City, State and ZIP Code Wendell, ID 83355

New Telephone Number (208) 536-2189

5. Date you acquired the property N/A See cover L

RECEIVED
JUN 8 - 2000 K
Department of Water Resources

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres you irrigate _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner or Claimant(s)

Frans Aardema Mary Jane Heida
Cornelia Aardema

(Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign form.)

8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims..

*data entered
of ✓*

MICROFILMED

OCT 11 2001

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08362

Priority: June 3, 1988

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:

116.4 AF

This is to certify, that AARDEMA & HEIDA DAIRY
1646 BOB BARTON RD
WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 3, 1988; and has submitted Proof of Beneficial Use on January 9, 1990. An examination indicates that the works have a diversion capacity of 1.410 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.82 CFS	50.7 AF
COMMERCIAL	01/01 to 12/31	0.22 CFS	65.7 AF
	Totals	1.00 CFS	116.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 25, Township 08S, Range 14E
SESW , Sec. 25, Township 08S, Range 14E
GOODING County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 14E 25

SWSW

SESW

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Two points of diversion are located within the SESW and SWSW, S25, T08S, R14E.
7. Stockwater use is for 200 range cattle and 1200 dairy cattle.

RECORDED
FEB 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08362


CONDITIONS/REMARKS:

8. Commercial use is for a dairy operation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of FEBRUARY, 1975.

Acting for


R. Keith Higginson, Director



RECEIVED

FEB 14 1975

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

JAN 25 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08362

Department of Water Resources

Date of Priority: June 3, 1988

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 116.4 AF

Comes now
1646 BOB BARTON RD
WENDELL ID 83355

AARDEMA & HEIDA DAIRY

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-08362, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.82 CFS	50.7 AF
COMMERCIAL	01/01 to 12/31	0.22 CFS	65.7 AF
	Totals	1.00 CFS	116.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 25, Township 08S, Range 14E
SESW , Sec. 25, Township 08S, Range 14E
GOODING County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08S 14E 25 SWSW SESW

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

APPROVED

FEB 14 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 23 day of Jan, 1995.

Tom Heida
(Signature)

State of Idaho
Department of Water Resources

RECEIVED

JAN 25 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08362

Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 500 Received by RT # C032040 Date 1-25-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-08362 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Two points of diversion are located within the SESW and SWSW, S25, T08S, R14E.
7. Stockwater use is for 200 range cattle and 1200 dairy cattle.
8. Commercial use is for a dairy operation.

Witness my hand this 5th day of FEBRUARY, 1995.

Acting for


R. Keith Higginson, Director

FEB 14 1995

RECEIVED

JAN 9 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 100.00Date 1/10/90Receipt No. C 013912Received by J. Darron

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 34-01362 Telephone No. 5362189Name(s) of Permit Holder(s): AARDEMA ~ Herda DAIRYPost Office Address: 1646 Bob Barton rd Wendell, ID. 83355Source of Water: groundIf ground water, well driller's name: D & G well drilling Date drilled: 6-30-18

Extent of Use:

Domestic (No. of households)Irrigation (No. of acres)Stockwater X (No. and type of stock)Other BARND-USETotal rate and/or volume for which proof is submitted 1 cfs acre/feetShow date water was first diverted and beneficially used under this permit: 11-1-88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes NoFee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name Tom Herda Telephone No. 5362189Address 1646 Bob Barton Wendell ID. 83355**MICROFILMED**

MAY 23 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 1-2-90Signature (and title if on behalf of a company or organization) Tom Herda - partner Ardenma Herda Dairy

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Aardema & Heida Dairy Phone 536-2189
Post office address 1646 Bob Barton Rd. Wendell, ID 83355
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 8S Range 14E B.M. Gooding County; additional
points of diversion if any: (2 wells)
4. Water will be used for the following purposes:
Amount 1.00 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) (Dairy)
Amount 0.22 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.00 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 new 8 inch wells & (2) 7.5 hp
pumps plus 2 existing wells with 5 hp & 7.5 hp pumps
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 (2 wells) inches; proposed depth of well is 130 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 3000 Dairy cows
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Commercial: servicing a 1200 cow milking barn

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	14E	25											S						

S=Stockwater
C=Commercial (Dairy)

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This application covers an existing dairy on the site plus an additional milking facility to be built with 2 new wells drilled.

FEB 14 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Tom Heida
(Applicant)

Tom Heida, Partner

Proposed Priority 6/3/88

Received by M. Baldwin Date 6/3/88 Time 3:40 pm Preliminary check by ADM

Fee \$ 45⁰⁰ Received by M. Baldwin # 5000333 Date 6/3/88

Publication prepared by M. Baldwin Date 8/9/88 Published in Gooding Co. Leader

Publication approved T. Gasper Date 9/8/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8362, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 3rd day of February, 1989.

T. Glen Saylor

RECEIVED
FEB 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 6, 1995

AARDEMA & HEIDA DAIRY
1646 BOB BARTON RD
WENDELL ID 83355

RE: WATER RIGHT NO. 36-08362

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

FILED
FEB 14 1995
FBI - BOISE



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 5, 1995

AARDEMA & HEIDA DAIRY
1646 BOB BARTON RD
WENDELL ID 83355

RE: WATER RIGHT NO. 36-08362

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
FEB 14 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 36-8362 DATE 12-29-94

NAME Yes No ☒ Or Address Change?

PRIORITY DATE Yes No ☒ Advance? Advanced to:
Order to reinstate needed? NO
Incorrect fee for rate recommended? NO

SOURCE Yes No ☒ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary? NO

POINT OF DIV Yes No ☒ Amendment needed? Add SESW 1 SEC 25
Overlaps? (Different well) 36-10899

PLACE OF USE Yes No ☒ Amendment needed? Add SESW OF SEC 25
Overlaps? NO

DIV RATE Yes No ☒ Permit/fee limits: 1 CFS
Meas Q = 0.82 Theo Q = 1.41 Recommend: 1.0 CFS
Wells A+B = .59 CFS WELL D = .23 CFS
WELL C = .59 CFS
Combined rates exceed capacity NO

ANNUAL VOLUME Yes No ☒ Season of use: 1-1 to 12-31
Calculations: Stock (1200 dairy - 200 dry) vol = 50.7
Commercial (washing) vol = 65.7
Flow limit: NO cfs x NO x 1.9835 = NO
Combined volumes exceed capacity/allowable NO

USES Yes No ☒ Change in Nature of Use or additional uses?
Amendment necessary? NO

REMARKS W32 (twice) Multiple p/d(s) in 1/4 1/4? 2 in SWSW / 2 in SESW
W02 Other 200 and 1200

CONDITIONS Yes No ☒ Measuring/Locking Devices
Yes No ☒ Watermaster control - District NO
Yes No ☒ Irrigation Overlap
09E Yes No ☒ Water Quality
Yes No ☒ Other NO Heat/Cool/ Fish verified NO

COMMENTS: _____

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.82</u>	<u>50.7</u>	Adjustment Memo Needed	<u>NO</u>
<u>Commercial</u>	<u>.22</u>	<u>65.7</u>		
<u>Total</u>	<u>1.0</u>	<u>116.4</u>	LICENSE	
			1ST AMENDMENT LETTER	<u>P37 + P38</u>
			FINAL AMENDMENT LETTER	<u>P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 36-08362
1. Owner: Aardema & Heidi Dairy Phone No. 536-2189
Current Address: 1646 Bob Barton Rd.; Wendell, Ida 83355
2. Accompanied by: Mark Mark. Tom Heidi EXAM. DATE: 6-6-90
Address: _____ Phone No. 98-9-94
Relationship to Permit Holder: Employee-Owner
3. Source: groundwater tributary to ✓

B. OVERLAP REVIEW

1. Other water rights with same place of use: No ☐ Copies Attached
2. Other water rights with same point of diversion: No ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

FEB 14 1995

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Four wells serve this dairy. Wells A & B are connected, & serve the east barn & nearby corrals. Well C serves the west barn. Well D serves corrals near the west barn.

A domestic well on the west side of the property serves 4 small homes with lawns plus an office with a lawn. It did serve the corrals, but is no longer used there. See Claim 36-10899.

A separate well east of the dairy serves the east corrals (built after the 1990 exam) for watering dairy calves, well is not covered by this exam. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
A. Sub.	Sta-Rite	7.5	M-90		
B. Sub	Sta-Rite	7.5	M-90		
C.	Hitachi	15	689673E		
D.		5			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
~~A, B, C, D~~		SW	SW		25	8S	14E	Gooding	
A, B		NW	SE	SW	"	"	"	"	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	14E	25											C	C					
													S	S					

RECORDED

Do not use this space

FEB 14 1995

Do not use this space

D. FLOW MEASUREMENTS

~~10~~ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow 0.82 cfs stockwater capacity. Allow 0.22 cfs for commercial (permit limitation).

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
FEB 14 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Only wells A, B, C, & D are recommended under this permit. These wells represent 2 different water systems, so the permit could be split for licensing. This is one dairy operation, however, so I see no point in splitting the permit.

A second exam was needed because the 1990 exam did not contain enough information. No additional fee is required, as this is our fault.

Exam 95 recommended covers 1990 herd. Herd is larger now, & will be expanded again. Water transfer will be filed.

System capacity (theoretical) for 4 wells is 1.41 cfs (0.82 cfs for stock & 1.08 cfs for commercial use, depending on how Wells A & B are being used at any given time).

Old well under claim #6-10899 used to serve corrals, but now serves

I. RECOMMENDATIONS 4 small houses & an office.**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	0.22 cfs	65.7
Stock water	1-1	12-31	0.82 cfs	50.7
Totals:			1.0 cfs	116.4

2. Recommended Amendments
☐ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other
J. AUTHENTICATION

Field Examiner's Name

J E Stanton

Signature

J E Stanton

Certification Date

Field Report Preparation Date

8-17-94

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 14 1995

INFORMATION REQUIRED TO USE THE DAIRY LOTUS PROGRAM

PERMIT NO 36-8362
 EXAMINER _____
 DATE 8-7-74

REQUIRED DAIRY DATA

Number of Milking Cattle ----- 3 1500
 Number of Nonmilking Cattle ----- 200
 Type of Lagoon
 if aerobic; determine surface area in acres
 _____ ft by _____ ft by _____ ft deep -- 5 ac.
 if anaerobic; enter zero -----
 Evapotranspiration Factor for Area (AC-FT/AC-YR) 4
 Method of Washing
 if manual cow washing; ----- enter 1
 if automatic washing; ----- enter 2
 if sprinkler system to wash cows
 and flush holding pen ----- enter 3 = 3
 Number of Milkings per Day ----- 3

Comments _____

INFORMATION REQUIRED FOR THEORETICAL FLOW ESTIMATION (IF NECESSARY)

	Pump 1	Pump 2	Pump 3	Pump 4
Pump Horsepower (HP)	<u>75</u>	<u>75</u>	<u>15</u>	<u>5</u>
Lift (FT)	<u>64</u>	<u>64</u>	<u>64</u>	<u>64</u>
Discharge Pressure (PSI)	<u>40</u>	<u>40</u>	<u>40</u>	<u>30</u>
Friction Losses (FT)	<u>.30</u>	<u>.30</u>	<u>.59</u>	<u>0.23</u>

Comments _____

FEB 14 1975

FILE # or NAME ----- heida 1
REVIEWER ----- Jim
DATE ----- 11-Aug-94

IDAHO DEPARTMENT OF WATER RESOURCES

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE ----- 1200
NUMBER OF NONMILKING CATTLE ----- 200
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO ----- 5.0
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) ----- 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS - 3
NUMBER OF MILKINGS PER DAY ----- 3

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS): ****

MILKING CATTLE @35 GPD/HD ----- 0.78
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.78
NONMILKING CATTLE @12 GPD/HD ----- 0.04
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.04
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 0.82

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD ----- 47.0
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 48.0
NONMILKING CATTLE @12 GPD/HD ----- 2.7
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 2.7
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 50.7

COMMERCIAL
WASHING OF BULK TANK AND RELATED EQUIPMENT ----- 0.5
PARLOR FLOOR AND MILKHOUSE FLOOR ----- 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING ----- 65.1
TOTAL ----- 65.7

TOTAL DIVERSION VOLUME ----- 116.4

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING ----- 7.0
NONMILKING ----- 0.0
TOTAL ----- 7.0

COMMERCIAL ----- 20.0

TOTAL CONSUMPTIVE USE ----- 27.0

THEORETICAL FLOW ESTIMATION

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) -----	15.00	15.00	5.00
LIFT (FT) -----	64	64	64
DISCHARGE PRESSURE (PSI) -----	40	40	30
FRICTION LOSSES (FT) -----	0.0	0.0	
	A+B	C	D

CALCULATIONS

THEORETICAL FLOW RATE (CFS) ** ----- 0.59 0.59 0.23

DIVERSION VOLUME (AFA) *** ----- 427.7 427.7 167.3

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.


** PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

*** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON
THE THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY
EVERY DAY OF THE YEAR.


**** BASED ON 2 HOUR DIVERSION TO MEET VOLUME

Dev.: M Sterling
Mod.: ADM & KKC
Mod.: 8/5/94 DRJ


RECEIVED
FEB 14 1995




RECEIVED
FEB 14 1995



T85 R14E
S25 36-08362
Aardema
90 000
FEET



RECORDED
ED 14 1995




RECORDED
INDEXED
FEB 14 1995
(NIAGARA SPRINGS)
3069 II NW

86-8362



A & B Wells


RECEIVED
FEB 14 1995



D

Well C

Well D



Corr 4/5

FEB 14 1995

36-8362




West Dairy
Burn



RECEIVED
FEB 14 1995

36-8362



East Dairy Building

FEB 14 1995

May 2, 1990

AARDEMA & HEIDA DAIRY
1646 BOB BARTON RD.
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08362

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAY 23 1990

138910

November 30, 1989

AARDEMA & HEIDA DAIRY
1646 BOB BARTON RD.
WENDELL, ID 83355

PROOF DUE NOTICE

RE: PERMIT NO. 36-08362

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 7, 1989

AARDEMA & HEIDA DAIRY
1646 BOB BARTON ROAD
WENDELL, ID 83355

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08362

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED
FEB 14 1989

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

FEB - 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

10-Aug-1988

Aardema & Heida Dairy
1646 Bob Barton Road
Wendell, ID 83355

Re: Application for Permit No. 36-08362

Gentlemen:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 36-08362. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 8/17 & 8/24/88. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

MICROFILMED

FEB 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

10-Aug-1988

Gary R. Burkett
Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Application for Permit No. 36-08362

Dear Mr. Burkett:

Please find enclosed a copy of the above referenced
Application for Permit for your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

Enclosure

MICROFILMED

FEB 14 1989

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,)
) SS.
County of Gooding)

AUG 25 1988

Department of Water Resources
Southern Region Office

John L. Fullin

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 17 day of Aug, 1988, and the date of the last publication was on the 24 day of Aug, 1988.

John L. Fullin

Subscribed and sworn to before me this 24 day of Aug, 1988.
(SEAL)

John L. Fullin
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 27
Number of Insertions 2

_____	Lines tabular at _____	5¢/Pica
<u>27</u>	Lines straight at <u>14.04</u>	4¢/Pica
<u>27</u>	Subsequent lines at <u>10.53</u>	3¢/Pica
TOTAL COST <u>34.57</u>		

COPY OF NOTICE (Paste Here)

Aardema & Heidi Dairy
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
2148 Fourth Ave East
Twin Falls, ID 83301

NOTICE OF PROTEST
FOR WATER RIGHTS
The Following applications have been filed to appropriate the waters of the State of Idaho:

35-08362
AARDEMA & HEIDA DAIRY
1646 BOB BARTON ROAD
WENDELL, ID 83355
Source: GROUNDWATER
Division Pt: SWSW Sec 25 T 08S R 14E
Use: STOCKWATER (1,000 CFS)
COMMERCIAL (.220 CFS)
Date Filed: 8/03/1988
In: T08S R14E S25 SWSW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-208A, Idaho Code and/or the new public interest criteria of Sec. 42-208C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 6, 1988.

R. Keith Higginson, Director
PUBLISH: 8/17 & 24, G5531

No 1225 MICROFILMED

FEB 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 9, 1988

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 6, 1988.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

FEB 14 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

36-08362

AARDEMA & HEIDA DAIRY
1646 BOB BARTON ROAD
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SWSWSW Sec 25 T 08S R 14E; 4 miles South & 3 miles
West of Wendell.
Use: STOCKWATER (1.000 CFS)
COMMERCIAL (.220 CFS)

Date Filed: 6/03/1988

In: T08S R14E S25 SWSW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 6, 1988.

R. Keith Higginson, Director

Published 8/17/1988 & 8/24/1988

MICROFILMED

FEB 14 1989

Gooding Legal

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

36-08362
AARDEMA & HEIDA DAIRY
1646 BOB BARTON ROAD
WENDELL, ID 83355
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 25 T 08S R
14E; 4 miles South & 3 miles West of
Wendell.

Use: STOCKWATER (1,000 CFS)
COMMERCIAL (.220 CFS)

Date Filed: 6/03/1988

In: T08S R14E S25 SWSW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 2148 4th Avenue East,
Twin Falls, Idaho 83301 on or before
SEPTEMBER 6, 1988.

R. Keith Higginson, Director
PUBLISH: 8/17 & 24, G5531

RECEIVED

AUG 15 1988

Department of Water Resources
Southern Region Office

OK
JP 8/16/88

RECEIVED

JUN 9 1988

Dept. of Water Resources
Southern Region Office

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Ardena & Heidi Dair
2. Address 1646 Bob Barton Rd Wendell ID 83355
Telephone 536-2189
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 8 S, Rge. 14 E, County Gooding,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☒ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☒ Other, Specify Dairy
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Maximum depth 130
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 6/6/88
7. Well Driller (if known) _____
Address _____
8. Applicant's signature Tom Thiele
Title _____
Date _____

MICROFILMED

FEB 14 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 3 day of June, 1988.

Signed Loren O'Hara

Title _____

Received by M. Baldwin Fee 100⁰⁰ Date 6/3/83

FEB 14 1989

Receipt No. 5000333 Construction start extension to _____

Extension approved by _____

RECEIVED

JUN 3 1988

State of Idaho
Department of Water Resources

Department of Water Resources
Region Office

DRILLING PERMIT
(Authorizing Construction of a Well)*

1. Applicant Aardema & Heida Dairy
2. Address 1646 Bob Barton Rd. Wendell ID 83355
Telephone 536-2189
(☒ Well Owner () Well Operator () Other, specify _____)
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 8S, Rge. 14E, County Gooding,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic (X) Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify Dairy
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 8 Maximum depth 130
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date June 6, 1988
7. Well Driller (if known) _____
Address _____
8. Applicant's signature Sam Heida
Title _____
Date _____

MICROFILMED

FEB 14 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(x) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 3 day of June, 1988.

Signed

Loren O'Halloran

Title

Southern Region Mgr

Received by

M. Baldwin Fee 100⁰⁰

Date

6/3/88

FEB 14 1989

Receipt No.

5000333

Construction start extension to

Extension approved by