

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, ID, this 28 day of MARCH, 19 91.

Rad. Gano
(Signature)

BOARD MEMBER

FOR DEPARTMENT USE ONLY

Preliminary check by JA Fee = \$20.00 5013163 Received by DR Date 3/28/91
Publication prepared by MB Date 5-22-91 Published in North Side News
Publication dates 6/5 & 6/12/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Director of the Department of Water Resources hereby
approve the above referenced application for amendment provided
the conditions as set forth in Permit No. 36-08344 are met.

Witness my hand this 2nd day of

January, 19 92

L. Glen Saxton
Chief, Water Allocation Bureau

MED
JAN 21 1992

AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(Paste Here)

State of Idaho }
County of Jerome } ss.

AUG 16 1991

Department of Water Resources
Southern Region Office

Not. of Correction
TITLE OF NOTICE
Jer. Country Club.

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J D W R T.F.
BILL TO

Patty Spance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7th day of Aug, 1991 and the date of the last publication was on the 14th day of Aug, 1991.

Subscribed and sworn to before me this 14th day of Aug., 1991.
(SEAL)

Patty Spance
Vince Sandage
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line

Number of Lines in Notice

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
225 Lines straight at 11.25 5¢/Pica
Subsequent lines at 9.00 4¢/Pica
TOTAL COST 20.25

NOTICE OF CORRECTION
Notice is hereby given that Application for Amendment to a Water Permit NO. 36-08344 in the name of Jerome Country Club was advertised incorrectly on 6/5 and 6/12/91. The point of diversion was advertised incorrectly.

WHEREAS, the actual point of diversion is within the NE1/4NE1/4, S19, T9S R17E; NE1/4NW1/4NE1/4, S19, T9S, R17E; NW1/4NE1/4NW1/4, S19, T9S R17E; Jerome County.

Any protest to the above correction must be filed with the Idaho Department of Water Resources, 222 Shoshone Stret East, Twin Falls, ID 83301 on or before August 26, 1991.

-s- R. Keith Higginson, Director
Pub: 8-7, 14 N8116

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

OK NB 9/17/91
But should be N/C for notice of Correction
MICROFILMED

JAN 21 1992

No 5128

8116

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Jerome } ss.

RECEIVED

JUN 17 1991

Department of Water Resources
Southern Region Office

Patty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 5th day of June, 1991, and the date of the last publication was on the 12th day of

June, 1991.

Patty Nance
Subscribed and sworn to before me this 13th day of June, 1991.
(SEAL)

Vince Gandiaga
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2x

Lines tabular at _____ 6¢/Pica
421.8 Lines straight at 21.09 5¢/Pica
Subsequent lines at 16.88 4¢/Pica
TOTAL COST 37.97

COPY OF NOTICE

(Paste Here)

Not. Amend. Water Permit
TITLE OF NOTICE
Jer. Country Club
36-08344
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO TF.

NOTICE OF AMENDMENT TO A WATER PERMIT NO. 36-08344

Notice is hereby given that JEROME COUNTRY CLUB is the holder of Approved Permit No. 36-08344 authorizing the diversion of 1.110 cubic feet per second of water from groundwater in the NE1/4NE1/4, S19, T9S, R17E, County of Jerome, to be used for irrigation of 191 acres within NE1/4, N1/2NW1/4, S19, T9S, R17E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to add a Point of Diversion as follows:

Amount: 1.11 cfs
Period of Use: 3/1 to 4/15 and 10/1 to 11/15
Point of Diversion: NE1/4NE1/4, S19, T9S, R17E; NE1/4NW1/4, S19, T9S, R17E; NW1/4NE1/4, NW1/4, S19, T9S, R17E; Jerome County.

Place of Use: Irrigation of 191 acres within NE1/4, NE1/4NW1/4, Lot 1 (NW1/4NW1/4), S19, T9S, R17E.

Any protest against approval of the amending of Permit No. 36-08344 as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before June 24, 1991.

-s- R. Keith Higginson, Director
Pub: 6-5, 12 N7448

*Errors noted
7/28-91
6-28-91*


MICROFILMED

JAN 21 1992

No 5074

7448

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene V. Fiedler
(Applicant)
President of Jerome County Club
Inver

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb., 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Spance

Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Vincent J. Sandberg
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Not. Appl. Trust Wat. Rt.
TITLE OF NOTICE
Jer. Country Club
36-08344
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO

Boise

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08344

JEROME COUNTRY CLUB

P.O. BOX 136

JEROME, ID 833380000

Source: GROUNDWATER

Diversion Pt: NENE Sec 19 T 09S R 17E

Use: IRRIGATION (1.110 CFS)

IRRIGATION (1.110 CFS)

Total Diversion: (1.110 CFS)

Date Filed: 2/12/1988

In: T09S R17E S19 NENE NWNE SWNE

SENE

NENW Lot 1 (NWNW)

191.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

-s- R. Keith Higginson

Director

N5182

Pub: 2-6, 13

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

RECORDED


MAR 28 1991

No 3697

5182

OK
TJH
2-9-91

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump		40		Layne & Bowler	LP 9/399
Booster	GE	60	MNJ1214389	Mid-Cont. Engr.	89222
"	"	20	5K256ET6005	"	89221

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						?

2. Measurements: Measured 6-13-95 by Gary Spackman at 185 gpm or 0.4 cfs

MICROFILMED

Oct 17 2002

measured on D14

1318 649 GOLF COURSE RD
2419

40 HP
SUBMERSIBLE TURBINE
1817
1817
1817

MICROFILMED
OCT 17 2002

JEROME COUNTY CLUB - 649 GOLF COURSE RD
WELL LOCATION NE 4 NE 4
SEC 19 TWP 9S RANGE 17E
JEROME COUNTY
40 HP PUMP SUBMERSIBLE TURBINE
4" PIPE 525' SETTING
ELECTRICITY - OPERATED
IDAHO POWER - SUPPLIER
ACCOUNT NO 0652-010-1390

Submersible Turbine Mod 6TP-175

FAMILY CURVE
DESIGN SERIES: 6TP-175
SPEED: 3450
CURVE NO.: ST2125B


SIZE: 6"

HZ: 60

DATE: 4 DEC 89



BERKELEY
PUMPS



Specifications

LIQUID END WEIGHTS

DESCRIPTION	WEIGHT LBS.	HP RATING	MOTOR FLANGE
ONE STAGE L.E.	52.0	20-50	8"
ONE STAGE L.E.			
ONE STAGE L.E.			
EACH ADDED STAGE	15.0	ALL	ALL

CURVE No. ST2125B

IMPELLER DATA

TYPE: ENCLOSED EYE AREA 3.45 Sq. In.
THRUST CONSTANT K 1.88 Lbs./Ft of HEAD.

HP	IMPELLER No.	STAGES	IMPELLER Dia.
50	M08643	21	4.44"
40	M08643	17	4.44"
30	M08643	12	4.44"
25	M08643	10	4.44"
20	M08643	8	4.44"

OUTLINE DIMENSIONS



- A- ONE STAGE LIQUID END LENGTH
B- SUCTION CONNECTION LENGTH
C- STAGE LENGTH
D- DISCHARGE CONNECTION LENGTH
E- BOWL DIAMETER
F- DIAMETER ACROSS LEAD GUARD

BOWL DATA

BOWL No. M08636 PUMP SHAFT Dia. 3/4"
TYPE THREADED DISCHARGE SIZE 3" NPT (Female)
4" NPT (Male)

NOTE: For each additional stage add 'C'

A	B	C	D	E	F	HP RATING	MOTOR FLANGE
19.83	11.50	5.00	3.83	5.38	5.81	20-50	8"

REVISED 15 May 90

MICROFILMED

OCT 17 2002

© 1990, Berkeley Pumps

PCC Data

(ALL DISTRICTS)

JEROME COUNTRY CLUB

GPS Site ID Tag

A0001678

Legal Description

09S 17E 19 NENE

Power Usage Records

Year	Total KWH	PCC Acre-Ft	Qualifier	PCC	PCC Date	Utility	Account Number	Serv Numl
1995	35410.00	36.8	1	962.9	06/13/1995	IP	0652010139	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	
1996	31838.00	33.1	1	962.9	06/13/1995	IP	06520101390	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	
1997	34147.00	35.5	1	962.9	06/13/1995	IP	06520101390	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	

New Record

Re-Calculate

Site Visit

POD

MICROFILMED
OCT 17 2002

PCC Data

(ALL DISTRICTS)

JEROME COUNTRY CLUB

GPS Site ID Tag

A0001678

Legal Description

09S 17E 19 NENE

PCC Calculations

Date 06/13/1995

PCC:

962.9

KWHrs/AF

Recalc PCC

Change Date:

dbo

Kilowatt-Hour Meter

Utility IP

Pole No 6121

Meter Mfr G

Meter S/N 51022696

Disk Const

Multiplier

Condition #1

KW

32.8

GPM

185

PCC

PSI

0

Perce

KW-A

Descrip

Condition #2

KW

0

GPM

0

PCC

PSI

0

Perce

KW-B

Descrip

Condition #3

KW

0

GPM

0

PCC

PSI

0

Perce

KW-C

Descrip

New Record

Site Visit

POD

MICROFILMED

OCT 17 2002

nt 100

nt 0

nt 0

MICROFILMED
OCT 17 2002

measured on D14



1817
9120

PD

pumps

1318

2419

MICROFILM
OCT 17 2001


An aerial photograph of a coastal area, likely a wetland or marsh, showing various shades of brown, tan, and green. A yellow overlay, resembling a map or a specific area of interest, is drawn over the central part of the image. The overlay has a complex, irregular shape with several protrusions and indentations. The text "MICROFILMED" and "OCT 17 2002" is printed in red on the yellow overlay. The background image shows a grid-like pattern, possibly from a map or a survey, with small white circles marking specific points. The overall image has a grainy, halftone texture.

MICROFILMED


OCT 17 2002

AERIAL PHOTOGRAPH
OCT 17 2002

P/D



10.3 Ac Total





Point of Diversion



Well Discharges Into Canal Near Bridge

MICROFILMED

OCT 17 2002

36-08344

7-31-97

JES



Storage Pond



Pond, Brown Pump house (Ten Pump house for Homeowners Assn.)

36-08344

7-31-91

JES

MICROFILMED

OCT 17 2002



Re-lift Pumps

MICROFILMED
OCT 17 2002

36-08344
7-31-97
JES



outlets of Re-lift Pumps

MICROFILMED
OCT 17 2002

36-08344
7-31-97
JES



Place of Use

36-08344
7-31-97
JES

MICROFILMED

OCT 17 2002

PALEOMETER MEAS: 10/10/90

NWNW G1	9
NeNW	30
NWNe	28
NeNe	18
SwNe	15
SeNe	12
	112

MICROFILMED

MAR 28 1991

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08344

Priority: February 12, 1988

Maximum Diversion Rate: 0.41 CFS
Maximum Diversion Volume: 36.8 AF

It is hereby certified that JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 12, 1988; and has
submitted Proof of Beneficial Use on March 15, 1993. An examination indicates that the works have a
diversion capacity of 0.41 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 11/15	0.41 CFS	36.8 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 17E 19	17.0	26.0	13.0	11.0	28.0	9.0											104.0

Total Acres: 104

CONDITIONS OF APPROVAL

1. Rights 36-04271, 36-08343 and 36-08344 when combined shall not exceed a total annual maximum diversion volume of 416.0 af at the field headgate, and the irrigation of 104 acres.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
3. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08344

4. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
5. This right does not grant any right-of-way or easement across the land of another.
6. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 130.
7. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 3RD day of OCTOBER, 2002.

Acting for

KARL J. DREHER
Director

MICROFILMED
OCT 17 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08344

RECEIVED

OCT - 1 2002

Department of Water Resources

Date of Priority: February 12, 1988

Maximum Diversion Rate: 0.41 CFS
Maximum Diversion Volume: 36.8 AF

Comes now JEROME COUNTRY CLUB
PO BOX 136

JEROME ID 83338 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 36-08344, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.41 CFS	36.8 AF

LOCATION OF POINT OF DIVERSION:


GROUND WATER NE¼NE¼NE¼ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 17E 19	17.0	26.0	13.0	11.0	28.0	9.0											104.0
						L 1											

Total Acres: 104

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 30th day of September, 2002.


(Signature & Title) Sec.

MICROFILMED
OCT 17 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08344

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$50 Received by jm # CD64873 Date 10-1-02

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08344 with the following:

CONDITIONS OF APPROVAL

1. Rights 36-04271, 36-08343 and 36-08344 when combined shall not exceed a total annual maximum diversion volume of 416.0 af at the field headgate, and the irrigation of 104 acres.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
3. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
4. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
5. This right does not grant any right-of-way or easement across the land of another.
6. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 130.
7. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

Witness my hand this 3RD day of OCTOBER, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED

OCT 17 2002

RECEIVED

MAR 15 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00
Date 03/12/93
Receipt No. 501 5495
Receipt by dkv

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08344 Telephone No. 208-324-8808
2. Name(s) of Permit Holder(s): JEROME COUNTRY CLUB
3. Mailing Address: P.O. Box 136, JEROME, IDA. 83338
4. Source of Water: GROUNDWATER

If GROUNDWATER, Well Driller's Name: WALKER WATER SYSTEMS Date Drilled: FEB. 22, 1991

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): 350'-450'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 191 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.110 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? ✓ Yes _____ No

OR

Flow Measurement Port: Required? ✓ Yes _____ No Installed? ✓ Yes _____ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

ROD MORGAN (Home) 208-324-3233 (Shop) 208-324-8614
Name Telephone No.
613 YINGST ROAD JEROME, IDA 83338
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 08 1993

12 Mar 1993 Richard E. Nelson President Jerome P.C.
Date Signature (and title, if on behalf of a company or organization)

APPROVEDSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**RECEIVED**

APPLICATION FOR AMENDMENT OF A PERMIT

MAR 28 1991 DBS

To change the point of diversion and/or the place of use. Department of Water Resources
Southern Region Office

Comes now Jerome Country Club
of (address) P.O. Box 136, Jerome, ID 83338, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 36-8344, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE 1/4 NE 1/4, Section 19, Township 9S, Range 17E, B.M.,
County of Jerome. Other points of diversion: NENW 1/4 NE 1/4
T9S R17E; NENW 1/4 NE 1/4 T9S R17E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.11 for Irrigation purposes from 3/1 to 4/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.11 for Irrigation purposes from 10/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)


3. Place of use or land to be irrigated: No Change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	17E	19	38	38	36	46	30	9											191

Total number of acres to be irrigated = 191

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant & North Rim Fairways Homeowners Assn
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Easement to water common area between golf course & subdivision

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, ID, this 28 day of MARCH, 19 91.

Red. Lano
(Signature)

BOARD MEMBER

FOR DEPARTMENT USE ONLY

Preliminary check by JA Fee = \$20.00 5013163 Received by DR Date 3/22/91
Publication prepared by MB Date 5-22-91 Published in North Side News
Publication dates 6/5 & 6/12/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Director of the Department of Water Resources hereby

approve the above referenced application for amendment provided

the conditions as set forth in Permit No. 36-08344 are met. **JAN 21 1992**

Witness my hand this

2nd day of

January, 19 92

L. Glen Saxton
Chief, Water Allocation Bureau

AFFIDAVIT of PUBLICATION RECEIVED

State of Idaho }
County of Jerome } ss.

AUG 16 1991

Department of Water Resources
Southern Region Office

Patty Spence, being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7th day of Aug, 1991 and the date of the last publication was on the 14th day of Aug, 1991.

Patty Spence

Subscribed and sworn to before me this 14th day of

Aug, 1991.
(SEAL)

Vincent J. Ganss
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

225 Lines straight at 11.25 5¢/Pica

Subsequent lines at 9.00 4¢/Pica

TOTAL COST 30.25

COPY OF NOTICE

(Paste Here)


Not. of Correction
TITLE OF NOTICE
Jer. Country Club

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

210 WR T.F.
BILL TO



PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

OK MB
9/17/91
But should be N/C for notice for correction

MICROFILMED

JAN 21 1992

No 5128

8116

AFFIDAVIT of PUBLICATION

State of Idaho }
County of Jerome } ss.

RECEIVED

JUN 17 1991

Department of Water Resources
Southern Region Office

Patty Nance being first duly sworn, deposes and says that she is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 5th day of June, 1991, and the date of the last publication was on the 12th day of

June, 1991.

Patty Nance
Subscribed and sworn to before me this 13th day of June, 1991.
(SEAL)

Vicente J. Santiago
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

421.8 Lines straight at 21.09 5¢/Pica

Subsequent lines at 16.88 4¢/Pica

TOTAL COST 37.97

COPY OF NOTICE

(Paste Here)

Not. Amend. Water Permit
TITLE OF NOTICE

Jer. Country Club


36-08344

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO T.F.



Errors noted
nb
6-28-91

MICROFILMED

JAN 21 1992

No 5074

7448

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08344

Proposed Priority: February 12, 1988 Maximum Diversion Rate: 1.11 CFS

This is to certify, that JEROME COUNTRY CLUB

P.O. BOX 136

JEROME, ID 833380000

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 04/15	1.11 CFS
IRRIGATION	10/01 to 11/15	1.11 CFS
Totals		1.11 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 19, Township 09S, Range 17E
JEROME County

<u>PLACE OF USE:</u> IRRIGATION					
<u>TWN RGE SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S 17E 19	NENE 38	NWNE 38	SWNE 36		
	SENE 40	NENW 30	LOT 1(NWNW) 9		191
Total number of acres irrigated:					191

<u>PLACE OF USE:</u> IRRIGATION					
<u>TWN RGE SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S 17E 19	NENE 38	NWNE 38	SWNE 36		
	SENE 40	NENW 30	LOT 1(NWNW) 9		191
Total number of acres irrigated:					-

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

MICROFILMED

1991

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 36-08344

CONDITIONS/REMARKS:

6. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
7. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
8. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
9. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
10. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of March, 1991.

for 
R. Keith Higginson, Director

MICROFILMED

MAR 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Jerome Country Club Phone 324-5081

Post office address P. O. Box 136, Jerome, ID 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____

Sec. 19 Township 9S Range 17E B.M. Jerome County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.11cfs for Irrigation purposes from Mar 15 to Apr 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.11cfs for Irrigation purposes from Oct 1 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.11 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump, buried sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 550 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to be used for beneficial use is

2 years (minimum 1 year).

MAR 28 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	17E	19	38	38	36	40	30	Lt 1 9											191

Total number of acres to be irrigated 191

10. Describe any other water rights used for the same purposes as described above. _____

Northside Canal Co. shares & waste water

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? " & North Rim Fairways Homeowners Assn.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. easement to water common area between golf course & subdivision. Watering of common area will decrease as homes are built on it.

12. Remarks: Groundwater is needed to maintain the grass early and late in the season when surface water is not available.

MICROFILMED

MAR 28 1981

T. 95

R. 17E

30 38 38 36 40

17

MICROFILMED

MAY 3 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene W. Funderburk
(Applicant)
President of Jerome County Club
Inc.

Received by J. J. Stenton Date 2-12-88 Time 10 am Preliminary check by [Signature]
Fee \$ 65.00 Receipted by [Signature] # 45492 Date 2-12-88
Publication prepared by BLM Date 1-23-91 Published in Northside News
Publication approved _____ Date 2/16 + 2/13/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

MAR 28 1991

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb., 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Spance

Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Vicente C. Gandiaga
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE


(Paste Here)

Not. Appl. Trust Wat. Rt.
TIME OF NOTICE
Jer. Country Club
36-08344
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R.
BILL TO Boise



PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1984)	
7-8 pt. per line straight.....	5¢/Pica
7-8 pt. per line tabular.....	6¢/Pica
7-8 pt. per line successive insertions.....	4¢/Pica

MAR 28 1991 No 3697

5182
2-9-91



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 10, 2003

JEROME COUNTRY CLUB INC
PO BOX 136
JEROME ID 83338

RE: Transfer No.: 70242 - Water Right 36-8344 - Transfer Approval Notice

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed approved Transfer of Water Right(s). Please be sure to thoroughly review the conditions of approval and remarks listed on the approval document.

The Transfer of Water Right(s) is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless the APPLICANT petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

ANY PERSON aggrieved by any decision, determination, order or action of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Department and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7940.

Sincerely,

for 
Jeff Peppersack, Manager
Water Rights Permits Section

JP:klt

Enclosure(s)

MICROFILMED


MAR 6 2003

CERTIFICATE OF SERVICE

I hereby certify that on February 10, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing TRANSFER APPROVAL to the person(s) listed below:

RE: TRANSFER NO. 70242 - WATER RIGHT 36-8344

**JEROME COUNTRY CLUB INC
PO BOX 136
JEROME ID 83338**



**Kari Lynn Townsend
Secretary**

MICROFILMED

MAR 26 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

TRANSFER REVIEW SHEET

T70242

Trans # 70242Date Reviewed 12-10-02Right No(s) * 36-8344Split? Y N Y N Y N Y N Y N Y NAREA OF CONCERN: No/Yes Yes

PURPOSE OF TRANSFER FOR EACH RIGHT:

✓ Change p/d Change use period Change p/u
Add p/d Change nature of use

RightID's of From & To records correct? Y N (resolve with State Office personnel)

Check for Partial Decree issuance, etc. since time of application's entry

PROOF OF OWNERSHIP COMPLETE FOR OLD & NEW P/U _____ Lien Holder Release N/A

GROUNDWATER:

DRILLING PERMIT

All wells

DP upgrade req'd Y N (contact GW personnel)

WMD

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

WMF

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

SUPPLEMENTAL (irr = only use)

SUPPLEMENTAL (irr + other uses)

- 046

- North/East/West

- No MD

- 067

- No MD

- 01M or 01Q

- 065-104

- 100-105

115

SURFACE WATER:

WD

≤ 0.20 cfs/others

> 0.20 cfs

WB, SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

- R05 (WD# _____) WM comments rec'd _____

- R02, 01P or No MD

- R43

- No MD

- 01M or 01Q

STANDARD SEASON _____ to _____ (use X61 if extended season)

STANDARD VOLUME _____ af/ac

CONSUMPTIVE USE VOLUME _____ af/ac

USES:

STORAGE

- 18C-R02-01P-18B-NA

IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCKWATER - R37 (all BLM/USFS)

MINING - 054-106

FISH PROP - 029(70'S only)-007-122-106

HEAT/COOL - R07 (injection well)

FIRE PROT. - 077

DAIRY - 082 (zoning if a concern)-106-WD8

USES:

POWER

- 17H-17K (+uses)-025-106

MUNICIPAL

Restricted area

Irr., GW supp to SW

DOMESTIC

Surface water

>1 in restricted area

Irr use listed separate

- 022-075 RAFN - 007-109-X64

- 102

- WB5 (Big Wood or Boise above Star Bridge)

- 27A (Payette River)

- 070-071-075 (no parks/common areas, etc)

- WB5

MISC CONDITIONS/REMARKS:

T07 - 1 yr to develop

T08 - comply or rescind

T17 - measure all p/d's (used with WB4)

T18 - Special T17 & R43 combined -
multiple pds in WD

Protested - 020-X19

Water Quality - 106-R07

X27 - Number of acres/season in ppu

X35 - Combined totals of multiple rts

X49 - measure p/d's (source chg'd to orig trib)

X51 - 2+ yrs to develop

X53 - Use ltd to orig. source availability

X54 - forfeited ac/rate (used rarely)

X55 - (transfer shrinks total water to less ac)

X57 - no right-of-way

X58 - pending claim (statutory or AJ b/u claim)

X61 - extended irr season

X62 - replaces N11 and N13

X63 - replaces C12

WB4 - + p/ds, cfs & afa (used with T17)

WD8 - land application of waste water

01Q - used instead of 01M when there's another meas. Cond (i.e. T17 & 01m)

Apply one to chg'd and unchg'd rts:

T09 - on-going SRBA (no Dir Rpt
or Recomm yet)T19 - replaces C18
(if at Recommendation
or Partial Decree stage)T20 - use instead of T09 where
not ongoing in SRBAOTHER CONDITIONS/REMARKS from license

COMMENTS

Database files updated ✓ Approval form printed ✓ Shape files created ✓

Special Mailing Instructions (cc's, etc)

Final database update after approval 1/10/03 *Comment to WR No(s).

IDWR TRANSFER ANALYSIS SHEET

APPLICANT

Jerome Chy Chy
36-8344

TRANSFER NO.

70242

1. Right number(s)

2. Type of right

☐ Decree ☒ License ☐ Statutory Claim
☐ SRBA Beneficial Use Claim

3. Purpose of transfer

☒ Change P/D ☐ Add P/D ☐ Change P/U
☐ Change N/U ☐ Change Source ☐ Split Right
☐ Other: _____

4. Check Existing
Right:

☒ Source ☒ Priority ☒ Amount ☒ Purpose
☒ Period ☒ SRBA Claim
☒ Description of original point(s) of diversion
☒ Description of original place of use
☒ Overlapping rights on original place of use

Comments: _____

5. Check Proposed Right for amount of land &/or water transferred:

☒ Also see attached memo for more analysis information

- a. ☒ All of right
- b. ☐ Part of right (NOTE: Part B should be filled in only if part of right is owned by the applicant)
- c. ☒ Description of point(s) of diversion
- d. ☒ Description of place of use
- e. ☒ Map showing P/D & P/U after transfer
- f. ☒ Correct notarized signature and \$100 fee
- g. ☒ Proof of ownership of right &/or land from which water is transferred Required For new POD
- h. ☒ Expansion in use of right - Comments: N/A

i. N/A

Existing rights from same source, on land water is being transferred to; right number(s): _____

j. N/A

SRBA claim(s) - Comments (NOTE: Approved transfer amends SRBA claim; differences between existing water right and SRBA claim? any ownership or other outstanding issues? Explain) _____

k. ✓

Comment letters

If yes

✓

Yes _____ No _____

Water District #130

Lienholder, others, see #2 below for name and address

INITIAL ALLOCATION REVIEW BY J. E. Stanton
SRBA SUPERVISOR REVIEW BY _____
PUBLICATION REVIEW BY _____

DATE 12-10-02

DATE _____

DATE _____

1. Legal Notice electronically sent to DWRO3::VAULT _____ Yes

2. COMMENT LETTERS

Copy of Pg 1 to AJ _____ Yes

12/27/02

Watermaster recommendation requested on _____, Received on _____

Other comments letters - send to the following name(s) & address(es): _____

3. Transfer published correctly? ✓ Yes _____ No _____

4. Affidavit of publication received? ✓ Yes _____ No _____

5. Protests received? _____ Yes _____ No; Acknowledgement sent? _____ Yes

6. Copies made for Region file (see attached supplemental page)? _____ Yes

RECOMMENDED ACTION

1. ✓ Approve

2. _____ Deny due to _____

3. Conditions (special conditions in Water Districts) _____

Also see attached memo for recommendation dated: _____

4. By AB

Date 2/6/03

NOTICE OF PROPOSED CHANGE TO WATER RIGHTS

Notice is hereby given that an Application for Transfer has been filed with the Idaho Department of Water Resources for changes to water rights within Jerome County:

The JEROME COUNTRY CLUB, PO BOX 136; JEROME ID 83338 filed Application No. 70242 on 11/8/02 for diversion of 0.41 cfs from ground water. This application proposes the drilling of a replacement well 5 3/4 mile South and 3/8 mile East of Jerome city center. The well will provide irrigation water for the Jerome Country Club golf course when surface water is not available. The existing well is no longer usable, and will be abandoned.

For specific details regarding the application(s), please contact IDWR Southern Regional Office at 208-736-3033 or visit www.idwr.state.id.us with detail provided under "New Water Right Applications". Protests may be submitted based on the criteria of Sec 42-222, Idaho Code. Protests against approval must be filed with IDWR, Southern Region, 1341 Fillmore St.-Suite 200; Twin Falls, ID 83301 with a protest fee of \$25.00 for each application on or before January 13, 2002. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the North Side News on 12/26/02 & 1/2/03.

MICROFILMED

MAR 26 2003

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 36-8344

WATER RIGHT NUMBER: 36-8344

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	JEROME COUNTRY CLUB PO BOX 136 JEROME, ID 83338

Priority Date: 02/12/1988

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	03/15 to 11/15	0.410 CFS	36.80 AF
	<u>Total Diversion:</u>	0.410 CFS	36.80 AF

Location of Point(s) of Diversion

GROUND WATER	NE1/4NE1/4NE1/4	Sec. 19, Twp 09S, Rge 17E, B.M.
JEROME County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	17E	19	17.0	26.0	13.0	11.0	28.0	9.0											104.0
								L 1											

Total Acres: 104

Conditions of Approval:

1. 004 This right does not grant any right-of-way or easement across the land of another.
2. 065 The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. 104 If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
4. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 130.
5. R55 This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. R64 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

MAR 25 2003

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 36-8344

7. X35 Rights 36-04271, 36-08343 and 36-08344 when combined shall not exceed a total annual maximum diversion volume of 416.0 af at the field headgate, and the irrigation of 104 acres.

Remarks:Comments:

1. jstanton 2/8/2002 Field Exam 36-8344

Comment: Exam was done 7-31-97 accompanied by golf-course manager. A small well in NE corner of property pumps into a wastewater ditch via a buried pipeline. Ditch runs into pond, where water is pressurized by 60 hp & 20 hp pumps for use in buried sprinkler system. Although the wastewater continues on west to another pond & re-lift pump, the well only pumps into the east pond for use early & late in the season before wastewater and canal water are available. The well could also be used when surface flows are inadequate, so could be used more in future years as the canal system becomes more efficient. This well only serves the golf course, not lands of the homeowner association as stated in the permit; they only take 45 shares of canal water when it is available. Well is totally supplemental to surface rights. This system would not operate properly without storage in the ponds; the diversion rate of only 1/5" per acre is a beneficial use for this particular system. Well was measured at 185 gpm on 6-13-1995 by Gary Spackman, and I am recommending this rate (0.41 cfs).

This well went dry in 2002 according to a representative of the applicant, so they want to drill a new well north of the golf course in Sec. 18. Expedited license is requested so a transfer can be filed ASAP.

2. kwalker 9/12/2002 Irrigation Season

Comment: The permit was approved with a 76 day irrigation season. The examiner recommends we license it with an irrigation season of 214 days and limit the volume to the amount of water reported to the Water Measurement District as the limiter. In talking with Shelley, we determined that we can prepare the license with the examiners recommendation without an expansion of the permit occurring. The permit was issued for irrigation of 191 acres during the 76 day period. The volume required for the 88 acres that were not developed could compensate for the longer irrigation season. 88 acres @ 4.0 af would be 352 acre feet per year that was not developed as permitted. I have recommended we allow the standard irrigation season for the area which is longer than the season recommended by examiner but right will be limited as stated above.

3. kwalker 9/13/2002 Place of Use

Comment: Recommend we allow 26 acres in the NWNE for this right. The SRBA has decreed 26 acres within that 40 and in review of GIS I could not locate the 1 acre difference. This would make the proposed license consist of a place of use including 104 acres which is 1 acre more than examiner recommended.

Dates and Other Information:

Licensed Date: 10/3/2002

Decreed Date:

Water Supply Bank Enrollment Accepted:

Water Supply Bank Enrollment Removed:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number: 130

Generic Max Rate Per Acre: 0.02

Generic Max Volume Per Acre: 4

Decree Defendant:

Decree Plaintiff:

Civil Case Number:

Judicial District:

Swan Falls Trust or Nontrust: T

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

MICROFILMED

MAR 20 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 4, 2002

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

RE: License No. 36-8344 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

OCT 17 2002


CERTIFICATE OF SERVICE

I hereby certify that on October 4, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

36-8344

**JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338**



**Kari Lynn Townsend
Secretary**

MICROFILMED

OCT 17 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

OCT 17 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 17, 2002

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

RE: Water Right Permit No. 36-08344

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.


Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ **Other** – The season of use was permitted for early (3/1 to 4/15) and late (10/1 to 11/15) irrigation. We see, however, in reviewing our records that you have previously diverted water during the months of May, June, and July also. Please note that even though we are recommending changing your irrigation season, this is based on the your actual practice and not for anticipated future needs from the well.

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,


KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED
OCT 17 2002

Comment Report

36-8344

1. jstanton 2/8/2002 Field Exam 36-8344

Comment: Exam was done 7-31-97 accompanied by golf-course manager. A small well in NE corner of property pumps into a wastewater ditch via a buried pipeline. Ditch runs into pond, where water is pressurized by 60 hp & 20 hp pumps for use in buried sprinkler system. Although the wastewater continues on west to another pond & re-lift pump, the well only pumps into the east pond for use early & late in the season before wastewater and canal water are available. The well could also be used when surface flows are inadequate, so could be used more in future years as the canal system becomes more efficient. This well only serves the golf course, not lands of the homeowner association as stated in the permit; they only take 45 shares of canal water when it is available. Well is totally supplemental to surface rights. This system would not operate properly without storage in the ponds; the diversion rate of only 1/5" per acre is a beneficial use for this particular system. Well was measured at 185 gpm on 6-13-1995 by Gary Spackman, and I am recommending this rate (0.41 cfs). This well went dry in 2002 according to a representative of the applicant, so they want to drill a new well north of the golf course in Sec. 18. Expedited license is requested so a transfer can be filed ASAP.

2. kwalker 9/12/2002 Irrigation Season

Comment: The permit was approved with a 76 day irrigation season. The examiner recommends we license it with an irrigation season of 214 days and limit the volume to the amount of water reported to the Water Measurement District as the limiter. In talking with Shelley, we determined that we can prepare the license with the examiners recommendation without an expansion of the permit occurring. The permit was issued for irrigation of 191 acres during the 76 day period. The volume required for the 88 acres that were not developed could compensate for the longer irrigation season. 88 acres @ 4.0 af would be 352 acre feet per year that was not developed as permitted. I have recommended we allow the standard irrigation season for the area which is longer than the season recommended by examiner but right will be limited as stated above.

3. kwalker 9/13/2002 Place of Use

Comment: Recommend we allow 26 acres in the NWNE for this right. The SRBA has decreed 26 acres within that 40 and in review of GIS I could not locate the 1 acre difference. This would make the proposed license consist of a place of use including 104 acres which is 1 acre more than examiner recommended.

MICROFILMED

OCT 17 2002

LICENSE REVIEW CHECKLIST

Permit No. 36-8344 Date: 9-12-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

OL's w/ 36-4271 - 8343 per examiner

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 1.11 cfs
Fee Limit 2.0 cfs
Measured 0.41 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 2.41

Water Uses

change season of use
change (P48)

Season of Use per new Standards
3-15 11-15

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total _____ cfs _____ af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (W67/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (106/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.41 cfs x 1.9835 x 76 days = 61.8 af (vs) 10.3 acres x 4.0 (FHR) = 412.0 af
3.0 (con)

Remarks: see back of sheet

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Mgmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? _____ yes _____ no If yes, explain why below.

SRBA Claim? NO - not req'd

Adjust memo _____

Amend Letters _____ P87, S06 Second Amendment Notice P46 S06

$$3/15 \rightarrow 4/15 = 31 \text{ days} \checkmark$$

$$10/1 \rightarrow 11/15 = 45 \text{ days} \checkmark$$

$$76 \text{ days total}$$

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 12 2002
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 36-08344

1. Owner: Jerome Country Club

Phone No. 324-8614

Current Address: PO Box 136, Jerome, ID 83338

2. Accompanied by: Rod Morgan

EXAM DATE: 7-31-97

Address: Same

Phone No. _____

Relationship to Permit Holder: superintendent

3. Source: Groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

^{NS}
~~4000 shares~~
36-08343, 36-02409A (T.3677), 36-04291

2. Other water rights with the same point of diversion:

~~36-02409A (T.3677)~~

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	19	9S	17E	Jerome	
									AreView

2. Place(s) of Use:

Indicate Method of Determination

ASCS photo, det grid

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	17E	19	4	25	13	11	28	9.2											103
			6					41											3.2
			17	25	13	11													

MICROFILMED

OCT 17 2002

2. Measurements: Measured 6-13-95 by Gary Spackman at 185 gpm or 0.41 cfs

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump		40		Lynch Pumps	LP91399
Booster	GE	60	MNT1214389	Mid-Cont. Engr.	87222
"	"	20	5K256ET6005	"	89221

4.

Scale: 1" = _____
✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
✓ Aerial Photo Attached (required for irrigation of 10+ acres)
✓ Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Well, submersible motor & pump, buried mainline to irrigation/waste water ditch. Ditch runs into a large pond (2 1/2 acres x 8-10' deep). Two pumps operate sprinklers to irrigate a golf course. Although there is another pond & pump lower down on the system, the well is only used to fill the upper pond. The well normally is only used in March & towards the end of the season when canal water is not available (30-60 days total x 24 hrs/day). Can also be used whenever surface water runs short in summer. NSCC has plans to reduce waste water flows over the next 10 years according to Mr. Morgan, so the well may be used more in the future. Only the fairways are watered under this permit.

Although the amended permit says that this water also serves the homeowners' association, this is not the case. The association only gets 45 shares of NSCC water, & has agreed to only use this amount (less if canal deliveries are cut back).

~~Transfer #3677 moved a portion of 36-02409A (properly numbered 36-02409D) to this property in 1990, but was never entered into the database.~~

~~Right is supposed to be transferred back to original farm in 1998 - Mr. Butler should be notified. Well was drilled under this transfer, then water permit was approved a month later. We may want to withhold licensing until 2409D is moved back to original property.~~

~~Re: #77 pumps produce about 1000 gpm according to Mr. Morgan. This is an application rate of about 2.2"/acre, but only occurs about 12 hours/day. Runs mainly at night when golf course is closed, with spot watering during the day. Pumps use whatever water is stored in the pond. System would not operate properly without the pond storage, so the apparent diversion rate of 1/5" per acre is a beneficial use of groundwater.~~

Owner data shows 103 irrigated acres. ASCS data confirms this.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

DEC 17 2002

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 103 \times 4 = 412$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.41 \times 60 \times 1.9835 = 48.8$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 48.8 \text{ AFA} \text{ Allow } 36.8 \text{ AFA (highest usage since 1995)}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.41	36.8
Totals:			0.41	36.8

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other period of use

I. AUTHENTICATION

Field Examiner's Name

J. F. Stanton

Date

9-10-02

Reviewer

Date

SEAL

MICROFILMED

OCT 17 2002

Comment Report

36-8344

1. jstanton 2/8/2002 Field Exam 36-8344

Comment: Exam was done 7-31-97 accompanied by golf-course manager. A small well in NE corner of property pumps into a wastewater ditch via a buried pipeline. Ditch runs into pond, where water is pressurized by 60 hp & 20 hp pumps for use in buried sprinkler system. Although the wastewater continues on west to another pond & re-lift pump, the well only pumps into the east pond for use early & late in the season before wastewater and canal water are available. The well could also be used when surface flows are inadequate, so could be used more in future years as the canal system becomes more efficient. This well only serves the golf course, not lands of the homeowner association as stated in the permit; they only take 45 shares of canal water when it is available. Well is totally supplemental to surface rights. This system would not operate properly without storage in the ponds; the diversion rate of only 1/5" per acre is a beneficial use for this particular system. Well was measured at 185 gpm on 6-13-1995 by Gary Spackman, and I am recommending this rate (0.41 cfs). This well went dry in 2002 according to a representative of the applicant, so they want to drill a new well north of the golf course in Sec. 18. Expedited license is requested so a transfer can be filed ASAP.

MICROFILMED

OCT 17 2002

Well Use - Jerome Country Club

	KWH	PCC	AF	Period
1995	35410	962.9	36.8	Feb, Apr-July
1996	31838		33.1	Apr-May
1997	34147		35.5	Apr-May
1998	30097		31.3	Apr-May
1999	27498		28.6	May
2000	234		0.2	Jun, Oct
2001	16298		16.9	Apr, May, July

MICROFILMED

DEC 12 2002

PCC2 4-17-95

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

JUL 30 1997

Post-it* Fax Note	7671	Date	7/30	# of pages	1
To	Jim Stanton	From	Scott King	Co.	
Co./Dept.		Phone #	CALL	Phone #	ME
Phone #		Fax #		Fax #	

Department of Water Resources

more info

Name: JEROME COUNTRY CLUBWater Right No: 36-08344Legal Description: T9S R17E Sec 19 1/4 NE 1/4 NE 1/4**Current Owner**

Name _____ Phone _____

Last, First, MI

Address _____ City _____ State _____ Zip _____

Operator (if leased or operated by someone else)

Name _____ Phone _____

Last, First, MI

Well Site IdentificationUncorrected: Longitude 114° 30.200 W Latitude 42° 38.251' N

Corrected: Longitude _____ Latitude _____

PLS/USGS Locator: M 061314A Site Tag Id. No. A0001678Site Tag location description: On power pole 6' from well**Pump and Motor Information**

PUMP DATA		MOTOR DATA	
Manufacturer	<u>Layne Bowler</u>	Manufacturer	
Serial Number	<u>LP91399</u>	Serial Number	
Model Number		Rated Horsepower	<u>40 hp</u>
Type	<u>submersible</u>	Rated Amps	
Impeller Diameter		Rated Volts	
Rated Speed		Rated Speed	
Rated Discharge		Phase	
Rated Head		Service Factor	

MICROFILMED

1997

Determination of Power Consumption Coefficient (PCC)

KILOWATT HOUR METER		WATER MEASUREMENT METER and MOUNTING PIPE INFORMATION	
Utility <i>Pole # 6121</i>	<i>Idaho Power</i>	METER INFORMATION	
Manufacturer	<i>GE</i>	Manufacturer	
Meter Serial No.	<i>51 022 696</i>	Model Number	
Disc Constant(Kh)	<i>43.2</i>	Type	
Meter Multiplier		PIPE INFORMATION	
Rated Voltage	<i>480</i>	Pipe material	<i>steel</i>
Demand	<i>31 kW</i>	Outside Diameter	<i>(on tape)</i>
Multiplier (Mult)		Inside Diameter	
CTR (Current)		Distance of straight pipe upstream from meter	<i>3 feet</i>
PTR (Voltage)		Distance of straight pipe downstream from meter	<i>1 foot</i>

Kilowatts

$$KW = 3.6 \times Kh \times Mult \times N \div T = KW$$

$$N = \text{<number of disc revolutions>} \underline{10} \text{ Rev.}$$

$$T = \text{<time = seconds per N>}$$

$$\text{Sec } (47.44 + 47.46 + 47.45) / 3 = \underline{47.45} \text{ (ave)}$$

$$KW =$$

$$3.6 \times \underline{43.2} (Kh) \times \underline{0} (Mult) \times \underline{10} (N) \div \underline{47.45} (T) =$$

$$\underline{32.8} \text{ KW}$$

Measured Flow rate

Enter flow rate as determined by the water meter either in gallons per minute or cubic feet per second. Attach documentation to support data such as notes, printout tapes etc.

$$\underline{184.8} \text{ GPM}$$

or

$$\underline{0.41} \text{ CFS}$$

Power Consumption Coefficient (PCC)

$$\text{Using GPM} \rightarrow PCC = KW \times 5433 \div GPM$$

$$PCC = \underline{32.8} (KW) \times 5433 \div \underline{184.8} (gpm) = \underline{963.6} (kWh/ac.ft)$$

$$\text{Using CFS} \rightarrow PCC = KW \times 12.1 \div CFS$$

$$PCC = \underline{\quad\quad\quad} (KW) \times 12.1 \div \underline{\quad\quad\quad} (gpm) = \underline{\quad\quad\quad} (kWh/ac.ft)$$

$$PCC = \boxed{963.6}$$

MICROFILMED

2002

Sketch of pumping plant layout:

Comments: Discharge to pond. Connected & elevated
section of pipe to get full pipe flow.
Tried to measure PVC - couldn't get a reading - mounted
to angled steel pipe - instrument OK

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature Gary Spackman Date 6/13/95
(person performing measurements)

For Department Use Only

Received by _____ Date _____

Reviewed by _____ Date _____

Data Entry by Kris Rhodes Date 10/12/95

MICROFILMED

OCT 17 2002

measured on D14

13118 649 GOLF COURSE RD
24119

40 HP
SUBMERSIBLE PUMP
18117
1451

19120

MICROFILMED

JEROME COUNTRY CLUB - 649 GOLF COURSE RD

WELL LOCATION NE 1/4 NE 1/4

SEC 19 TWP 9S RANGE 17E
JEROME COUNTY

40 HP PUMP SUBMERSIBLE TURBINE


4" PIPE 525' SETTING

ELECTRICITY - OPERATED

IDaho POWER - SUPPLIER

ACCOUNT NO 0654-010-1390

Submersible Turbine Mod 6TP-175




Specifications

LIQUID END WEIGHTS

DESCRIPTION	WEIGHT LBS.	HP RATING	MOTOR FLANGE
ONE STAGE L.E.	52.0	20-50	6"
ONE STAGE L.E.			
ONE STAGE L.E.			
EACH ADDED STAGE	15.0	ALL	ALL

OUTLINE DIMENSIONS



- A- ONE STAGE LIQUID END LENGTH
B- SUCTION CONNECTION LENGTH
C- STAGE LENGTH
D- DISCHARGE CONNECTION LENGTH
E- BOWL DIAMETER
F- DIAMETER ACROSS LEAD GUARD

CURVE No. ST2125B

IMPELLER DATA

TYPE: ENCLOSED EYE AREA 3.45 Sq. In.
THRUST CONSTANT K 1.88 Lbs./Ft of HEAD.

HP	IMPELLER No.	STAGES	IMPELLER Dia.
50	M08643	21	4.44"
40	M08643	17	4.44"
30	M08643	12	4.44"
25	M08643	10	4.44"
20	M08643	8	4.44"

BOWL DATA

BOWL No. M08635 PUMP SHAFT Dia. 3/4"
TYPE: THREADED DISCHARGE SIZE 3" NPT (Fem.)
4" NPT (Mae)

NOTE: For each additional stage add 'C'

A	B	C	D	E	F	HP RATING	MOTOR FLANGE
12.33	11.00	5.00	3.83	5.38	5.81	20-50	6"

REVISED 15 May 80

MICROFILMED

© 1990, Berkeley Pumps

NOTES

Contact: John McGonigal

Name Jerome Country Club FarmName

Location	Phone(s)
----------	----------

Phone Shop: 324-5281

Date	Initials	Information Log	8614-P
4/2/95	SK	Mrs. Tom returned area. One other well used for domestic. Don't know about other. Advised him of water procedure if possible. He'll return call. John called again. Well in NE NE used for irrig. Well in NE NW NE Clubhouse only. Currently measured. Will waive if small. Well in NW NE NW has no pump, not used. Waive these if small enough.	
3-7-97	TL	Called PO's MORGAN ABOUT CLUB house well. MORGAN said this well is not metered, but it has only a 5 HP pump at most, & has only 3/4 inch pipe from well to club house. This well seems small enough to waive, even though it may be under some permit as irrig. well. Well in NW NE NW still has no pump, not used. (Well does not produce enough water for use)	

MICROFILMED

073 1 2002

PCC Data

A0001678

09S 17E 19 NENE

1985

35410.00

1

0652010139

1996

31838.00

1

06520101390

1997

34147.00

1

06520101390

MICROFILMED

OCT 17 2002

PCC Data

A0001678

09S 17E 19 NENE

06/13/1995

IP

6121

G

51022696

32.8

185

0

0

0

0


0

0

0

MICROFILMED

001 17 2002



MICROFILMED
OCT 17 2002

measured on DIA

MICROFILM

207 12 200

1318

2419

1317

19120

pumps

FD



7


MICROFILMED

OCT 17 2002

PROFILMED

OCT 17 2002

T4 0001
26 Ac





Point of Diversion



Well Discharges Into Canal Near Bridge

MICROFILMED

OCT 17 2007

36-08344

7-31-97

JES



Storage Pond



Pond, Brown Pump house (Ten Pump house For Homeowners Assn.)



36-08344

7-31-91

JES

MICROFILMED

OCT 17 2002



Re-lift Pumps

MICROFILMED
1997 11 2002

36-08344

7-31-97

JES



outlets of Re-lift Pumps

MICROFILMED

OCT 17 2002

36-08344

7-31-97

JES



Place of Use

36-08344

7-31-97

JES

MICROFILMED

11/13/2002

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO. 36-08344

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (X) Blank Field Report & Notice of Completed Exam
(X) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments,
Proof of Beneficial Use, SRBA Claim (Claim Filed? — Required? —)
(X) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
(X) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
(X) Copy of Orthophotoquad Map
(✓) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
() Government Lot Plats (If Applicable)

RECEIVED

SEP 12 2002

Department of Water Resources

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Increase Rate of Flow or Volume
(✓) Add Supplemental Water Source
(✓) Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 7-31-97 Time 9 am Place _____

Contact Person & Phone Rob Morgan

D. Post-Exam Review & Processing

Exam Completed 7-31-97 Notice of Completion Turned In ✓
Field Report Completed 9-10-02 JE Henton 9-10-02
Signature of Examiner & Date
Field Report Reviewed by Sr. Agent _____ (Initial & Date)
Field Report Reviewed by Region Mgr. _____ (Initial & Date)
Field Report Sent to S.O. _____ Region Card File Updated _____

March 18, 1993

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 833380000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08344

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 08 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-08344 Reviewed by Klg Date 3/15/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 36-90-S-104
500 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date		

DEFICIENCIES OR ACTION ITEMS

proof acceptable
~~RECEIVED~~
APR 08 1993

DATA ENTRY
New Address _____

Proof Made 3/15/93
3/19/93 Klg

RECEIVED

NOV 14 1990

Department of Water Resources
Southern Region Office

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
NOV 16 1990

Department of Water Resources

1. Applicant (please print) JEROME COUNTRY CLUB
2. Mailing Address 414 NORTH LINCOLN
JEROME, IDAHO 83338 Telephone 324-8808

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NE 1/4, or Gov't Lot No. _____

Sec. 19, Twp. 9S, Rge. 17E, County JEROME

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

A. () New well ☒ Deepen existing test hole (6" x 500' hole drilled about 1983) () Replace - See Condition 9

B. Proposed Surface Diameter 14" Proposed Maximum Depth 550'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

APR 08 1993

6. Construction Start Date DECEMBER 15th 1990

7. Anticipated Well Driller WALKER WATER SYSTEMS INC.
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Fredrick L. Lano Date 11-13-90

Title BOARD OF DIRECTOR

Owner, Firm Representation Other _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

11/15/90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Loren O. Hansen
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. 50/2818 Received by JP Fee \$200, Date 11-14-90

RECORDED

EXTENSION OF DRILLING PERMIT

APR 08 1993

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

January 31, 1993

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 833380000

PROOF DUE NOTICE

RE: PERMIT NO. 36-08344

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 139799

APR 08 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 2, 1992

RE: Permit No. 36-8344

Jerome Country Club
P.O. Box 136
Jerome, ID 83338

Dear Water Right Holder(s):

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 21 1992

2/12

State of Idaho
Department of Water Resources
AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: J. F. Stanton

Right Number 36-8344 Applicant JEROME Country Club

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☐ Stream index information (reverse).
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☒ Protests processed.
- ☒ Approve.
- ☐ Deny.

Conditions 43 (046 on Permit)

RECEIVED
DEC 03 1991

Department of Water Resources

By Larry O. Hansen Date 11/22/91

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By 28 Date 12-05-91
- ☒ Approved copy sent to applicant and to Region. By BDM Date 1-6-92

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

30-Jul-1991

ATTENTION ROD GANO
JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

Re: Application for Amendment, No. 36-08344

Dear Mr. Gano:

We regret to inform you that due to a publishing error by the North Side News in the legal notice for the above referenced application, a Notice of Correction will appear in the newspaper on 8/7 & 8/14/91. Ten days will be allowed after the second publication date for the submittal of protests to the Correction Notice.

We apologize for any inconvenience this delay may have caused you. If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

MICROFILMED

JAN 21 1992

[Handwritten signature]

29-Jul-1991

NORTHSIDE NEWS
PO BOX 468
JEROME ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

It is our understanding that this publication of the correction notice will be at no charge to the Department. Enclosed please find copies of the legal notice originally submitted for publication and a copy of the actual publication with the errors circled in red.

Please send the affidavit of publication and publication billing to this office before August 26, 1991.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosures (3)
Original legal notice
copy of first publication affidavit
Notice of Correction legal

RECEIVED

JAN 21 1992

NOTICE OF CORRECTION

Notice is hereby given that Application for Amendment to a Water Permit No. 36-08344 in the name of Jerome Country Club was advertised incorrectly on 6/5 and 6/12/91. The point of diversion was advertised incorrectly.

WHEREAS, the actual point of diversion is within the NE1/4NE1/4, S19, T9S, R17E; NE1/4NW1/4NE1/4, S19, T9S, R17E; NW1/4NE1/4NW1/4, S19, T9S, R17E; Jerome County.

Any protest to the above correction must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before August 26, 1991.

R. KEITH HIGGINSON, DIRECTOR

Published in North Side News on 8/7 & 8/14/91

RECEIVED

JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

22-May-1991

R. KEITH HIGGINSON
Director

NORTHSIDE NEWS
PO BOX 468
JEROME ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

JAN 21 1992

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 36-08344

Notice is hereby given that JEROME COUNTRY CLUB is the holder of Approved Permit No. 36-08344 authorizing the diversion of 1.110 cubic feet per second of water from groundwater in the NE1/4NE1/4, S19, T9S, R17E, County of Jerome, to be used for irrigation of 191 acres within NE1/4, N1/2NW1/4, S19, T9S, R17E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to add a Point of Diversion as follows:

Amount: 1.11 cfs

Period of Use: 3/1 to 4/15 and 10/1 to 11/15

Point of Diversion: NE1/4NE1/4, S19, T9S, R17E;
NE1/4NW1/4NE1/4, S19, T9S, R17E; NW1/4NE1/4NW1/4, S19, T9S, R17E; Jerome County.

Place of Use: Irrigation of 191 acres within NE1/4, NE1/4NW1/4, Lot 1 (NW1/4NW1/4), S19, T9S, R17E.

Any protest against approval of the amending of Permit No. 36-08344 as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before June 24, 1991.

R. Keith Higginson, Director

Published in the North Side News on 6/5 & 6/12/91.

MICROFILMED

JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

22-May-1991

R. KEITH HIGGINSON
Director

ATTENTION ROD GANO
JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

Re: Application for Amendment, 36-08344

Dear Mr. Gano:

The Department of Water Resources acknowledges receipt of your application for amendment of a permit.

This office will be advertising the application in the North Side News on 6/5 & 6/12/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. A typical processing time for an unprotested application is about eight weeks.

Final regional review cannot be completed until we receive a list of company officers, including the title of your position and evidence of ownership of the place of use.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED

JAN 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 27, 1991

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME, ID 833380000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08344

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

MAILED

MAR 28 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

MAR 28 1991

APPLICATION FOR PERMIT REVIEW

Application #: 36-8344
Date: 3-19-91

Reviewer: Pam Skaggs ²⁸

Existing:

✓ No

Complete in 1 year - 26A-P17
P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

✓ GT. 0.7 cfs - 01G-P03 01C-P03(existing well)

LT. 0.7 cfs - N/A

Drilling Permit:

✓ Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - 7 (1, Blank or Other)

✓ Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 11D-P72

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044

Power - Use Power Review

Mining - 06A, 006, 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted)

Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 04-01-1993

Other Conditions Recommended _____

MAR 28 1991

3-21-91

Jensen

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in "RETURN TO" Space on the reverse side. Failure to do so will prevent this card from being returned to you. The return receipt fee will provide you the name of person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: JEROME COUNTRY CLUB PO BOX 136 JEROME ID 83338	4. Article Number 33576 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise Always obtain signature of addressee or agent and DATE DELIVERED.
5. Signature - Addressee X <i>Katie Galtson</i>	8. Addressee's Address (ONLY if requested and fee paid) 36-8343 36-8344 Allocation
6. Signature - Agent X	
7. Date of Delivery 1-17-91	

PS Form 3811, Apr. 1989

★ U.S.G.P.O. 1989-238-815

DOMESTIC RETURN RECEIPT

RECEIVED

MAR 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

JANUARY 28, 1991

Northside News
Box 468
Jerome, ID 83338

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

MICROFILMED

MAR 28 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08344

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME, ID 833380000

Source: GROUNDWATER

Diversion Pt: NENE Sec 19 T 09S R 17E

Use: IRRIGATION (1.110 CFS)
IRRIGATION (1.110 CFS)
Total Diversion: (1.110 CFS)

Date Filed: 2/12/ 1988

In: T09S R17E S19 NENE NWNE SWNE SENE
NENW Lot 1 (NWNW)

191.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

Published 2/ 6/1991 & 2/13/1991

R. Keith Higgins, Director

MAR 28 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO.s 36-8343 & 36-8344/Trust Water Processing

DATE: 1-18-91

APPLICATION NO. 36-8343:

This application is a trust water filing which has come up for sequential processing under the appropriate rules and statutes. The applicants returned a trust water questionnaire claiming development of the source prior to 1984.

The use under this application is for irrigation of a golf course. In particular, the place of use is for nine holes which were added in 1980 (as stated in the application). The application appears to include some acreage in addition to the nine holes. This additional acreage presumably is for home lots. Review of a 1983 infrared photo confirms irrigation of the additional nine holes only. Total irrigated acreage is less than that shown on the application.

The adjudication staff from our Twin Falls office has forwarded me a copy of a map with planimeter measurements of the irrigated acreage within the place of use description under this application. The measurements were made in connection with verification of adjudication claims filed by the country club for the original nine holes. The planimetered map is from 1987 and matches the 1983 photo which I reviewed.

Based on the measurements given on the attached map, only 45 acres of the 124 acres on the application have actually been irrigated. The 45 acres were irrigated prior to 1984. The remaining 79 acres should be counted as trust acreage.

APPLICATION NO. 36-8344:

This groundwater application has been filed by the country club in order to supplement its surface water sources used on the entire golf course. This groundwater application also covers the same acreage under application 36-8343. Thus, there are also 79 acres under this groundwater application which were undeveloped prior to 1984. When the two applications are combined, only 79 acres should be counted as trust acres. Since this groundwater application is at this time a supplemental filing, I will count the 79 trust acres under application no. 36-8343. However, I am not certain that the waste water source under application 36-8343 will be used on domestic lots or any common areas. Caution should be taken in future processing of the two filings to count trust acreage under the appropriate filing.

RECEIVED

MAR 28 1991

PALEOMETER MEAS: 10/10/90

NW NW	61	9
Ne NW		30
NW Ne		28
Ne Ne		18
Sw Ne		15
Se Ne		12
		112

MICROFILMED

MAR 28 1991

RECEIVED

JAN 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE
Department of Water Resources
Application Office 36-8344

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐
b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

SEE ATTACHED

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 0

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. All acres

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

36-8343

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Stephen J. Judd

PRESIDENT

TEROME Country club

Date 1-8-91

MAILED
MAR 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 16, 1991

Jerome Country Club
P.O. Box 136
Jerome, ID 83338

RE: Application for Permit No. 36-8344

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING APPLICATION

On February 12, 1988 you filed with the Department of Water Resources (Department) Application for Permit No. 36-8344 which proposed the diversion of 1.11 cubic feet per second of groundwater for irrigation of 191 acres.

The Department mailed a letter and questionnaire to you on December 10, 1990. The letter requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this notice is to provide a second and final opportunity for you to submit the requested information. Pursuant to Section 42-204, Idaho Code, the Department may void applications for which requested information is not submitted. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Section 42-204, Idaho Code.


If no development has been completed as authorized by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water without an approved permit, the Department may issue an order requiring you to cease diverting the water.

MICROFILMED

MAR 28 1991

Please feel free to contact me if you have questions concerning this matter.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosure
cc: Region

MICROFILMED

MAR 20 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 10, 1990

RE: APPLICATION FOR PERMIT NO. 36-8344

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED

MAR 28 1991

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

MICROFILMED

MAR 28 1981

Home Country Clubs

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *[Signature]*

APPLICATION NUMBER: 36-8344

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
☐ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☐ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☐ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended. _____
Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: _____ Date: _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

February 24, 1988

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

R. KEITH HIGGINSON
Director

Jerome Country Club
c/o Eugene D. Frederickson, President
P.O. Box 136
Jerome, ID 83338

Re: Applications for Permit Nos. 36-8343, 36-8344

Dear Mr. Frederickson:

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above identification numbers. Please refer to these numbers in all further correspondence.

Because your applications propose to appropriate water which has been identified as "trust water" in the Swan Falls agreement, they will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your applications.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

MICROFILMED

MAR 28 1991