


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MAR 28 1991

Eugene D. Friden
(Applicant)
President of Prime Country Club
Idaho



AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb., 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Nance
Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Vincent J. Gaudin
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Not. Appl. Trust Wat. Rt.
TITLE OF NOTICE
Jer. Country Club.
36-08343
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R.
BILL TO Boise

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08343
JEROME COUNTRY CLUB
P.O. BOX 136
JEROME, ID 833380000
Source: WASTEWATER - Tributary:
SNAKE RIVER
Diversion Pt: NENW Sec 19 T 09S R 17E
Use: IRRIGATION (2.670 CFS)
Total Diversion: (2.670 CFS)
Date Filed: 2/12/1988
In: T09S R17E S19 NENE NWNE SWNE SENE

124.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

-s- R. Keith Higginson
Director
N5181

Pub: 2-6, 13

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive insertions.....4¢/Pica

MICROFILMED
MAR 28 1991

N^o 3696

OK
JH
2-14-91

5181

[illegible]

• D 16

• R-17

measured on D14


13/18
24/19

18/17
9/20

17/16
20/21

PD 36-04271


PD 36-08343



MICROFILMED
OCT 17 2007

P/D

P/D





Main Canal/Waste Ditch w/Measuring Device



Canal Below Measuring Device

MICROFILMED
OCT 17 2002

36-08343
7-31-97
JES



Re-lift Pumps

MICROFILMED
OCT 17 2002

36-08343
7-31-97
JES



Place Of Use

MICROFILMED

OCT 17 2002

36-08343

7-31-97

JES



Storage Pond. Relift Pumps In Brown Building.

MICROFILMED

OCT 17 2002

36-08343

7-31-97

JES



West Pond Looking Westerly, Pump Overflow



Pressure Pump In West Pond

MICROFILMED
OCT 17 2002

36-8343
7-31-1997
By J E Stanton



Outlet of West Pump To Buried Sprinklers

MICROFILMED
OCT 17 2002


36-8343
7-31-1997
By J E Stanton



Pump Outlets

MICROFILMED
OCT 17 2002

36-08343
7-31-97
JES



PALEMETER MEAS: 10/10/90

NWNW G+1	9
NeNW	30
NWNe	28
NeNe	18
SwNe	15
SeNe	12
	112

MICROFILMED

MAR 28 1991

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08343

Priority: February 12, 1988

Maximum Diversion Rate: 2.67 CFS

It is hereby certified that JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 12, 1988; and has
submitted Proof of Beneficial Use on February 24, 1992. An examination indicates that the works have
a diversion capacity of 4.9 cfs of water from:

SOURCE

WASTE WATER

Tributary: SNAKE RIVER

and a water right has been established as follows:

BENEFICIAL USE
IRRIGATION

PERIOD OF USE
03/15 to 11/15

DIVERSION RATE
2.67 CFS

LOCATION OF POINTS OF DIVERSION:

WASTE WATER NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

WASTE WATER NW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	17E	19	17.0	26.0	13.0	11.0	28.0	9.0											104.0

Total Acres: 104

CONDITIONS OF APPROVAL

1. Right 36-04271 is also diverted through the point of diversion located in the NWNENW, S19, T9S, R17E.
2. Rights 36-04271, 36-08344 and 36-08343 when combined shall not exceed a total annual maximum diversion volume of 416.0 af at the field headgate, and the irrigation of 104 acres.
3. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 130.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 36-08343

5. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 3RD day of OCTOBER, 2002.

Acting for

KARL J. DREHER
Director

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08343

RECEIVED

OCT - 1 2002

Department of Water Resources

Date of Priority: February 12, 1988

Maximum Diversion Rate: 2.67 CFS

Comes now JEROME COUNTRY CLUB
PO BOX 136

JEROME ID 83338 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 36-08343, and requests that the permit be changed as follows:

Source: WASTE WATER

Tributary: SNAKE RIVER

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

2.67 CFS

LOCATION OF POINTS OF DIVERSION:

WASTE WATER NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

WASTE WATER NW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19, Twp 09S, Rge 17E, B.M., JEROME County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	17E	19	17.0	26.0	13.0	11.0	28.0	9.0											104.0
							L1												

Total Acres: 104

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 30 day of Sept, 2002


(Signature & Title)

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-08343

.....
Preliminary check by kw \$ 50.00 FOR DEPARTMENT USE ONLY
Fee = 50.00 Receipted by jm # 064872 Date 10-1-02

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-08343 with the following:

CONDITIONS OF APPROVAL

1. Right 36-04271 is also diverted through the point of diversion located in the NWNENW, S19, T9S, R17E.
2. Rights 36-04271, 36-08344 and 36-08343 when combined shall not exceed a total annual maximum diversion volume of 416.0 af at the field headgate, and the irrigation of 104 acres.
3. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 130.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

Witness my hand this 3rd day of OCTOBER, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED
OCT 17 2002

Form 217
RECEIVED

FEB 24 1992

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 150.00
Date 2-24-92
Receipt No. 5014183
Receipt by J.P. Stanton

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08343 Telephone No. 324-8808
2. Name(s) of Permit Holder(s): Jerome Country Club
3. Mailing Address: P.O. Box 136, Jerome, ID 83338
4. Source of Water: Waste Water Trib. to Snake R.

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 124 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.67 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

8. Fee Enclosed: \$ 150.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Rod Morgan 324-8614
Name Telephone No.

Same 374 Golf Course Rd, Jerome, IDA 83331
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/24/92 [Signature] Director
Date Signature (and title, if on behalf of a company or organization)

MAR 05 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08343

Proposed Priority: February 12, 1988 Maximum Diversion Rate: 2.67 CFS
This is to certify, that **JEROME COUNTRY CLUB**
P.O. BOX 136
JEROME, ID 833380000
has applied for a permit to appropriate water from:

WASTE WATER tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/10	2.67 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 19, Township 09S, Range 17E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	19	NENE 38	NWNE 10	SWNE 36	124
			SENE 40			

Total number of acres irrigated: 124

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1992.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

RECEIVED

MAR 3 1988


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08343

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of March, 1991

for

R. Keith Higginson, Director

MICROFILMED

MAR 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Jerome Country Club Phone 324-5081
Post office address P. O. Box 136, Jerome, ID 83338

2. Source of water supply Waste Water which is a tributary of Snake River

3. Location of point of diversion is _____ 1/4 of NE 1/4 of NW 1/4, Govt. Lot _____
Sec. 19 Township 9S Range 17E B.M. Jerome County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.67cfs for Irrigation purposes from Apr 15 to Oct 10 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.67 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing check dam & pump to buried
sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
MAR 28 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. irrigation of golf course

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	17E	19	38	10	36	40													124

Total number of acres to be irrigated 124


10. Describe any other water rights used for the same purposes as described above. _____

Northside Canal Co. shares

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? " & North Rim Fairways Homeowners Assn.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. easement to water common area between golf course & subdivision. Watering of common area will decrease as it fills with homes/

12. Remarks: This system was originally developed in the 1930's to irrigate the original golf course. The system was expanded in 1980 or thereabouts to water additional fairways. The system capacity is 1200 gpm.
The soil is shallow & rocky with many blowouts, so more than 1"/acre is needed to keep the grass in good condition. Also, the system can only be put on the day when the course is not full of golfers.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 28 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene D. Friden
(Applicant)
President of Home Country Club
Idaho

Received by J. Stanton Date 2-12-88 Time 10 am Preliminary check by AD
Fee \$ 85.00 Receipted by JA # 45492 Date 2-12-88
Publication prepared by BLM Date 1-28-91 Published in Northside News
2/6 + 2/13/91
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

MAR 2 8 1991



AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty S. Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb., 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Nance
Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Lucia J. Santiago
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.50 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Not. Appl. Court Dist. 24.
FILE OF NOTICE
Jer. Country Club.
36-08943
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. L. W. R.
BILL TO Boise

NOTICE OF INTENTION TO TRUST

JEROME COUNTRY CLUB
P.O. BOX 188
JEROME, ID 83301-0188
Source: WASTEWATER - Tributary:
SHAKE RIVER
Diversion Pt: NW1/4 Sec 19 T 09S R 17E
Use: IRRIGATION (2,670 CFS)
Total Diversion: (2,670 CFS)
Date Filed: 2/12/1991
In: T09S R17E S19 N9E NW1/4 SW1/4
SENE

134.0 ACRES TOTAL
The permittee will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-303A, Idaho Code and/or the new public interest criteria of Sec. 42-304C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mall, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

- R. Keith Haggins
Director
N6181

Pub: 2-8-13

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

FILED
MAR 28 1991

Nº 3696

5181

OK
JL
2-4-91



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 10, 2004

JEROME COUNTRY CLUB INC
PO BOX 136
JEROME ID 83338

RE: Water right number(s): 36 8343

Dear Water Right Holder(s):

The purpose of this letter is to notify you in advance that present drought conditions in Eastern Idaho may result in the flow of the Snake River falling below the minimum stream flow of 3,900 cubic feet per second ("cfs") established by the Swan Falls Agreement at the Murphy gage on the Snake River. Your water right bears a later priority date than July 1, 1985, the priority date for the minimum stream flow. As a result, if the flow falls below 3,900 cfs, the department will send you another letter advising you to cease diversion of water.

This notice is being provided so that you have advance warning to make arrangements to minimize impacts to growing crops or other loss that could occur if your water diversion is curtailed. Such arrangements may include temporary transfers as provided under Section 42-222A, Idaho Code, for areas declared a drought emergency. Declaration of a drought emergency can be initiated by petition of the Board of County Commissioners to the director of this department subject to approval by the Governor.

There are many variables that affect stream flows in the Snake River. Normally, the flows in the Snake River at Murphy gauge are lowest during June and July.

Information about your water right can be found on the department's website at the following address: <http://www.idwr.state.id.us/apps/ExtSearch/SearchWRAJ.asp>. Real time flow data for the Murphy gage can also be found at the following address: <http://www.idahopower.com/riversrec/waterlevels/streamflow/showgraph.cfm>

Thank you for your cooperation in this matter. If you have questions, please feel free to contact the department.

Sincerely,

Gary Spackman
Water Allocations Bureau Chief

State of Idaho
Department of Water Resources
PO BOX 83720
BOISE ID 83720-0098

PRSRT STD
U.S. POSTAGE
PAID
PERMIT NO.
BOISE, ID

JEROME COUNTRY CLUB INC
PO BOX 136
JEROME ID 83338



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 4, 2002

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

RE: License No. 36-8343 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.


The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,



Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

OCT 17 2002

CERTIFICATE OF SERVICE

I hereby certify that on October 4, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

36-8343

**JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338**



**Kari Lynn Townsend
Secretary**

**MICROFILMED
OCT 17 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

36-8343

1. jstanton 2/6/2002 Field Exam

Comment: Exam conducted 7-31-97 accompanied by manager of golf course. System was not measured - no access for measuring device on pumps. An SRBA measurement showed over 23 cfs in the canal above the ponds, however; unused water runs into the Snake River. System designed for 2200 gpm (4.9 cfs) from 3 pumps in 2 ponds (would pump 4.74 cfa at 70% efficiency). East pond w/60 hp & 20 hp pumps is under this permit, and west pond w/100 hp pump is under 36-4271 (1.06 cfs). Although the west pump is used mainly on the west half of the property, both pumps serve the same mainline. Also, the west pump diverts more than the decreed rate. So I am recommending both pods under 36-8343. 4.9 cfs minus 1.06 cfs leaves 3.84 cfs that could be licensed from both ponds. But permit is only 2.67 cfs; recommend this amount. Land also has up to 722 gpm in canal shares delivered to the ponds, which are part of the system pumping rate. Water is used a maximum of 14 hours per day, so a pumping rate of more than 0.02 cfs per acre is needed for proper irrigation; average rate with everything on is 0.048 inches/acre. Annual volume would not exceed 4.0 afa/acre, however. Waste water only flows thru this property from about 4-20 to 10-15, but I am recommending the standard irrigation season of 3-15 to 11-15 per instructions of Shelley Keen. The well under 36-8344 is used early and late in the season, along with water stored in the east pond. The two large ponds are owned by the North Side Canal Co. for purposes of water-quality control (settling silt from canal system before water flows into the Snake River); the country club just gets the benefit of the water stored in the ponds. So it probably does not make sense to ask the country club to obtain a storage right for the ponds. I talked to Cindy Yenter about this, and she was not too concerned about this situation. The pond in the NE/NW Sec. 19 was enlarged as a water-quality improvement project in 1995 or 1996, removing about 1.5 acres of previously-irrigated land from the fairway. My pou recommendation reflects this reduction.

2. kwalker 9/18/2002 Place of Use

Comment: Changed recommended acreage in NWNE to that decreed in SRBA under 36-4271 so all the rights would show the same number of acres within that 40. This increased the place of use by 1 acre.

3. kwalker 10/2/2002 Diversion Rate

Comment: This permit was issued for 2.67 cfs for 124 acres. The right was developed with only 104 acres of golf course irrigated. According to Application Processing Memo #60 we can allow a greater diversion rate for systems such as this since the golf course can only irrigate when no one is using the course. This system is capable of diverting 4.9 cfs, Rt. 36-4271 allows 1.06 cfs on 53 acres; this permit is limited to 2.67 cfs. The course is irrigated up to 14 hours per day which is .58% of a normal system. A rate of 0.07 cfs would be reasonable for a system such as this but limits of the 2 rights from waste water would allow 0.036 cfs per acre.

MICROFILMED

OCT 17 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 19, 2002

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

RE: Water Right Permit No. 36-08343

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

- ☒ Points of Diversion
- ☒ Place of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

OCT 17 2002

LICENSE REVIEW CHECKLIST

Permit No. 36-8343 Date: 9-18-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: add

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): 36-4271 NW 36-8344 GW
File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 2.67 cfs
Fee Limit 3.0 cfs
Measured 4.9 cfs
Theoretical 4.9 cfs

Recommended Total Diversion Rate 2.67

Water Uses OK

Change (P46)

Season of Use per new Standards

3/15 11/15

Irrigation 2.67 cfs * af
Stockwater cfs af
Domestic cfs af
 cfs af
 cfs af
Total 2.67 cfs * af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. GW (W42/W43/025/104)

overlap spec combined r/s (W35)

1-acre (W31)

Domestic (W01/Wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payoffs - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

2.67 cfs x 1.9835 x 240 days = 1303 af (vs) 104 acres x 4.0 (FHR) = 416 * af
3.0 (con)

Remarks:

W36 (36-8343) (NW1/4 NW1/4)

Additional Conditions

130 Watermaster Control
 GW Measurement/Measuring Device
 Other
Trust R55 - remove 051
Non-trust (048)

GW Dist?
Water Mgmt. Dist?
Crit. GWMA?
GWMA?
Government Lots?

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

NO - not reg'd

Adjust memo

see comment report

Amend Letters

P87, S06

Second Amendment Notice

P44 S06

also in license process

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 36-4271

WATER RIGHT NUMBER: 36-4271

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	JEROME COUNTRY CLUB PO BOX 136 JEROME, ID 83338

Priority Date: 04/15/1935

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
WASTE WATER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	1.060 CFS	
	<u>Total Diversion:</u>	1.060 CFS	

Location of Point(s) of Diversion

WASTE WATER	NW1/4NE1/4NW1/4	Sec. 19, Twp 09S, Rge 17E, B.M.
JEROME County		

Place of Use

IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S 17E 19		26.0			18.0	9.0											53.0
						1											

Total Acres: 53

Conditions of Approval:

1. C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.
2. G01 THIS RIGHT REMAINS SUBJECT TO THE RIGHT OF THE ORIGINAL APPROPRIATOR, IN GOOD FAITH AND IN COMPLIANCE WITH STATE LAWS GOVERNING CHANGES IN USE AND/OR EXPANSION OF WATER RIGHTS, TO CEASE WASTING WATER, TO CHANGE THE PLACE OR MANNER OF WASTING IT, OR TO RECAPTURE IT.
3. G02 THIS RIGHT IS SUBJECT TO ADMINISTRATION AS PART OF THE NATURAL SOURCE TO WHICH THE WASTE IS TRIBUTARY.
4. S17 USE OF THIS RIGHT IS COMBINED WITH WATER FROM NORTH SIDE CANAL CO. LTD.

Remarks:

MICROFILMED

OCT 1 / 2002

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report 36-4271

Comments:

1. CLELLAND 5/20/1991 DUPLICATION OF RIGHTS

Comment: THE LICENSE FOR THIS WATER RIGHT WAS ISSUED UNDER 36-02583. SINCE THEN THIS CLAIM WAS FILED FOR AN EARLIER PRIORITY FOR THE SAME LANDS AND ACRES. THE LICENSE EXAM LIMITS THE AMOUNT AND ACRES FOUND UNDER THIS CLAIM.

2. KCHRISTE 12/19/1997 REFORMAT

Comment: DELETED CONS USE

3. AJU10-DS 12/21/1999 AJU10 CONDITION UPDATE

Comment: CONDITION CODE(S) C18 ADDED IF NOT ALREADY PART OF RECORD THRU AJU10.

Dates and Other Information:

Licensed Date:

Decreed Date: 12/12/2001

Water Supply Bank Enrollment Accepted:

Water Supply Bank Enrollment Removed:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal: S

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Decree Defendant:

Decree Plaintiff:

Civil Case Number: 39576

Judicial District: FIFTH

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

MICROFILMED
OCT 17 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 18 2002
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 36-08343
Phone No. 324-8614
1. Owner: Jerome Country Club
Current Address: PO Box 136, Jerome 83338
2. Accompanied by: Rod Morgan. EXAM. DATE: 7-31-97
Address: Same Phone No. _____
Relationship to Permit Holder: superintendent
3. Source: Waste Water tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 36-08344, 129 shares NSCC, 36-04271,
~~36-02407D (T. 2677)~~ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-04271
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

MICROFILMED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Large ditch carrying canal shares & waste water runs into a large pond (about 2 1/2 acres x 8-10' deep). Two pumps in pond operate buried sprinkler system on golf course fairways. A smaller pump provides irrigation water to homeowners' area, but that is not under this permit (use only canal shares). Pond overflow runs west to a smaller pond (2 acres x 10-15' deep). A pump in this pond normally waters only the west part of the property, but is tied in to the other pumps. The main pumps water everything at times. Ponds hold about 10 million gallons of storage - needed due to heavy night-time watering. West pond & 100 hp pump are under 36-04271. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
East	GE	60	MNJ1214389	Mit-Cont. Eng	89222
"	"	20	5k256ET6005	"	89221
West	"	100	BHJ209133	Peerless	226039

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	NE	19	9S	17E	Jerome	ASCS photo
		NW	NE	NW	"	"	"	"	"

6. Place(s) of Use:

Indicate Method of Determination ASCS photo Aerial View

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	17E	19	13	25	13	11	25	9											103
			17	25		11		11											

MICROFILMED

Do not use this space 061 1-7-2002

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured. System is designed for 2200 gpm. Uses about 400 3/8" sprinkler heads at 100 psi. Run 12-14 hrs a day during hot weather. Shares provide 722 gpm at full delivery. System is fully automatic, varying deliveries according to air temperature, humidity, etc, so is very efficient.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow permitted rate
Design capacity = 4.90 cfs. For this P/D = 2.63 cfs. Allow 2.63 cfs

F. PUMP EFFICIENCY DATA (Optional)

$80 \text{ hp} \div 180 \text{ hp} = 0.44 \times 4.90 \text{ cfs} = 2.18$

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 50 \text{ new acres} \times 4.0 \text{ AFA/acre} = 200 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 200 \text{ AFA}$

MICROFILMED

2. Volume Calculations for Other Uses:

OCT 17 2002

Note: West pond was enlarged by North Side Canal Co. about 1995, reducing the amount of land irrigated in the NE/NW S.19 by at least 15 acres. So there is a discrepancy between 36-4277 & 36-8343/8344 regarding the pond.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Actual pumping capacity is impossible to measure without digging a lot of holes in the golf course, which is not reasonable or necessary. Waste ditch flows well over 20 cfs at times (hrs measuring device), but can also be much less. With the pond storage, pumping rate is not affected by wastewater flow rates. Although permit is limited to 0.03 cfs/acre for all rights combined, the actual rate is about 0.05 cfs/acre when all 3 pumps are on. This is a reasonable & necessary way to irrigate a golf course, and this restriction should be dropped. Recommendation covers the east half of the golf course developed under this permit, plus flow above 0.02 cfs/acre for 53 ac developed in 1935 (36-04271). Not to exceed 4.90 cfs for all rights combined on this property, or 4.0 AFA/ac. Subject to the original rights of North Side Canal Co.

I. RECOMMENDATIONS Recommend standard season to agree with existing right on same source

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	8-15	11-10-10	2.63 2.18	200.0
	3-15	11-15	2.67	
Totals:			2.18 2.67	200.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
- ☒ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name J E Stanton

Signature J E Stanton

Certification Date _____

Field Report Preparation Date 8-6-97

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 17 2002

Comment Report

36-8343

1. jstanton 2/6/2002 Field Exam

Comment: Exam conducted 7-31-97 accompanied by manager of golf course. System was not measured - no access for measuring device on pumps. An SRBA measurement showed over 23 cfs in the canal above the ponds, however; unused water runs into the Snake River. System designed for 2200 gpm (4.9 cfs) from 3 pumps in 2 ponds (would pump 4.74 cfa at 70% efficiency). East pond w/60 hp & 20 hp pumps is under this permit, and west pond w/100 hp pump is under 36-4271 (1.06 cfs). Although the west pump is used mainly on the west half of the property, both pumps serve the same mainline. Also, the west pump diverts more than the decreed rate. So I am recommending both pods under 36-8343. 4.9 cfs minus 1.06 cfs leaves 3.84 cfs that could be licensed from both ponds. But permit is only 2.67 cfs; recommend this amount. Land also has up to 722 gpm in canal shares delivered to the ponds, which are part of the system pumping rate. Water is used a maximum of 14 hours per day, so a pumping rate of more than 0.02 cfs per acre is needed for proper irrigation; average rate with everything on is 0.048 inches/acre. Annual volume would not exceed 4.0 afa/acre, however. Waste water only flows thru this property from about 4-20 to 10-15, but I am recommending the standard irrigation season of 3-15 to 11-15 per instructions of Shelley Keen. The well under 36-8344 is used early and late in the season, along with water stored in the east pond. The two large ponds are owned by the North Side Canal Co. for purposes of water-quality control (settling silt from canal system before water flows into the Snake River); the country club just gets the benefit of the water stored in the ponds. So it probably does not make sense to ask the country club to obtain a storage right for the ponds. I talked to Cindy Yenter about this, and she was not too concerned about this situation. The pond in the NE/NW Sec. 19 was enlarged as a water-quality improvement project in 1995 or 1996, removing about 1.5 acres of previously-irrigated land from the fairway. My pou recommendation reflects this reduction.

2. VAULT 2/25/1992 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

MICROFILMED
001 3 7 2002

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-08343DATE: 7-31-97BY: J. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) (\dots 180 \dots) (0.70)}{[(\dots 3 \dots) + (\dots 100 \dots \times 2.31)]} = 4.74$$

LIFT FROM: measurement ()

owner ()

area estimate (X)

well logs ()

Booster (Y) (N)

PSI FROM: measurement ()

owner (X)

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS 3 pumps in 2 ponds, 180 hp total

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)
3/15 - 11/15	246
4/1 - 11/1	215
4/15 - 10/15	184
3/1 - 12/1	276

POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____

(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

MICROFILMED

OCT 17 2002

GE 60 hp MNT1214389
Mid-Continent Engineering Co. pump ~~891022~~ 89222

GE 20 hp Model 5K256ET6005 can be used on both
same " 89221 parts of property
brand

GE 100 hp #BHJ269133 normally only used on west
Peerless pump #226039 part of property

check 26-2409A T. 3677 - should end 12-31-97, check this & let
Rod know

264271 also

lower pump = 1100 gpm, upper 1000

MICROFILMED

1997

D 16

R-17

measured on D14

1318



1419

1817



1920


PD 36-08343

PD 36-04211

17116
2012

MICROFILM

OCT 17 200



Main Canal/Waste Ditch w/Measuring Device



Canal Below Measuring Device



MICROFILMED

OCT 17 2002

36-08343

7-31-97

JE5



Re-lift Pumps

MICROFILMED

OCT 17 2002

36-08343

7-31-97

JES



Place Of Use


MICROFILMED

OCT 17 2002

36-08243

7-31-97

JES



Storage Pond. Relift Pumps In Brown Building.

MICROFILMED

SEP 5 7 2002

36-08343

7-31-99

JES



West Pond Looking Westerly, Pump Overflow



Pressure Pump In West Pond


MICROFILMED

OCT 17 2002

36-8343

7-31-1997

By J E Stanton



Outlet of West Pump To Buried Sprinklers

MICROFILMED

OCT 17 2002

36-8343

7-31-1997

By J E Stanton



Pump Outlets

MICROFILMED

OCT 17 2002

36-08343

7-31-97

JES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Permit No. 36-8343

STAFF ANALYSIS SHEET
For
BENEFICIAL USE FIELD REPORT

RECEIVED

A. Prior to Conducting the Exam, the file contains:

SEP 18 2002

Department of Water Resources

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval.

☒ Computer Data Proof Report

☒ Copy of USGS Quad Map

☐ Check for Government Lots. If so, make a copy of Gov. plat.
Check of P/D index js 6-30-97 (Initial & Date)

Overlap? ☒ Yes ☐ No If Yes: ☐ Copy of Exam(s) Attached?
Type of Overlap ☒ Add acres or uses to existing system.
☒ Increase rate of flow or volume.
☐ Other _____

Check of PU Index js 6-30-97 (Initial & Date)

Overlap? ☒ Yes ☐ No If yes: ☐ Copy of Water Right(s)
Attached?

Type of Overlap ☒ Increase rate or flow volume.
☐ Add P/D's
☒ Increase No. of acres within tracts.
☐ Other _____

Aerial Photo

☒ Required? ☒ Yes ☐ No If yes: ☐ copy attached?
Scheduling letter sent? _____ (Initial & Date)
☒ Appointment made and telephone conversation memo
attached.

B. After Conducting the Exam, the file contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☒ Corrected Computer Data Proof Report with recommended license
information, and date and signature of examiner.

C. Review and Processing: 9-13-02

Exam completed 9-21-97 JS (Signature of Examiner(date))
Exam reviewed by Sr. Water Res. Agent _____ (Init & date)
Exam reviewed by Mgr of Reg. Office _____ (Init & date)
Exam date entered in computer _____ (Init & date)
Exam sent to S.O. _____ (Init & date)
Copy of Staff Analysis Sheet sent to Mgr. of Reg. Office and Orig.
re-filed in White File. _____ (Init & date)

June 8, 1992

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME ID 83338-0000

RE: Water Right No. 36-08343

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED
OCT 17 2002

June 12, 1992

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME ID 83338-0000

RE: Water Right No. 36-08343

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

OCT 17 2002

May 19, 1992

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME ID 83338-0000

RE: Water Right No. 36-08343

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

CC 1 2 2000

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MICROFILMED

OCT 17 2009

February 28, 1992

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME ID 833380000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08343

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAR 05 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 36-08343

Reviewed by Klg

Date 2/25/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 124
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
150 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

MAR 05 1992

DATA ENTRY

New Address _____

Proof Made 2/24/92
2/28/92 Klg

January 31, 1992

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME ID 833380000

PROOF DUE NOTICE

RE: PERMIT NO. 36-08343

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 27, 1991

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME, ID 833380000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08343

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MAILED

MAR 28 1991

APPLICATION FOR PERMIT REVIEW

Application #: 36-8343
Date: 3-8-1991

Reviewer: Pam Skaggs

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

✓ Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
✓ Swan Falls Flag - 7 (1, Blank or Other)
✓ Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - Use Power Review
Mining - 06A, 006, 010, 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec. & Aesthetic - 027(Non-Consumptive)
Domestic - 021(restricted areas)

Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 04-01-1992

Other Conditions Recommended _____

MICROFILMED

MAR 28 1991

✓
3-21-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

JANUARY 28, 1991

Northside News
Box 468
Jerome, ID 83338

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

RECEIVED
JAN 28 1991

JAN 28 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08343

JEROME COUNTRY CLUB
P.O. BOX 136
JEROME, ID 833380000

Source: WASTE WATER

Tributary: SNAKE RIVER

Diversion Pt: NENW Sec 19 T 09S R 17E

Use: IRRIGATION (2.670 CFS)
Total Diversion: (2.670 CFS)

Date Filed: 2/12/ 1988

In: T09S R17E S19 NENE NWNE SWNE SENE

124.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

Published 2/ 6/1991 & 2/13/1991

R. Keith Higginson, Director

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO.s 36-8343 & 36-8344/Trust Water Processing

DATE: 1-18-91

APPLICATION NO. 36-8343:

This application is a trust water filing which has come up for sequential processing under the appropriate rules and statutes. The applicants returned a trust water questionnaire claiming development of the source prior to 1984.

The use under this application is for irrigation of a golf course. In particular, the place of use is for nine holes which were added in 1980 (as stated in the application). The application appears to include some acreage in addition to the nine holes. This additional acreage presumably is for home lots. Review of a 1983 infrared photo confirms irrigation of the additional nine holes only. Total irrigated acreage is less than that shown on the application.

The adjudication staff from our Twin Falls office has forwarded me a copy of a map with planimeter measurements of the irrigated acreage within the place of use description under this application. The measurements were made in connection with verification of adjudication claims filed by the country club for the original nine holes. The planimetered map is from 1987 and matches the 1983 photo which I reviewed.


Based on the measurements given on the attached map, only 45 acres of the 124 acres on the application have actually been irrigated. The 45 acres were irrigated prior to 1984. The remaining 79 acres should be counted as trust acreage.

APPLICATION NO. 36-8344:

This groundwater application has been filed by the country club in order to supplement its surface water sources used on the entire golf course. This groundwater application also covers the same acreage under application 36-8343. Thus, there are also 79 acres under this groundwater application which were undeveloped prior to 1984. When the two applications are combined, only 79 acres should be counted as trust acres. Since this groundwater application is at this time a supplemental filing, I will count the 79 trust acres under application no. 36-8343. However, I am not certain that the waste water source under application 36-8343 will be used on domestic lots or any common areas. Caution should be taken in future processing of the two filings to count trust acreage under the appropriate filing.

RECEIVED

MAR 28 1991



PALEOMETER MEAS: 10/10/90

NWNW	61	9
NENW		30
NWNE		28
NE NE		18
SW NE		15
SE NE		12
		112

NOV 28 1990

MAR 28 1991

RECEIVED

JAN 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
Southern Region Office
Application No. 36-8343
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED

JAN 16 1991

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐
b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

~~SEE ATTACHED~~ All the land

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. _____
4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____
5. If the permit is a supplemental filing please identify other water rights which are used on the same land. _____

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Stephen J. Bellman
President
Jerome Country Club

Date 1-8-91

FILED

MAR 28 1991

FRANK A. TITUS

P.O. BOX 136 — SUITE 16 L'HERISSON BUILDING
JEROME, IDAHO 83338

RES. (208) 324-2504

OFFICE AC (208) 324-4329

November 15, 1990


Board of Directors
Jerome Country Club
P.O. Box 136
Jerome, Idaho 83338

The attached history of the early years of the Jerome Country Club may be helpful to you in establishing some dates and events as well as people who were involved in the early 1920's getting a country club established at its present site.

This history was furnished with the help of Dr. R.C. Matson and Murray O'Rourke. Rook was involved in the first year, 1922, when the non-profit corporation was established. This was the year that irrigation by flooding was first used water shares going with the land and waste water from upstream users. This may be imprtant to you to pin point our claim to this water right.

Frank A. Titus

The attached histry of the Jerome Country Club was told to me by the actual members involved and I belive it to be true and correct.


STEPHEN S. FELDTMAN
PRESIDENT JEROME COUNTRY CLUB

MAILED

MAR 28 1991

HISTORY

In 1922, ten progressive business men formed a non-profit organization called the Jerome Country Club. A 100 acre tract along the north rim of the Snake River Canyon was purchased for development of a 9 hole golf course. Mr. Lucian Burdick, a surveyor for the North Side Canal Company, routed the course. Dr. Zeller, the town physician, was elected official director in soliciting memberships.

The original dues and assessments were \$25.00 per year with the restriction that no one under high school age was allowed to play. Work parties were organized. Saturday, Sunday and any free evenings were spent clearing land, rocks and debris from fairways. Four horse teams and fresnos were used to build tee-boxes and to construct greens and bunkers.

The fairways were flood irrigated and grazed off with sheep. The "greens" were sand and had to be leveled off with a sled before putting. A small tent with a large canopy on #3 tee served as a club house. The Jerome Country Club continued to serve its members until the depression and the war years, at which time it was closed.

In 1945, the Club re-organized. Ten members pledged \$1,000.00 each and mortgaged the property for needed improvements. Other members signed \$250.00 personal notes. The first order of business was to build a sloping green on #5. Several gas motors and pumps were purchased and hauled from green to green to flood irrigate the grass.

RECEIVED
MAR 28 1991

A barrack from the Hunt Relocation Center near Eden, a Japanese Detention Center, was purchased and moved onto the property in 1946. It was remodeled and served as both a club house and living quarters for the first greenskeeper. The first legitimate construction contract was let to John Halverson Construction Company to enlarge and improve holes #2, 3, 4, 7 and 8 at the cost of \$200.00 per hole.

From 1946 to 1949, when gambling in the state of Idaho was legal, slot machines and tables were allowed in the club house. The annual affair was "Casino Night", and was common to clear \$3,500.00 to use for operating expenses.

In 1956, the sprinkling system was improved to hand line sets, and schoolboys were hired to help with the irrigation. The first cart made its appearance in this year, co-owned by Marvin Harp and Murray O'Rourke, the fore-runner of the 128 carts presently on the course.

An additional 100 acres were purchased from the Bureau of Land Management in 1960 to insure the privacy and future possible development of the Club.

The Jerome Country Club is now the owner of 213.46 acres of land located 6 miles south of Jerome, or 6 miles north of Twin Falls. The Club house, cart storage buildings, maintenance buildings and course occupies approximately 55 acres of real estate.

The total current indebtedness against the property is \$45,000.00 due the Bank of Idaho for money advanced to them in 1977 for Club house improvements and expansion, and a small balance remaining from 19__ when a quick coupling irrigation system was installed.

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to:

JEROME COUNTRY CLUB
PO BOX 136
JEROME ID 83338

4. Article Number
33576

Type of Service:

- ☒ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

Always obtain signature of addressee or agent and DATE DELIVERED.

5. Signature — Addressee

X *Katie Patterson*

6. Signature — Agent

X

7. Date of Delivery

1-17-91

8. Addressee's Address (ONLY if requested and fee paid)

36-8342
36-8344

Allocation

UNITED STATES POST SERVICE

OFFICIAL BUSINESS



SENDER INSTRUCTIONS

Print your name, address and ZIP Code in the space below.

- Complete Items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.



NOT FILLED

MAR 28 1991

PENALTY FOR PRIVATE
USE, \$300

RETURN TO

RECEIVED

IAN 18 1991

Print Sender's name, address, and ZIP Code in the space below.

Water Allocation Bureau
Department of Water Resources

Department of Water Resources

1301 N. Orchard St.
Boise, ID 83725



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 16, 1991

Jerome Country Club
P.O. Box 136
Jerome, ID 83338

RE: Application for Permit No. 36-8343

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING APPLICATION

On February 12, 1988 you filed with the Department of Water Resources (Department) Application for Permit No. 36-8343 which proposed the diversion of 2.67 cubic feet per second of waste water for irrigation of 124 acres.

The Department mailed a letter and questionnaire to you on December 10, 1990. The letter requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this notice is to provide a second and final opportunity for you to submit the requested information. Pursuant to Section 42-204, Idaho Code, the Department may void applications for which requested information is not submitted. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Section 42-204, Idaho Code.


If no development has been completed as authorized by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water without an approved permit, the Department may issue an order requiring you to cease diverting the water.

MICROFILMED

MAR 26 1991

Please feel free to contact me if you have questions concerning this matter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Tim Luke".

TIM LUKE
Sr. Water Resource Agent

Enclosure
cc: Region

RECEIVED

MAR 1 1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

December 10, 1990

R. KEITH HIGGINSON

DIRECTOR

RE: APPLICATION FOR PERMIT NO. 36-8343

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED

MAR 28 1991

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

MICROFILMED

MAR 12 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 2, 1989

RE: Application for Permit No. 36-8343

Jerome Country Club
ATTN: Steve Feldtman
P.O. Box 136
Jerome, ID 83338

Dear Steve:

This letter is written in response to your inquiry regarding the above referenced Application for Permit.

Upon reviewing this file, I noticed that the application contained a reference to development of the water source as far back as the 1930's. The application also referenced that the use of this source was expanded around 1980.

As I have explained to you in previous conversations, an application which is filed after July 1, 1985 for which development was complete prior to October 1, 1984 is not subject to the staged development policy of Section 42-203C, Idaho Code, which limits irrigation development using trust water to twenty thousand (20,000) acres per year. The depletion caused by this project is assumed to have already occurred and need not be counted against the 20,000 acres per year limitation. Your filing therefore may be processed out of sequence, i.e.; it need not be processed according to priority date. However, all other public interest requirements of 42-203C, Idaho Code, must be evaluated.

The Department has not yet finalized its' methodology for evaluating these public interest criteria. As a result, I still can not clearly say when this application will be processed. I can say though that it will be processed sooner than an application that has the same priority date and is subject to the staged 20,000 acre development limitation.

In order to guarantee that this application is not subject to the staged development policy, I must request that you submit evidence to the Department that shows the development proposed under this application was completed prior to October 1, 1984. Evidence may include power records,

RECEIVED
MAR 6 8 1989

February 2, 1989
Jerome Country Club
Page 2

irrigation equipment records and receipts, and affidavits from persons knowledgeable of your system and dates of past use. I would also suggest that you submit a dated aerial photo and identify the lands irrigated by the source identified under this application.

There is no deadline for the submittal of the information requested above. If you have further questions regarding this matter, please feel free to call me directly at 334-7864.

Sincerely,

A handwritten signature in cursive script, appearing to read "Timothy J. Luke".

TIM LUKE
Sr. Water Resource Agent

TL:ky

RECEIVED

MAR 13 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

February 24, 1988

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

R. KEITH HIGGINSON
Director

Jerome Country Club
c/o Eugene D. Frederickson, President
P.O. Box 136
Jerome, ID 83338

Re: Applications for Permit Nos. 36-8343, 36-8344

Dear Mr. Frederickson:

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above identification numbers. Please refer to these numbers in all further correspondence.

Because your applications propose to appropriate water which has been identified as "trust water" in the Swan Falls agreement, they will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your applications.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

RECEIVED

MAR 1 1988

STAFF ANALYSIS SUPPLEMENT

1) Water District 36 Basin #

2) Local Description: (of one P/O)

☐

At the above street address

☐6 miles N/W S and 4 miles E/W E
of Jerome, Ida (City or landmark).☐

Other (describe) _____

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]
CHECK:

APPLICATION NUMBER: 36-8343

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☐ Map.
☒ Signature.
☐ Fee.
- | | | |
|---|--|--------------------------|
| ☒ Yes | ☐ No | Field check required. |
| ☐ Yes | ☒ No | Critical groundwater are |
| ☐ Yes | ☒ No | Request dam safety info |
| ☒ Yes | ☐ No * | In form to receipt. |

Field check by: [Signature]

Date: 2/24/88

Comments: at this time there was no water available to determine current useable facilities have been in operation for yrs. land is under irrigation.

***REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:**

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
-
- ☐ Yes ☐ No* In form for advertising.
 Final date for protests: _____
- ☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received. Date: _____
- ☐ Application published correctly. If not, record action taken: _____
- ☐ Fee amount, receipt date & number, recorded on application.
- ☐ Publication dates and paper, recorded on application.
- ☐ Protests, dates, withdrawal, etc., recorded on application.
- ☐ Recommendation & initial, recorded on application.
- ☐ Yes ☐ No Measuring device required.
- ☐ Yes ☐ No Access port required.
- ☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
- _____ Date of priority recommended.

Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

- ☐
- See attached sheet for more information.

By: _____ Date: _____