


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bob Kinnaman
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb., 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Spance

Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Vincent J. Gaudin
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

— Lines tabular at _____ 6¢/Pica
— 323.4 Lines straight at 16.17 5¢/Pica
— Subsequent lines at 12.94 4¢/Pica
TOTAL COST 29.11

COPY OF NOTICE

(Paste Here)

Not. Appl. Trust Wat. Rt.
TITLE OF NOTICE
B. + S. Kunsman
36-08306
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO Boise

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08306

KUNSMAN, BOB
KUNSMAN, SHIRLEY
216 E. 450 S.
JEROME, ID 833380000
Source: GROUNDWATER
Diversion Pt: NWNWSW Sec 9 T 09S R 17E

Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 2/26/1986
In: T09S R17E S09 NWSW
2.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mall, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

-s- R. Keith Higginson
Director
N5180

Pub: 2-6, 13

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3695

5180

OK
TJH
2-19-91

RECEIVED
APR 12 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 19 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08306

1. Owner: Bob & Shirley Kunsman Phone No. 324-5498

Current Address: 216 E. 450 S., Serone ID 83338

2. Accompanied by: Bob Kunsman EXAM. DATE: 6-22-92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GW tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☒ Copies Attached
(Per Comparison Report)


2. Other water rights with same point of diversion: 36-08249

☐ Copies Attached

☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



The Field Exam
for water right 36-08249; same P/D as 36-08306
licensed in Oct. of 1990

Form 219
5-86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1 Owner Bob Kamsman / or Shirley Kamsman Permit No. 36-08249
Current Address Rte 2, Filer, Idaho Phone No. 733-6834
2 Accompanied by Bob Kamsman EXAM DATE 1-15-89
Address _____ Phone No. _____
Relationship to Permit Holder _____


3 Source groundwater tributary to _____

B. OVERLAP REVIEW

1 Other water rights with same place of use 36-8306 ☐ Copies Attached
2 Other water rights with same point of diversion 36-8306 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 Diversion System Diagram. Indicate all major components and distances between components. Indicate well size, ditch size, pipe id, as applicable. ☐ Alternative diagram attached



Scale _____

2 ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater and stockwater)

APPROVED

APR 11 1994

System Description (continued)

3. **Narrative** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

submersible-well & motor & pump.
sprinklers -
2.5 Acres + lawn & (1) Home.

See Remarks on page 4 for continuation

Well or Diversion Identification No.	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	5	F84D		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion**

Ident No	Gov't Lot	Sec	Twp	Rge	County	Method of Determination/Remarks
		NW SW 9	95	17E	Jerome	

6. **Place(s) of Use**

Indicate Method of Determination

Twp	Rge	Sec	Indicate Method of Determination												Totals				
			NE 1/4				NW 1/4				SW 1/4					SE 1/4			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	17E	9																	2.5

Do not use this space

APR 11 1994

Do not use this space

D. FLOW MEASUREMENTS

Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements

18 Hd's Rainbirds 9/64-50 psi 30H - 30" dia Lines
Submersible Well
9 Hd Run at one time = 15.5 gpm

E. FLOW CALCULATIONS

Additional Calculations Sheets Attached

1. Measured Method pressure gage

2. Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure (ps) x 2.31 = _____ ft
Total Head (ft) (2) = _____ ft
Water HP (1.48 x 10⁻³) (3) = _____ hp
Motor Input KW (3.6 x 10⁻³) (4) = _____ kW
Motor Input HP (1.34 x 10⁻³) (5) = _____ hp
Panel Input KW _____ Ave PF _____ Ave Volts _____ Ave Amps (0.00232) (6) _____
Panel Input HP (6) x 1.34 = _____ (7) Efficiency (5) (7) x 100 = _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.5 \times 4.0) = 10.0$
 $V_{div} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.08)(1.9835)(245) = 38.80$
 $V = \text{Smaller of } V_{ir} \text{ and } V_{div} = 10.0$

2. Volume Calculations for Other Uses

MEASURED

APR 11 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This water is used w/ no overlap to 2.0
9.5' Here under 30.850

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	Jan 1 Dec 31	0.04	13.0.6
Irrigation	March 15 Nov. 15	0.00.05	10.0
		0.04	
	Totals:	0.04 cfs	10.6 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name GARY L. Funderburg
 Signature Gary L. Funderburg
 Certification Date 4/21/89
 Field Report Preparation Date 4/18/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

APR 11 1994

P/O
↳



P/u
↳



MISSOURI AED
APR 11 1994

36-8300

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08306

Priority: February 26, 1986

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

10.0 AF

This is to certify, that SHIRLEY KUNSMAN
BOB KUNSMAN

216 E 450 S

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 26, 1986; and has submitted Proof of Beneficial Use on March 25, 1992. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	10.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNWSW , Sec. 9, Township 09S, Range 17E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	9	NWSW	2.5		2.5

Total number of acres irrigated: 2.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

RECORDED

APR 11 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08306

CONDITIONS/REMARKS:

8. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of FEBRUARY, 1994.

Acting for R. Keith Higginson, Director

RECEIVED
APR 11 1994

MAR 23 1992

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50⁰⁰
Date 3-25-92
Receipt No. 5074302
Receipt by *g. f. Stanton*

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08306 Telephone No. 324-5498
2. Name(s) of Permit Holder(s): Bob & Shirley Kunsman
3. Mailing Address: 216 E. 450 S., Jerome, ID 83338
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Arnold Elsing Date Drilled: 1984

OPTIONAL:

Pump horsepower: 5 Pressure (psi): 40-60 Dynamic pumping level (ft.): 120

5. Extent of Use (as authorized by the permit): Note: Same system serves Rt. 36-08249
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 2.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

8. Fee Enclosed: \$ 50⁰⁰ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Permittee Bob Kunsman
Name Telephone No.

216 E 450 S
Address

10. The above information is my true statement of the extent to which the above permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 08 1992

3-25-92 Bob Kunsman
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08306

Proposed Priority: February 26, 1986 Maximum Diversion Rate: 0.08 CFS
This is to certify, that SHIRLEY KUNSMAN

BOB KUNSMAN
216 E. 450 S.
JEROME, ID 833380000

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNWSW Sec. 9, Township 09S, Range 17E
JEROME County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
09S 17E 9	NWSW	2.5			2.5

Total number of acres irrigated: 2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

APR 12 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08306

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21 day of March, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

APR 12 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bob Kunsman & Shirley Kunsman Phone 324-5498
Post office address Rt #3 Box 3139A, Jerome, Idaho, 83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 9S Range 17E B.M. Jerome County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.08 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump
delivering to sprinkler system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ Existing well diameter is 6" inches; proposed depth of well is 180' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed use is
5 years (minimum 1 year).

RECORDED & INDEXED

APR 12 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	17E	9									2.5								2.5

Total number of acres to be irrigated 2.5

10. Describe any other water rights used for the same purposes as described above. _____

Permit 36-8249 on adjacent land out of same well.

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well was originally developed under permit 36-8249.
This filing is for addition of 2.5 acres to
original system. Total land to be irrigated when
finished will be 5 acres.

UNRECORDED

APR 12 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bob Kinnaman
(Applicant)

Received by ADM Date 2/26/86 Time 11:00 a Preliminary check by A Junderburg
Fee \$ 30.00 Receipted by maey # 40034 Date _____
Publication prepared by BLM Date 1-28-91 Published in Hortside News
Publication approved TJZ Date 2-19-91 2/6 + 2/13/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED
APR 12 1991

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6th day of Feb. 1991, and the date of the last publication was on the 13th day of Feb., 1991.

Patty Spance

Subscribed and sworn to before me this 13th day of Feb., 1991.
(SEAL)

Vincent Landis
NOTARY PUBLIC

NORTH SIDE NEWS Jerome, Idaho COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2 X

— Lines tabular at _____ 6¢/Pica
— 323.4 Lines straight at 16.17 5¢/Pica
— Subsequent lines at 12.94 4¢/Pica
TOTAL COST 29.11

COPY OF NOTICE


(Paste Here)

Not. Appl. Trust Wat. Rt.
TITLE OF NOTICE
B. + S. Kunsman
36-08306
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J D W R
BILL TO Boise



PUBLICATION RATES (Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3695

5180

OK
TJH
2-17-91

APR 12 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 28, 1994

SHIRLEY KUNSMAN
BOB KUNSMAN
216 E 450 S
JEROME ID 833380000

RE: WATER RIGHT NO. 36-08306

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

APR 11 1994

LICENSE REVIEW CHECKLIST

Permit # 36-8306

Date 2/2/94

Cindy Zimmerman

	Yes	No	
NAME		☒	Or Address Change?
PRIORITY DATE		☒	Proof Due <u>4/1/92</u> Proof R'cd <u>3/25/92</u> Advance? _____ Advanced to: _____ Order to Reinstate Needed? _____ Incorrect Fee for rate recommended? _____
SOURCE		☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D		☒	Amendment Needed? _____ Overlap(s) _____
P/U		☒	Amendment Needed? _____ Overlap(s) _____
TOTAL CFS	☒		Measurement done? <u>psi gauge & Pilot tube.</u> <u>18" 1/2" nonyles x 2.56 gpm = 46.1 + 448.83 = .10</u> Theoretical (HP) $\frac{8.8 \times 0.70 \times 5}{NA + (2.31 \times 30)} =$ ☒ Capacity <u>.10</u> Allowable Amount: <u>.08</u>
TOTAL VOLUME	☒		*Season of Use: <u>4/1 - 10/31</u> Calculations: <u>2.5A x 4AF = 10.0</u> Flow limit: <u>.10</u> x 214 x 1.9835 = <u>42.0</u> Recommended Volume <u>10.0</u> AF
USES		☒	Change(s) in Nature of Use? _____ Amendment Needed? _____
REMARKS		☒	Multiple P/Ds in 1/4 1/4? _____ Special Overlap _____ Other <u>Trust. 255, 256, 257</u>
CONDITIONS		☒	Measure/Lock Devices _____ W/Master Control _____ <u>251</u> Irrigation Overlap <u>2/26/96</u> Water Dist <u>251</u> Water Quality <u>6/22/92</u> App Rec'd Exam Made
COMMENTS:			

RECOMMENDED

1rr / 2.5 A

CFS

08

DIV VOL

10.0

LICENSE

1ST AMEND LETTER

2ND AMEND LETTER

WR0749NP
No. L36-08306

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/02/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SHIRLEY KUNSMAN	02/26/1986	IRRIGATION	04-01 10-31	0.08 CFS	10.00 AFA
C	BOB KUNSMAN 216 E 450 S JEROME ID 83338 (208) 324-5498			TOTAL DIVERSION:	0.08 CFS	10.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T09S R17E S09 NWWSW JEROME County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE						
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
09S	17E	9	:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:						:	
			:					:						:					:							

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 19 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Bob & Shirley Kunsman Permit No. 36-08306
Current Address: 216 E. 450 S., Jerome ID 83338 Phone No. 324-5498
2. Accompanied by: Bob Kunsman EXAM. DATE: 6-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GW tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☒ Copies Attached (See Comparison Report)
2. Other water rights with same point of diversion: 36-08249
_____ ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
APR 11 1994

Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The same P/O supplies water to both 2.5 acres ^{trucks} east & west of the owner's house. The system east of the house was licensed in Oct. 1990. The system west of the house consists of a 3" mainline and 4 laterals. Normal operation includes operating at most 18 sprinklers at one time.

Also at the P/O were two 200 gallon pressure tanks. This P/O supplies water for pasture land for cattle. The P/O can supply water only to one system at a time. The system east of the house, licensed in Oct. 1990, also includes water for domestic use.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	5Hp	F840		
	(submersible)				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	SW	9	09S	17E	Serome	USBA Topo Map

6. **Place(s) of Use:**

Indicate Method of Determination Inspection

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
09S	17E	9									25								2.5

Do not use this space

APR 11 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Psi gauge						
+ Pitot Tube						

2. Measurements: (diameter)

The nozzle size of the sprinklers were measured to be $\frac{1}{8}$ of an inch.
Using the psi gauge & the pitot tube, the average pressure at a nozzle was calculated to be 30psi.

Using the table in app. A of field exam handbook $\approx$ Nozzle discharge = 2.56 gpm at each nozzle
 $2.56 \text{ gpm} \times 18 \text{ sprinklers} = 46.1 \text{ gpm} = \frac{46.1 \text{ gpm}}{448.8 \text{ gpm}} = .10 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.5 \times 4.0) = 10.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.10 \times 214) \times 1.9835 = 42.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.0$

2. Volume Calculations for Other Uses:

APR 11 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

(CFS)

(AFA)

1) Legal Limit .08
2) Owner's permit paid for .08
3) Found during exam 10

1) Legal Limit 10.0
2) Capacity of system 42.8

Again, this P/A overlaps with wt. right # 36-08249.
For the system west of the P/A, I recommend the beneficial amounts described in section I of this report.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	.08	10.0
Totals:			.08	10.0

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Brett Barry
Signature Brett Barry
Certification Date 3/31/93
Field Report Preparation Date 6-29-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

APR 11 1994

SPRINKLER SYSTEM DISCHARGE


NOZZLE DISCHARGE - GALLONS PER MINUTE							
psi	3/32	1/8	9/64	5/32	11/64	3/16	13/64
20	1.17	2.09	2.65	3.26	3.92	4.69	5.51
25	1.31	2.34	2.96	3.64	4.38	5.25	6.16
30	1.44	2.56	3.26	4.01	4.83	5.75	6.80
35	1.55	2.77	3.50	4.31	5.18	6.21	7.30
40	1.66	2.96	3.74	4.61	5.54	6.64	7.80
45	1.76	3.13	3.99	4.91	5.91	7.03	8.30
50	1.85	3.30	4.18	5.15	6.19	7.41	8.71
55	1.94	3.46	4.37	5.39	6.48	7.77	9.12
60	2.03	3.62	4.50	5.65	6.80	8.12	9.56
65	2.11	3.77	4.76	5.87	7.06	8.45	9.92
70	2.19	3.91	4.96	6.10	7.34	8.78	10.32
75	2.27	4.05	5.12	6.30	7.58	9.08	10.66
80	2.35	4.18	5.29	6.52	7.84	9.39	11.02
85	2.42	4.31	5.45	6.71	8.07	9.67	11.35
90	2.49	4.43	5.61	6.91	8.31	9.95	11.69
95	2.56	4.56	5.76	7.09	8.53	10.20	11.99
100	2.63	4.67	5.91	7.29	8.76	10.50	12.32

AVERAGE APPLICATION RATE - INCHES PER HOUR

Spacing in Feet	Discharge From Each Sprinkler						
	2 gpm	3 gpm	4 gpm	5 gpm	6 gpm	7 gpm	8 gpm
20x20	0.48	0.72	0.96	1.20	1.44	1.70	1.95
20x30	0.32	0.48	0.64	0.80	0.96	1.12	1.28
20x40	0.24	0.36	0.48	0.60	0.72	0.84	0.96
30x30	0.21	0.32	0.43	0.54	0.64	0.75	0.88
30x40	0.16	0.24	0.32	0.40	0.48	0.56	0.64
30x50	0.13	0.19	0.25	0.32	0.38	0.45	0.51
40x40	0.12	0.18	0.24	0.30	0.36	0.42	0.48
40x50	0.1	0.14	0.19	0.24	0.29	0.34	0.38
40x60		0.12	0.12	0.20	0.24	0.28	0.32

RECEIVED
 APR 17 1994
 36-8506

Falls Cr



95 17E .NW NW SW
Sec. 9

Rest Area

Gravel Pit

Gravel Pit

Gravel Pits

~~Map~~


APR 17

36-8300

by the Geological Survey

(TWIN FALLS)
3169 III SW

SCALE 1:24 000



The Field Exam
for water right 36-08249; same P/D as 36-08306
licensed in Oct. of 1990

Form 219
5-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A GENERAL INFORMATION

1. Owner Bob Kamsman, for Shirley Kamsman Permit No. 36-08249
Current Address Rte 2, Piler, Ida Phone No. 735-6235
2. Accompanied by Bob Kamsman EXAM DATE 1-13-87
Address _____ Phone No. _____
Relationship to Permit Holder _____


3. Source groundwater tributary to _____

B OVERLAP REVIEW

1. Other water rights with same place of use 36-8306 ☐ Copies Attached
2. Other water rights with same point of diversion 36-8306 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C SYSTEM DESCRIPTION

1. Diversion System Diagram. Indicate all major components and distances between components. Indicate well size, ditch size, pipe if applicable. ☐ Alternative diagram attached



Scale _____

2. ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
3. ☐ Diagram of Diversion and System Attached (required for all but single household domestic groundwater and stockwater)

APR 11 1987

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible well & motor & pump.
Sprinklers -
2.5 Acres + Lawn & (1) Home.

See Remarks on page 4 for continuation

Well or Diversion Identification No.	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	5	F84D		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion**

Ident. No.	Gov't Lot	Sec	Twp	Rge	County	Method of Determination	Remarks
		NW SW 9	9S	17E	Jerome		

7. **Place(s) of Use**

Indicate Method of Determination

Twp	Rge	Sec	NE, NW, SW, SE												Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	17E	9											25		2.5

Do not use this space

APR 11 1994

Do not use this space

D FLOW MEASUREMENTS

Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No	Serial No	Size	Calib Date

Meas. Summary:

18 Hd's Rainbirds 9/64" ^{30"} psi 30H - 30IA Lines
Submersible Well
9 HD Rain at 100 ft = 0.08 cfs

E FLOW CALCULATIONS

Additional Calculations Attached

1. Measurement Method: pressure gage.

2. Any other Method for Checking Purposes

F PUMP EFFICIENCY DATA (Optional)

Motor Input (HP) (6) $\times 1.34$ = Motor Input (Watts) (7)
 Motor Output (HP) (8) $\times 1.34$ = Motor Output (Watts) (9)
 Motor Efficiency (8) / (7) $\times 100$ = Efficiency (10)
 Panel Input (W) (11) $\times 1.34$ = Panel Input (HP) (12)
 Panel Output (W) (13) $\times 1.34$ = Panel Output (HP) (14)
 Panel Efficiency (13) / (12) $\times 100$ = Efficiency (15)
 Overall Efficiency (10) $\times$ (15) = Overall Efficiency (16)

G VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_i = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.5 \times 4.0) = 10.0$
 $V_o = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.08)(1.9835)(245) = 38.80$
 Smaller of V_i and V_o = 10.0

2. Volume Calculations for Other Uses

APR 11 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This water is used for domestic & irrigation
4.5' Head under 30' \$3000

I. RECOMMENDATIONS

Recommended Amounts


Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	Jan 1 Dec 31	0.04	15 0.6
Irrigation	March 15 Nov 15	0.0065	10.0
		0.04	
		Totals: 0.0465	10.6 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name GARY L. Funderburg
 Signature Gary L. Funderburg
 Certification Date 4/18/89
 Field Report Preparation Date 4/18/89



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 11 1994

P/O
↳



P/u
↳



RECEIVED
JAN 11 1994

36-8300

March 27, 1992

SHIRLEY KUNSMAN
BOB KUNSMAN
216 E. 450 S.
JEROME ID 833380000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08306

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 08 1992

January 31, 1992

SHIRLEY KUNSMAN
BOB KUNSMAN
216 E. 450 S.
JEROME ID 833380000

PROOF DUE NOTICE

RE: PERMIT NO. 36-08306

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 08 1992





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 28, 1991

BOB KUNSMAN
SHIRLEY KUNSMAN
216 E. 450 S.
JEROME, ID 833380000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 36-08306

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

APR 12 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

6/11/2011

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

JANUARY 28, 1991

Northside News
Box 468
Jerome, ID 83338

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

2107

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08306

KUNSMAN, BOB
KUNSMAN, SHIRLEY
216 E. 450 S.
JEROME, ID 833380000

Source: GROUNDWATER

Diversion Pt: NWNWSW Sec 9 T 09S R 17E

Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)

Date Filed: 2/26/ 1986

In: T09S R17E S09 NWSW

2.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 25, 1991.

R. Keith Higginson, Director

Published 2/ 6/1991 & 2/13/1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
JAN 15 1991

Department of Water Resources

Application No. 36-8306

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes No X

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 2.5 A

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete.

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

Permit 36-8249

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Bob K. Lumsden

Date Jan. 11-1991

COUNT 2.5 ACRES = TRUST ACRES
JK
1-15-91

1001, 1002, 1003

816 4305

Jerome, Idaho 83338

Address
update

Idaho Department of Water Resources

Statehouse Mail

Boise, Idaho 83720-0000

Attorney General



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 7, 1991

RE: APPLICATION FOR PERMIT NO. 36-8306

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5,3,5 information notice will be sent to you after you return the questionnaire.

and 12 1991

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

RECEIVED

APR 12 1981

Bob Kunsman
216 E 450 S
Jerome, ID 83338

10-Apr-1990

RE: Permit 36-08249 and Application 36-08306

Dear Mr. Kunsman,

I am writing in response to your inquiry about the status of the above referenced water rights and as promised during our recent telephone conversation.

In July, 1984 you filed an application, which became Permit 36-08249, for domestic and irrigation. In April, 1989 an agent of the Department conducted the field exam required to ripen the permit to license status. I have completed review of the exam, required to check it's completeness and accuracy, and have given it to the Southern Region Manager, Loren Holmes, for sign-off and forwarding to the State Office for final action. I am not certain when the State Office will issue the license but it usually takes a couple months.

Application 36-08306 was filed in February, 1986 and is for irrigation of an additional 2.5 acres associated with the property covered in 36-08249. This application is being held in the Swan Falls Agreement processing sequence. The agreement states that applications for irrigation of 2.5 acres associated with a domestic use may be processed out of sequence of the usual order of by priority. Currently the Department is processing 1983 priority (filing date) applications. There will probably be at least another year delay in beginning processing of this application.

If you have any questions please contact us.

Sincerely,

Douglas Jones, EIT
Water Resources Engineer-In-Training

APR 12 1991

MEMORANDUM

TO: FILE #36-08306

FROM: MARY BALDWIN, SEC/OFFICE COORD.

DATE: 06-Mar-1990

SUBJECT: CHANGE OF ADDRESS

RECEIVED A TELEPHONE REQUEST THIS DATE TO CHANGE THE ADDRESS
TO: 216 E. 450 S., JEROME, ID 83338.

ALSO, A REQUEST OF THE STATUS OF THE FIELD EXAM ON PERMIT
#36-8249.

RECEIVED
MAR 13 1990